

ROLLER BEARINGS

The accuracy of information contained in this publication has been reviewed with maximum care; however, we do not assume any liability for any direct, indirect, or consequential damages potentially arising from the use of the information specified here.

Contents

1.	PREAMBLE	.3
2. 2.1 2.2	BEARING TERMINOLOGY. Radial bearings (fig. 2.1 and 2.2) Radial bearings (fig. 2.3 to 2.5)	. 7
3. 3.1 3.1.1 3.1.2 3.2	CRITERIA FOR SELECTION AND USE OF BEARINGS Types of rolling-contact bearings. Based on load direction. Separable and non-separable bearings Criteria for selecting bearings	. 9 . 9 15
4. 4.1 4.1.1 4.1.2 4.1.3 4.1.4 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.8.2 4.9	SELECTING TYPE OF BEARING Loads Radial loads Axial loads Combined loads. Torque load Available space Revolutions Precision of operation. Alignment. Sliding axial movement. Support rigidity Installation options Bearings with a cylindrical bore Bearings with a tapered bore Methods of packing bearings.	17 18 18 20 21 22 23 25 26 26 27
5. 5.1 5.2 5.3 5.4 5.5 5.5.1 5.6 5.7 5.7.1 5.7.2 5.7.3 5.7.4 5.7.5 5.8.1 5.8.2 5.8.3 5.8.4 5.9	DETERMINING BEARING SIZE General information Roller bearing reliability Dynamic Load Capacity. Durability Basic durability equation Standard values of basic durability Modified durability equation. Durability according ZKL Fatigue load limit. Determining the modified durability coefficient Contamination factor Viscosity ratio Calculating the modified durability coefficient Equivalent dynamic load. Combined loads. Change in load magnitude at constant revolution speed Change in load magnitude when rotation speed changes Oscillating motion of the bearing Effect of temperature	29 30 31 31 32 43 44 45 56 56 57 59































5.10 5.10.1 5.10.2	Static Load Rating60Equivalent static load.6Bearing safety during static loading.6
6. 6.1 6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.3 6.3.1 6.3.2	CRITICAL SPEED AND VIBRATIONS63Bearing friction63Torque friction estimate63Calculating frictional torque63Limiting speed65Definition of ZKL limiting speed65Special operating speeds65Vibrations in the bearing65Frequency characteristics of bearings65Influence of the bearing on housing vibrations65
7. 7.1 7.2 7.2.1 7.2.2 7.2.3 7.3 7.3.1 7.3.2 7.3.3 7.4 7.5 7.6 7.6.1 7.6.2 7.7	BEARINGS - GENERAL DATA7Bearing design data7Main dimensions7ISD dimension plans7Accuracy of bearings7Inner clearances of bearings8Roller bearings materials94Materials of bearing rings and rolling bodies94Materials for production of cages95Other materials96Cages96Shield and seals96Designation of roller bearings96Standard bearing version100Full designation of bearings100NEW FORCE bearings100Technical support11
8. 8.1 8.1.1 8.1.2 8.1.3 8.2.1 8.2.3 8.3.3 8.3.1 8.3.2 8.3.3	Bearing applications11Arrangement of bearings11Location with axially free and axially guiding bearing11Symmetrical arrangement of bearings11Prestressed location11Radial security of bearings11Axial security of bearings12Seal12Contact-free sealing12Friction sealing12Combined seals13
9. 9.1 9.2 9.2.1 9.2.2 9.2.3 9.2.4 9.2.5	BEARING LUBRICATION13Types of lubrication13Grease lubrication13Composition of grease lubricants13Basic grease characteristics13Miscibility13Amount of lubricant13Re-lubrication13

(ZKI)

9.3 9.3.1 9.3.2 9.4	Oil lubrication13Oil lubricants.13Changing oil13Lubrication using solid lubricants.14
10. 10.1 10.2 10.3 10.4 10.5 10.6 10.6.1 10.6.2 10.7 10.8 10.9 10.10 10.10.1	ASEMBLY AND DISASSEMBLY OF BEARINGS. General information
11. 11.1	BEARING DEFECTS AND DAMAGE. 15 Main types of damage
12.	PRODUCT DATA - CONTENT
12.1	SINGLE ROW BALL BEARINGS
12.2	ANGULAR CONTACT BALL BEARINGS
12.3	DOUBLE ROW SELF ALIGNING BALL BEARINGS
12.4	CYLINDRICAL ROLLER BEARINGS
12.5	SPHERICAL ROLLER BEARINGS
12.6	TAPERED ROLLER BEARINGS
12.7	THRUST BALL BEARINGS
12.8	CYLINDRICAL ROLLER THRUST BEARINGS
12.9	SPHERICAL ROLLER THRUST BEARINGS
12.10	SPLIT ROLLER BEARINGS
12.11	BEARINGS FOR RAILWAY APPLICATIONS
12.12	SPECIAL ROLLER BEARINGS55
12.13	BEARING HOUSINGS AND ACCESSORIES
































ZKI)

· · · VI







1. PREAMBLE

ZKL Group, with headquarters in the Czech Republic, is a manufacturer and supplier of rolling-contact bearings. ZKL Group was established in 1999, when the Czech bearing industry integrated with over sixty years' tradition providing research, development, manufacturing, and sales of ZKL bearings. Manufacturing of ZKL personally-designed bearings began in 1947. The Rolling-Contact Bearing Research Institute was established in 1953 and was integrated into the new group as ZKL – Research and Development. It participated jointly with individual Group manufacturing plants to begin production of a large variety of bearings, which is constantly being expanded and upgraded to meet the needs of even the most demanding customers. Since then, ZKL operations expanded globally. The ZKL trademark was registered in 1954 and is protected in 53 countries.

Innovation and expansion of the range of rolling-contact bearings within the group is achieved through personal Research and Development. Bearing designs are developed with the support of the latest, high-performance CAD programs and computer programs using the method of finite elements. Manufacturing plants are also continuously upgraded and equipped with numerically controlled technology. One of the latest results of personal research and development within the group, in cooperation with customers and university research departments, is the introduction of a new generation of rolling-contact bearing production, designated as NEW FORCE. These bearings are characterized primarily by their higher dynamic load capacity, resulting from a comprehensive solution of technical development, including new bearing design methods, MKP optimization of bearing internal designs, higher guaranteed bearing material parameters, new technologies and manufacturing process.

The ZKL Group established a Quality Management System in all processes affecting bearing quality, which is certified according to EN ISO 9001:2008. Automobile industry suppliers use a system according to ISO/TS 16 949:2002.

The main ZKL rolling-contact bearing catalogue presents an overview of standard and special rolling-contact bearings and accessories that are manufactured and supplied under the ZKL brand. In individual chapters, the catalogue contains all general information about ZKL rolling-contact bearings and tables that specify the basic parameters of the entire range of ZKL bearings. Information related to specific types of bearings is provided in the expanded introduction of the chapter dedicated to the particular type of bearing. In addition to the Main Catalogue, ZKL issues additional catalogues that focus on industry-specific products, e.g. ZKL Bearings for rail vehicles or catalogues listing entirely new lines of bearings. Technical information about the special ZKL production program and special application bearings enable more frequent updating of content and improved distribution to targeted customers.

This edition of the Main Catalogue is largely revised and supplemented with new information for bearing users from series of developers, designers, sales and service personnel, who work with bearings on a daily basis. The publication is also converted into digital form. The text and bearing parameters relate to the bearings assortment and the technological state and development results at the catalogue's time of issue, i.e. at the end of 2012. Due to constant developments, we reserve the right to modify the product line to be included in the upcoming issue. Additionally, any parameters that differ in this catalogue in comparison with previous versions are the result of design developments, computational methods, new manufacturing technologies, and applied materials. Information on new products is available at the website www.zkl.eu.

The catalogue uses units in accordance with ISO.







































2. BEARING TERMINOLOGY

An illustrative description of terms that characterize individual types of bearings can be seen in the following pictures.

2.1 Radial bearings (fig. 2.1 and 2.2)

- Inner race
- Outer race
- 3 Rolling element ball, cylindrical roller, spherical roller, tapered roller
- 4 Cade
- **5** Seal, shield
- **6** Outer cylindrical bearing surface
- Bearing bore
- Cylindrical surface of inner ring flange
- Cylindrical surface of outer ring flange
- **10** Snap ring groove

- **11** Snap ring
- 12 Outer ring face
- 13 Seal groove
- **14** Outer ring raceway
- **15** Inner ring raceway
- **16** Bearing seal recess
- 17 Inner ring face
- 18 Installation fillet
- **19** Bearing mean diameter
- 20 Bearing width
- 21 Guiding flange
- 22 Support flange
- 23 Contact angle




Fig. 2.1 Fig. 2.2

























2.2 Radial bearings (fig. 2.3 to 2.5)

- 1 Shaft ring
- **2** Cage with rollers
- **3** Housing ring
- 4 Housing ring with spherical bearing surface
- **5** Spherical housing ring




Fig. 2.3




Fig. 2.4




Fig. 2.5

. .





Rolling-contact bearings are an indispensable component of machinery, which are constantly subjected to the process of innovation. They enable mutual rotational motion of machine parts, while simultaneously transferring acting forces. They usually consist of two rings, roller-bearing cases, and a cage. Grease and packing elements are also an integral component of rolling-contact bearings. Proper rolling-contact bearing operation thus requires not only the selection of the proper type and size of bearing, but also the appropriate method of lubrication, heat dissipation, corrosion protection, and design to prevent entry of contaminants into the housing. The housing design a well as bearing connection dimension tolerances and supplemental lubrication method must be adequate. The correct installation, disassembly or de-installation procedure must also be designated to ensure proper bearing operation. A service manual and maintenance instructions should be provided in cases of complicated housing designs and where high operating reliability are needed.

These principles must particularly be observed in housings in which bearing price, high reliability, or costs associated with bearing installation and economic losses due to shutdown of equipment play a significant role. Such housings require a highly qualified approach in the design phase with the use of computations and testing.

3.1 Types of rolling-contact bearings

ZKI Company manufactures a full range of bearings, from which the designer can choose the bearings that best meet the specific requirements.

3.1.1 Based on load direction

Rolling-contact bearings are generally divided according to the direction of force, for whose transfer they are predominantly designed, into two basic groups:

Radial bearings Axial bearings

There is no exact difference between the two groups, however, because the majority of radial bearings can also capture axial forces and certain types of axial bearings also radial forces. This division, however, is important for determining the load-bearing capacity of bearings. The load-bearing capacity in radial bearings specifies the magnitude of radial forces, whereas in axial bearings the value refers to axial forces.

We divide bearings, according to shape, into ball (single-point contact) bearings and roller (line contact) bearings. Contact in ball bearings theoretically occurs at a single point, hence the designation "single-point contact bearings." In roller, spherical, tapered roller, and needle roller bearings, contact occurs in a line or straight line, resp., thus they are commonly designated as straight-line (vector) or line-contact bearings.

The following overview provides a classification of individual bearing types based on this characteristic.

Single-point contact bearings

Single-row ball bearings	(fig.	3.1]
Single-row angular-contact ball bearing	(fig.	3.2
Double-row angular-contact ball bearing	(fig.	3.3
Four-point contact bearing	(fig.	3.4]

0

































Single-row ball bearings (fig. 3.1)



Single-row angular-contact ball bearing (fig. 3.2)



Double-row angular-contact ball bearing (fig. 3.3)





Four-point contact bearing (fig. 3.4)

• 1










Double-row, self-aligning ball bearing (fig. 3.5)

Single direction thrust ball bearings (fig. 3.6)



Double direction thrust ball bearings (fig. 3.7)

1.1



Double-row, self-aligning ball bearing(fig.	3.5)
Single direction thrust ball bearings(fig.	3.6)
Double direction thrust ball bearings	3.7)


Line-contact bearings

Single row cylindrical roller bearing	(fig.	3.8)
Double row cylindrical roller bearing		
Single row full complement cylindrical roller bearing	(fig.	3.10)
Double row full complement cylindrical roller bearing	(fig.	3.11)
Tapered roller bearing	(fig.	3.12)
Double row tapered roller bearing	(fig.	3.13)
Double row spherical roller bearing	(fig.	3.14)
Thrust cylindrical roller bearing	(fig.	3.15)
Thrust spherical roller bearing	(fig.	3.16)

We separate each type of roller bearing then into several types according to dimensions and design variations. Specific information on characteristics of individual types of bearings is available in the sections of text provided before the tables of individual bearings.



Single row cylindrical roller bearing (fig. 3.8)




Double row cylindrical roller bearing (fig. 3.9)

• • 1









Single row full complement cylindrical roller bearing (fig. 3.10)



Double row full complement cylindrical roller bearing (fig. 3.11)



Tapered roller bearing (fig. 3.12)



Double row tapered roller bearing (fig. 3.13)

∃ .


00


丁

→

PO


(ZKL)





Thrust cylindrical roller bearing (fig. 3.15)

Double row spherical roller bearing (fig. 3.14)



Thrust spherical roller bearing (fig. 3.16)

... 14





3.1.2 Separable and non-separable bearings

Separable bearings allow separate installation of both rings, which is of particular advantage when installing both rings with an overlap. Sequential installation of individual parts can also be used in certain complex housings and assembly units. Separable bearings are, e.g. four-point contact bearings, double-row ball bearings with split inner ring, roller bearings, tapered roller bearings, thrust ball bearings, thrust roller bearings, and spherical roller thrust bearings.

In contrast, non-separable bearings include, e.g. single row ball bearings, single row angular-contact ball bearings, self-aligning ball bearings, and double-row spherical roller bearings.

3.2 Criteria for selecting bearings

The ZKL production program offers a full range of bearings, from which the designer can choose the bearings that best meet the specific requirements. The bearing type and size are generally chosen according to its loading capacity with consideration to its operating conditions and expected bearing service life. To determine the proper type of bearing thus requires a thorough knowledge of the loading capacity of the bearing during operation. Proper principles for selecting, fitting, and installing them must be followed, but it also requires knowledge of the prerequisites for which the proposed results apply. In the following chapters, we thus present general principles for selecting and using contact-roller bearings, which may be used by drafting engineers in the bearing design process. The chapters are organized in logical consecutive order. The technical part of the publication contains important regarding calculations, design data, housing, lubrication designs, as well as installation and removal information on rolling-contact bearings. The table provides a list of currently manufactured ZKL rolling-contact bearings with main dimensions and functional parameters.

Even though they list detailed information, this publication is unable to provide full information on all housings for their wide varieties of application. We therefore recommend that complex housing designs be consulted with ZKL technical and consultation service specialists.





























ZKI)

••• 16 ••••••••••••••••



4. SELECTING TYPE OF BEARING

Each type of bearing is characterized by specific properties unique to the given design and dimensions, which determine its suitability for the given type of application. Ball bearings for example are characterized by low friction and low noise. They are designed for translating medium-large radial as well as axial loads. They may be manufactured at higher precision enable them to operate at higher rpms. Due to their properties and affordability, they are among the most common types of bearings used. In contrast, spherical-roller bearings are designed for housings under high loads and are capable of compensating to a certain extent misalignments. They are thus particularly suitable for industrial use. It is thus important, when selecting the type of bearing, to consider various influences and to evaluate them according to their measure of importance for the given housing. The selection of a standard bearing is influenced particularly by:

- Load
- Available space
- Revolutions
- Precision of operation
- Alignment

- Slide-able axial movement
- Housing rigidity
- Installation and de-installation options
- Sealing methods

4.1 Loads

4.1.1 Radial loads

Bearings designed primarily for transferring radial loads are called radial bearings (fig. 4.1). They have a nominal contact angle of $\alpha\!\leq\!45^{\circ}$. Line contact bearings are more suitable for higher radial loads than single-point contact bearings, and bearings with a full number of rolling bodies have a higher load capacity than corresponding bearings with a cage.

Ball bearings are designed for small and mediumlarge loads. N- and NU-type ball bearings can only be burdened radially. Different type radial bearings can transfer both radial as well as axial loads.




Fig. 4.1

17



4.1.2 Axial loads

Bearings designed mainly for axial loads (thrust ball bearings) have a contact angle α >45°.

Axial ball bearings and angular contact thrust ball bearings may, depending on the design, transfer axial loads in one or both directions (fig. 4.2a). In cases of extremely high axial loads, a thrust cylindrical roller or thrust roller bearings (fig. 4.2b). Other thrust bearings are only suitable for axial loads. Double direction bearings are designed for bi-directional axial loads.




Fig. 4.2a Fig. 4.2b


4.1.3 Combined loads

Combined loads are composed of simultaneously acting radial and axial loads.

Axial load capacity of a bearing depends on the angle of contact. The larger the angle, the larger the axial load bearing capacity of the bearing. Larger axial clearance in single row ball bearings increases their load bearing capacity. Single and double row angular contact ball bearings or tapered roller bearings are best for capturing combined loads (fig. 4.3a). Combined loads can also be borne by double row spherical roller bearings, thrust ball angular-contact bearings, and to a limited extent, also spherical roller thrust bearings. Self-aligning ball bearings, NJ, NUP, or NJ roller-contact bearings and NU bearings with HJ attachment rings (fig. 4.3b) can be used for combined loads with a relatively small axial component.


Single row angular contact ball bearings, tapered roller bearings, NJ roller-contact bearings, and NU+HJ and axial spherical roller bearings can only transfer unidirectional axial loads. If the arrangement of the active load changes, an additional bearing must be used. Combined single row angular contact ball bearings or single row tapered roller bearings are provided for best capturing such combined loads.

... 18



19 • • •





In addition to thrust bearings, ball bearings or four-point ball bearings can be used for capturing axial forces (fig. 4.4)

4.1.4 Torque load

If the load application point lies outside of the bearing axis, then an overturning torque is created. The use of a radial double row bearing or a double row angular contact ball bearing usually suffices for its transfer. The use of a par of single row angular contact ball bearings or tapered roller bearings installed back-to-back in pairs (into an "O"), however, are preferred (fig. 4.5).

4.2 Available space

In certain circumstances, it presents as a limiting condition for the bearing design. In small-diameter housing, the single row ball bearing is most often

Fig. 4.4





Fig. 4.5

applied (fig. 4.6). Cylindrical roller, spherical roller, and taper roller bearings may optionally be used for large diameter shafts (fig. 4.7). Various types of bearings also allow for a variety of types with various bearing section strengths. Where there is limited space in the radial or axial direction, bearings with a suitable cross-section are selected (fig. 4.8).

... 20



4.3 Revolutions

Low-friction bearings should be used in housing subjected to high revolutions. Among such bearings are single-row ball bearings for purely radial loads. Angular-contact ball bearings in combined loads equally generate little heat. Both types of bearings are thus the most suitable for high revolution applications. Single row cylindrical roller bearings are additionally suitable for high revolutions.

74






Fig. 4.9a




Fig. 4.9b

From a design aspect, the rpms in thrust bearings are always lower than those of radial bearings.

4.4 Precision of operation

Bearings with normal diameter precision and operation (precision class PO) are sufficient for the most housing. In more demanding housing, e.g. for fitting machine tool spindles, bearings with higher precision must be used. Such bearings are designated by precision classes P6, P6E, P6X, P5, P5A, P4, P4A, P2, SP, UP. In the text, which is located at the beginning of individual tables, you are provided with more detailed information about precision classes, in which individual types are produced.

4.5 Alignment

With regard to manufacturing inaccuracies and spindle deflections, mutual inclinations of bearing rings occur in the housing. This phenomenon should be expected and it is necessary to select bearings that compensate for the misalignment and installation inaccuracy. Self-aligning ball bearings (fig. 4.9a), double row spherical roller bearings (fig. 4.9b), and thrust spherical roller bearings (fig. 4.9c), are such types. The angle of inclination of such bearings depends on the type, size, and load. High rigidity bearings, such as cylindrical roller bearing or ball bearings, can compensate for small misalignments, assuming that they are unburdened.

. . . 77



4.6 Sliding axial movement

A fixed axial and free axial bearing is general used for supporting shafts, while the fixed axial bearing provides shaft guidance in both directions and the free axial bearing compensation for the axial change in length and thermal expansion. If axial displacement of thermally expanding components is prevented, then uncontrolled axial overloading of firmly fixed bearings may result.

Bearings that can carry combined loads are most suitable for capturing axial forces. Bearings that are best able to afford axial movement are NU and N cylindrical roller bearings (fig. 4.10). If ball or cylindrical roller bearings are used as free bearings, then one of the bearing rings (usually the outer) must be attached freely (fig. 4.11).




Fig. 4.9c




Fig. 4.10 Fig. 4.11








Fig. 4.12a Fig. 4.12b




Fig. 4.12c Fig. 4.12d

Examples of axially quided and free axial bearing supports are illustrated in figures 4.12a to 4.12

- a) Axially quided ball bearing, free axial ball bearing
- b) Axially guided spherical-roller bearing, free axial cylindrical roller bearing
- c) Axially guided ball bearing, free axial NU cylindrical roller bearing
- d) Axially guided spherical-roller bearing, free axial NU roller-contact bearing
- e) Axially guided double-row angular-contact ball bearing, axially free NU cylindrical roller bearing
- f) Axially guided four-point contact ball bearing and an NU cylindrical roller bearing, free axial NU roller-contact bearing
- g) Axially guided double-row tapered-roller bearing, free axial NU cylindrical roller bearing
- h) Axially guided NUP cylindrical roller bearing, free axial NU cylindrical roller bearing




Fig. 4.12e Fig. 4.12f




Fig. 4.12g Fig. 4.12h

4.7 Support rigidity

The support rigidity expresses the force required to achieve a defined deflection when using a flexible support. High rigidity is demanded, for example when supporting the main spindle in machine tools and pinion gear sets.

The rigidity of line-contact bearings such as, e.g. cylindrical roller bearing and tapered roller bearings is higher than in ball bearings due to the contact ratios between the rolling elements and raceways.

The bearings are pre-stressed to increase their rigidity..

25 • • •






Fig. 4.13a Fig. 4.13b




Fig. 4.13c

4.8 Installation options

4.8.1 Bearings with a cylindrical bore

These bearings are more easily installed and removed, if they can be taken apart. This particularly applies for bearings within a fixed housing. Separable bearings are also suitable for use where frequent installation and removal are required. A ring with roller elements may be installed separately, irrespective of the second ring (fig. 4.13a – 4.13c).

four-point contact ball bearing (obr. 4.13a) NU cylindrical roller bearing (fig. 4.13b) tapered-roller bearing (fig. 4.13c)

... 25




Fig. 4.14 Fig. 4.15




Fig. 4.16

4.8.2 Bearings with a tapered bore

Bearings with a tapered bore (fig. 4.14) are installed on a conical or cylindrical shaft using a adapter sleeve or withdrawal sleeve. The radial clearance of bearings can be set during installation. Installation and removal of bearings is relatively simple.



4.9 Methods of packing bearings

ZKL Company provides a full range of roller bearings with shields or with contact-seal on one or both sides. The bearings use contact (friction) seal (fig. 4.15) or are shielded (fig. 4.16) using non-contact (touch-less) seal. Bearings with seal on both side are filled with grease and do not require additional greasing during operation. The use of such bearings makes it possible to design economical and spatially undemanding housing. In other instances, care must be taken to monitor the structure of other components to prevent unwanted leaking of grease and entry of contaminants into the bearings.

... 28





5.1 General information

A properly installed and lubricated roller-contact bearing will operate under normal conditions, i.e. absent extreme speeds and temperatures, until it fails due to fatigue of materials at acting surfaces. Repeated stress on the contact surfaces between roller-contact surfaces and rings will manifest after a certain period depending on the magnitude of load as a stress fracture. This will expand until a part of the bearing ring material or roller element material breaks off (pitting) and causes failure. Many bearings are also discarded for other reasons than material fatigue, but these failures can be avoided if the bearing is treated properly, if it is properly installed, lubricated, and overloading is avoided.

When a certain number of identical bearings are tested for fatigue under specified operating conditions (load and rpm), there is a large variance of durability between individual bearings. In a group of 30 or more bearings, the ratio between the shortest and longest durability can be 20-fold or more. A durability variance curve can be drawn for each tested group of bearings that illustrates the relationship between the durability and the number of bearings, which were discarded.

The required bearing size is determined on the basis of externally acting forces and based on the durability and reliability demands of the seated bearing. The size, direction, purpose, and nature of the bearing load as well as the revolution operating speed are determinant when selecting the bearing type and size. Meanwhile, other special or important conditions of each individual case must be considered, e.g. operating temperature, spatial allowances, ease of installation, lubrication requirements, packing, etc., which can affect the selection of the most suitable bearing. Various types of bearings may, in many cases, be suitable for the given specific conditions.

In terms of the action of external forces and the function of the bearing in the respective node or unit, we distinguish two types of roller bearing loads in bearing technology:

- If the bearing rings turn in relation to one another and the bearing is exposed, under such conditions, to external forces (which applies for the majority of bearing applications), we refer to this as a dynamic bearing load,
- If the bearing rings do not turn in relation to one another or turn very slowly, the bearing transmits
 oscillating motion, or external forces act for shorter period than the time of one bearing revolution,
 we refer to this as a static bearing load.

The durability limited by failure of a particular bearing component (bearing rings, roller elements, cage, lubricant and seal) is, in the first case, decisive for calculating bearing safety. In the second case, permanent deformities of functional surfaces at contact points between rolling elements and orbits is decisive.

5.2 Roller bearing reliability

The reliability of a group of apparently identical roller bearings, operating under identical conditions, is the percentage of the group, expected to achieve or exceed the specified durability.

The reliability of an individual roller bearing is the probability that the bearing will achieve or exceed the specified durability.































ZKI

The equation for calculating durability includes the effect of stress induced by external loads, lubrication, and surface kinematics at the site of rolling contact. Including the impact of the comprehensive system of stress on bearing durability makes it possible to better anticipate the actual manner, in which a bearing behaves within a specific housing. International standards, such as e.g. ISO 281, are based on the theory of material fatigue at the site of rolling contact. One must keep in mind that a complete bearing can be considered as a system, the individual components of which (bearing rings, rolling elements, cage, lubricant and seal) have the same effect on durability and, in certain cases, are even a decisive factor in determining the bearing durability during operation. The optimal operating durability is theoretically achieved when all of the components achieve the same durability. In other words, the calculated durability corresponds to the actual operating durability if the operating durability of related components is at least as long as the calculated bearing durability. Related components in such case are the cage, seal and lubricant. The most important factor in practise is metal fatigue.

5.3 Dynamic Load Capacity

Dynamic load capacity is, according to ISO 281:1990, a constant invariable load that a bearing can theoretically carry at a basic durability of one million revolutions.

The dynamic load capacity Cr for radial bearings relates to constant, invariable, entirely radial loads. For thrust bearings, the dynamic load capacity Ca relates to the invariable, purely axial load acting in the bearing's axis.

The dynamic load capacity Cr and Ca, whose magnitude depends on the bearing dimensions, the number of rolling elements, the bearing material and design, is provided in the table for each bearing. The dynamic load capacity values were determined in accordance with ISO standard 280. These values are verified on testing equipment and confirmed in operating results.

The numeric values specified in this catalogue apply for chrome steel bearings, heat treated to a minimal hardness of 58 HRC and normal operating conditions. NEW FORCE bearings display, among others, improved material properties and advanced manufacturing processes. To determine the dynamic load capacity in these bearings, thus requires the use of correction factors according to ISO 281. More information about these bearings is available in separate chapter 7.7.




Fig. 5.1 Photo-illustration of fatigue damage on the raceway



Fig. 5.2 Photo-illustration of fatigue damage on the raceway































5.4 Durability

It is the number of revolutions that a bearing lasts, before fatigue of one of its components occurs, which manifests as flaking of material. It is expressed either as the total number of revolutions or operating hours, or in vehicles, by the distance travelled (number of driven km).

The material is primarily responsible for significant variance in durability in a broader range of identical bearings tested under the same conditions. No material or bearing steel is entirely homogenous and contains certain weak points. If a weak point is located on the orbit, where large load (stress) is generated, then the durability of the bearing will be small. The durability is higher where the load is decreased. Poor material has a large amount of weak points and, in all likeliness, some of them lie in areas of greatest load. The variance of durability will thus be less in poor material and larger in first-class material.

Variance of durability is also affected by manufacturing tolerances of individual components. The tolerances of roller diameters and radiuses of raceways significantly affect loads on roller surfaces. For manufacturing reasons, the radial clearance in a bearing varies within a specific tolerance, and as such, it also affects the distribution of pressure on individual roller elements. The distribution of forces within the bearing in the same manner cause expansion and decrease the orbit diameter due to the prescribed placement of rings on the shaft and within the housing.

Adherence to the prescribed material composition, its purity, and heat treatment is also an important indicator of bearing quality. Large variances in durability of large quantities of identical roller bearings, testing under identical conditions is but a natural consequence of the specified individual influences. Current research shows that even the quality of lubrication, its purity, and quantity may significantly impact bearing durability. Lubrication is taken into account in the modified durability calculation, see further.

The results of performed durability tests and practical operating experiences indicate that identical bearings, operating under identical conditions, do not achieve the same durability. The term "durability" must thus be correctly defined.

5.5 Basic durability equation

The basic durability of a bearing is mathematically defined by the durability equation, which applies for all types of bearings.

$$L_{10} = \left(\frac{C}{P}\right)^{p} \qquad \text{or} \qquad \qquad \frac{C}{P} = (L_{10})^{1/p}$$

$$L_{10}$$
 basic durability [10 6 rev]

$$P \dots bearing$$
 equivalent dynamic load capacity [kN] (the equations for calculating P_r and P_a are provided in the chapter Equivalent Dynamic Load Capacity and for each structural group of bearings)

p ball bearing exponent
$$p=3$$
 For cylindrical roller, needle roller, spherical-roller, and tapered-roller bearings $p=\frac{10}{3}$



The basic durability of a bearing is thus understood to mean the durability that 90% of bearings achieve or exceed from a set of identical bearings, working under the same operating conditions. All standard durability calculations are performed for this reliability level. Mean durability L_s is the durability that 50% of bearing from the same set achieve; it is about 5 times higher than the basic durability. In contrast, the durability achieved by 99% of bearings is about one fifth when compared with the basic durability. The impact of the degree of reliability on the durability calculation is specified in chapter 5.5.

Table 5.1 lists the relationship of durability L_{10} in millions of revolutions and the corresponding C/P ratio. If the revolution speed is unchanged, then the durability can be calculated using the modified equation, which expresses the basic durability in terms of operating hours:

$$L_{10h} = \left(\frac{C}{P}\right)^{p} \left(\frac{10^{6}}{60n}\right)$$

$$L_{10h}$$
 basic durability [h]

The relationship of the C/P ratio on basic durability L_{10h} and on the revolution speed for ball bearings is specified in table 5.2 and in table 5.3 for cylindrical roller, needle, spherical-roller, and tapered-roller bearings.

In road and rail vehicle axle supports, we can express the basic durability using the modified relationship in terms of kilometres driven

$$L_{10km} = \left(\frac{C}{P}\right)^{P} \cdot \frac{\pi \cdot D}{1000}$$

5.5.1 Standard values of basic durability

In cases, when the required durability for the given housing is not provided in advance, we can appropriately use the values provided in tables 5.4 and 5.5.

••• 32 •••••••••••••••••



Table 5.1

		C/P	ratio dependi	ng on durability	L _{10h}				
	Ball be	earings		Cylindrical roller, needle-roller, spherical-roller, and tapered-roller bearings					
L ₁₀ Durability	C/P	L ₁₀ Durability	C/P	L ₁₀ Durability	C/P	L ₁₀ Durability	C/P		
× 10 ⁶ rev		× 10 ⁶ rev		× 10 ⁶ rev		× 10 ⁶ rev			
0,5	0,79	600	8,43	0,5	0,81	600	6,81		
0,75	0,91	650	8,66	0,75	0,92	650	6,98		
1	1,00	700	8,88	1	1,00	700	7,14		
1,5	1,14	750	9,09	1,5	1,13	750	7,29		
2	1,26	800	9,28	2	1,24	800	7,43		
3	1,44	850	9,47	3	1,39	850	7,56		
4	1,59	900	9,65	4	1,52	900	7,70		
5	1,71	950	9,83	5	1,62	950	7,82		
6	1,82	1 000	10,00	6	1,71	1 000	7,94		
8	2,00	1 100	10,30	8	1,87	1 100	8,17		
10	2,15	1 200	10,60	10	2,00	1 200	8,39		
12	2,29	1 300	10,90	12	2,11	1 300	8,59		
14	2,41	1 400	11,20	14	2,21	1 400	8,79		
16	2,52	1 500	11,40	16	2,30	1 500	8,97		
18	2,62	1 600	11,70	18	2,38	1 600	9,15		
20	2,71	1 700	11,90	20	2,46	1 700	9,31		
25	2,92	1 800	12,20	25	2,63	1 800	9,48		
30	3,11	1 900	12,40	30	2,77	1 900	9,63		
35	3,27	2 000	12,60	35	2,91	2 000	9,78		
40	3,42	2 200	13,00	40	3,02	2 200	10,10		
45	3,56	2 400	13,40	45	3,13	2 400	10,30		
50	3,68	2 600	13,80	50	3,23	2 600	10,60		
60	3,91	2 800	14,10	60	3,42	2 800	10,80		
70	4,12	3 000	14,40	70	3,58	3 000	11,00		
80	4,31	3 500	15,20	80	3,72	3 500	11,50		
90	4,48	4 000	15,90	90	3,86	4 000	12,00		
100	4,64	4 500	16,50	100	3,98	4 500	12,50		
120	4,93	5 000	17,10	120	4,20	5 000	12,90		
140	5,19	5 500	17,70	140	4,40	5 500	13,20		
160	5,43	6 000	18,20	160	4,58	6 000	13,60		
180	5,65	7 000	19,10	180	4,75	7 000	14,20		
200	5,85	8 000	20,00	200	4,90	8 000	14,80		
250	6,30	9 000	20,80	250	5,24	9 000	15,40		
300	6,69	10 000	21,50	300	5,54	10 000	15,80		
350	7,05	12 500	23,20	350	5,80	12 500	16,90		
400	7,37	15 000	24,70	400	6,03	15 000	17,90		
450	7,66	17 500	26,00	450	6,25	17 500	18,70		
500	7,94	20 000	27,10	500	6,45	20 000	19,50		
550	8,19	25 000	29,20	550	6,64	25 000	20,90		
	-,		-,		-,		.,		





























Table 5.2

	C/P ratio dependent on L _{тоь} durability and rotation speed n for ball bearings												
L _{10h} Durability		Rotation speed n [min¹]											
Hod	10	16	25	40	63	100	125	160	200	250	320	400	500
100	-	-	-	-	-	-	-	-	1,06	1,15	1,24	1,34	1,45
500	-	-	-	1,06	1,24	1,45	1,56	1,68	1,82	1,96	2,12	2,29	2,47
1 000	-	-	1,15	1,34	1,56	1,82	1,96	2,12	2,29	2,47	2,67	2,88	3,11
1 250	-	1,06	1,24	1,45	1,68	1,96	2,12	2,29	2,47	2,67	2,88	3,11	3,36
1 600	-	1,15	1,34	1,56	1,82	2,12	2,29	2,47	2,67	2,88	3,11	3,36	3,63
2 000	1,06	1,24	1,45	1,68	1,96	2,29	2,47	2,67	2,88	3,11	3,36	3,63	3,91
2 500	1,15	1,34	1,56	1,82	2,12	2,47	2,67	2,88	3,11	3,36	3,63	3,91	4,23
3 200	1,24	1,45	1,68	1,96	2,29	2,67	2,88	3,11	3,36	3,63	3,91	4,23	4,56
4 000	1,34	1,56	1,82	2,12	2,47	2,88	3,11	3,36	3,63	3,91	4,23	4,56	4,93
5 000	1,45	1,68	1,96	2,29	2,67	3,11	3,36	3,63	3,91	4,23	4,56	4,93	5,32
6 300	1,56	1,82	2,12	2,47	2,88	3,36	3,63	3,91	4,23	4,56	4,93	5,32	5,75
8 000	1,68	1,96	2,29	2,67	3,11	3,63	3,91	4,23	4,56	4,93	5,32	5,75	6,20
10 000	1,82	2,12	2,47	2,88	3,36	3,91	4,23	4,56	4,93	5,32	5,75	6,20	6,70
12 500	1,96	2,29	2,67	3,11	3,36	4,23	4,56	4,93	5,32	5,75	6,20	6,70	7,23
16 000	2,12	2,47	2,88	3,36	3,91	4,56	4,93	5,23	5,75	6,20	6,70	7,23	7,81
20 000	2,29	2,67	3,11	3,63	4,23	4,93	5,32	5,75	6,20	6,70	7,23	7,81	8,43
25 000	2,47	2,88	3,36	3,91	4,56	5,32	5,75	6,20	6,70	7,23	7,81	8,43	9,11
32 000	2,67	3,11	3,63	4,23	4,93	5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83
40 000	2,88	3,36	3,91	4,56	5,32	6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60
50 000	3,11	3,63	4,23	4,93	5,75	6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50
63 000	3,36	3,91	4,56	5,32	6,20	7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40
80 000	3,36	4,23	4,93	5,75	6,70	7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40
100 000	3,91	4,56	5,32	6,20	7,23	8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50
200 000	4,93	5,75	6,70	7,81	9,11	10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20





	C/P ratio dependent on L _{10h} durability and rotation speed n for ball bearings													
	Rotation speed n [min¹]													
630	800	1 000	1 250	1 600	2 000	2 500	3 200	4 000	5 000	6 300	8 000	10 000	12 500	16 000
1,56	1,68	1,82	1,96	2,12	2,29	2,47	2,67	2,88	3,11	3,36	3,63	3,91	4,23	4,56
2,67	2,88	3,11	3,36	3,63	3,91	4,23	4,56	4,93	5,32	5,75	6,20	6,70	7,23	7,81
3,36	3,63	3,91	4,23	4,56	4,93	5,32	5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83
3,63	3,91	4,23	4,56	4,93	5,32	5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60
3,91	4,23	4,56	4,93	5,32	5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50
4,23	4,56	4,93	5,32	5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40
4,56	4,93	5,32	5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40
4,93	5,32	5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50
5,32	5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50	15,60
5,75	6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50	15,60	16,80
6,20	6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20
6,70	7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20	19,60
7,23	7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20	19,60	21,20
7,81	8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20	19,60	21,20	22,90
8,43	9,11	9,83	10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20	19,60	21,20	22,90	24,70
9,11	9,83	10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20	19,60	21,20	22,90	24,70	26,70
9,83	10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20	19,60	21,20	22,90	24,70	26,70	28,80
10,60	11,50	12,40	13,40	14,50	15,60	16,80	18,20	19,60	21,20	22,90	24,70	26,70	28,80	31,10
11,50	12,40	13,40	14,50	15,60	16,80	18,20	19,60	21,20	22,90	24,70	26,70	28,80	31,10	-
12,40	13,40	14,50	15,60	16,80	18,20	19,60	21,20	22,90	24,70	26,70	28,80	31,10	-	-
13,40	14,50	15,60	16,80	18,20	19,60	21,20	22,90	24,70	26,70	28,80	31,10	-	-	-
14,50	15,60	16,80	18,20	19,60	21,20	22,90	24,70	26,70	28,80	31,10	-	-	-	-
15,60	16,80	18,20	19,60	21,20	22,90	24,70	26,70	28,80	31,10	-	-	-	-	-
19,60	21,20	22,90	24,70	26,70	28,80	31,10	-	-	-	-	-	-	-	-

































Table 5.3

C/P ratio dependent on L _{10h} durability and rotation speed n for cylindrical roller, spherical-roller, and tapered-roller bearings													
L _{10h} Durability					R	otation	speed n	[min ⁻¹]					
Hod	10	16	25	40	63	100	125	160	200	250	320	400	500
100	-	-	-	-	-	-	-	-	1,05	1,10	1,21	1,30	1,39
500	-	-	-	1,05	1,21	1,39	1,49	1,60	1,71	1,83	1,97	2,11	2,26
1 000	-	-	1,13	1,30	1,49	1,71	1,83	1,97	2,11	2,26	2,42	2,59	2,78
1 250	-	1,05	1,21	1,39	1,60	1,83	1,97	2,11	2,26	2,42	2,59	52,78	2,97
1 600	-	1,13	1,30	1,49	1,71	1,97	2,11	2,26	2,42	2,59	2,78	2,97	3,19
2 000	1,05	1,21	1,39	1,60	1,83	2,11	2,26	2,42	2,59	2,78	2,97	3,19	3,42
2 500	1,13	1,30	1,49	1,71	1,97	2,26	2,42	2,59	2,78	2,97	3,19	3,42	3,66
3 200	1,21	1,39	1,60	1,83	2,11	2,42	2,59	2,78	2,97	3,19	3,42	3,66	3,92
4 000	1,30	1,49	1,71	1,97	2,26	2,59	2,78	2,97	3,19	3,42	3,66	3,92	4,20
5 000	1,39	1,60	1,83	2,11	2,42	2,78	2,97	3,19	3,42	3,66	3,92	4,20	4,50
6 300	1,49	1,71	1,97	2,26	2,59	2,97	3,19	3,42	3,66	3,92	4,20	4,50	4,82
8 000	1,60	1,83	2,11	2,42	2,78	3,19	3,42	3,66	3,92	4,20	4,50	4,82	5,17
10 000	1,71	1,97	2,26	2,59	2,97	3,42	3,66	3,92	4,20	4,50	4,82	5,17	5,54
12 500	1,83	2,11	2,42	2,78	3,19	3,66	3,92	4,20	4,50	4,82	5,17	5,54	5,94
16 000	1,97	2,26	2,59	2,97	3,42	3,92	4,20	4,50	4,82	5,17	5,54	5,94	6,36
20 000	2,11	2,42	2,78	3,19	3,66	4,20	4,50	4,82	5,17	5,54	5,94	6,36	6,81
25 000	2,26	2,59	2,97	3,42	3,92	4,50	4,82	5,17	5,54	5,94	6,36	6,81	7,30
32 000	2,42	2,78	3,19	3,66	4,20	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82
40 000	2,59	2,97	3,42	3,92	4,50	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38
50 000	2,78	3,19	3,66	4,20	4,82	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98
63 000	2,97	3,42	3,92	4,50	5,17	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62
80 000	3,19	3,66	4,20	4,82	5,54	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30
100 000	3,42	3,92	4,50	5,17	5,94	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00
200 000	4,20	4,82	5,54	6,36	7,30	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60





C/P ratio dependent on L_{10h} durability and rotation speed n for cylindrical roller, spherical-roller, and tapered-roller bearings

						F	Rotation	speed i	n [min ⁻¹]						
j	630	800	1 000	1 250	1 600	2 000	2 500	3 200	4 000	5 000	6 300	8 000	10 000	12 500	16 000
	1,49	1,60	1,71	1,83	1,97	2,11	2,26	2,42	2,59	2,78	2,97	3,19	3,42	3,66	3,92
	2,42	2,59	2,78	2,97	3,19	3,42	3,66	3,92	4,20	4,50	4,82	5,70	5,54	5,94	6,36
	2,97	3,19	3,42	3,66	3,92	4,20	4,50	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82
	3,19	3,42	3,66	3,92	4,20	4,50	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38
	3,42	3,66	3,92	4,20	4,50	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98
	3,66	3,92	4,20	4,50	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62
	3,92	4,20	4,50	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30
	4,20	4,50	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00
	4,50	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00	11,80
	4,82	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00	11,80	12,70
	5,17	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60
	5,54	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60	14,60
	5,94	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60	14,60	15,60
	6,36	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60	14,60	15,60	16,70
	6,81	7,30	7,82	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60	14,60	15,60	16,70	17,90
	7,30	7,82	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60	14,60	15,60	16,70	17,90	19,20
	7,82	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60	14,60	15,60	16,70	17,90	19,20	20,60
	8,38	8,98	9,62	10,30	11,00	11,80	12,70	13,60	14,60	15,60	16,70	17,90	19,20	20,60	-
	8,98	9,62	10,30	11,00	11,80	12,70	13,60	14,60	15,60	16,70	17,90	19,20	20,60	-	-
	9,62	10,30	11,00	11,80	12,70	13,60	14,60	15,60	16,70	17,90	19,20	20,60	-	-	-
	10,30	11,00	11,80	12,70	13,60	14,60	15,60	16,70	17,90	19,20	20,60	-	-	-	-
	11,00	11,80	12,70	13,60	14,60	15,60	16,70	17,90	19,20	20,60	-	-	-	-	-
	11,80	12,70	13,60	14,60	15,60	16,70	17,90	19,20	20,60	-	-	-	-	-	-
	14.60	15.60	16.70	17.00	10.20	20.60		1							































77



Table 5.4

Standard basic durability values in operating hours							
Type of machine	Basic durability L _{10h}						
Seldom used machines and tools	1 000						
Electrical household appliances, small fans	2 000 to 4 000						
tools for intermittent use, hand tools, workshop cranes, agricultural machines	4 000 to 8 000						
machines for intermittent use with high reliability demands, auxiliary machines for use in power plants, belt conveyors, transport trolleys, elevators	8 000 to 15 000						
rolling mills	6 000 to 12 000						
machines for 8-16 hour shifts, stationary motors, gears, spindles for textile machines, plastic processing machinery, printing machinery, cranes	15 000 to 30 000						
machine tools, in general	20 000 to 30 000						
machines for continuous operation: stationary electrical machines, transportation equipment, roller conveyors, pumps, centrifuges, blowers, compressors, hammer mills, shredders, briquetting presses, mine hoists, cable reels	40 000 to 60 000						
machines for continuous operation with high operating safety requirements: power plant machinery, waterworks machines, paper mill machinery, ship machinery	100 000 to 200 000						

Table 5.5

Standard values of basic durability in kilometres						
Type of vehicle	Basic durability L _{10km}					
Road vehicle wheel bearings						
motorcycles	60 000					
personal automobiles	150 000 to 250 000					
lorries, buses	400 000 to 500 000					
Axle bearings of rail vehicles						
freight cars (according to UIC) under constant maximal load per axle	800 000					
trams	1 500 000					
personal rail vehicles	3 000 000					
motorized vehicles and motorized units	3 000 000 to 4 000 000					
locomotives	3 000 000 to 5 000 000					





5.6 Modified durability equation

The operating durability, as previously described, depends on many factors. Research and operating results demonstrated that greater durability can be achieved through thorough lubrication, when the roller elements are entirely separated by a layer of grease. It was further demonstrated that greater resistance against stress damage of materials is provided using advanced manufacturing processes. This technical advance was incorporated into standard ISO 281 as a modified durability calculation, which includes reliability a_1 , material a_2 , and operating condition a_3 factors. Additional test results concluded that the impact of materials on operating conditions, in particular, lubrication, are in close correlation. This led to the merger of both factors into one a_{23} .

The modified durability is thus the modified basic durability which, aside from taking into account load, also considers the impact of bearing material components, the physical and chemical properties of the lubricant, and the temperature regime of the bearing operating environment.

$$L_{na} = a_1 + a_{23} + L_{10}$$

 $L_{na}\dots$ modified durability for reliability (100 - n) % and other than normal operating conditions

[10⁶ rev]

 a_1,\ldots eliability coefficient for other than 90% reliability, see table 5.6

 $\mathbf{a}_{23}.\dots$ material, lubricant, manufacturing technology, and operating condition coefficient, see fig. 5.3

 L_{10} basic durability [10⁶ rev]

Table 5.6

	Coefficient a ₁ values								
Reliability (%)	L _n	a ₁							
90	L ₁₀	1,000							
95	L ₅	0,640							
96	L ₄	0,550							
97	L ₃	0,470							
98	$L_{\!\scriptscriptstyle 2}$	0,370							
99	L,	0,250							
99,2	L _{0,8}	0,220							
99,4	L _{0,6}	0,190							
99,6	L _{0,4}	0,160							
99,8	L _{0,2}	0,120							
99,9	L _{0,1}	0,093							
99,92	L _{0,08}	0,087							
99,94	L _{0,06}	0,080							
99,95	L _{0,05}	0,077							
































Fig. 5.3

The diagram in fig. 5.4 is used to determine the basic values of coefficient a_{23} .

The quality of the lubrication process is given by the extent of separation of the roller surfaces. Viscosity is a decisive factor for the formation of lubricant film, which is strongly related to temperature. The viscosity ratio, as follows, decides on the use of lubricant:

$$\kappa = \frac{\nu}{\nu_1}$$

ulubricant kinematic viscosity at bearing operating temperature $[m^2 \cdot s^{-1}]$

 $\nu_{_1}$ kinematic viscosity for the defined revolution speed and the given dimension of the bearing $$[m^2\,.\,s^{,1}]$$

• • • 4






Fig. 5.4

We determine the ν and ν , values based on the diagram found in fig. 5.4 and 5.5. In the diagram on fig. 5.3, line I applies for radial ball bearings that operate in a very clean environment. In all other cases, we select a lower a_{23} coefficient, proportional to the cleanliness of the environment, while a decreasing tendency is dependent on the structural group of the bearing in the following order:

- Angular-contact ball bearings
- Tapered-roller bearings
- Cylindrical roller bearings
- Double-row self-aligning bearings
- Spherical-roller bearings

Line II can be used to determine coefficient a₂₃ for spherical-roller bearings that operate in a dusty environment.

We recommend that these issues be resolved in consultation with the ZKL technical and consultation services department.



































Fig. 5.5







The use of the L_{10} calculation of basic durability as bearing performance parameter criteria has demonstrated, over many years, to be satisfactory. This calculation is associated with 90% reliability in conjunction with the use of superior materials, a superior technological design, and under normal operating conditions.

Notwithstanding, many applications require that the calculation be performed for a different reliability level or for more precise lubrication and contamination conditions. It was determined, with the use of advanced high quality bearing steel, that under favourable operating conditions and when contact stresses fall below the limit values and provided that the bearing steel fatigue stress limit is not exceeded, a higher durability than L_{10} can be achieved. Under unfavourable operating conditions, on the other hand, the bearing durability can in fact be shorter than L_{10} .

A system approach of fatigue-related durability was applied when creating the method of calculating ZKL modified durability. The impact on the durability of the system (bearing) is described in the following text and considers the influence of variance and the interaction of mutually related factors on the overall life. These factors are demonstrated through increased contact stress in the contact area, which leads to decreased service life

These factors are used in the modified durability equation.

$$L_m = a_1 \cdot a_{7KI} \cdot L_{1D}$$

a,....reliability coefficient for other than 90% reliability, see table 5.6

a_{zkı} modified life coefficient

 $L_{10} \dots L_{10}$ [10⁶ rev]

Provided that the lubrication conditions, cleanliness of the environment, and other operation conditions are favourable, an advanced, high-quality bearing can, under a certain load, achieve infinite service life. The fatigue load limit for bearings manufactured from generally high-quality bearing material and workmanship is such a load, that the contact pressure exerted on roller elements in the bearing is approximately 1500 MPa. This stress value takes into account the additional stresses caused by manufacturing tolerances and operating conditions. Decreased product precision and quality of materials leads to a lower fatigue load limit.

The contact stress in many applications is greater than 1500 MPa. Such operating conditions lead to reduced bearing life.

The operating influences can be related to the applied stress and rigidity of the material.

- Notches lead to the formation of edge stresses.
- A thin film of oil increases the stress at the contact area between the raceway and the roller element.
- Increased temperature decreases the fatigue load limit (its strength) of the material.
- A static inner ring (increased overlap) leads to increased orbital stress

Various influences on bearing durability are mutually dependant. Consequently, a systemic approach to calculating fatigue durability is entirely appropriate.

• 43 • • •



































A theoretical explanation of how to incorporate additional influences, such as the radial clearance during operation and the variable stress on raceways from tilting, is explained in ISO/TS 16281.

5.7.1 Fatigue load limit

The modified durability coefficient a_{7KI} can be expressed as function

$$\sigma_{_{\sqcup}}$$

(fatigue load limit divided by the real stress σ , while considering all potential influencing factors).

If the actual stress decreases to fatigue stress limit, then $a_{z_{KL}}$ asymptotically approaches infinity. Generally, the orthogonal shear stress is used as a fatigue criterion. The diagram on fig. 5.6 is also based on the shear fatigue limit.




Fig. 5.6

Analogous to the C_{or} static load rating, defined in ISO 76, the fatigue load limit is defined as the load, during which the stress fatique limit is reached at the most burdened point on the orbit.

The ratio
$$\dfrac{\sigma_{_{u}}}{\sigma}$$
 can then be estimated according to the ratio $\dfrac{\mathsf{C}_{_{or}}}{\mathsf{P}}$

and the modified life coefficient can be expressed as:

$$a_{ZKL} = f \left[\frac{C_{or}}{P} \right]$$

. . . 44





The following must be considered when calculating the $C_{\rm sr}$ static load rating:

- The type, size, and internal geometry of the bearing
- The profile of rolling elements and the raceways
- The quality of technological processes
- The fatigue limit for the raceway materials

5.7.2 Determining the modified durability coefficient

The modified durability coefficient takes into consideration the following:

- The fatigue load and bearing load
- Lubrication (type of lubricant, viscosity, revolution speed, bearing size, additives)
- Environment (degree of contamination, packing)
- Contaminating particles (strength and size of particles in relation to bearing size, lubrication and filtration method)
- Installation (cleanliness during installation)

The effect of bearing clearance and the effect of tilt on bearing durability is described in ISO/TS 16281.

The $\mathbf{a}_{_{\mathbf{7KI}}}$ Fatigue life coefficient is derived from the following equation:

$$a_{ZKL} = f \left[\frac{e_{c} \cdot C_{or}}{P}, \kappa \right]$$

Factors $\mathbf{e}_{\mathbf{r}}$ and κ adjust for contamination and lubrication conditions.

5.7.3 Contamination factor

If the grease is contaminated with sold particles, notches may form in the orbit due to rolling. Stress points (concentrations) form later on these notches, which results in decreased bearing life. The given decrease in life caused by the contamination of lubricant is adjusted for in the $\mathbf{e}_{\mathbf{r}}$ contamination factor.

Decreased bearing life caused by the effect of sold particles in the lubricant film depends on:

- The type, size, strength, and amount of particles
- The lubricating film thickness (relative viscosity)
- Bearing size

Approximate contamination factor values can be taken from table 5.7.



































Table 5.7

Contamination level	e _c				
Containillation level	D _{pw} < 100 mm	D _{pw} ≥ 100 mm			
Extremely clean					
Particle size in the order of lubricating film thickness, Laboratory conditions	1	1			
Highly clean	0.04-0.0	0.04-0.0			
Oil filtered through a very fine filter, typical conditions for a bearing with plastic housing and lifetime lubricant filling	0,8 to 0,6	0,9 to 0,8			
Normally clean	0.01-0.5	0,8 to 0,6			
Oil filtered through a fine filter, typical conditions for a bearing with metal-sheet housing and lifetime lubricant filling	0,6 to 0,5	0,0 10 0,0			
Mild contamination	0,5 to 0,3	0,6 to 0,4			
Minor contamination in lubricant	0,5 to 0,5	0,6 to 0,4			
Typical contamination	0.01.04	0.41.00			
Typical bearing conditions without integrated bearing glands, particles causing wear enter bearing from vicinity	0,3 to 0,1	0,4 to 0,2			
Strong contamination	0.1 1- 0	0,1 to 0			
The bearing environment is strongly contaminated, bearing housing with insufficient bearing glands	0,1 to 0				
Very strong contamination	0	0			

Detailed calculation of the contamination factor

Table 5.7 lists the approximate contamination factor values. If the situation requires the use of more detailed calculations, the more precise calculation, provided below, must be used.

A contamination factor may be established for the following types of lubricants:

- Circulating oil lubrication with on-line filtration
- Oil bath lubrication or circulating lubrication with off-line filtration
- Grease

46



Definition of the $\beta_{_{\chi}}$ filtration ratio:

$$\beta_x = \frac{n_1}{n_2}$$

 β_{v} filtration ratio for particles of determined size x

 n_1, \ldots, n_m number of particles per unit of volume (100 ml) larger than x, prior to passage through filter

 $\rm n_2,\ldots\ldots$ number of particles per unit of volume (100 ml) larger than x, after passage through filter

The filter ratio determined the filter efficiency.

Circulating lubrication with on-line filtration

The β_{ν} filter ratio with particles of size x in μm according to standard ISO 16889 is the most influential factor when choosing the corresponding diagram.




Fig. 5.7 Fouling factor for a circulating oil lubrication system with on-line filtration $\beta_6 = 200$


































Fig. 5.8 Fouling factor for a circulating oil lubrication system with on-line filtration $\beta_{12} = 200$




Fig. 5.9 Fouling factor for a circulating oil lubrication system with on-line filtration $\beta_{25} = 75$




Fig. 5.10 Fouling factor for a circulating oil lubrication system with on-line filtration $\beta_{_{40}}\!=\!75$

... 48





Oil bath lubrication or circulating lubrication with off-line filtration




Fig. 5.11 Fouling factor for oil bath lubrication or for oil lubrication with offline filtration ISO 4406 – degree of contamination by solid particles -13/10




Fig. 5.12 Fouling factor for oil bath lubrication or for oil lubrication with offline filtration ISO 4406 – degree of contamination by solid particles -15/12




Fig. 5.13 Fouling factor for oil bath lubrication or for oil lubrication with offline filtration ISO 4406 – degree of contamination by solid particles -17/14

AD






Fig. 5.14 Fouling factor for oil bath lubrication or for oil lubrication with offline filtration ISO 4406 – degree of contamination by solid particles -19/16




Fig. 5.15 Fouling factor for oil bath lubrication or for oil lubrication with offline filtration ISO 4406 – degree of contamination by solid particles -21/18

• • • 50





Grease

Table 5.8

Operating conditions	Contamination level
Very clean installation, very good packing relative to operating conditions, continuous lubrication or lubrication in short intervals (Bearings with integrated bearing glands)	Highly clean
Clean installation, good packing, additional lubrication per manufacturer specifications (Bearings with integrated bearing glands)	Normally clean
Clean installation, average sealing capacity relative to operating conditions	Mild contamination
On-site-installation, bearing and housing insufficiently washed following installation, poor sealing capacity relative to operating conditions, re-lubrication intervals longer than recommended	Strong contamination
Installation in a contaminated environment, insufficient gland packaging, long re-lubrication intervals	Very strong contamination




Fig. 5.16 Fouling factor for grease lubrication – moderate pollution






Fig. 5.17 Fouling factor for grease lubrication—usual purity




Fig. 5.18 Fouling factor for grease lubrication - strong contamination




Fig. 5.19 Fouling factor for grease lubrication – very strong contamination

••• 52






Fig. 5.20 Fouling factor for grease lubrication – high purity

5.7.4 Viscosity ratio

The effectiveness of the lubricant is primarily given by the degree of separation of contact elements. The formation of adequate lubricating film is subject to the given minimal viscosity that the lubricant must possess, when the application achieves its operating temperature. A requirement for the formation of lubricating film is specified by the viscosity ratio κ , which is defined as the ratio between the real (actual) kinematic viscosity ν and the reference kinematic viscosity ν_1 . The kinematic viscosity ν is the viscosity of the lubricant, when the given lubricant achieves its operating temperature.

$$\kappa = \frac{\nu}{\nu_1}$$

In order to create sufficient lubricating film, the lubricant must maintain a certain minimal viscosity at operating temperature. The bearing life may be increased by increasing the operating viscosity ν .

The reference kinematic viscosity can be determined from figure 5.4 or by using the following equations:

$$\nu_{_{1}}$$
 = 45 000 · n^{-0.8} · D_{nw}^{-0.5}

for n < 1000 rev/min

$$v_1 = 45\ 000 \cdot n^{-0.5} \cdot D_{nw}^{-0.5}$$

for $n \ge 1000 \text{ rev/min}$

$$D_{pw} = 0.5 \cdot (d + D)$$
 is the bearing mean diameter

• 53 • • •



5.7.5 Calculating the modified durability coefficient

The modified durability coefficient $a_{\rm ZKL}$ may be easily determined from the following graphs:




Fig. 5.21 Coefficient of life modification factor for thrust ball bearings




Fig. 5.22 Coefficient of life modification factor for thrust rolling bearings

54






Fig. 5.23 Coefficient of life modification factor for radial ball bearings




Fig. 5.24 Coefficient of life modification factor for radial rolling bearing

00

五

PP





5.8 Equivalent dynamic load

The bearing in the structural node is exposed generally to acting forces of various magnitudes at various revolution speeds and with various periods of action. In terms of the calculation method, the applied forces must be recalculated at constant load, during which the bearing has the same durability as achieved under actual load. This recalculated constant radial or axial load is called equivalent load P, or P_r (radial) or P_a (axial), resp.

5.8.1 Combined loads

Constant load method

The external forces applied on the bearing do not change in size or in relation to time.

Radial bearings

If constant radial or axial forces simultaneously act on a radial bearing, the following equation for calculating the radial dynamic load applies:

$$\begin{array}{ll} \textbf{P}_{\textbf{r}} = \textbf{X} \cdot \textbf{F}_{\textbf{r}} + \textbf{Y} \cdot \textbf{F}_{\textbf{a}} & \text{[kN]} \\ \\ \textbf{P}_{\textbf{r}} \dots \dots \text{radial equivalent dynamic load} & \text{[kN]} \\ \\ \textbf{F}_{\textbf{r}} \dots \dots \text{radial force acting on the bearing} & \text{[kN]} \\ \\ \textbf{F}_{\textbf{a}} \dots \dots \text{axial force acting on the bearing} & \text{[kN]} \\ \\ \textbf{X} \dots \dots \text{radial load coefficient} & \text{[kN]} \\ \end{array}$$

Coefficients X and Y are dependent on the ratio F_a / F_r . The values X and Y are provided in the table or in the commentary preceding each structural group, where further information is provided for bearing calculations of the respective structural group.

Thrust bearings

Y axial load coefficient

Thrust ball bearings can only transfer forces acting axially and the following equation applied for calculating the axial equivalent dynamic load:

$$P_a = F_a$$
 [kN]

 $P_a \dots axial$ equivalent dynamic load [kN]

 $F_a \dots axial$ bearing load [kN]

• • • 56



Spherical-roller thrust bearings can also transfer certain radial loads, however, only when a simultaneous axial load is applied, while observing the following condition:

$$P_a = F_a + 1.2 \cdot F_r$$
 [kN]

Variable loading method

A real variable load, whose time course is known, is replaced by a mean intended load to enable calculation. This intended load has the same effect on the bearing as an actual variable load.

5.8.2 Change in load magnitude at constant revolution speed

If a load acts on a bearing in a constant direction, whose size changes in relation to time, while the revolution speed is constant (fig. 5.25), we calculate the mean intended load F_{ϵ} according to the equation

$$F_{s} = \sum_{i=1}^{n} F^{3} \cdot \left[\frac{q_{i}}{100} \right]^{\frac{1}{3}}$$
 [kN]

$$F_{\xi}$$
.....intended mean constant load [kN]

$$F_s = F_{\nu}$$
 ..., F_n ... constant partial actual load [kN]

$$q_i = q_1, ..., q_n...$$
 proportion of partially acting loads [%]

If a variable load acts on a bearing, while the rotation speed meanwhile changes (fig. 5.26), we calculate the mean intended load using the equation

$$F_{s} = \frac{F_{min} + 2 \cdot F_{max}}{3}$$
 [kN]

Provided that the actual load has a sinusoid shape (fig. 5.27), the mean intended load is given by

$$F_{s} = 0.75 \cdot F_{max}$$
 [kN]

..... 57 ...



































Fig. 5.25 Fig. 5.26




Fig. 5.27




Fig. 5.28







If a variable load acts on a bearing along with variable rotation speed, the intended mean load is derived from the equation

$$\boldsymbol{F}_{s} = \begin{bmatrix} \sum_{i=1}^{n} \boldsymbol{F}^{3} \cdot \boldsymbol{q}_{i} \cdot \boldsymbol{n}_{i} \\ \sum_{i=1}^{n} \boldsymbol{q}_{i} \cdot \boldsymbol{n}_{i} \end{bmatrix}^{\frac{1}{3}}$$
 [kN]

$$n_i = n_i, ..., n_n$$
 ... constant rotation speed during action of partial loads $F_1, ..., F_n$ [min⁻¹]

$$q_i = q_1, ..., q_n \dots$$
 proportion of partially acting loads and frequencies [%]

If the rotation speed only changes in relation to time, the intended mean rotation speed is calculated using the equation

$$\mathbf{n_s} = \left[\begin{array}{c} \sum_{i=1}^{n} \mathbf{q_i} \cdot \mathbf{n_i} \\ \hline \mathbf{100} \end{array} \right]$$
 [min⁻¹]

5.8.4 Oscillating motion of the bearing

During oscillating motion with oscillating amplitude γ (fig. 5.28), it is easiest to substitute the oscillating motion by the notion of rotation, provided that the frequency of rotation is equal to the oscillating frequency. For radial bearings, we calculate the mean intended load using the equation

$$F_{s} = F_{r} \cdot \left(\frac{\gamma}{90} \right)^{\frac{1}{p}}$$
 [kN]

$$F_{\xi}$$
.....mean intended load [kN]

$$\gamma \ldots$$
 amplitude of oscillation

For roller, needle roller, spherical-roller, and tapered-roller bearings
$$p = \frac{10}{3}$$

59 ...

































5.9 Effect of temperature

The supplied range of bearings is designated for use in environments with a temperature of up to 120°C. Larger spherical roller bearings are manufactured, by default, for operation in temperatures up to 200°C. The exception are particular double row spherical roller bearings with polyamide races and single row ball bearings equipped with seals (RS, 2RS, RSR, 2RSR), which may be used short-term in temperatures up to 150°C. More information about these bearings is available in chapter 12 "Manufacturer data".

Rolling bearings designed for higher operating temperatures are manufactured to ensure their required physical and mechanical properties and dimensional stability. Housing solutions at higher operating temperatures should be consulted with the supplier.

The and dynamic load rating values C_r and C_a provided within the tables of the publication must, in the case of higher operating temperatures, be multiplied by the coefficient f_{ab} , as specified in table 5.9.

Table 5.9

	f, Coefficien	t values		
operating temperature up to [°C]	150	200	250	300
f _t coefficient	0,95	0,9	0,75	0,6

5.10 Static Load Rating

The radial static load rating C_{or} and axial static load rating C_{oa} for each bearing is specified in the table section of the publication. The values C_{or} and C_{oa} were determined by calculation according to international standard ISO 76.

The static load rating is the load that corresponds to the calculated contact stress in the roller element and raceway contact zone, under the greatest load.

- 4600 MPa for double row self-aligning ball bearings
- 4200 MPa for other ball bearings
- 4000 MPa For roller, needle roller, spherical roller, and tapered roller bearings

This stress permanently deforms the rolling elements and raceways by approximately 0.0001 the diameter of the rolling element. The load is purely radial for radial bearings and purely axial within the bearing axis for thrust bearings.

The static load rating C_{nr} is used for calculations, if the bearings

- rotate at very low speeds (n < 10 min⁻¹)
- perform very slow oscillating motions
- under load do not move for a particular, extended period.

It is equally very important to check the safety in short-acting loads, such as e.g. shock loads and peak loads that act on a rotating bearing (dynamic load) or on a stationary bearing.

The maximum load that can act on a bearing should be used when calculating the equivalent static load of a bearing.

... fil



5.10.1 Equivalent static load

The equivalent static load is the recalculated radial load P_{or} for radial bearings and the axial load P_{oa} for thrust bearings.

$$\mathbf{P}_{\text{or}} = \mathbf{X}_{0} \cdot \mathbf{F}_{r} + \mathbf{Y}_{0} \cdot \mathbf{F}_{a}$$
 [kN]

$$P_{oa} = Y_{o} \cdot F_{a}$$
 [kN]

$$P_{nr}$$
.....radial equivalent static load [kN]

$$P_{na}$$
.....axial equivalent static load [kN]

 X_n radial load coefficient

Y_n.....axial load coefficient

Table 5.10

	s _o Coefficient					
		s _o				
Bearing motion	Load bearing method, bearing operation requirements	Ball bearings	Cylindrical roller, needle-roller, spherical-roller, and tapered-roller bearings			
	significant impact loads, high demands on quite operation	2	4			
rotational	after static loading, bearing turns at lower loads	1,5	3			
	normal demands for quiet operation					
	normal operating conditions and normal operating requirements	1	1,5			
	quiet operation without vibration(s)	0,5	1			
0:	small oscillating angle with large frequency with occasional uneven loads	2	3,5			
Oscillating	large oscillating angle with small frequency with relatively constant periodical loads	1,5	2,5			
	considerable impact loads	1,5 to 1	3 to 2			
non- rotating (at rest)	normal and low loads, bearing operation unburdened by increased demands	1 to 0,4	2 to 0,8			
	spherical-roller thrust bearings during all types of motion and loading	-	4			

Coefficients X_0 and Y_0 are specified in the table section of the publication. Detailed information is also provided here for determining the equivalent static load of bearings of a particular structural group.



































5.10.2 Bearing safety during static loading

In practice, the bearing safety under static load is determined from the ratio C_{or}/P_{or} or C_{oa}/P_{oa} and compared with the data in table 5.10, where the smallest permissible coefficient values S_0 are specified for various operating conditions.

$$S_0 = \frac{C_{or}}{P_{or}}$$
 and/or $\frac{C_{oa}}{P_{oa}}$

$$S_n \dots Safety$$
 coefficient under static load [kN]

$$C_{nr}$$
 radial dynamic load capacity [kN]

$$C_{na}$$
.....axial dynamic load capacity [kN]

$$P_{\text{oa}}$$
.....axial equivalent static load or max. acting force F_{max} (fig. 5.29) under significant impact load, resp. [kN]




Fig. 5.29

... 62





6. CRITICAL SPEED AND VIBRATIONS

The operating speeds at which bearings can operate are limited by the operating temperature of the lubricant used or by the material of individual bearing components, resp.

The critical operating temperature then depends on the head induced by friction in the bearing and the amount of heat that can be dissipated from the bearing.

6.1 Bearing friction

The friction in the bearing depends on the load, the operating speed, the lubricant, and bearing type and size. Friction then significantly affects the generation of heat in the bearing and hence its operating temperature.

The total rolling resistance in the bearing is given by the sum of:

- the rolling and sliding friction at all contact points (rolling contact, contact between rolling elements and cage or quiding surfaces, resp.)
- friction in the lubricant
- the sliding friction of the friction seal, as applicable

6.1.1 Torque friction estimate

The friction torque can be determined, e.g. using the following relationship:

$$M = 0.5 \cdot \mu \cdot P \cdot d$$

M bearing friction torque	[N·mm]
$\mu \dots \dots$ constant bearing friction coefficient (see table 6.1)	[-]
P equivalent dynamic bearing load	[N]
d bearing bore diameter	[mm]

The given relationship applies with sufficient accuracy assuming proper lubrication, normal operating conditions and bearing load $P = 0.1 \cdot C$.

6.1.2 Calculating frictional torque

Total frictional torque M [N·mm] consists of hydrodynamic frictional torque MO [N·mm] of an unloaded bearing, which arises when rotating parts wade in a viscous environment and from rolling friction torque M1 [N·mm]:

$$M = M_0 + M_1$$































Table 6.1

Bearing type	Coefficient of friction μ
Ball bearings	0,0015
Angular-contact ball bearings	
- single-row	0,0020
- double-row	0,0024
- four-point	0,0024
Self-aligning ball bearings	0,0010
Cylindrical roller bearings	
- with cage while F _a = 0	0,0011
- complete with rollers while F _a = 0	0,0020
Tapered-roller bearings	0,0018
Spherical-roller bearings	0,0018
Thrust ball bearings	0,0013
Thrust cylindrical roller bearings	0,0050
Spherical-roller thrust bearings	0,0018

Hydrodynamic frictional torque depends on lubrication, bearing size and speed:

$$\mathsf{M}_{\mathsf{n}} = \mathsf{f}_{\mathsf{n}} \cdot \mathsf{d}_{\mathsf{m}}^{\,3} \cdot (\nu \cdot \mathsf{n})^{\mathsf{k}_{\mathsf{0}}}$$

The rolling friction torque depends on load, the static load, and bearing size:

$$M_1 = f_{\alpha}' \cdot F \cdot d_m \cdot (F/C_0)^c$$

$f_{\alpha}^{\ '}\dots\dots$ function of the load bearing direction for bearings of same series, design, and precision	[-]
F load	[N]
$d_{_{m}} \ldots \ldots$ bearing mean diameter	[mm]
$C_{o} \ldots \ldots static$ load rating of bearing	[N]
c experimentally determined exponent	[-]



A more accurate computational model takes into account four sources of friction:

$$M = M_{rr} + M_{sl} + M_{seal} + M_{drag}$$

M total frictional torque [N·mm]

M rolling friction torque [N·mm]

 $M_1, \ldots, sliding friction torque$ [N·mm]

 $M_{\scriptscriptstyle coal}$ frictional torque within the bearing [N·mm]

 M_{dran} frictional torque caused by wading [N·mm]

The calculation using this model, however, is considerably complicated.

6.2 Limiting speed

Bearing operating speeds are limited by the bearing internal design, their precision and size, bearing clearance, method of lubrication and loading design, which affect the dissipation of heat, generated by the bearing. Due to the specified influences, proper attention should be given when designing a suitable bearing.

By limiting speed, we mean the revolutions during which, under given operating conditions, a thermal equilibrium is created between the heat generated in the bearing and the head released from the bearing.

We are able to state, on the basis of experimental tests and practical applications, that there is a maximum speed that should not be exceeded for technical or economic reasons that are required to maintain the operating temperature at an acceptable level.

If the bearing is to operate at speeds that exceed the limiting speed, the lubrication, method of heat dissipation, the cage design, or the entire bearing design, resp. need to be modified. Manufacturers, for example, recommend that high speed bearings be designed with advanced precision or with the use of a sturdy cage quided on one of the bearing rings and with the use of oil or oil-mist lubrication.

6.2.1 Definition of ZKL limiting speed

The catalogue tables specify the limiting speeds that are defined as the thermal reference speeds in according with ISO 15312:2003. The reference conditions that determine the thermal equilibrium are: A temperature increase by 50 °C above the ambient temperature and a 5% bearing static load range. These conditions apply for opened bearings with normal radial clearance.

Limiting speeds of rolling bearings, as specified in the catalogue tables, are reference speeds for oil lubrication without EP additives with a kinematic viscosity at a temperature of 70 °C as follows: 12 mm²/s or 24 mm²/s, resp. for line-contact thrust bearings.

Limiting speeds for grease lubrication are approximately 20% lower.

...... 65 ...



































The limiting speed is calculated using the following conditions of thermal equilibrium:

$$n_{mez} = \frac{[W_s [T_{[0,max]} - T_o] - \Sigma Q_i]}{j.M}$$

W. cooling coefficient

 $T_{n,max}$ max. temperature on outer ring

 T_n ambient temperature

Q heat

j mechanical equivalent

M total frictional torque

After modification and substitution, we arrive at the limiting speed equation:

$$n_{\text{mez}}^{\frac{5}{3}} + n \cdot \frac{f_{\alpha}' \cdot F \cdot (\frac{F}{C_0})^c}{f_{\alpha}' \cdot d_{m}^2 \cdot \nu^{\frac{2}{3}}} - \frac{W_s (T_{(0,\text{max})} - T_0) - \Sigma Q_i}{j \cdot f_{\alpha}' \cdot d_{m}^3 \cdot \nu^{\frac{2}{3}}} = 0$$

 $f_n' \dots$ function of bearing lubrication effect of same series, design, and precision [-]

The given equation has only one real root, while this root physically corresponds to the value of the limiting speed.

The limiting speed values can be approximately determined according to the following relationships:

for radial bearings:

$$n_{mez} = \frac{(A \cdot f)}{d_m}$$

A coefficient dependent on the bearing series and lubricant [-]

f bearing loading and size effect function [-]

... 66





• for thrust bearings:

$$n_{mez} = \frac{(A \cdot f)}{\sqrt{(D \cdot H)}}$$

D bearing external diameter [mm]

H bearing height [mm]

Experimentally, the limiting revolution speed is then determined during radial loading, which corresponds to the durability $Lh = 104 \div 105$ hours such that the speed gradually changes and the steady temperature on the bearing outer ring is recorded. The limiting speed is then determined as the intersection point of the linear estimate of measured values and the limiting reference values (fig. 6.1).




Fig. 6.1

Coefficient A for determining the approximate limiting speed is specified in table 6.2

6.2.2 Special operating speeds

When operating speeds are very low, the elastohydrodynamic lubrication film is not formed at the rolling contact site. Such loadings subsequently require the use of lubricant with EP additives.

F7



Table 6.2

Bearing type	Coefficient A
Single-row ball	500 000
Single-row ball with RS and 2RS glands	300 000
Single-row angular-contact ball	
α≤15°	500 000
α=26°	420 000
α=40°	400 000
Double-row angular-contact ball	320 000
Single-row cylindrical roller	500 000
Double-row cylindrical roller	500 000
Double-row spherical-roller, except for series 232	250 000
Double-row spherical-roller series 232	200 000
Tapered-roller, except for series 313	250 000
Tapered-roller series 313	200 000
Thrust ball	100 000
Thrust cylindrical roller	100 000
Spherical-roller thrust	200 000

Oscillation motions are another special case. In this type of motion, the direction of rotation changes before the bearing completes one revolution. The speed is zero at the moment the direction of rotation changes and, as such, the hydrodynamic lubricating film is not preserved. The lubricating film is formed, in such case, in the area of mixed lubrication. The limiting speed cannot be determined for oscillations, because the upper threshold is not determined by thermal equilibrium, by non-inertial forces. There is a risk that inertia may cause short-term slippage of rolling elements and damage to orbits each time the direction of rotation changes. Permissible acceleration or deceleration, resp. depends on the mass of the rolling elements and the cage, the lubrication, and the bearing loading.

6.3 Vibrations in the bearing

Sensing of vibrations is generally related to the propagation of noise. The bearing, however, is usually not the source of noise. Noise is just an audible effect of vibrations that are caused either directly or indirectly by the bearing on related components. It is the reason why the majority of noise-related issues are associated with vibrations of the bearing itself or the entire housing.

The number of rolling elements, which carry the load, changes during operation in radially loaded bearings. This effect causes a displacement in the direction of the load. While the resulting vibrations cannot be prevented, they may be reduced by introducing an axial preload that ensures loading of all rolling elements.

Roll-over of damaged bearing components occurs in cases of local damage to raceways or rolling elements, resp., which occurs during improper handling or incorrect installation, and it leads to vibrations. The source of vibrations (damaged component) can be determined using vibration frequency analysis.

Penetration of contaminants into the bearing may occur in bearings that operate in contaminated environments when rolling elements roll over the contaminants. The size of induced vibrations depends on the quantity, size, and structure of the contaminants. This does not generate typical frequencies, but an audible noise may be heard.





6.3.1 Frequency characteristics of bearings

The frequency of vibration impulses created by toss-over of damaged bearing components has a simple relationship to the internal bearing geometry and to the frequency of shaft revolutions. These relationships can be described using equations that define the frequency of defects of individual bearing components. The specified equations assume optimal conditions, because they do not account for slippage of rolling elements. The equation for ball defects presupposes that the defect touches both the inner and outer ring per revolution of the rolling element.

The frequency during a defect on the outer ring (BPFO)

BPFO =
$$z/2 \cdot n \cdot (1 - D_w/d_m \cdot \cos \alpha)$$

The frequency during a defect on the inner ring (BPFI)

BPFI =
$$z/2 \cdot n \cdot (1 + D_w/d_m \cdot \cos \alpha)$$

The frequency during a ball- or roller defect (BSF).

$$BSF = d_m / 2D_w \cdot n \cdot ((1 - D_w / d_m)^2 \cdot \cos^2 \alpha)$$

Frequency during a cage defect (FTF)

$$FTF = n/2 \cdot (1 - D_{m}/d_{m} \cdot \cos \alpha)$$

D... . . . roller element diameter (mm) [mm]

d_m..... bearing pitch diameter (mm) [mm]

z number of rolling elements

n shaft rotation frequency [s-1]

 α contact angle

Vibration frequency analyses help determine, which bearing component is damaged. We recommend that the customer coordinates with ZKL Technical and Consulting Services Department when calculating frequency characteristics.

6.3.2 Influence of the bearing on housing vibrations

The rigidity of the bearing is, in many housings, of the same order as the rigidity of related components. Housing vibrations can be reduced by the proper selection of the bearing, the arrangement of bearings in the housing, and by using a suitable preload or clearance. If the vibrations cannot be eliminated by the selective use of the bearing, its arrangement within the housing, the vibrations may also be reduced by additional modifications of the housing, e.g. by inserting a rubber spacer that will dampen the vibrations or any other structural modification that will eliminate the source of critical vibrations.





























ZKI)





7.1 Bearing design data

Besides the suitable type of bearing and the size of it, additional design characteristics that define the bearing in location design have to be defined. The location designed is the one usually responsible for the bearing design. This person has to consider the requirements for accuracy of run, service temperature and lubrication, as well as the assembly and disassembly method. In order to meet all different requirements for proper run of bearing, bearings are produced in many versions that are characterized with an additional identification of bearings. Thus, bearings with required tolerances, clearances, materials, cage design or sealing can be selected. Also, accordingly with the identification system, bearings can be specified for certain service conditions that may be characteristic with high revolutions or high temperature, or alternatives of bearings for certain locations can be selected by the knowledge of identification of other bearing manufacturers.

7.2 Main dimensions

Rolling bearings are supplied as a final machine part, and the designer has at disposal fixed dimensions that ensure easy exchangeability. Standardisation applies to outer dimensions important in the assembly point of view. It is convenient for manufacturers and users of bearings for technological and thus also economic reasons. It however does not state inner dimensions, such as the quantity and dimensions of rolling bodies, or designs of cages. Despite that, due to the long-term development and various design and production technology optimisations even the inner design of bearings becomes united to a significant extent.

The ISO international organization came up with dimension plans for roller bearings of metric dimensions that are defined in the below listed documents:

- ISO 15:1998 applies to radial roller bearings of metric dimensions, with the exception of tapered bearings;
- ISO 355:1997 applies to radial tapered bearings of metric dimensions;
- ISO 104:2002 applies to thrust roller bearings of metric dimensions;
- ISO 582:1995 applies to maximum values of bevelling the assembly edges of bearings.

7.2.1 ISO dimension plans

ISO dimension plan allocates to each bearing hole diameter d multiple outer diameters D, and to those different widths B – or – more precisely - T for radial and H for thrust bearings. Bearings with the same hole diameter and same outer diameter belong in one diameter row identified by ascending outer diameter with figures 7, 8, 9, 0, 1, 2, 3, 4. Every diameter row contains bearings of different width rows by ascending width: 8, 0, 1, 2, 3, 4, 5, 6 and 7 for radial bearings. Width rows of radial bearings correspond with height rows of thrust bearings (height rows by ascending height 7, 9, 1 and 2).

Combining the diameter and width row creates dimension rows that are identified by double figure where the first figure identified the width row, and the second figure identifies the diameter row. This system is clearly indicated in fig. 7.1.






























Fig. 7.1

The ISO dimension plan also contains dimensions of bearing ring edge fillet, the so-called installation fillet (fig. 7.2). The chart section of the catalogue indicates minimum installation fillet values for individual bearing types that you need to know when designing radiuses of transmission of components forming the bearing location.




Fig. 7.2

See Chart 7.1 for an overview of the installation fillet complying with the international standard ISO 582.



Table 7.1

			Li	mit dimensio	ns of insta	ıllation fill	et		
	Ra	adial bear	ings except ta	pered		Тарє	ered bearings		Thrust bearings
r _{s min}	d c	or D	r _s	min	d c	or D	r _s ,	min	r _{s min}
mm	over	to	in radial direction	in axial direction	over	to	in radial direction	in axial direction	in radial and axial direction
0,15	-	-	0,3	0,6	-	-	-	-	0,3
0,2	-	-	0,5	0,8	-	-	-	-	0,5
0,3	-	40	0,6	1	-	40	0,7	1,4	0,8
	40	-	0,8	1	40	-	0,9	1,6	0,8
0,6	-	40	1	2	-	40	1,1	1,7	1,5
	40	-	1,3	2	40	-	1,3	2	1,5
1	-	50	1,5	3	-	50	1,6	2,5	2,2
	50	-	1,9	3	50	-	1,9	3	2,2
1,1	-	120	2	3,5	-	-	-	-	2,7
	120	-	2,5	4	-	-	-	-	2,7
1,5	-	120	2,3	4	-	120	2,3	3	3,5
	120	-	3	5	120	250	2,8	3,5	3,5
	-	-	-	-	250	-	3,5	4	3,5
2	-	80	3	4,5	-	120	2,8	4	4
	80	220	3,5	5	120	250	3,5	4,5	4
	220	-	3,8	6	250	-	4	5	4
2,1	-	280	4	6,5	-	-	-	-	4,5
	280	-	4,5	7	-	-	-	-	4,5
2,5	-	100	3,8	6	-	120	3,5	5	-
	100	280	4,5	6	120	250	4	5,5	-
	280	-	5	7	250	-	4,5	6	-
3	-	280	5	8	-	120	4	5,5	5,5
	280	-	5,5	8	120	250	4,5	6,5	5,5
	-	-	-	-	250	400	5	7	5,5
	-	-	-	-	400	-	5,5	7,5	5,5
4	-	-	6,5	9	-	120	5	7	6,5
	-	-	-	-	120	250	5,5	7,5	6,5
	-	_	_	-	250	400	6	8	6,5
	-	-	-	-	400	-	6,5	8,5	6,5
5	-	-	8	10	-	180	6,5	8	8
	-	-	-	-	180	-	7,5	9	8
6	-	-	10	13	-	180	7,5	10	10
	-	-	-	-	180	-	9	11	10
7,5	-	-	12,5	17	-	-	-	-	12,5
9,5	-	-	15	19	-	-	-	-	15
12	-	-	18	24	-	-	-	-	18
15	-	-	21	30	-	-	-	-	21

7.2.2 Accuracy of bearings

Accuracy of bearings means accuracy of bearing dimensions and run. Bearings are made in the accuracy classes PO, P6, P5, P5A, P4, P4A, P2, SP and UP. The PO accuracy is general, and is not stated in the bearing identification. Descending number in the identification indicates higher bearing accuracy.

Majority locations can utilise roller bearings of normal accuracy level. Bearings with higher accuracy level are used in locations that require higher running accuracy, such as location of machine tool spindles, and where bearings exceed their limit revolutions.

























(ZKI)

The limit dimension and run accuracy values are stated in charts 7.2 to 7.12. These values comply with international standards ISO 492 a ISO 199. The P5A and P4A designation is used for bearings made in relevant accuracy level P5 and P4 but selected parameters feature higher accuracy level than is P5 and P4.

Symbols of quantities and their meaning

d nominal bore diameter
$\mathbf{d}_1,\dots,$ nominal diameter of bigger theoretical tapered bore diameter
\mathbf{d}_2 nominal diameter of shaft ring of double direction thrust bearings
$\Delta d_s, \ldots$ deviation of individual bore diameter from nominal dimension
Δd_{mp} deviation of mean diameter of cylindrical bore in individual radial plane (for tapered bore applies Δdmp for theoretical bore diameter)
$\Delta d_{\text{1mp}}\dots$ deviation of mean theoretical tapered bore diameter
$\Delta d_{\text{2mp}}\dots$ deviation of mean shaft ring bore diameter of double direction thrust bearings in individual radial plane
V_{dp},\ldots dispersion of individual bore diameter in individual radial plane
$V_{_{dmp}}\ldots$ dispersion of mean cylindrical bore diameter
$V_{d2p} \dots dispersion$ of shaft ring bore diameter of double direction thrust bearings in individual radial plane
D nominal external diameter
$\Delta Ds \dots$ deviation of individual outer diameter from nominal dimension
ΔD_{mp} deviation of mean diameter of cylindrical surface in individual radial plane
VD_p dispersion of individual outer cylindrical surface diameter in individual radial plane
$VD_{mp}.\ldots$ dispersion of mean outer cylindrical bore diameter
B nominal inner ring width
T nominal total width of tapered bearings
$T_1.\ldots\ldots$ nominal effective width of inner semi-unit
T ₂ nominal effective width of outer semi-unit
ΔB_s deviation of individual inner ring width
$\Delta C_s \cdot \ldots$ deviation of individual outer ring width

. . . 74



 $\Delta Ts \ldots$ deviation of (total) individual bearing width

 ΔT_{1} , deviation of effective width of inner semi-unit

 ΔT_{2s} deviation of effective width of outer semi-unit

C nominal outer ring width

 V_{p_2} dispersion of individual inner ring width

 V_r s..... dispersion of individual outer ring width

 $K_{_{ia}}$ radial runout of assembled bearing inner ring

K_a..... radial runout of assembled bearing outer ring

S, axial runout of shaft ring raceway

S_s..... axial runout of body ring raceway

 S_{ia} axial runout of basic front of assembled bearing inner ring

 $\boldsymbol{S}_{\text{\tiny ea}},\ldots$ axial runout of basic front of assembled bearing outer ring

S_d..... axial runout of basic front

 S_n, \ldots runout of outer surface against ring front

 $\boldsymbol{S_s},\ldots,$ runout of inner ring support front against basic front for single row tapered bearings

Limit values of individual parameters for different accuracy levels are stated in the below charts.































Table 7.2

	Accuracy of dimensions and run of radial bearings (except tapered)															
							Accu	racy le	vel P0							
							lr	ner rir	ıg							
C	d	Δ	dmp		V_{dp}		V _{dmp}	K _{ia}		Δ _{Bs}	V _{Bs}	Δ.	lmp	$\Delta_{_{d1mp}}$	-A _{dmp}	V ¹⁾ dp
	diameter row															
	7,8,9 0,1 2,3,4															
over	to	max	min	max	max	max	max	max	max	min	max	max	min	max	min	max
mm		μm														
2,5	10	0	-8	10	8	6	6	10	0	-120	15	-	-	-	-	-
10	18	0	-8	10	8	6	6	10	0	-120	20	-	-	-	_	
18	30	0	-10	13	10	8	8	13	0	-120	20	21	0	21	0	13
30	50	0	-12	15	12	9	9	15	0	-120	20	25	0	25	0	15
50	80	0	-15	19	19	11	11	20	0	-150	25	30	0	30	0	19
80	120	0	-20	25	25	15	15	25	0	200	25	35	0	35	0	25
120 180	180 250	0	-25 -30	31 38	31 38	19 23	19 23	30 40	0	-250 -300	30 30	40 46	0	40 46	0	31 38
250	315	0	-35	44	44	26	26	50	0	-350	35	52	0	52	0	44
315	400	0	-40	50	50	30	30	60	0	-400	40	57	0	57	0	50
400	500	0	-45	56	56	34	34	65	0	-450	50	63	0	63	0	56
500	630	0	-50	63	63	38	38	70	0	-500	60	-	-	-	-	-
630	800	0	-75	-	-	-	-	80	0	-750	70	-	-	-	-	-
800	1000	0	-100	-	-	-	-	90	0	-1000	80	-	-	-	-	-
1000	1250	0	-125	-	-	-	-	100	0	-1250	100	-	-	-	-	-

Table 7.3

					Outer r	ng				
)	Δ	D _{mp}			V _{DP}		V _{Dmp}	K _{ea}	Δ _{Cs} , Δ _{Cs}
					Diar	neter rows	;			
				7,8,9	0,1	2,3,4	bearings ²⁾ with shields			
přes	do	max	min	max	max	max	max	max	max	
mm		μm								
6	18	0	-8	10	8	6	10	6	15	3)
18	30	0	-9	12	9	7	12	7	15	3)
30	50	0	-11	14	11	8	16	8	20	3)
50	80	0	-13	16	13	10	20	10	25	3)
80	120	0	-15	19	19	11	26	11	35	3)
120	150	0	-18	23	23	14	30	14	40	3)
150	180	0	-25	31	31	19	38	19	45	3)
180	250	0	-30	38	38	23	-	23	50	3)
250	315	0	-35	44	44	26	-	26	60	3)
315	400	0	-40	50	50	30	-	30	70	3)
400	500	0	-45	56	56	34	-	34	80	3)
500	630	0	-50	63	63	38	-	38	100	3)
630	800	0	-75	94	94	55	-	55	120	3)
800	1000	0	-100	125	125	75	-	75	140	3)
1000	1250	0	-125	-	-	-	-	-	160	3)
1250	1600	0	-160	-	-	-	-	-	190	3)

 $^{^{1)}}$ Applies in optional radial bore plane $^{2)}$ Applies only to bearings of diameter rows 2, 3 and 4 $^{3)}$ Corresponds with $\Delta_{\rm Bs}$, $\rm V_{\rm Bs}$ of inner race of the same bearing



Table 7.4a

	Accuracy of dimensions and run of radial bearings (except tapered)													
					Accuracy	level P6								
	Inner ring													
d $\Delta_{ ext{dmp}}$ $V_{ ext{dp}}$ $V_{ ext{dmp}}$ $K_{ ext{ia}}$ $\Delta_{ ext{Bs}}$ $V_{ ext{Bs}}$														
	Diameter rows													
				7,8,9	0,1	2,3,4								
over	to	max	min	max	max	max	max	max	max	min	max			
mm		μm												
2,5	10	0	-7	9	7	5	5	6	0	-120	15			
10	18	0	-7	9	7	5	5	7	0	-120	20			
18	30	0	-8	10	8	6	6	8	0	-120	20			
30	50	0	-10	13	10	8	8	10	0	-120	20			
50	80	0	-12	15	15	9	9	10	0	-150	25			
80	120	0	-15	19	19	11	11	13	0	-200	25			
120	180	0	-18	23	23	14	14	18	0	-250	30			
180	250	0	-22	28	28	17	17	20	0	-300	30			
250	315	0	-25	31	31	19	19	25	0	-350	35			
315	400	0	-30 -35	38	38	23	23 26	30 35	0	-400 450	40 45			
400 500	500 630	0	-35 -40	44 50	44 50	26 30	30	40	0	-450 -500	50			
300	000	J	-40	50	50	50	50	40	J	-500	50			

Table 7.4b

					Outer r	ing				
ı	D	ΔΙ	D _{mp}			V _{DP}		V _{Dmp}	K _{ea}	Δ _{cs} , V _{cs}
					Diam	eter rows				
				7,8,9	0,1	2,3,4	bearings ¹⁾ with shields			
over	to	max	min	max	max	max	max	max	max	
mm		μm								
6	18	0	-7	9	7	5	9	5	8	2)
18	30	0	-8	10	8	6	10	6	9	2)
30	50	0	-9	11	9	7	13	7	10	2)
50	80	0	-11	14	11	8	16	8	13	2)
80	120	0	-13	16	16	10	20	10	18	2)
120	150	0	-15	19	19	11	25	11	20	2)
150	180	0	-18	23	23	14	30	14	23	2)
180	250	0	-20	25	25	15	-	15	25	2)
250	315	0	-25	31	31	19	-	19	30	2)
315	400	0	-28	35	35	21	-	21	35	2)
400	500	0	-33	41	41	25	-	25	40	2)
500	630	0	-38	48	48	29	-	29	50	2)
630	800	0	-45	56	56	34	-	34	60	2)
800	1000	0	-50	75	75	45	-	45	75	2)

 $^{^{1)}}$ Applies only to bearings of diameter rows 0, 1, 2, 3 and 4 $^{2)}$ Corresponds with $\Delta_{\rm Be}$, $V_{\rm Be}$ of the inner race of the same bearing



Table 7.5

	Accuracy of dimensions and run of radial bearings (except tapered)														
	Accuracy level P5														
	Inner ring														
c	$d \qquad \qquad D_{dmp} \qquad D_{dp} \qquad \qquad D_{dmp} \qquad D_{dmp} \qquad D_{ia} \qquad D_{dm} \qquad D_{bs} \qquad D_{Ds} \qquad D_$														
	Diameter rows														
	7,8,9 0,1,2,3,4														
over	to	max	min	max	min	max									
mm															
2,5	10	0	-5	5	4	3	4	7	7	0	-40	5			
10	18	0	- 5	5	4	3	4	7	7	0	-80	5			
18	30	0	-6	6	5	3	4	8	8	0	-120	5			
30	50	0	-8	8	6	4	5	8	8	0	-120	5			
50	80	0	-9	9	7	5	5	8	8	0	-150	6			
80	120	0	-10	10	8	5	6	9	9	0	-200	7			
120	180	0	-13	13	10	7	8	10	10	0	-250	8			
180	250	0	-15	15	12	8	10	11	13	0	-300	10			
250	315	0	-18	18	14	9	13	13	15	0	-350	13			
315	400	0	-23	23	18	12	15	15	20	0	-400	15			

Table 7.6

					Outer ri	ng					
C)	ΔΙ	D _{mp}		V _{DP}		K _{ea}	S _D	S _{ea} 1)	Δ _{Cs}	V _{Cs}
				7,8,9	0,1 2,3,4						
over	to	max	min	max	max	max	max	max	max		max
mm		μm									
6	18	0	-5	5	4	3	5	8	8	3)	5
18	30	0	-6	6	5	3	6	8	8	3)	5
30	50	0	-7	7	5	4	7	8	8	3)	5
50	80	0	-9	9	8	5	8	8	10	3)	6
80	120	0	-10	10	8	5	10	9	11	3)	8
120	150	0	-11	11	8	6	11	10	13	3)	8
150	180	0	-13	13	10	7	13	10	14	3)	8
180	250	0	-15	15	11	8	15	11	15	3)	10
250	315	0	-18	18	14	9	18	13	18	3)	11
315	400	0	-20	20	15	10	20	13	20	3)	13
400	500	0	-23	23	17	12	23	15	23	3)	15
500	630	0	-28	28	21	14	25	18	25	3)	18
630	800	0	-35	35	26	18	30	20	30	3)	20

 $^{^{1)}}$ Applies to ball bearings only $^{2)}$ Does not apply to shielded bearings $^{3)}$ Corresponds with $\Delta_{\rm Bc}$ of the inner ring of the same bearing



Table 7.7

	Accuracy of dimensions and run of radial bearings (except tapered)														
	Accuracy level P4														
	Inner ring														
·	d	Δ	dmp	Δ	1) ds		V _{dp}	V _{dmp}	K _{ia}	S _d	S _{ia} ²⁾	L	Bs	V _{Bs}	
							eter rows								
						7,8,9	0,1,2,3,4								
over	to	max	min	max	min	max	max	max	max	max	max	max	min	max	
mm		μm													
2,5	10	0	-4	0	-4	4	3	2	2,5	3	3	0	-40	2,5	
10	18	0	-4	0	-4	4	3	2	2,5	3	3	0	-80	2,5	
18	30	0	- 5	0	- 5	5	4	2,5	3	4	4	0	-120	2,5	
30	50	0	-6	0	-6	6	5	3	4	4	4	0	-120	3	
50	80	0	-7	0	-7	7	5	3,5	4	5	5	0	-150	4	
80 120	120	0	-8 -10	0	-8 -10	8 10	6 8	4 5	5 6	5 6	5 7	0	-200 -250	4	
180	180 250	0	-10	0	-10	12	9	6	8	7	8	0	-300	5 6	
100	200	Ü	12	5	12	12	5	Ü	Ü	,	5	S	555	J	

Table 7.8

						Ou	ter ring						
ı	D .	ΔΙ	D _{mp}	V,	1))s	V _{DP} Diameter rows ³⁾ 7,8,9 0,1 2,3,4		V _{Dmp}	K _{ea}	S _D	S _{ea} 2)	Δ _{Cs}	V _{Cs}
over	to	max	min	max	min	max	max	max	max	max	max		max
mm		μm											
6	18	0	-4	0	-4	4	3	2	3	4	5	4)	2,5
18	30	0	-5	0	-5	5	4	2,5	4	4	5	4)	2,5
30	50	0	-6	0	-6	6	5	3	5	4	5	4)	2,5
50	80	0	-7	0	-7	7	5	3,5	5	4	5	4)	3
80	120	0	-8	0	-8	8	6	4	6	5	6	4)	4
120	150	0	-9	0	-9	9	7	5	7	5	7	4)	5
150	180	0	-10	0	-10	10	8	5	8	5	8	4)	5
180	250	0	-11	0	-11	11	8	6	10	7	10	4)	7
250	315	0	-13	0	-13	13	10	7	11	8	10	4)	7
315	400	0	-15	0	-15	15	11	8	13	10	13	4)	8

 $^{^{1)}}$ Applies only to bearings of diameter rows 0, 1, 2, 3 and 4 $^{2)}$ Applies to ball bearings only $^{3)}$ Does not apply to shielded bearings 4 Corresponds with $\Delta_{\rm Bs}$ of the inner ring of the same bearing



























Table 7.9

	Accuracy of dimensions and run of roller bearings with tapered hole													
					Accuracy	level SP								
	Inner ring													
(d $\Delta_{ m dmp}$ $\Delta_{ m Bs}$ $\Delta_{ m Bs}$													
over	to	max	min	max	min	max	max	max	max	min	max			
mm		μm												
18	30	10	0	4	0	3	3	8	0	-100	5			
30	50	12	0	4	0	4	4	8	0	-120	5			
50	80	15	0	5	0	5	4	8	0	-150	6			
80	120	20	0	6	0	5	5	9	0	-200	7			
120	180	25	0	8	0	7	6	10	0	-250	8			
180	250	30	0	10	0	8	8	11	0	-300	10			
250	315	35	0	12	0	9	10	13	0	-350	13			
315	400	40	0	13	0	12	12	15	0	-400	15			
400	500	45	0	15	0	14	12	18	0	-450	25			

Table 7.10

	Outer ring											
)	ΔΙ) _{mp}	V _{Dp}	K _{ea}	S _D	Δ _{Cs,} V _{Cs}					
over	to	max	min	max	max	max						
mm		μm										
50	80	0	-9	5	5	8	1)					
80	120	0	-10	5	6	9	1)					
120	150	0	-11	6	7	10	1)					
150	180	0	-13	7	8	10	1)					
180	250	0	-15	8	10	11	1)					
250	315	0	-18	9	11	13	1)					
315	400	0	-20	10	13	13	1)					
400	500	0	-23	12	15	15	1)					
500	630	0	-28	14	17	18	1)					
630	800	0	-35	18	20	20	1)					

 $^{^{\}mbox{\tiny 1)}}$ Corresponds with $\Delta_{\mbox{\tiny Bs}}$ and $\mbox{\rm V}_{\mbox{\tiny Bs}}$ of inner ring of the same bearing



Table 7.11a

	Accuracy of dimensions and run of roller bearings with tapered hole												
	Accuracy level UP												
	Inner ring												
,	d	Δα	mp	Δ _{d1mp}	-Δ _{dmp}	V _{dp}	K _{ia}	S _d	Δ	Bs	V _{Bs}		
over													
mm		μm											
18	30	6	0	2	0	3	1,5	3	0	-25	1,5		
30	50	7	0	3	0	3	2	3	0	-30	2		
50	80	8	0	3	0	4	2	4	0	-40	3		
80	120	10	0	4	0	4	3	4	0	-50	3		
120	180	12	0	5	0	5	3	5	0	-60	4		
180	250	14	0	6	0	6	4	6	0	-75	5		
250	315	17	0	8	0	8	5	6	0	-90	6		

Table 7.11b

	Outer ring											
D	•	Δ _{Dm}	p	V _{Dp}	K _{ea}	S _D	$\Delta_{_{\text{Cs}}}$, $V_{_{\text{Cs}}}$					
over	to	max	min	max	max	max						
mm		μm										
50	80	0	-6	3	3	2	1)					
80	120	0	-7	4	3	3	1)					
120	150	0	-8	4	4	3	1)					
150	180	0	-9	5	4	3	1)					
180	250	0	-10	5	5	4	1)					
250	315	0	-12	6	6	4	1)					
315	400	0	-14	7	7	5	1)					

1

 $^{^{\}mbox{\tiny 1)}}$ Corresponds with $\Delta_{\mbox{\tiny Bs}}$ and $\mbox{\rm V}_{\mbox{\tiny Bs}}$ of inner ring of the same bearing



Table 7.12a

				Accura	cy of di	mensior	ns and r	un of tap	pered be	earings				
	Accuracy level P0													
	Inner ring and total bearing width													
ď	$d \qquad \left \Delta_{dmp} \right V_{dp} \left V_{dmp} \right K_{ia} \left \Delta_{Bs} \right \Delta_{Ts} \left \Delta_{T1s} \right \Delta_{T2s}$												Г2s	
over	to	max	min	max	max	max	max	min	max	min	max	min	max	min
mm		μm												
10	18	0	-12	12	9	15	0	-120	200	0	100	0	100	0
18	30	0	-12	12	9	18	0	-120	200	0	100	0	100	0
30	50	0	-12	12	9	20	0	-120	200	0	100	0	100	0
50	80	0	-15	15	11	25	0	-150	200	0	100	0	100	0
80	120	0	-20	20	15	30	0	-200	200	-200	100	-100	100	-100
120	180	0	-25	25	19	35	0	-250	350	-250	150	-150	200	-100
180	250	0	-30	30	23	50	0	-300	350	-250	150	-150	200	-100

Table 7.12b

				Outer ring				
)	Δ _D ,	mp	V _{Dp}	V _{Dmp}	K _{ea}	Δ	Cs
over	to	max	max min		max	max	max	min
mm		μm						
18	30	0	-12	12	9	18	0	-120
30	50	0	-14	14	11	20	0	-120
50	80	0	-16	16	12	25	0	-150
80	120	0	-18	18	14	35	0	-200
120	150	0	-20	20	15	40	0	-250
150	180	0	-25	25	19	45	0	-250
180	250	0	-30	30	23	50	0	-300
250	315	0	-35	35	26	60	0	-350
315	400	0	-40	40	30	70	0	-400



Table 7.13a

	Accuracy of dimensions and run of tapered bearings													
	Accuracy level P6X													
					Inner	ring an	d total b	earing	width					
ď	d	Δ	lmp	V _{dp}	V _{dmp}	K _{ia}	Δ	Bs	Δ	Ts	Δ,	1s	Δ	Γ2s
over	to	max	min	max	max	max	max	min	max	min	max	min	max	min
mm		μm		`										
10	18	0	-12	12	9	15	0	-50	100	0	50	0	50	0
18	30	0	-12	12	9	18	0	-50	100	0	50	0	50	0
30	50	0	-12	12	9	20	0	-50	100	0	50	0	50	0
50	80	0	-15	15	11	25	0	-50	100	0	50	0	50	0
80	120	0	-20	20	15	30	0	-50	100	0	50	0	50	0
120	180	0	-25	25	19	35	0	-50	150	0	50	0	100	0

Table 7.13b

	Outer ring										
С)	Δ _{Dn}	пр	V _{Dp}	V _{Dmp}	K _{ea}	Δ	Os			
over	to	max	min	max	max	max	max	min			
mm		μm									
18	30	0	-12	12	9	18	0	-100			
30	50	0	-14	14	11	20	0	-100			
50	80	0	-16	16	12	25	0	-100			
80	120	0	-18	18	14	35	0	-100			
120	150	0	-20	20	15	40	0	-100			
150	180	0	-25	25	19	45	0	-100			
180	250	0	-30	30	23	50	0	-100			
250	315	0	-35	35	26	60	0	-100			

0

00

W



Table 7.14a

	Accuracy of dimensions and run of tapered bearings												
	Accuracy level P6												
			Inner ring	and total bea	ring width								
,	d $\Delta_{_{ m dmp}}$ $K_{_{ m ia}}$ $\Delta_{_{ m Bs}}$ $\Delta_{_{ m Ts}}$												
over													
mm		μm											
10	18	0	-7	7	0	-200	200	0					
18	30	0	-8	8	0	-200	200	0					
30	50	0	-10	10	0	-240	200	0					
50	80	0	-12	10	0	-300	200	0					
80	120	0	-15	13	0	-400	200	-200					
120	180	0	-18	18	0	-500	350	-250					

Table 7.14b

	Outer ring										
ı	D	Δ	Этр	K _{ea}	Δ _{Cs}						
over	to	max	min	max							
mm		μm									
18	30	0	-8	9	1)						
30	50	0	-9	10	1)						
50	80	0	-11	13	1)						
80	120	0	-13	18	1)						
120	150	0	-15	20	1)						
150	180	0	-18	23	1)						
180	250	0	-20	25	1)						
250	315	0	-25	30	1)						

 $^{^{\}mbox{\tiny 1)}}$ Corresponds with $\Delta_{\mbox{\tiny Bs}}$ of inner ring of the same bearing



Table 7.15a

			Accura	acy of dim	ensions ar	nd run of t	apered be	earings					
	Accuracy level P5												
				Inner r	ing and to	tal bearing	g width						
d		Δ _d	тр	V _{dp}	V _{dmp}	K _{ia}	Ś _d	Δ	Bs .	Δ	Ts		
over													
mm		μm											
10	18	0	-7	5	5	5	7	0	-200	200	-200		
18	30	0	-8	6	5	5	8	0	-200	200	-200		
30	50	0	-10	8	5	5	8	0	-240	200	-200		
50	80	0	-12	9	6	7	8	0	-300	200	-200		
80	120	0	-15	11	8	8	9	0	-400	200	-200		
120													

Table 7.15b

				Outer ring				
D)	$\Delta_{_{\mathrm{Dr}}}$	mp	V _{Dp}	V _D	K _{ea}	Ś _D	Δ _{Cs}
over	to	max	min	max	max	max	max	
mm		μm						
18	30	0	-8	6	5	6	8	1)
30	50	0	-9	7	5	7	8	1)
50	80	0	-11	8	6	8	8	1)
80	120	0	-13	10	7	10	9	1)
120	150	0	-15	11	8	11	10	1)
150	180	0	-18	14	9	13	10	1)
180	250	0	-20	15	10	15	11	1)
250	315	0	-25	19	13	18	13	1)

 $^{^{\}mbox{\tiny 1)}}$ Corresponds with $\Delta_{\mbox{\tiny Bs}}$ of the inner ring of the same bearing

O

W

工



Table 7.16a

	Accuracy of dimensions and run of axial bearings												
	Accuracy level P0, P6 and P5												
	Shaft ring												
d Δ_{dmp} V_{dp} S_i													
c	d ₂												
over													
mm		μm											
-	18	0	-8	6	10	5	3						
18	30	0	-10	8	10	5	3						
30	50	0	-12	9	10	6	3						
50	80	0	-15	11	10	7	4						
80	120	0	-20	15	15	8	4						
120	180	0	-25	19	15	9	5						
180	250	0	-30	23	20	10	5						
250	315	0	-35	26	25	13	7						
315	400	0	-40	30	30	15	7						
400	500	0	-45	34	30	18	9						
500	630	0	-50	38	35	21	11						
630	630 800 0 -75 - 40 25 13												
1) Does not ap	pply to thrust sph	erical roller bear	ings										

Table 7.16b

	Housing ring										
1	D	Δ _{Dr}	np	V _{Dp}	S _e	1)					
over	to	max min		max							
mm		μm									
18	30	0	-13	10							
30	50	0	-16	12							
50	80	0	-19	14							
80	120	0	-22	17							
120	180	0	-25	19							
180	250	0	-30	23							
250	315	0	-35	26	Corresponds wi	th S, of shaft					
315	400	0	-40	30	ring of the s	ame bearing					
400	500	0	-45	34							
500	630	0	-50	38							
630	800	0	- 75	55							
800	1000	0	-100	75							
1000	1250	0	-125	-							
1250	1600	0	-160	-							
1) Does not apply	¹⁾ Does not apply to thrust spherical roller bearings										





7.2.3 Inner clearances of bearings

Clearance in bearing is the value of length of displacement of one assembled bearing ring towards the second ring from one marginal position to another (see fig. 7.3). The displacement can be in radial direction (radial clearance), or in axial direction (axial clearance).




Fig. 7.3

In an in-built bearing we usually detect lower radial clearance than has the same bearing in unassembled state. Reduction of radial clearance is caused by the overlap sizes of bearing rings on the journal and in the body bore, and is therefore dependant on the selected tolerances of location surface diameters for the bearing. Further change of radial clearance, particularly its reduction, takes place during the operation due to temperature induced by the bearing operation itself, and by external sources, and also due to flexible deformations caused by load. Decisive is for bearing in stabilised service effects. Small prestress between the balls and raceways usually does not have negative effect.

Cylindrical roller, tapered roller, sphecical roller bearings feature higher rigidity, and therefore they are supposed to have smaller service clearance that is necessary to ensure safe and reliable run, mainly in heavy service conditions. If extremely high rigidity of location is required, e.g. for machine tools, prestressed bearings are mounted.

For normal design bearings the clearance is adjusted so that one of the bearing rings could be located firmly which is sufficient for majority of service ratios in location. Special cases of location with other requirements for radial clearance require bearings with radial clearance designated C1 to C5.

Values of different inner clearance levels according to ISO 5753 standard are for individual design bearing groups stated in charts 7.17 to 7.23 whilst these values apply to non-mounted bearings in zero load during measuring.





































Table 7.17a

	Radial clearance of single row ball bearings													
Bo diam					R	ladial c	learanc	e				Single row ball bearings		dial ance
d	1	C	2	Nor	mal	c	:3	С	4	c	:5	separable of E and BO		
over	to	min	max	min	max	min	max	min	max	min	max	type	min	max
mm		μm											μm	
2,5	10	0	7	2	13	8	23	14	29	20	37	E10, E12	15	30
10	18	0	9	3	18	11	25	18	33	25	45	E15	15	30
18	24	0	10	5	20	13	28	20	36	28	48	BO17, E17	25	45
24	30	1	11	5	20	13	28	23	41	30	53	E20	20	40
30	40	1	11	6	20	15	33	28	46	40	64			
40	50	1	11	6	23	18	36	30	51	45	73			
50	65	1	15	8	28	23	43	38	61	55	90			
65	80	1	15	10	30	25	51	46	71	65	105			
80	100	1	18	12	36	30	58	53	84	75	120			
100	120	2	20	15	41	36	66	61	97	90	140			
120	140	2	23	18	48	41	81	71	114	105	160			
140	160	2	23	18	53	46	91	81	130	120	180			
160	180	2	25	20	61	53	102	91	147	135	200			
180	200	2	30	25	71	63	117	107	163	150	215			
200	225	2	35	25	85	75	140	125	195	175	265			
225	250	2	40	30	95	85	160	145	225	205	300			
250	280	2	45	35	105	90	170	155	245	225	340			
280	315	2	55	40	115	100	190	175	270	245	370			
315	355	3	60	45	125	110	210	195	300	275	410			
355	400	3	70	55	145	130	240	225	340	315	460			
400	450	3	80	60	170	150	270	250	380	350	520			
450	500	3	90	70	190	170	300	280	420	390	570			
500	560	10	100	80	210	190	330	310	470	440	630			
560	630	10	110	90	230	210	360	340	520	490	700			
630	710	20	130	110	260	240	400	380	570	540	780			
710	800	20	140	120	290	270	450	430	630	600	860			
800	900	20	160	140	320	300	500	480	700	670	960			
900	1000	20	170	150	350	330	550	530	770	740	1040			
1000	1120	20	180	160	380	360	600	580	850	820	1150			

Table 7.17b

	Axial clearance of double row angular-contact ball bearings										
Bore di	ameter				Axial cle	earance					
·	i	C	C2 N			С	3	C4			
over	to	min	max	min	max	min	max	min	max		
mm		μm									
6	10	1	11	5	21	12	28	25	45		
10	18	1	12	6	23	13	31	27	47		
18	24	2	14	7	25	16	34	28	48		
24	30	2	15	8	27	18	37	30	50		
30	40	2	16	9	29	21	40	33	54		
40	50	2	19	11	33	23	44	36	58		
50	65	3	22	13	36	26	48	40	63		
65	80	3	24	15	40	30	54	46	71		
80	100	3	26	18	46	35	63	-	-		
100	110	4	30	22	53	42	73	-	-		



Table 7.18

	Radial clearance of double ro										ow se	lf alig	ning l	ball b	earin	gs					
Bo diam	-				Су	lindri	cal bo	ore				Tapered bore									
c	i	С	2	Nor	mal	С	3	С	4	С	5	С	2	Noi	mal	С	3	С	4	С	:5
over	to	min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max	min	max
mm		μm										μm									
2,5	6	1	8	5	15	10	20	15	25	21	33	-	-	-	-	-	-	-	-	-	-
6	10	2	9	6	17	12	25	19	33	27	42	-	-	-	-	-	-	-	-	-	-
10	14	2	10	6	19	13	26	21	35	30	48	-	-	-	-	-	-	-	-	-	-
14	18	3	12	8	21	15	28	23	37	32	50	-	-	-	-	-	-	-	-	-	-
18	24	4	14	10	23	18	30	25	39	34	52	7	17	13	26	20	33	28	42	37	55
24	30	5	16	11	24	19	35	29	46	40	58	9	20	15	28	23	39	33	50	44	62
30	40	6	18	13	29	23	40	34	53	46	66	12	24	19	35	29	46	40	59	52	72
40	50	6	19	14	31	25	44	37	57	50	71	14	27	22	39	33	52	45	65	58	79
50	65	7	21	16	36	30	50	45	69	62	88	18	32	27	47	41	61	56	80	73	99
65	80	8	24	18	40	35	60	54	83	76	108	23	39	35	57	50	75	69	98	91	123
80	100	9	27	22	48	42	70	64	96	89	124	29	47	42	68	62	90	84	116	109	144
100	120	10	31	25	56	50	83	75	114	105	145	35	56	50	81	75	108	100	139	130	170
120	140	10	38	30	68	60	100	90	135	125	175	-	-	-	-	-	-	-	-	-	-
140	160	15	44	35	80	70	120	110	161	150	210	-	-	-	-	-	-	-	-	-	-

Table 7.19

Radial clearance of single row cylindrical roller bearings											
Bore di	ameter					Radial c	learance				
c	i	С	2	nor	mal	С	3	C4		C5	
over	to	min	max	min	max	min	max	min	max	min	max
mm		μm									
10	24	0	25	20	45	35	60	50	75	65	90
24	30	0	25	20	45	35	60	50	75	70	95
30	40	5	30	25	50	45	70	60	85	80	105
40	50	5	35	30	60	50	80	70	100	95	125
50	65	10	40	40	70	60	90	80	110	110	140
65	80	10	45	40	75	65	100	90	125	130	165
80	100	15	50	50	85	75	110	105	140	155	190
100	120	15	55	50	90	85	125	125	165	180	220
120	140	15	60	60	105	100	145	145	190	200	245
140	160	20	70	70	120	115	165	165	215	225	275
160	180	25	75	75	125	120	170	170	220	250	300
180	200	35	90	90	145	140	195	195	250	275	330
200	225	45	105	105	165	160	220	220	280	305	365
225	250	45	110	110	175	170	235	235	300	330	395
250	280	55	125	125	195	190	260	260	330	370	440
280	315	55	130	130	205	200	275	275	350	410	485
315	355	65	145	145	225	225	305	305	385	455	535
355	400	100	190	190	280	280	370	370	460	510	600
400	450	110	210	210	310	310	410	410	510	565	665
450	500	110	220	220	330	330	440	440	550	625	735
500	560	120	240	240	360	360	480	480	600	695	815
560	630	140	260	260	380	380	500	500	620	780	900
630	710	145	285	285	425	425	565	565	705	870	1010
710	800	150	310	310	470	470	630	630	790	980	1140
800	900	180	350	350	520	520	690	690	860	1100	1270
900	1000	200	390	390	580	580	770	770	960	1220	1410
1000	1120	220	430	430	640	640	850	850	1060	1360	1570
1120	1250	230	470	470	710	710	950	950	1190	1520	1760































Table 7.20

Radial clearance of double row cylindrical roller bearings with tapered bore										
	Bearings with incommutable rings designed for work spindles of machine tools									
Bore	diameter		Radial	clearance						
	d	c	1NA	C2	C2NA					
over	to	min	max	min	max					
mm		μm								
24	30	15	25	25	35					
30	40	15	25	25	40					
40	50	17	30	30	45					
50	65	20	35	35	50					
65	80	25	40	40	60					
80	100	35	55	45	70					
100	120	40	60	50	80					
120	140	45	70	60	90					
140	160	50	75	65	100					
160	180	55	85	75	110					
180	200	60	90	80	120					
200	225	60	95	90	135					
225	250	65	100	100	150					
250	280	75	110	110	165					
280	315	80	120	120	180					
315	355	90	135	135	200					
355	400	100	150	150	225					
400	450	110	170	170	255					
450	500	120	190	190	285					
500	560	130	210	210	315					
560	630	140	230	230	345					
630	710	160	260	260	390					
710	800	180	290	290	435					
800	900	200	320	320	480					
900	1000	-	-	355	540					

Table 7.21

Radial clearance of single row cageless needle roller bearings with interchangeable rings										
Bore d	iameter	Radial clearance								
d		nor	mal	C2NA						
over	to	min	max	min	max					
mm		μm		,						
10	14	10	50	25	70					
14	18	15	55	35	75					
18	24	25	65	40	80					
24	30	30	65	50	80					
30	40	40	75	60	95					
40	50	40	85	65	100					
50	65	45	90	70	120					
65	80	50	110	75	135					
80	100	60	115	95	150					
100	120	70	125	115	70					
120	140	80	155	130	205					
140	160	80	160	140	210					

••• 90



Table 7.22

	Radial clearance of double row spherical-roller bearings										
Bore di	iameter					Cylindri	cal bore				
(d	С	2	nor	mal	C3		C4		C5	
over	to	min	max	min	max	min	max	min	max	min	max
mm		μm									
30	40	15	30	30	45	45	60	60	80	80	100
40	50	20	35	35	55	55	75	75	100	100	125
50	65	20	40	40	65	65	90	90	120	120	150
65	80	30	50	50	80	80	110	110	145	145	180
80	100	35	60	60	100	100	135	135	180	180	225
100	120	40	75	75	120	120	160	160	210	210	260
120	140	50	95	95	145	145	190	190	240	240	300
140	160	60	110	110	170	170	220	220	280	280	350
160	180	65	120	120	180	180	240	240	310	310	390
180	200	70	130	130	200	200	260	260	340	340	430
200	225	80	140	140	220	220	290	290	380	380	470
225	250	90	150	150	240	240	320	320	420	420	520
250	280	100	170	170	260	260	350	350	460	460	570
280	315	110	190	190	280	280	370	370	500	500	630
315	355	120	200	200	310	310	410	410	550	550	690
355	400	130	220	220	340	340	450	450	600	600	760
400	450	140	240	240	370	370	500	500	660	660	820
450	500	140	260	260	410	410	550	550	720	720	900
500	560	150	280	280	440	440	600	600	780	780	1000
560	630	170	310	310	480	480	650	650	850	850	1100
630	710	190	350	350	530	530	700	700	920	920	1190
710	800	210	390	390	580	580	770	770	1010	1010	1300
800	900	230	430	430	650	650	860	860	1120	1120	1440
900	1000	260	480	480	710	710	930	930	1220	1220	1570
1000	1120	290	530	530	780	780	1020	1020	1330	1330	1720

Table 7.23

	Radial clearance of double row spherical-roller bearings										
Bore d	iameter					Tapere	d bore				
	d	С	2	nor	mal	C3		C4		c	5
over	to	min	max	min	max	min	max	min	max	min	max
mm		μm								,	
30	40	25	35	35	50	50	65	65	85	85	105
40	50	30	45	45	60	60	80	80	100	100	130
50	65	40	55	55	75	75	95	95	120	120	160
65	80	50	70	70	95	95	120	120	150	150	200
80	100	55	80	80	110	110	140	140	180	180	230
100	120	65	100	100	135	135	170	170	220	220	280
120	140	80	120	120	160	160	200	200	260	260	330
140	160	90	130	130	180	180	230	230	300	300	380
160	180	100	140	140	200	200	260	260	340	340	430
180	200	110	160	160	220	220	290	290	370	370	470
200	225	120	180	180	250	250	320	320	410	410	520
225	250	140	200	200	270	270	350	350	450	450	570
250	280	150	220	220	300	300	390	390	490	490	620
280	315	170	240	240	330	330	430	430	540	540	680
315	355	190	270	270	360	360	470	470	590	590	740
355	400	210	300	300	400	400	520	520	650	650	820
400	450	230	330	330	440	440	570	570	720	720	910
450	500	260	370	370	490	490	630	630	790	790	1000
500	560	290	410	410	540	540	680	680	870	870	1100
560	630	320	460	460	600	600	760	760	980	980	1230
630	710	350	510	510	670	670	850	850	1090	1090	1360
710	800	390	570	570	750	750	960	960	1220	1220	1500
800	900	440	640	640	840	840	1070	1070	1370	1370	1690
900	1000	490	710	710	930	930	1190	1190	1520	1520	1860
1000	1120	530	770	770	1030	1030	1300	1300	1670	1670	2050

91 • •

00

.



For double row ball bearings with angular contact, axial clearance measured at axial load of 100 N is stated instead of radial clearance.

If different clearance is selected than normal, one needs to process carefully and consider the effect if operating conditions at stabilised state. Radial clearance smaller than normal is selected quite rarely, e.g. in roller bearings for machine tool spindles. More often bearings with radial clearance bigger than normal are needed. This happens mostly in case the limit revolutions are exceeded, or in case of higher temperature gradient between the inner an outer ring and, finally, to increase axial load capacity of single row ball bearings. Axial load capacity of these bearings is increased at the clearance of C3 by approx. 10%, and at clearance C4 by approx. 20% in normal conditions.

It is understandable that not only too small but also too big radial clearance has negative effect on the operation and life service of roller bearing. As we know from experience, roller bearing is more negatively affected by small radial clearance than by big. If the thermal service conditions in the bearing are unclear, it is safer to select quite bigger radial clearance that might in an extreme case reduce the service life of the bearing which is insignificant.

Single row ball bearings with angular contact and single row tapered roller bearings are usually mounted in pairs in which radial or axial clearance or prestress are adjusted during the assembly. With advantage the property of the so-called combined bearings can be utilised in which the final axial clearance is set by the bearing manufacturer.

Dependence of radial and axial clearance in some bearing types is clear from chart 7.24.

Table 7.24

Dependence of radial clearance V _r an axial clearance V _a								
Type of bearing	V _s /V _r							
Single Row Ball Bearings	-							
Double Row Angular Contact Ball Bearings, type 32, 33	1,4							
Self-Aligning Ball Bearings								
Tapered Roller Bearings	1,5/e							
Spherical Roller Bearings								

(ZKI)



Figure 7.4 shows an informative graph of dependence of radial an axial clearance in bearing, applicable to single row ball bearings.




Fig. 7.4



7.3 Roller bearings materials

7.3.1 Materials of bearing rings and rolling bodies

In terms of materials used for production of roller bearings, durability and reliability of roller bearings is specifically increased by using more accurate metallurgical technologies based on recent surveys. Previous studies already demonstrated a direct connection between micropurity of the bearing steel used, and the occurrence of subsurface fatigue damage in the rolling contact. With regard to high pressures in the area of the rolling contact, strict requirements for micropurity and uniformity of distribution of carbidic phases are reasonable. The requirement of continuous durability increase can be satisfied by highly accurate and quality production combined with using materials with low content of oxygen and non-metal intrusions, and technologically correct thermal processing of rings and bearing rolling bodies when specified hardness, microstructure and dimensional stability is achieved. This provides resistance to wear and necessary load capacity of rolling contact. Chemical composition and maximum contents of undesired elements are defined in the international standard for bearing steels ISO 683-17.

For locations with a risk of damage in the area of rolling contact due to passage of electric current, bearings with ceramic insulation coating of the outer ring can be supplied.

If there are special requirements for material, design or use of bearings, information is available at the ZKL's technical an consultancy centre.

Semiproducts

Besides economic criteria, a semiproduct for production of roller bearings and rolling elements has to comply with technological requirements in terms of proper course of fibres and proper distribution of carbidic phases. For the economic reason and also due to convenient passage of fibres, the most convenient is using a tube semiproduct that is cold rolled to final shape prior to thermal processing. In this way, the majority of the bearing assortment with increased basic durability is produced with the identification "NEW FORCE".

Through-hardening steels

Majority of standard produced ZKL roller bearings are made of through-hardening steels designed for production of roller bearings. Those are carbon – chromium steels with an approximate content of 1% carbon and 1.5% chromium, complying with the international standard ISO 683-17 "Heat-treated steels, alloy steels and free-cutting steels, Part17: Steels for rolling bearings". After heat treatment, material has the same structure and hardness throughout the component section. After performed martensitic or bainite hardening and subsequent tempering, the hardness of final surfaces is 58 to 65 HRC.

Depending on the type, the highest service temperature of 120 °C to 200 °C is recommended for standard ZKL roller bearings. The maximum temperature for using the bearings depends on heat treatment of bearing components. For operation at temperatures to 250 °C, bearing components can stabilize in a special heat treatment process. In case of thermal stabilization for operation at higher temperatures, the hardness of components reduces significantly, and thus also the dynamic load capacity of the bearings. If long-term operation above 250 °C is required, we recommend bearings from high alloy steels designed for high temperatures.





After saturation with carbon and hardening, bearing components feature hard surface and simultaneously also tough core. They are used for production of bearings that are loadable with big strokes, locations with big overlap or alternatively for locations with a possibility of contaminated lubrication.

Corrosion-proof steels

These steels are used for bearings intended for operation in oxidizing environment, for instance for aviation technology or food processing industry.

Steels for high temperatures

These materials are used for bearings operating permanently at temperatures over 250 °C whilst maintaining hardness and standard service properties, e.g. in aircraft engines.

Steels for surface hardening

These steels offer convenient combination of hardened tough raceway with tough section core. They are used mainly in large bearings, or bearings with clamp flanges which are contained in bearing rings.

7.3.2 Materials for production of cages

Materials used for production of cages are selected with regard to the service temperature of the bearing, whether the bearing will operate in standard or vibrating environment, alternatively upon the requirements for chemical or corrosion resistance.

The basic quality of materials used for production of cages is good abrasion resistance and slip properties along with sufficient ductility.

Pressed steel cages

They are pressed from low carbon steels that ensure accuracy of final cage shape, as well as sufficient ductility. To improve slip properties and abrasion resistance, the surface of pressed cages is chemically and thermally treated. They suit typical temperature regimen of bearing operation up to 300 °C.

In smaller bearings sizes, pressed cages are even made of brass sheet.

Massive brass cages

They are made in routing from roughened or spun semiproducts. Service temperature should not exceed 250°C .

Massive steel cages

In justified cases they are an alternative to brass massive cages. Service temperature may range up to 300 °C. The surface of the cage can be chemically and thermally treated.































7.3.3 Other materials

Polymers

Polymers, usually of polyamide 66 reinforced with glass fibres, are used mainly for production of cages and cage guide rings of double row spherical roller bearings of CJ design. Service operation of these components should not exceed 120 °C in the long term with the use of common lubricants, 150 °C in the short term (within 10 hours), and 170 °C in peaks (within 20 minutes). Usefulness of bearings with polyamide components at lower temperatures is, with regard to polyamide elasticity loss, up to the temperatures of -40 °C.

Ceramic materials

Are used mostly to prevent bearings from damage by passage of electric current, either in form of thermally layered coats on the surface of the outer or inner ring, alternatively by using rolling ceramic elements. Use of rolling elements from ceramic material is justified even in special high-revolution bearings.

Nther

Materials of contact seals are selected so as their thermal and degradation resistance suited the selected use.

7.4 Cages

Cage has the below functions in a roller bearing: Distributes rolling bodies uniformly around the circumference and prevents their mutual contact which reduced friction in the bearing. It prevents slippage of rolling bodies in the bearing and falling rolling bodies out of separable bearings during their assembly.

In terms of design and materials, cages are divided in pressed (fig. 7.5) and massive (fig. 7.6).

Pressed cages are made mostly by pressing from steel or brass sheet, and usually are used in dimensionally smaller up to medium bearings. Comparing to massive cages, their advantage is lower weight.




Fig. 7.5 Fig. 7.6



Massive cages are made of steel, brass, bronze, light metals or plastics in various designs. Metal cage materials are used whenever increased requirements are imposed on the rigidity of the cage, and the bearing is designed for higher service temperatures. Cages in bearing run radially on rolling elements which is the most common way, or on flange of one of the bearing rings (fig. 7.7).




Fig. 7.7

Massive polymer cages are made by injection moulding. The injection moulding technology allows to production such cage shapes that enable designing bearings with high load capacity. Elasticity and low polyamide weight applies positively in shock stress of bearings, high acceleration and deceleration. Polyamide cages feature good slip properties. During lubrication of bearings with oil, the additives contained in the oil may affect negatively the service life of the cage.

Cages made of phenological resin are light but not suitable to high temperatures. They however feature good resistance to centrifugal forces. They are typically use in accurate ball bearings with angular contact.

Journal cages are made of steel; the condition is use of holy rolling bodies (fig. 7.8). Journal cages are used mainly in large bearings




Fig. 7.8

0.7


(ZKI)

Cageless bearings, i.e. fully complement, are used rarely – only in some types of bearings, e.g. single row cylindrical roller bearings.

In texts to individual design bearing groups the section dedicated to cages always states an overview of cages made in the general design, and delivery option of bearings with cages in different designs.

7.5 Shield and seals

Bearings with covers on one or both sides are made with shields (Z, ZZ, ZR, ZZR – fig. 7.9), or with contact seal ((RS, ZRS, RSR, ZRSR – fig. 7.10). Shields create create contact-free sealing. In Z or ZZ version, the fitting for shield is on the inner ring; ZR or ZZR variants have shield adhered to the smooth flange of the inner ring.



The seal consists of sealing rings of nitrile rubber vulcanized on metal reinforcements that form an efficient contact seal in a design with rounded fitting on the inner ring (RS, 2RS), or in a design with contact on the smooth flange of the inner ring (RSR, 2RSR).

Shields and sealing rings are fastened in the outer ring recess, and are not detachable.

Bearings in basic design are filled with a quality plastic lubricant with temperature range between -30°C and +100°C, in the short term even up to +120°C. Filler of grease usually ensures greasing throughout the service life in normal service conditions. Bearings in this design cannot be additionally greased.

7.6 Designation of roller bearings

Bearing is designated by basic designation and extension expressing the difference between this bearing and the standard version bearing. Designation of bearings contains numerical and literal characters that determine the type, size and design of the bearing. Overview of symbols and their order is based on the scheme shown in figure 7.11.




Fig. 7.11



7.6.1 Standard bearing version

In standard version, bearings are identified with basic designation consisting of the identification of the type and size of the bearing. The designation usually consists of a symbol expressing the design of the bearing (position 3 of the scheme), and a symbol for the dimensional group or diameter row (positions 4 and 5), e.g. type 223, 302, NJ22, 511, 62, 12 and so on. Designation of the bearing size contains characters for nominal bearing bore diameter d (position 6).

Bearings with bore diameter d < 10 mm:

Figures separate with fraction line or the last digit states directly the nominal bore dimension in mm, e.g. 619/2, 624.

Bearings with bore diameter d = 10 up to 17 mm:

double issue	00	identifies the bore	d = 10 mm, e.g.: 6200
	01		d = 12 mm, e.g.: 51101
	02		d = 15 mm, e.g.: 3202
	03		d = 17 mm, e.g.: 6303

Exception in designation are single row ball bearings of separable type E and BO where the double issue states directly the bore diameter in mm, e.q.: E17.

Bearings with bore diameter d = 20 mm up to 480 mm

Bore diameter is quintuple of the last double issue, e.g. bearing 1320 features bore diameter $d = 20 \times 5 = 100 \text{ mm}$.

Exceptions are bearings with bore diameter d = 22, 28 and 32 mm where the double issue separated with fraction line stated directly the diameter of bore in mm, e.g. 320/32AX, and some bearing types, such as e.g. separable single row ball bearings of E type, and single row ball bearings of NG type where the double or triple issue states directly the bore diameter in mm, e.g.: E20, NG160.

Bearings with bore diameter d > 500 mm:

The last double issue or triple digit separated with fraction line states directly the bore dimension in mm, e.g. 30/530M, NU29/1060.


7.6.2 Full designation of bearings

Bearing produced in designs different from the standard are identified by the so-called designation, as is shown in the scheme in fig. 7.11. It consists of the basic designation and supplementary characters that express the difference from the basic version.

Meaning of supplementary characters

The following part states, in accordance with full designation, an overview and meaning of supplementary characters used. The digit in the bracket stated with individual groups corresponds with the position number in the scheme. The scheme also states positions in full designation of the bearing that us separated with a gap.





The meaning of supplementary characters for design variances of different bearing types is described in relevant chapters of the chart section of the catalogue.

Supplementary characters before basic designation

Other material than common steel for roller bearings [1]

C rolling elements from ceramics – e.g. C B7006CTA

HSS.... high speed steel, e.g.: HSS 6215

X corrosion resistant steel. e.a.: X 623

T case hardening steel, e.g.: T 32240

Bearing incompleteness (2)

L separate detachable ring of separable bearing, e.g. L NU206, in thrust ball bearings without a shaft ring, e.g. L 51215

R separable bearing without detachable ring, e.g. R NU206 nebo R N310

E separate shaft ring or thrust ball bearing, e.g. E 51314

W separate body ring of thrust ball bearing, e.g. W 51414

K cage with rolling elements e.g.: K NU320

Supplementary characters behind the basic designation

Difference in inner design (7)

A single row angular-contact ball bearings with contact angle α = 25°, e.g. B7205ATB P5

...... single row tapered bearings with higher load capacity and higher limit revolution frequency, e.q. 30206A

 $\ldots\ldots$ thrust ball bearings with higher limit revolution frequency, e.g. 51,105A

AA single row angular-contact ball bearings with contact angle α = 26°, e.g. B7210AATB P5

B single row angular-contact ball bearings with contact angle α = 40°, e.g. 7304B

...... single row tapered bearings with contact angle α > 17°, e.g. 32315B

BE single row angular-contact ball bearings with contact angle α = 40°, in new design, e.g. 7310BETNG































ZKL)

C single row angular-contact ball bearings with contact angle $\alpha = 15^{\circ}$, e.g. 7220CTB P4 double row spherical roller bearings in new design, e.g. 22216C CA..... single row angular-contact ball bearings with contact angle $\alpha = 12^{\circ}$, e.g. B7202CATB P5 CB single row angular-contact ball bearings with contact angle $\alpha = 10^{\circ}$, e.g. B7206CBTB P4 D...... single row ball bearing of type 160 with higher load capacity, e.g. 16004D E single row cylindrical roller bearings with higher load capacity, e.g. NU209E double row spherical roller bearings with higher load capacity, e.g. 22215E Soherical roller thrust bearings with higher load capacity, e.g. 29416E Difference in main dimensions (8) X Change in main dimensions, established by new international standards, e.g. 32028AX Covers (9) RS..... seal on one side, e.g. 6304RS 2RS..... seal on both sides, e.g. 6204-2RS RSN..... seal on one side and snap ring groove on the outer ring on the opposite side than the seal, e.g. 6306RSN RSNB . . . seal on one side and snap ring groove on the outer ring on the same side as the seal, e.g. 6210RSNB 2RSN.... seal on both sides and snap ring groove on the outer ring, e.g. 6310-2RSN RSR..... seal on one side, adhering to the smooth inner ring collar, e.g. 624RSR 2RSR.... 2RSR – seals on both sides adhering to the smooth inner ring collar, e.g. 608-2RSR Z shield on one side, e.g. 6206Z 2Z shields on both sides, e.g. 6304-2Z ZN..... shield on one side and snap ring groove on the outer ring on the opposite side than the shield, e.g. 6208ZN ZNB..... shield on one side and snap ring groove on the outer ring on the same side as the shield, e.g. 6306ZNB 2ZN..... shields on both sides and snap ring groove on the outer ring, e.g. 6208-2ZN



ZR...... shield on one side, adhering to the smooth inner ring flange, e.g. 608ZR

 ${\tt ZZR}\ldots$ shields on both sides, adhering to the smooth inner ring flanges, e.g. ${\tt 608-2ZR}$

Design change of bearing rings (10)

K Tapered bore, taper ratio 1:12, e.g. 1207K

K30..... Tapered bore, taper ratio 01:30:00, e.g. 24064K30M

 $N \ldots \ldots$ snap ring groove on the outer ring, e.g. 6308N

NR..... snap ring groove on the outer ring, and inserted snap ring, e.g. 6310NR

NX snap ring groove on the outer ring, dimensions of which do not comply with ČSN 02 4605, e.g. 6210NX

D split inner ring, e.g. 3309D

W33 groove and lubrication bores on the outer ring circumference, e.g. 23148W33M

O lubrication slots on outer ring fillet of the bearing , e.g. NU10140

Cage (11)

Material of cages for standard design bearings is usually not specified.

J..... cage pressed from steel plate, guided on rolling elements e.g.: 6034J

 $\rm J2 \ldots \ldots$ cage pressed from steel plate, guided on rolling elements. New design of single row tapered bearings, e.g. $\rm 30206AJ2$

Y cage pressed from brass sheet, guided on rolling elements e.g.: 6001Y

F massive steel cage, guided on rolling elements e.g.: 6418F

L \ldots massive light metal cage, guided on rolling elements e.g.: NG180L C3SO

M...... massive brass or bronze cage, guided on rolling elements e.g.: NU330M

T massive textite cage, guided on rolling elements e.g.: 6005T

 $\mathsf{TN} \ldots \ldots$ massive cage of polyamide or similar plastic, guided on rolling elements e.g.: 6207TN

TNG..... massive cage of polyamide or similar plastic, reinforced by glass fibres, guided on rolling elements e.g.: 2305TNG

• • 103 • • •

ZKL

Cage design (stated characters are always used in combination with cage material characters).

A cage guided on outer ring, e.g. NU226MA

B cage guided on inner ring, e.g. B7204CATB P5

P massive window cage, e.g.: NU1060MAP

H open single-piece cage, e.g.: 629TNH

S cage with lubrication slots, e.g.: NJ418MAS

R silver-plated cage, e.g.: 6210MAR

V bearing without cage with full number of rolling elements, e.g. NU209V

Accuracy level (12)

PO normal accuracy level (is not designated), e.g. 6204

P6..... higher accuracy level than normal, e.g. 6322 P6

P5 higher accuracy level than P6, e.g. 6201 P5

P5A..... higher accuracy level than P5 in some parameters, e.g. 6006TB P5A

P4..... higher accuracy level than P5, e.g. B7204CBTB P4

P4A..... higher accuracy level than P4 in some parameters, e.g. B7205CATB P4A

P2..... higher accuracy level than P4, e.g. B7200CBTB P2

P6E.... higher accuracy level for rotary electrical machines, e.g. 6204 P6E

P6X..... higher accuracy level for single row tapered bearings, e.g. 30210A P6X

 $\mathsf{SP}\ldots\ldots$ higher accuracy level for roller bearings with tapered bore, e.g. NN3022K SPC2NA

UP..... higher accuracy level such as SP for roller bearings with tapered bore, e.g. N1016K UPC1NA

Clearance (13)

C2 smaller clearance than normal, e.g. 608 C2

..... normal clearance (is not designated), e.g. 6204

C3 bigger clearance than normal, e.g. 6310 C3

 $\mathsf{C4} \ldots$ bigger clearance than $\mathsf{C3}$, e.g. $\mathsf{NU320M}$ $\mathsf{C4}$

. . . 1П4





NA..... radial clearance in bearings with incommutable rings (is indicated always behind the radial clearance group), e.g. NU215 P63NA

R... radial clearance in non-standardised range (range in μm), e.g. 6210 R10-20

A... axial clearance in non-standardised range (range in µm), e.g. 3210 A20-30

Noise level (14)

C6 reduced noise level lower than normal (is not designated), e.g. 6304 C6

CO6 reduced noise level lower than C6, e.g. 6205 CO6

C66..... reduced noise level lower than C06, e.g. 6205 C66

Specific values for CO6 and C66 are determined based on an agreement between customer and supplier.

Note: Bearings in accuracy level P5 and higher feature noise level within C6.

Increased operational safety (15)

C7, C8, C9 bearings with increased operational safety designed mainly for use in aviation industry, e.g. 6008MB P68

Combining characters (12-15)

Characters/symbols of accuracy level, clearance in bearing, noise levels and increased operational safety are combined with simultaneous omission of C character and following special property of bearings, e.g.

Bearing association (16)

Designation of associated pair, triplet or quaternion of bearings consists of characters expressing arrangement of bearings and of characters defining the inner clearance or prestress of associated bearings.

Apart from characters stated in the chart the U character is used to identify that relevant bearings can be associate universally, example of designation B7003CTA P4UL.




































Fig. 7.12

Inner clearance or prestress

Stated characters are always used in combination with association characters.

A Association of bearings with clearances, e.g. 73050A

O Association of bearings without clearances, e.g. 7305 P6XO

L $\ldots\ldots$. Association of bearings with small prestress, e.g. B7205CATB P4UL

M...... Association of bearings with medium prestress, e.g. B7204CATB P5XM

S $\ldots\ldots$ Association of bearings with big prestress, e.g. B7304AATB P40S

Stabilisation for operation at higher temperature (17)

Both rings have stabilised dimensions for operation at higher temperature.

SO – for service temperature $\ \ldots$ do 150 $^{\circ}\text{C}$

S1 up to 200 °C

S2up to 250 ℃

(ZKI)
S3 up to 300 °C
S4 up to 350 °C
S5 up to 400 °C
Example of designation NG160LB C4S3
Friction torque (18)
JU reduced friction torque, e.g. 619/2 JU
JUA bearings with defined friction torque at start-up 632 JUA
JUB bearings with defined friction torque at after-running, e.g. 623 JUB
Grease (19)
For bearings with shield or seal on both sides, the plastic lubrication other than common is designated by means additional characters. The first two characters define the range of service temperature, and the third character (letter) defines the name or type of lubricant according to the manufacturer's specification, or another character (digit) defines the amount of grease that fills the covered space of the bearing.
TL \ldots grease for low service temperatures from -60 °C to +100 °C
example of designation 6302 2RSTL
TM grease for medium service temperatures from -35 °C to +140 °C
example of designation 6204 2ZRTM
TH \ldots grease for high service temperatures from -30 °C to +200 °C
example of designation 6202 2ZTH
TW grease for both low and high service temperatures from -40 $^{\circ}\text{C}$ to +150 $^{\circ}\text{C}$
example of designation 6310 2ZC4TW
Note: The TM marking need not be stated on bearings and packing.
Bearings by special technical conditions
Single purpose bearings dimensions of which comply with the dimensional plan but the list of all characters of extension expressing their technical characteristics would cause confusion of marking, can be upon agreement between manufacturer and customer replaced with basic designation, attaching the TPF or TPFK marking and a two- or three-digit number behind the basic designation of the bearing, which defines the number of the agreed technical specification determining all technical parameters of bearings.
TPF bearings made by special technical conditions agreed with customer, e.g. bearing 6205MA P66 by technical terms TPF 11142-71 is designated as follows: 6205MA P66 TPF 142.
497



TPFK bearings by special technical terms agreed with customer which have high number of characters stating changes against the basic version. In this case, basic characters are replaced with designation TPFK containing relevant number of technical terms, e.g. bearing NU1015 made by technical terms. TPFK 11137-70 is designated as NU1015 TPFK137

Bearings by special drawing documentation PLC

Bearings which by some of their dimension do not comply with the dimensional plan or are in line with the next development are marked with PLC by their manufacturer, as well as with other numerical characters. Usually they are single purpose bearings for one customer or a certain application method.

PLC ABC-DE.F (designation structure until 2012) PLC identification of special roller bearing A design assembly O single row ball bearings 1 double row ball bearings: 2 thurst ball bearings 3 Not completed. 4 single row cylindrical roller, spherical-roller and needle roller bearings 5 double and multirow cylindrical roller, spherical-roller and needle roller bearings 6 single row, double row and four row tapered roller bearings 7 special double row bearings 8 assembly units and separate parts 9 thrust cylindrical roller, spherical roller, tapered roller and needle roller beariings BC..... dimensional assembly – two digit characters DE ordinal number within dimensional assembly – two digit characters F difference in design - one digit or combination of numerical character and letter

Due to extending the assortment of special bearings, it was decided in 2013 to change the structure of designating special bearings: Upon the establishing of a new system, the designation on already produced bearings will not be changed.

PLC AB-CD-EF.6 (designation structure since 2013) PLC identification of special roller bearing A design assembly

. . . 108



- ball bearings
 thrust ball bearings
 cylindrical roller bearings
 thrust cylindrical roller bearings
 needle roller bearings
 spherical-roller bearings
 spherical roller thrust bearings
 tapered roller bearings
 thrust tapered roller bearings
 other bearings and mounting assemblies
 number of rolling units or bearings in mounting assemblies
- CD dimensional assembly two digit characters
- EF ordinal number within dimensional assembly two digit characters
- G difference in design one digit or combination of numerical character and letter

7.7 NEW FORCE bearings

In order to satisfy the needs of technically advanced customers, ZKL pays particular attention to technical development of products and investments in new technologies. The outcome of one of the recent key innovations is initiation of successive start up of production of ZKL bearings with higher quality standard with designation NEW FORCE.

The NEW FORCE bearings represent a new generation of ZKL bearings. Launching of bearings brings customers higher durability of bearings, enhanced operational safety, prolonged maintenance intervals and thus substantial reduction of operating costs. NEW FORCE bearings are designed for extreme locations of transmissions, railway vehicles, presses, rolling mills, paper machines, pumps, machine tools, power engineering plants, polygraphic machines, etc.

As the first integrated new generation bearings, the radial spherical-roller bearings were launched on the market, double row self-aligning ball bearings, double row angular-contact ball bearings and thrust ball bearings. The next phase of launching bearings of this standard was the production assortment of bearings with outer diameter over 400 mm.

The achieved parameters of NEW FORCE bearings are the result of ZKL development in the following areas:

- Material of roller bearing components
- Technology of bearing ring flaring
- Optimisation of inner construction
- Surface treatments of bearing components

• • 109 • • •

































The achieved results allowed ZKL to offer NEW FORCE roller bearings with high utility properties to their customers:

- high dynamic load capacity
- low friction
- reliability in the extreme operating conditions

High durability of bearings

Increase of dynamic load capacity by 8% to 25% brings increase of durability of bearings by 30% up to 110%, comparing to the up-to-now designs.

Increase of dynamic load capacity allows customer to design construction with smaller dimensions to transfer the same load. Thus ZKL brings to their customer an opportunity to reduce total price of the equipment, and achieve power savings during operation.




Fig. 7.13

Use of quality bearing material

Steels for production of bearings meet the parameters of international standards defined by ISO 683-17. Production of bearing rings and rolling elements utilised high quality material of selected smelting houses. Long-term cooperation with suppliers ensures continuous process of improving parameters of input material.

Key quality parameters of steel and its processing affect the service properties of bearing, i.e. resistance to fatigue damage, abrasion resistance and dimensional stability. These are:

... 110





Selection of the type of bearing steel and optimisation of heat treatment conditions is conducted by the dimension of the component. The heat treatment processing technology of NEW FORCE bearings ensures stabile hardness values of bearing components in the entire section. Spherical-roller bearing components are heat treated to ideal material structure and hardness that enable using of the bearings at service temperatures to 200 °C. The final material structure ensures dimensional stability of bearing components throughout their service life.

• Content of non-metal intrusions - micropurity


Reduction of content of non-metal intrusions is the key quality parameter in the bearing steel metallurgy development. In production of bearings, ZKL utilises bearing steel with minimum oxygen content.

• Type of semiproduct


The quality of bearing and production economics are affected also by selection of the semiproduct type. The level of forming and positive angle of forming fibre contact towards the orbit are the parameters that positively increase resistance of the NEW FORCE bearings against fatigue damage,

Technology of bearing ring rolling

Basic research demonstrated effect of material fibre direction towards the contact surface to the durability of bearings. Most convenient is such layout of fibres when their direction is in parallel with the contact surface. With increasing fibre direction angle towards the contact surface the durability decreases. The technology of cold or semi-heating rolling brought an ideal material structure of the NEW FORCE bearings in order to achieve higher durability of bearings.



Threads 1 - after rolling (outer ring)



Threads 2 - after rolling (inner ring)

Fig. 7.14




































Angle between fibre direction and contact surface ______

Optimised design and inner geometry

Advanced design and calculation programs, together with new bearing production technologies, enabled optimisation of inner construction of bearings and improved accuracy of functional areas. Thus the NEW FORCE version bearings achieved better quality of functional surfaces and improved course of discharge voltages in bearing component sections, comparing to the standard bearing designs. This brings reduced noise level and higher accuracy of bearing run, as well as extended durability of bearings.

Special surface treatment

Within innovation programs, a new design of sheet cages for radial and thrust spherical-roller bearings was launched in the production. Cages are made of steel plate with surface treatment in order to improve slip properties and reduce wear of cages. The design of cages allows achieving better lubrication and extended service life of bearings. Surface treatments of bearing components represent a well tested way of improving bearing properties for certain locations. The benefit of surface layers lies in better keeping the lubricant in the rolling contact, reduced friction and enhanced resistance to wear and corrosion. We recommend that suitability of surface treatment for special operating condition is discussed with the technical and consultancy services of ZKL.

... 117





ZKL bearings with NEW FORCE+ marking represent a brand new generation of ZKL bearings which is characterised by an innovated modification of the bearing inner structure geometry towards optimum voltage course in the area of rolling contact. This ZKL bearings' innovation is associated with further enhancement of accuracy, comparing to the standardly produced bearing assortment, including the NEW FORCE bearings.

Optimisation of the shape of rolling surfaces brings improved dynamic load capacity of bearings and thus also significant extension of bearings' durability. Development of the NEW FORCE+ generation is associated with the introduction of new calculation methods in the structure of bearings based on FEM and production upgrade by introducing numerically controlled machines that enable achieving final shapes of functional surfaces with modified geometry.

With regard to the fact that the entire design optimisation and production process of modified parts is unique for every bearing application, the NEW FORCE+ bearing generation is not designed to be launched in the standard production program of ZKL. The bearings will be manufactured upon request for extreme locations for selected OEM customers.

7.8 Technical support

ZKL operates as bearing manufacturer and supplier already since 1947. Since the beginning, the company has been cooperating with their customers worldwide. This allows continuous expansion of the ZKL rolling bearing production assortment offered in maximum quality at reasonable price. Experience in operation of bearings obtained in cooperation with customers, along with continuous education of their employees allows ongoing development of technical support to ZKL customers and extension of services for ZKL bearing users.

Proposal verification

The ZKL bearings' structure and their basic parameters are designed by the ZKL's own well tested methodologies that adhere to the international ISO standards. Designing new bearings utilises most sophisticated design and calculation CAD systems. Designs of new bearings are optimised and their rigidity checked by means of FEM based numerical calculations. When creating designs, information obtained in achieved test results and experiences from production and operation of ZKL bearings are utilised.

Verification of quality parameters of ZKL bearings

Parameters of ZKL rolling bearings are verified in tests within development, as well as in periodical quality assessment during series production. Tests are conducted according to the company's own methods in the test stations of the bearing test room. Bearing and input material tests results are analysed and serve as the basis for new design, technological and investment solutions.

Technical support for ZKL bearing users

Customer needs are solved by fully available workers of ZKL technical and consultancy services. Expert workers are ready to solve operatively requests and questions of ZKL bearing users in the area of selection of bearings, design of rolling location and assembly procedures. ZKL technical support provides users with information in the area of roller bearings, accessories and tribology. Upon user's request it also provides professional supervision over assembly and disassembly of bearings directly at customer, and organizes professional training course of user employees. It cooperates with manufacturers in development of rolling location. It draws up expert opinions on broken bearings. It determines causes of accidents and proposes measures to prevent them.

0






























ZKI)

••• 114 ••••••••••••••••••••••••••••





8.1 Arrangement of bearings

To locate rotary shaft you need at least two bearings that are located in certain distance from each other. Depending on the application method, location with axially free and axially guiding bearing is selected; prestressed location or floating arrangement of bearings. See figure 4.12 in chapter Bearing type selection for examples of bearing arrangements.

8.1.1 Location with axially free and axially guiding bearing

Axially guiding bearing on one shaft end brings besides radial load element also axial element in both directions. For the above reason, it has to be secured both in the shaft and in the body. Axially free bearing in location compensates production inaccuracies in location and, first of all, changes in dimensions in operation due to increased temperatures. An ideal axially free bearing is roller bearing in N and NU design the rolling bodies of which can move on the raceway of bearing ring without guide flanges. Bearings of the other types, such as ball bearings and spherical-roller bearings, can be used as axially free only if one of bearing races is push-located.

Axially guide bearing guides shaft in axial direction and besides radial forces captures also axial forces. Selection of bearing type to be used as axially guide bearing depends on the size of axial load and on requirements for accuracy of shaft location. Double row angular-contact ball bearing ensures more accurate axial guidance than e.g. ball or spherical-roller bearing. Accurate axial guidance can be achieved also by a pair of tapered roller bearings which are used as axially guide bearing. At lower axial load even NUP cylindrical roller bearing can be used as axially guide bearing.

8.1.2 Symmetrical arrangement of bearings

This type of location suits mainly short shafts. It features shaft being guided in one direction by one bearing and in other direction by other bearing. Suitable bearings for this type of arrangement are all radial bearings that allow transfer of axial force at least in one direction. In this arrangement, prestressed bearings can be mounted (fig. 8.1).

8.1.3 Prestressed location

Location of prestressed bearing usually consists of symmetrically placed ball bearings with angular contact, or of tapered roller bearings. Prestress is achieved by use of springs. Such design compensates thermal dilatation. It is used in case when idle bearings can be exposed to vibrations. Prestressed bearings can reduce noise level, especially in small electric motors.



























• 115 • • •






Fig. 8.1

Spring acts on outer race of one of the bearings whilst relevant outer race has to allow axial displacement in the body. Prestress remains practically constant even though the bearing axially moves due to thermal dilatation. Required prestress can be calculated using the below relation:

$F = k \cdot d$

F Prestress force	(kN)
kcoefficient, see next	
dbearing hole diameter	[mm]

Depending on design of electric motor, the coefficient may reach values of 0.005 up to 0.01.

If prestress is supposed to prevent bearing from getting damaged due to vibrations, it has to be set to higher level.

Then k = 0.02 has to be selected.

This method is however not suitable for locations that must feature high rigidity where the direction of acting load changes, or where shock load acts.

If certain optimum prestress value is exceeded, rigidity increases only insignificantly whilst friction and also service temperature in the bearing grow rapidly. This reduces durability of bearing since additional constant load acts on it. Informative relation between durability and prestress – clearance – is indicated in diagram in fig. 8.2.








Fig. 8.2

8.2 Location design - General principles

Properties of bearings are fully utilised only when bearing races are supported along the entire circumference and width of raceways. Solid support surface can be of either cylindrical or tapered shape, in thrust bearings the surface is flat. Support surfaces must be manufactured to have adequate accuracy, and must not be provided with grooves, holes, etc. Besides that, bearing races must be reliably secured to prevent them from turning in the body or on the shaft.

Suitable radial security and adequate support can only be achieved if bearing rings are mounted with overlap. If however easy assembly and disassembly are required, alternatively axial transferability of axially free bearing, fixed location of the ring cannot be selected.

Where free location is chose, provisions must be adopted to avoid irrevocable wear during shifting the ring.

Rotating shaft or another component located in roller bearings is guided by them in radial and axial direction so that the principal condition of definiteness of its movement is achieved. If possible, the component should certainly be located, i.e. supported radially on two spots and axially in one spot.

Examples of such location are shown in figures 4.12. Most common location is such where the shaft is located radially in two bearings one of which locks it in axial direction. Guide (fixed) bearing transfers radial load and also axial load in both directions. Radial bearings are mostly used as quide. They are able to transfer combined load, e.g. single row ball bearings, double row angular-contact bearings, double row self--aligning ball bearing, double row spherical-roller bearings or single row angular-contact ball bearings and tapered roller bearings. The lastly mentioned two bearing types must be assembled in pairs. Free bearing only transfers radial load and must allow certain displacement of the shaft in axial direction in order to prevent occurrence of undesired prestress caused by external effects (thermal dilatation, production inaccuracy of connecting location components, etc.).

































Axial displacement can be achieved by shifting between one of the body rings and machine components directly associated with the bearing, e.g. between the outer bearing ring and the bore in the body (fig. 4.12a, b), or directly in the bearing (fig. 4.12 c to h).

Locations where higher radial force and axial load in higher revolution frequency act should be solved by the bearings capturing only radial or axial forces, see fig. 8.3.




Fig. 8.3




Fig. 8.4



In these cases, any of radial bearings can be used for radial guidance, and those radial bearings for axial guidance that feature the ability to transfer also axial load, alternatively a pair of these bearings or double direction thrust bearings or a pair of single direction thrust bearings. Condition is that axially guide bearings have to be located with radial clearance.

Another frequently used solution is location in two bearings the design of which allows capturing of both radial and axial load in both directions. Axial load is captured in turns by both bearings, always by the direction in which forces act and, at the same time, they transfer also radial load. An example of such location is shown in figure 8.4.

In this case, a pair of single row tapered roller or single row angular-contact ball bearings is used as a well tested construction. Also other types of bearings that are able to transfer load in radial and axial direction at the same time can be used, e.g. single row bearings, alternatively single row cylindrical roller bearings in NJ design, etc.

Radial and axial security of bearing on journal and in body bore or in another part has direct connection with the overall design location arrangement. When selecting the method of fixation, the character and intensity of acting forces has to be considered particularly, as well as service temperature at the point of location and the material of connecting components.

When specifying the dimensions of connecting parts, the designer needs to consider also the assembly and disassembly method and maintenance actions, besides the type and dimensions of the bearing.

8.2.1 Radial security of bearings

Bearing is fixed in radial direction on fitted cylindrical surface on the surface of the journal and bore in the body. In some cases of fixation on journal, adapter or withdrawal sleeve is used; alternatively the bearing can be fixed directly on tapered journal.

Proper radial fixation of bearing on journal and in body is very important for utilisation of its loading capacity and correct location function. In doing so, the following aspects need to be considered:

- a) safe fixation and uniform support of rings
- b) easy assembly and disassembly
- c) displacement of free bearing in axial direction

In principle, both bearing rings should be fixed firmly since only this way their reliable support on the entire circumference and radial fixation against spinning can be achieved. To simplify assembly and disassembly or in order to shift free bearing, one of the rings can be located as sliding.

If proper radial fixation of bearing is selected, one needs to evaluate and consider the effect of the method of rotation and intensity of load.

Circumferential load

Circumferential load occurs when relevant bearing ring turns, and the direction of load does not change, or when the ring does not turn and the load rotates. The bearing ring circumference is loaded successively in one revolution. In this case, loaded ring must be always fixed with necessary overlap.





























Spot load

Spot load occurs when the bearing ring stands and outer force is directed still in the same spot of the raceway, or when the ring and force rotate at the same revolution frequency. The ring to which the spot load acts can be located with clearance (mobile), if the conditions require so.

Uncertain way of loading

In case of uncertain way of loading, the ring is acted on by variable external forces the direction and change of load of which cannot be determined (e.g. unbalanced masses, shocks, etc.). Uncertain way of loading requires that both rings are located with overlap (firmly). Under this condition in majority cases of location bearings with increased radial clearance have to be selected.

Load intensity

The load directly affects selection of the size of overlap in location. The bigger the load of the bearing, the bigger overlap in location has to be selected. This particularly applies in cases of shock and vibration load of the bearing. Fixed location on journal or in bore of the body induces deformation of ring, which reduces radial clearance. To ensure the needed radial clearance in cases of fixed location, sometimes bearings with increased radial clearance have to be used. Final clearance after assembly depends on the type and size of the bearing. Therefore the size of needed overlap of fitted ring has to be considered by the type and size of the bearing. For bearings of smaller dimensions smaller overlaps are selected, and vice versa. Relatively smaller overlaps are used e.g. for ball bearings of the same bigness comparing to cylindrical roller, tapered roler or spherical roller bearings.

Material and design of connecting pieces

Designing and determination of tolerances of connecting parts must take into account the materials used, as well as the construction of the connecting pieces. Results of practical experiences reflect in the below stated charts. When bearings are mounted in bodies made of light metal alloys or on journals of hollow shafts, location with higher overlaps has to be selected.

Split bodies are not suitable for locations with big overlaps since they represent a risk of gripping the bearing in the dividing plane of the body.

Heating and warmth

Warmth generated in bearing may lead to release of overlap on the journal which may cause spinning the ring. An opposite case may occur in the body. Heating causes clearance adjustment which will limit up to eliminate axial displacement of the ring of free bearing in the body. Therefore we need to be very attentive to this factor when designing the location.

Accuracy of bearing surfaces

Accuracy of bearing surfaces in terms of tolerances and geometrical shapes is important since it may transfer to raceways of bearing rings. First of all, this has to be reflected in location designs which are highly focused on the running accuracy. Major share of inequality is transferred in thin profiles of bearing rings.

When normal accuracy level bearings are used, usually tolerances within the tolerance level IT6 are selected for the bearing surface on the journal, whilst for the bearing surface in the body the selected tolerance level is IT7.

For ball and cylindrical roller bearings of smaller dimensions, ITS level can be used for the journal and IT6 for the bore in the body.



For bearings of higher accuracy levels, for locations with high accuracy requirements, e.g. machine tool spindles, the recommended least level is ITS for the shaft, and at least ITG for the body.

Table 8.1

Recommended accuracies of the shape of bearing surfaces for bearings													
Accuracy level of bearing	Location place	Admissible deviation of cylindricality	Admissible frontal runout of support surfaces towards the axis										
	shaft	ITS	5/2 IT3										
P0, P6													
	body	ITE	6/2 IT4										
	shaft	IT3	3/2 IT2										
P5, P4													
	body	IT4	1/2 IT3										

Table 8.2

	Basic tolerances IT2 to IT6													
Nominal	diameter	Tolerance level												
over	to	IT2	IT3	IT4	IT5	IT6								
mm		μm												
6	10	1,5	2,5	4	6	9								
10	18	2	3	5	8	11								
18	30	2,5	4	6	9	13								
30	50	2,5	4	7	11	16								
50	80	3	5	8	13	19								
80	120	4	6	10	15	22								
120	180	5	8	12	18	25								
180	250	7	10	14	20	29								
250	315	8	12	16	23	32								
315	400	9	13	18	25	36								
400	500	10	15	20	27	40								

Allowed deviation of roundness and cylindricality and allowed frontal runout of bearing and support surfaces for bearings must be smaller against the axis than the scope of tolerance of the diameters of the journal and the bore. With increasing accuracy of the bearings used, also the requirements for the accuracy of bearing surfaces grow. The recommended accuracy values of the bearing surfaces shape for bearings are stated in chart 8.1, and general tolerances IT2 to IT6 in chart 8.2

Assembly and disassembly of bearing

If any of the rings is located with clearance (mobile), the assembly is easy. If the service conditions require that both rings are located with overlap, a suitable type of bearing has to be chosen, e.g. separable bearing (tapered, cylindrical, needle), or a bearing with tapered bore. Shaft journals for location of sleeves for bearing with tapered bore can be within the h9 or h10 tolerance, geometrical shape must be within the accuracy IT5 or IT7, depending on the complexity of location.































Axial displacement of free bearing races

At any service conditions the axial displacement of free bearing has to be ensured. If non-separable bearings are used, displacement of spot-loaded ring will be reached by locating with clearance (mobile location). In bodies made of light metal alloys the bore has to be sleeved with a steel sleeve, if outer ring is to be located with clearance. Reliable sliding ability in axial direction will be achieved if cylindrical roller bearings of N and NU designs or radial needle roller bearings are used in the location.

The recommended tolerances of journal and hole diameters of connecting pieces are for radial and axial bearings stated in charts 8.3 to 8.10.

Table 8.3

Tolera	Tolerances of journal diameters for radial bearings (applies for full steel shafts)													
			Journal diameter [mm]											
Service conditions	Examples of location	Ball bearings	Cylindrical roller, needle roller 1), tapered roller bearings	Spherical roller bearings	Tolerance									
		Inner ring spot	load											
Small and normal load $Pr \leq 0.15 Cr$	Free wheel, pulleys, belt pulleys		All diameters		g6 ²⁾									
Big impact load Pr > 0.15 Cr	Wheels of conveyance trolleys, tension pulleys				h6									
	Circumferential Ic	ad of inner ring o	r uncertain way of loading											
Small and variable load $Pr \leq 0.07 Cr$	Conveyers, fans	(18) to 100 (100) to 200	≦ 40 (40) to 140	-	j6 k6									
Normal and big load Pr > 0.07 Cr	General engineering, pumps, combustion engines transmissions, woodworking machines	≦ 18 (18) to 100 (100) to 140 (140) to 200	≦ 40 (40) to 100 (100) to 140 (140) to 200 > 200	- \leq 40 (40) to 65 (65) to 100 (100) to 140 > 140	j5 k5 (k6) ³⁾ m5 (m6) ³⁾ m6 n6									
Extremely big load, shocks heavy service conditions Pr > 0.15 Cr	Axle bearings of rail vehicles, traction motors rolling mills	-	(50) to 140 (140) to 500 > 500	(50) to 100 (100) to 500 > 500	n6 ⁴⁾ p6 ⁴⁾ r6 (p6) ⁴⁾									
High location accuracy at small load $ Pr \leqq 0.07 \ Cr $	Machine tools	≦ 18 (18) to 100 (100) to 200	≤ 40 (40) to 140 (140) to 200	- - -	h5 ⁵⁾ j5 ⁵⁾ k5 ⁵ m5 ⁾									
Axial load exclusively			all diameters		j6									
Bearin	gs with tapered bore and	d with adapter or	withdrawal sleeve or disma	ntling sleeve										
All ways of loading	General locations, axle bearings of rail vehicles, Unexacting locations		all diameters		h9/IT5									
1) Does not apply to needle bearings without rings 2) For bearings tolerance f6 can be selected to ensure axial shift 3) Tolerance in brackets is selected usually for single row tapered roller bearings or at low frequency revolutions where clearance diffusion does not have major significance. 4) Bearings with increased radial clearance have to be used														

⁴⁾ Bearings with increased radial clearance have to be used

⁵⁾ Tolerances for single row ball bearings of accuracy P5 and P4 are stated in chapter 12.2





Table 8.4

Tolerance of diameters	of radial bearing body b	pores (applies	to bodies of steel, alloy and cast	steel)
Service conditions	Sliding ability of outer racew	Body	Examples of location	Tolerance
	Circumferentia	al load of outer r	ing	
Big shock load Pr > 0.15 Cr Thin-walled elements	Does not slide	Single piece	Hubs with roller bearings, crank pin bearings	P7
Normal and big load Pr > 0.07 Cr	Does not slide		Hubs with roller bearings travelling wheels of cranes, crank shaft bearings	N7
Small and variable load $Pr \le 0.07 Cr$	Does not slide		Converyer rollers, tension pulleys	M7
	Uncertain	way of loading		
Big shock load Pr > 0.15 Cr	Does not slide		Traction motors	M7
Big and normal load Pr > 0,07 Cr	Usually does not slide	Single piece	Electromotors, pumps, fans, crank shafts	K7
Small and variable load Pr ≦ 0.07 Cr	Usually sliding		Electromotors, pumps, fans, crank shafts	J7
	Accura	te locations		
Small load	Usually does not slide	Cinala	Roller bearings for machine tools.	K6 1)
Pr ≤ 0.07 Cr	Sliding	Single piece	ball bearings for machine tools,	J6 ²⁾
	Slightly pushing		small electromotors	H6
	Spot load	d of outer ring		
Optional load	Slightly pushing	Single piece or two piece	General engineering axle bearings of rail vehicles	H7 ³⁾
Small and normal load $Pr \leqq 0.15 \; Cr \label{eq:problem}$	Slightly pushing	Single piece or two piece	General engineering less exacting mechanical eingineering Paper machine drying cylinders, big electromotors	H8

¹⁾ For big load, stronger M6 or N6 tolerances are selected. For cylindrical roller bearings with tapered bore, tolerances K5 or M5 are selected.



























 ²⁾ Tolerances for single row ball bearings of accuracy P5 and P4 are stated in chapter 12.2
 3) For bearings with outer diameter D < 250 mm with thermal difference between outer ring and body above 10 °C, tolerance G7 is selected

 $^{^{4)}}$ For bearings with outer diameter D > 250 mm with thermal difference between outer ring and body above 10 °C, tolerance F7 is selected.





Table 8.5

	Tolerance of	journal diameters for axial bear	ings	
Bearing type	Way of loading		Journal diameter	Tolerances
			[mm]	
Axial ball				j6
	Axial load exclusively		All diameters	
Axial spherical-roller				j6
	Current axial and radial load	Spot load of shaft ring	All diameters	j6
		Circumferential load	≦ 200	k6
		of shaft ring or uncertain way	(200) to 400	m6
		of loading	> 400	n6

Table 8.6

	Tolerance of d	iameters of axial bearing body l	oores	
Bearing type	Way of loading		Note	Tolerances
Axial ball	Axial load exclusively		In common locations, the casing ring may feature clearance	H8
Axiai dali	Axiai load exclusively		Casing ring is mounte with radial clearance	-
Assistant and a stantant	Current axial and	Spot load or uncertain way of loading of casing ring		H7
Axial spherical-roller	radial load	Circumferential load Circumferential load		M7

Table 8.7

					Limi	t devia	tions	of jour	nal dia	meter	tolera	nces					
diam	Nominal f6 diameter of journal			g5		g6		h5		h6		j5		j6(js6)		k5	
over	to	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower
mm		μm															
1	3	-6	-12	-2	-6	-2	-8	0	-4	0	-6	2	-2	4	-2	4	0
3	6	-10	-18	-4	-9	-4	-12	0	-5	0	-8	3	-2	6	-2	6	1
6	10	-13	-22	-5	-11	-5	-14	0	-6	0	-9	4	-2	7	-2	7	1
10	18	-16	-27	-6	-14	-6	-17	0	-8	0	-11	5	-3	8	-3	9	1
18	30	-20	-33	-7	-16	-7	-20	0	-9	0	-13	5	-4	9	-4	11	2
30	50	-25	-41	-9	-20	-9	-25	0	-11	0	-16	6	-5	11	-5	13	2
50	80	-30	-49	-10	-23	-10	-29	0	-13	0	-19	6	-7	12	-7	15	2
80	120	-36	-58	-12	-27	-12	-34	0	-15	0	-22	6	-9	13	-9	18	3
120	180	-43	-68	-14	-32	-14	-39	0	-18	0	-25	7	-11	14	-11	21	3
180	250	-50	-79	-15	-35	-15	-44	0	-20	0	-29	7	-13	16	-13	24	4
250	315	-56	-88	-17	-40	-17	-49	0	-23	0	-32	7	-16	16	-16	27	4
315	400	-62	-98	-18	-43	-18	-54	0	-25	0	-36	7	-18	18	-18	29	4
400	500	-68	-108	-20	-47	-20	-60	0	-27	0	-40	7	-20	20	-20	32	5
500	630	-76	-120	-	-	-22	-66	-	-	0	-44	-		22	-22	_	
630	800	-80	-130	-	-	-24	-74	-	-	0	-50	-	-	25	-25	-	-
800	1000	-86	-142	-	-	-26	-82	-	-	0	-56	-	-	28	-28	-	-
1000	1250	-98	-164	-	-	-28	-94	-	-	0	-66	-	-	33	-33	-	-





Table 8.8

					Limi	t devia	tions o	of jour	nal dia	meter	tolera	nces					
Nom diam of jou	eter	k6		m5		m6		n6		р6		h9¹)		IT5	h10¹)		IT7
over	to	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower		upper	lower	
mm		μm															
1	3	6	0	6	2	8	2	10	4	12	6	0	-25	4	0	-40	10
3	6	9	1	9	4	12	4	16	8	20	12	0	-30	5	0	-48	12
6	10	10	1	12	6	15	6	19	10	24	15	0	-36	6	0	-58	15
10	18	12	1	15	7	18	7	23	12	29	18	0	-43	8	0	-70	18
18	30	15	2	17	8	21	8	28	15	35	22	0	-52	9	0	-84	21
30	50	18	2	20	9	25	9	33	17	42	26	0	-62	11	0	-100	25
50	80	21	2	24	11	30	11	39	20	51	32	0	-74	13	0	-120	30
80	120	25	3	28	13	35	13	45	23	59	37	0	-87	15	0	-140	35
120	180	28	3	33	15	40	15	52	27	68	43	0	-100	18	0	-160	40
180	250	33	4	37	17	46	17	60	31	79	50	0	-115	20	0	-185	46
250	315	36	4	43	20	52	20	66	34	88	56	0	-130	23	0	-210	52
315	400	40	4	46	21	57	21	73	37	98	62	0	-140	25	0	-230	57
400	500	45	5	50	23	63	23	80	40	108	68	0		27	0	-250	63
500	630	44	0	-	-	70	26	88	44	122	78	0	-175	30	0	-280	70
630	800	50	0	-	-	80	30	100	50	138	88	0	-200	35	0	-320	80
800	1000	56	0	-	-	90	34	112	56	156	100	0	-230	40	0	-360	90
1000	1250	66	0	-	-	106	40	132	66	186	120	0	-260	46	0	-420	105

¹⁾ In journals manufactured within tolerances h9 and h10 for bearings with adapter or withdrawal sleeve, the circularity and cylindricality deviations must not exceed the basic tolerance IT5 and IT7.

Table 8.9

					Limit d	leviation	ns of bo	re dian	neter to	lerance	es				
diam	ominal F7 ameter f bore			G6	6 G7			Н6		Н7		Н8		J6(Js6)	
over	to	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower
mm		μm													
6	10	28	13	14	5	20	5	9	0	15	0	22	0	5	-4
10	18	34	16	17	6	24	6	11	0	18	0	27	0	6	-5
18	30	41	20	20	7	28	7	13	0	21	0	33	0	8	-5
30	50	50	25	25	9	34	9	16	0	25	0	39	0	10	-6
50	80	60	30	29	10	40	10	19	0	30	0	46	0	13	-6
80	120	71	36	34	12	47	12	22	0	35	0	54	0	16	-6
120	180	83	43	39	14	54	14	25	0	40	0	63	0	18	-7
180	250	96	50	44	15	61	15	29	0	46	0	72	0	22	-7
250	315	108	56	49	17	69	17	32	0	52	0	81	0	25	-7
315 400	400 500	119 131	62 68	54 60	18 20	75 83	18 20	36 40	0	57 63	0	89 97	0	29 33	-7 -7
500	630	146	76	66	22	92	22	40	0	70	0	110	0	22	-22
630	800	160	80	74	24	104	24	50	0	80	0	125	0	25	-25
800	1000	176	86	82	26	116	26	56	0	90	0	140	0	28	-28
1000	1250	203	98	94	28	133	28	66	0	105	0	165	0	33	-33
1250	1600	235	110	108	30	155	30	78	0	125	0	195	0	39	-39

• 125 • • •

0

00

00





Table 8.10

				L	imit de	<i>r</i> iations	of bore	diame	ter tole	rances					
Nom diam of b	eter	J7(Js7)		К6		К7		М6		М7		N7		P7	
over	to	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower	upper	lower
mm		μm													
6	10	8	-7	2	-7	5	-10	-3	-12	0	-15	-4	-19	-9	-24
10	18	10	-8	2	-9	6	-12	-4	-15	0	-18	-5	-23	-11	-29
18	30	12	-9	2	-11	6	-15	-4	-17	0	-21	-7	-28	-14	-35
30	50	14	-11	3	-13	7	-18	-4	-20	0	-25	-8	-33	-17	-42
50	80	18	-12	4	-15	9	-21	-5	-24	0	-30	-9	-39	-21	-51
80	120	22	-13	4	-18	10	-25	-6	-28	0	-35	-10	-45	-24	-59
120	180	25	-14	4	-21	12	-28	-8	-33	0	-40	-12	-52	-28	-68
180	250	30	-16	5	-24	13	-33	-8	-37	0	-46	-14	-60	-33	-79
250	315	36	-16	5	-27	16	-36	-9	-41	0	-52	-14	-66	-36	-88
315	400	39	-18	7	-29	17	-40	-10	-46	0	-57	-16	-73	-41	-98
400	500	43	-20	8	-32	18	-45	-10	-50	0	-63	-17	-80	-45	-108
500	630	35	-35	0	-44	0	-70	-26	-70	-26	-96	-44	-114	-78	-148
630	800	40	-40	0	-50	0	-80	-30	-80	-30	-110	-50	-130	-88	-168
800	1000	45	-45 50	0	-56	0	-90	-34	-90	-34	-124	-56	-146	-100	-190
1000 1250	1250 1600	52 62	-52 -62	0	-66 -78	0	-105 -125	-40 -48	-106 -126	-40 -48	-145 -173	-66 -78	-171 -203	-120 -140	-225 -265
1250	1600	62	-62	U	-/8	U	-125	-48	-126	-48	-1/3	-/8	-203	-140	-200

8.2.3 Axial security of bearings

Inner bearing ring with cylindrical bore seated on journal with overlap (fixed location) is usually locked in axial direction using a adapter nut, terminal plate or snap ring whilst the other face is usually leaned by the shaft fitting. Adjacent components are used as support faces for inner rings and, if needed, spacer rings are inserted between this component and the inner ring of the bearing. Examples of axial fixation of bearing are shown in figure 8.5.




Fig. 8.5

Bearings with tapered bore mounted directly on tapered journal are usually secured with a safety nut screwed onto the thread on the shaft. If bearings are mounted on withdrawal sleeve, the inner ring must be supported, e.g. by a spacer ring. The spacer ring can form a part of labyrinth. The withdrawal sleeve is axially fixed with terminal plate or safety nut.

Examples of axial fixation of bearing with tapered bore directly on tapered journal or by means of adapter or withdrawal sleeve are shown in Fig. 8.6.

. . . 175






Fig. 8.6

Admissible axial load of bearings fixed by means of adapter sleeve on smooth shafts without the bearing leaning on shaft fitting is calculated by the below equation:

If axial displacement of outer ring in body is not desirable, we can use a solution utilising the front support surface or seating surface of the bearing lid, nut or snap ring. Bearings with a groove for snap ring (NR) are less demanding in space, and their locking is simple.

Examples of solution are shown in Fig. 8.7.




Fig. 8.7

Connecting dimensions for individual bearing types are stated in this publication in the chart section (chapter 12).

127

ZKL)

8.3 Seal

Sealing the bearing space is very important since harmful substances present in the proximity of the bearing affect it and often even put it out of service. Seal has also an opposite function – it prevents the grease from leaking out of the bearing and from the stowage compartment. For that reason, the seal has always to be designed considering the service conditions of the machine or equipment, lubrication method, maintenance options and economic aspects of production and use.

8.3.1 Contact-free sealing

This type of seal features only a tight gap between the non-rotary and rotary component which is sometimes filled with grease. In this design no wear due to friction occurs, and therefore this seal suits to use for highest circumferential speeds and high service temperatures. Examples of slotted seals are shown in fig. 8.8




Fig. 8.8

Another very efficient seal is a labyrinth seal which can be used to enhance the packing effect by higher number of labyrinths or extension of sealing slots. See fig. 8.9. for examples of this seal.




Fig. 8.9



8.3.2 Friction sealing

Friction sealing is made of elastic or soft but sufficiently solid and impermeable material that is inserted between the rotary and fixed component. Such seal is usually cheap and suits to various constructions. Disadvantage is sliding friction touching the surfaces which limits the use of it for high circumferential speeds.

The simplest is seal with a felt ring (fig. 8.10). It suits to service temperatures within -40 °C and +80 °C and to circumferential even to 7 m.s⁻¹, whilst the maximum required surface roughness of the sliding surface is $R_a = 0.16$, and minimum hardness 45 HRC or treatment by hard chromium plating. Dimensions of felt rings and grooves are solved by relevant national standards.




Fig. 8.10

A very frequent sealing method is sealing with shaft rings (fig. 8.11). Shaft rings are made of rubber or other suitable plastics, stiffened by metal stiffener. According by the material used they suit to service temperatures from -30 $^{\circ}$ C to +160 $^{\circ}$ C. Admissible circumferential speed depends on the roughness of the sliding surface roughness.

- to 2 m.s⁻¹ the roughness is max $R_a = 0.8$,
- \bullet to 4 m.s⁻¹ the roughness is max R_{a} = 0.4,
- to 12 m.s⁻¹ the roughness is max $R_a = 0.2$.





Fig. 8.11

4.70

(ZKL)

Besides the stated most common sealing rings there are other friction seal designs that utilise specifically shaped sealing rings made of rubber, plastic, etc., or special elastic metal rings. This seal is either selected for locations with high demands on sealing the bearing space (bog contamination of ambient area, high temperature, effect of chemicals), or due to economic reasons in bulk and large lot production. Examples are shown in fig. 8.12.



8.3.3 Combined seals

Enhanced sealing effect is achieved by combination of contact-free and friction sealing. Such seals are recommended for humid and contaminated environment. Example is shown in fig. 8.13.




Fig. 8.13

••• 130 •••••••••••••••



9. BEARING LUBRICATION

The main purpose of lubrication is to reduce friction and wear inside the bearing. Slippage and rolling occur in the contact area between rings and rolling elements. The size of slippage depends on the type of bearing used, the load, and mode of lubrication. Elastohydrodynamic lubrication occurs in roller bearings under operating conditions and is characterized by a significant rise in pressure within the lubricating film inside of the contact area.

Main roles of Juhricants:

- Decrease friction and wear direct metal-to-metal contact between bearing rings, rolling elements, and cages is prevented by the use of lubricating film that decreases friction and wear in the contact areas.
- Extend fatigue life bearing fatigue life depends, in particular, on the viscosity and film thickness of the lubricant between contact surfaces.
- Heat dissipation oil circulation can dissipate excess frictional heat or heat from the external environment from the bearing, thereby protecting the bearing against overheating and the oil against degradation.
- Protection of bearing surface against corrosion
- Preventing entry of foreign particles (contaminants) into the bearing, removal of foreign particles from the bearing oil circulation.

9.1 Types of lubrication

Oil or grease are used under normal conditions for bearing lubrication, or in special cases solid lubricant is used, e.g. for extreme temperatures or operation in a vacuum. When deciding on the type and method of lubrication, one must consider the operating conditions, the characteristic properties of applied lubricant, the design of the equipment, and its operating efficiency. Oil lubrication provides better lubrication characteristics, but grease lubricants make for easier use in bearings.

A comparison between oil and grease lubrication is provided in table 9.1.

Table 9.1

grease lubrication	oil lubrication
low temperatures	high and extremely low temperatures
low speeds (65% to 85% of revolutions, which can be achieved during oil lubrication)	high rotational speed
protection against entry of contaminants (glands, covers)	oil seals to prevent leakage
long-term maintenance-free operation	bearings are lubricated from a central source, which also serves to lubricate other machine components
weak cooling	heat dissipation via oil circulation
removal of contaminants from grease not possible	easy removal of particles from lubricant using oil filter

171



9.2 Grease lubrication

Under normal conditions, most of the loadings use grease lubrication. An advantage of grease is that it holds better in the loading, it seals the housing against entry of contaminants, moisture, and water and, in particular, affords easier bearing maintenance.




Fig. 9.1

Bearing grease is most often produced from high-quality mineral or synthetic oils that are thickened using fatty acid metal detergents. Greases need to have good lubricating ability and high chemical, thermal, and mechanical stability. Greases can be enriched with additives that increase the service life of the grease and bearing. When selecting grease, the most important characteristics to consider are the viscosity of the base oil, its consistency, load-bearing ability, and anti-corrosion properties.

9.2.1 Composition of grease lubricants

- Base oil most frequently a mineral-based or synthetic oil. Lubrication properties of the grease are
 usually given by the properties of the base oil. Base oil viscosity is the decisive factor when selecting
 grease. Greases produced from low-viscosity base oil are suitable for high speed and low temperature applications, and lubricants with high-viscosity base oil are preferred for high temperature and
 heavy load applications.
- Thickening agent the type of thickening agent, in particular, affects the grease dropping point and determines the application for a particular operating temperature; the higher the dropping point, the higher the temperature resistance of the grease. The maximum operating temperature of grease however is affected by the thermal resistance of the base oil. The water resistance of grease depends solely on the type of thickening agent.

. . . 137





Additives – greases often contain additives that enhance certain grease characteristics or extend
its life. Among the most commonly used are antioxidants (extend life), corrosion inhibitors (improve
corrosion resistance), and EP additives (extreme loads).

9.2.2 Basic grease characteristics

- Base oil viscosity the grease viscosity is given by the base oil; it is the most important factor when
 selecting a grease and has the most significant effect on the thickness of the lubricating film in the
 contact area and hence the bearing life. The oil viscosity is defined as the measure of flow resistance during lubricant sheer stress. The viscosity increases exponentially proportionally to the pressure
 and exponentially decreases proportionally to the temperature.
- Characteristics of captured oil grease assumes all characteristics of the base oil, such as viscosity, freezing point, and flash point; such characteristics significantly influence the behaviour of grease.
- Consistency greases are divided into several consistency classes according to the NLGI (National
 Lubricating Grease Institute) classification. The grease consistency should dramatically change within
 the temperature range and during mechanical loading. If an unsuitable grease consistency is selected for a given loading, then the grease may leak out of the bearing or may increase the rotation
 resistance and lead to insufficient oil release in the contact area.

9.2.3 Miscibility

Mixing of greases should generally be avoided. Mixing greases with different types of thickening agents can interfere with the composite and physical characteristics, which can lead to leakage of the lubricant from the bearing and potential bearing failure. Greases manufactured using the same thickener base and similar base oil can generally be mixed without any adverse effects.

An overview of roller bearing grease is provided in table 9.2.

9.2.4 Amount of lubricant

The amount of grease depends on the bearing loading design, the amount of free space, the characteristics of the grease applied, and the operating temperature. An abundant use of grease in the loading causes an increase in operating temperature. Generally, the bearing is filled with grease and the free space in the bearing loading is only partially filled. The amount of grease in the free space of the loading can be determined relative to the speed:

- 1/2 to 2/3 free space at speeds below 50% bearing limiting speeds.
- 1/3 up to 1/2 free space at speeds above 50% bearing limiting speeds.

The bearing with grease should be run in, so that the grease can be evenly distributed throughout the bearing and so the excess grease can leak out of the bearing; the bearing can then subsequently operating at maximum speeds. When the bearing is properly run in, the bearing temperature decreases and the operating temperature becomes stable.

Bearings operating at very low speeds, as well as the free loading space, should be fully packed with grease to protect the bearing against corrosion and entry of contaminants.

0

0



























Table 9.2

Grease characteristics for roller bearings						
Grease type		Characteristics				
Thickening agent	Base oil	Heat range of use [°C]	Water resistance	Application		
Lithium soap	mineral	-20 to 130	resistant	multi-purpose lubricant		
calcium soap	mineral	-20 to 50	highly resistant	good sealing effect against water		
sodium soap	mineral	-20 to 100	non-resistant	emulsifies with water		
aluminium soap	mineral	-20 to 70	resistant	good sealing effect against water		
lithium complex soap	mineral	-20 to 150	resistant	multi-purpose lubricant		
calcium complex soap	mineral	-30 to 130	highly resistant	multi-purpose high temperature, high-load lubricant		
sodium complex soap	mineral	-20 to 130	resistant	suitable for high temperatures, high loads		
aluminium complex soap	mineral	-20 to 150	resistant	suitable for high temperatures, high loads		
barium complex soap	mineral	-30 to 140	resistant	Suitable for high temperatures and loads		
bentonite	mineral	-20 to 150	resistant	suitable for high temperatures and low speeds		
polycarbamide	mineral	-20 to 160	resistant	suitable for high temperatures and medium speeds		
lithium soap	silicone	-40 to 170	highly resistant	suitable for wide temperature ranges and medium rotational speeds		
barium complex soap	ester	-60 to 140	resistant	suitable for high temperatures and high speeds		

9.2.5 Re-Juhrication

Bearings must be re-lubricated if the expected bearing life is longer than the uptime of the applied grease. The re-lubrication interval is significantly influenced by the type and size of the bearing, the operating speed and temperature, and by the type and quality of grease.

The re-lubrication interval is the period during which the grease possesses the required lubricating characteristics. After this period elapses, the bearing must be re-lubricated after thoroughly first removing the old grease from the bearing space. The recommended re-lubrication intervals for individual types of bearings under normal load ($P \le 0.15$ C) and normal operating conditions is provided in the diagrams on figures 9.2 and 9.3. The diagrams apply for common greases for temperatures up to +70°C. At temperatures above +70°C, the re-lubrication intervals are reduced to one-half their original values for every increase of 15°C. At temperatures below 40°C, the re-lubrication intervals may be increased two-fold.

For small, in particular single-row ball bearings, the re-lubrication intervals are several-fold greater than the expected bearing low; consequently, such bearings are generally not re-lubricated. For the reason specified above, it is preferable to use such bearings designed with shields or with seals on both sides, which are filled with grease at the factory and which never require re-lubrication. After certain speeds, the re-lubrication period falls outside of the curve on the diagram; this means that the permissible grease lubrication threshold has been exceeded. In such cases, we recommend that the loading be designed for oil lubrication.

The grease should be re-filled whenever the re-lubrication interval is longer than 6 months. The re-lubrication intervals may be greater when using extreme performance grease. More information will be provided by the ZKL Technical and Consultation Services Department.

. . . 174






Fig. 9.2

The amount of grease required for re-lubrication can be calculated from the equation

$Q = 0.005 \cdot D \cdot B$	[9]
Qquantity of grease	[9]
Douter bearing diameter	[mm]
Bbearing width	[mm]

• • • • • • • 135 • • •






Fig. 9.3

Used grease should first be removed from the bearing space in high-speed bearings, requiring more frequent re-lubrication. This helps to prevent any undesired rise in operating temperatures. A grease slinger can be used to prevent bearing over-lubrication. It comprises a plate, which rotates on a shaft and the centrifugal force pushes out any excess and degraded grease through the slot in the housing out of the bearing (fig. 9.4).






Fig. 9.4

Other factors affecting the re-lubrication interval:

- Vibrations kneading of grease occurs during large vibrations and shocks, requiring more frequent re-lubrication. If grease becomes soft, grease with higher mechanical stability or stiffer grease must be used.
- Vertical shaft the re-lubrication interval must be shortened by half and requires the use of glands and covers that prevent the leakage of grease from the loading.
- Contamination of grease the re-lubrication intervals must be shortened, when the grease contains undesired particles, which can have a negative effect on the bearing life.

O































9.3 Oil lubrication

Oil lubrication is used when the rotation speeds are so high that the grease re-lubrication periods are too short. Another reason may be the need to dissipate heat from the bearing or when the temperature of the environment is high, which prevents the use of grease or if adjacent components already use an oil lubrication design (e.g. gearbox gears). With the exception of select spherical-roller bearings, such loadings are always lubricated with oil

The use of oil lubrication necessitates that lubrication during running in and afterwards, during operation, be ensured. Excessive use of oil increases the oil temperature and thus the bearing temperature. The oil supply to the bearing is secured using various design methods:

- Oil bath lubrication the most popular and simplest method of oil lubrication for low and medium
 rotational speeds. The oil level extends to the centre of the bottom rolling element and must be
 maintained at this level. The oil is carried by the rotating components of the bearing and dispersed
 in the bearing to return to the oil bath.
- Circulating oil lubrication used most often in high speed applications, where the bearing needs to
 be cooled and for high temperature applications. Oiling is achieved by a pump. After the oil passes
 through the bearing, the oil is fed back into the sump, re-filtered, and cooled, as needed.
- Drop lubrication is widely used for lubrication small ball bearings used in high speed applications.
- Oil splash lubrication oil is splashed on the bearing by a rotating gear wheel or by a simple rotor
 adjacent to the bearing. The bearing does not need to be immersed in the oil bath; this method of
 lubrication is often used in automobile transmissions.
- Oil injection lubrication generally used for high-speed bearings. Oil is injected under pressure
 directly into the bearing. The oil jet velocity must be sufficiently high to ensure that the oil penetrates through the swirling air created by the rotating parts of the bearing.
- Oil mist lubrication injects an oil mist into the bearing. This method of lubrication is often used for lubricating spindle bearings of machining centres.
- Oil-air lubrication system compressed air is used to supply a very small, precise amount of oil into
 each bearing to ensure sufficient lubrication and to better achieve lower operating temperatures and
 higher speeds. This lubrication method is used for lubrication most spindle bearings and for other
 high-speed applications.

9.3.1 Oil lubricants

Refined oils, with good chemical stability, are generally used for lubricating bearings. Stability can be improved by the use of antioxidant additives. Mineral oil without additives is generally preferred for lubricating roller bearing; additives are used only in special circumstances. Synthetic oils are intended solely for demanding applications at extreme temperatures (high or low).

Certain types of bearings, e.g. spherical-roller bearings, spherical-roller thrust bearings, or tapered roller bearings usually achieve higher operating temperatures than other types such as, e.g. ball bearings or roller bearings under identical operating conditions. This must also be considered when selecting the type of oil.





The decisive characteristic of oil is its kinematic viscosity, which decreases as the temperature increases. We can determine the appropriate oil viscosity from the diagram on fig. 5.4 in relation to the mean bearing diameter $d_z = (d+D)/2$ and the rotating speed.

If the operating temperature is known or can be identified, a suitable oil and viscosity on fig. 5.5 can be determined using the internationally standardized reference temperature of $40\,^{\circ}$ C, required for calculating the X ratio. Figures can be found in chapter 5 Determining the bearing size.

The use of oil with EP additives is recommended when the X ratio < 1, since they increase the oil film bearing capacity. Dil with EP additives must always be used, whenever the X value falls below 0.4. Improved reliability of the respective loading design is achieved if X > 1.

Example:

- bearing: d = 180 mm, D = 320 mm, d_s = 250 mm
- rotation speed n= 500 min⁻¹
- expected operating temperature 60 °C

According to the diagram on fig. 5.4, the minimum kinematic viscosity required to meet these conditions is

$$v_1 = 17 \text{ mm}^2 \text{s}^{-1}$$
.

Adjusting for an operating temperature of 60°C, the applied oil, selected according to the diagram on fig. 24 at a standardized temperature of 40°C, must have a minimum kinematic viscosity of 35 mm²s¹.

The kinematic viscosity of lubricating oil for spherical-roller thrust bearings is estimated according to table 9.3 relative to the product n*d, where n is the bearing rotation speed in revolutions per minute and d is the bore diameter in mm. Lower viscosity values apply for low-load bearings, for which the relationship $P_a \le 0.1 \ C_a$ applies. Higher values apply for $P_a > 0.1 \ C_a$.

Table 9.3

Oil viscosity for spherical-roller thrust bearings							
d*n	kinematic viscosity of oil [mm ² s ⁻¹ at 40°C]						
1 000	250 to 550						
10 000	100 to 250						
100 000	45 to 100						
200 000	30 to 80						

9.3.2 Changing oil

The oil change interval depends on operating conditions and the oil quality used. If the operating temperature is less than 50°C and the oil works in good operating conditions with and in a low dust environment, the oil is regularly changed once annually. If the oil temperature ranges near 100°C, the oil must be changed approximately once every three months. The more demanding the operating conditions, the more frequent the oil changes to ensure lubricant purity and adequate state of oxidation. The use of specialized types of oils for specific operating conditions may significantly extend their uptime.





























9.4 Lubrication using solid lubricants

Sold lubricants are used for lubricating bearings only in cases, when grease or oil are unable to meet the demands for reliable lubrication under limiting friction conditions or when required to provide adequate resistance against high operating temperatures, chemicals, and similar other effects.

Graphite, MoS₂, and PTFE, in particular, are used for bearing lubrication. The lubricating mechanism is given by the lattice structure of compounds; the layers of particles easily slide along each other and adhere well to a metal surface, which prevents the displacement of lubricant particles during sliding or rolling motions.

Drawbacks of solid lubricants:

- High coefficient of friction
- Inability to act as a coolant
- Limited uptime
- Low dampening of vibrational instability of rolling elements and cage

... 140





10.1 General information

Roller bearings are strongly stressed machine components parts of which feature high accuracy. To be able to utilise fully functional properties of bearings and avoid damaging them before the end of their service life, assembly and potentially disassembly procedures have to be correctly specified. To do so, the structure of location has to be well known, suitable workplace and assembly tools made available to simplify the assembly and disassembly of bearings. It is very important that the assembly is performed by workers who are properly qualified and equipped with protective equipment.

10.2 Assembly worksite

Worksite must be equipped with suitable assembly tools and jigs to make the work comfortable and also safe. Equipment varies by the type and size of bearings to be assembled at the worksite. Very important is to make sure that these tools are clean and the work is performed in a clean working environment. In negative sense, impurities have decisive impact on the run of bearing when it is in service. Depending on the size and origin of impurities they may cause increased noise level of bearing and may also cause a bearing failure. The same conditions of cleanliness have to be applied in the preparation of all lubricating agents and components associated with location. Assembly worksite has to be therefore separated from normal production and only reserved for assembly of bearings. The worksite must be sufficiently spacious, dry and dust-free. No adjustments of components are supposed to be performed there, such as polishing, drilling or welding that could cause impurities to penetrate into the location area, or no air compressing devices shall be used in the proximity. The worksite shall not be exposed to weather effect since bearings are very sensitive to humidity, especially after being washed off preservative agents or old lubricant.

10.3 Work procedures

Prior to the commencement of every assembly the work procedure has to be specified based on drawing documentation to define individual work steps. In special cases that differ from common practice, detailed assembly instructions have to provided, containing all assembly details, such as specification of needed work tools and equipment for assembly and disassembly, measuring instruments, special tooling, way of heating the bearings up, type and amount of lubrication, etc.

10.4 Preparation of bearings for assembly

Prior to the assembly, the fitter has to make sure whether the designation stated on the bearing corresponds with that on the bearing packaging stated on the drawing. The fitter should have basic knowledge of roller bearing identification system.

ZKL bearings are in original packaging protected with a preservative agent against corrosion for a period of 5 years on condition of proper storage. In order to maintain cleanliness, bearings are taken out of the packaging just before the assembly. Only in exceptional cases the bearing is cleared of preservative agent. Damaged packaging indicated potential contamination of bearings during the storage; so the bearings always have to be washed out prior to the assembly. Various cleaning agents can be used to wash out bearings – organic or inorganic. One can use e.g. benzine with 5 to 10% addition of oil, petroleum, alcohol or dehydrating fluids. Majority of these agents are flammables – this have to be borne in mind. An alternative are alkaline cleaning agents but these are caustic substances.

• • 141 • • •































Bearings are washed out in a clean suitable tank using a brush or a fibre-free cloth. During the washout one of the bearing rings have to be rotated with. If one bath is not sufficient to wash out the bearing, multiple baths are used depending on the level of contamination. After the washout, the bearing has to be provided with protective oil or grease layer depending on the type of lubrication to be used in run. During preservation, one ring of the bearing is slowly rotated with so that the raceways of both rings as well as the surface of rolling elements come to contact with the preservative agent.

After preservation, the bearing has to be protected from contamination and mounted to respective place as soon as possible. The anticorrosive agent that is used for preservation of ZKL bearings is compatible with majority of commonly used greases and need not be removed before the assembly. It is only recommended to wipe the surface and hole of the bearing to ensure proper location of the bearing.

No additional mechanical adjustment shall be done on roller bearings, such as making bores for supply of lubricant, slots, recesses, etc., since this might release tension in the rings that would cause early damage to the bearing. Besides that, there is a risk that the bearing can be contaminated with splinters or abrasion dust.

When handling bearings one needs to use gloves and lifting equipment to simplify the operation and enhance work safety. If you need to lift bearings in vertical position, we recommend to suspend them on a steel belt or strap on the outer ring circumference and not in one spot only. To lift bearings in horizontal position we recommend that big bearings are, upon a special request, provided with tapped bores for lifting lugs that will simplify subsequent handling. Suspension screws must however be loaded exclusively in the direction of the shank axis.

10.5 Preparation of location components for assembly

Prior to the assembly, all located parts must be thoroughly clean and cleared of burrs caused during their machining. Unmachined surfaces of the inside of rolling location bodies must be perfectly clean and cleared of the moulding sand residues, and provided with a protective coating. Also, all lubrication holes and threads have to be cleared thoroughly. All sharp edges need to be bevelled.

Prior to the assembly itself you need to check that the defined tolerances, geometrical accuracy and quality of bearing saddle surface and that in the body have been met. The accuracy of rolling bearings' dimensions need not checked prior to the assembly.

To ensure reliable operation of bearings, bearings must not be mounted on shafts which do not guarantee the accuracy of geometrical shape, on bended shafts or on shafts with mechanical damage. Therefore the shaft has to be checked carefully prior to the assembly. Depending on the size of the shaft, the accuracy of shape in tips can be checked on the lathe (fig. 10.1) or in supports by means of pointer indicator or micrometer.

Cylindrical journal can be checked using a snap gauge or micrometer in two planes perpendicular towards the journal axis. Two measurements are to be performed in each plane (fig. 10.2).

Additionally, the fitting and fillet of transit on the shaft have to be checked. It is very important that the perpendicularity of fitting the frontals towards to cylindrical seating surface axis for bearings was as accurate as possible. Bearing ring must seat with the entire surface on the front surfaces of the support. Major deviations of frontal surface perpendicularity cause additional tensions in bearings and ring deformation when the rings are pressed on and in axial load. At higher revolution frequencies these strains negatively affect the run of the bearing. The method of measuring the perpendicularity of the fitting forefront is indicated in fig. 10.3.

Tapered journals are checked by taper gauge (mostly taper 1:12) which has to be seated on the entire surface.

. . . 147





Bearing bodies are checked in the same way as journals (fig. 10.4) using an internal micrometer or a gauge. We also check the concentricity of seating surfaces in the body, especially if ball and roller bearings are mounted. Split cases have to be checked for not forming a bore on the body after tightening the connecting screws which would result in undesirable gripping and deformation of the outer ring of the bearing.





Fig. 10.1






Fig. 10.4

It is recommended to record the results of measuring. During the measuring it has to be made sure that the measured parts and measuring instruments have approximately the same temperature. This is of special importance when big and heavy bearings and related parts are measured.

We also recommend that prior to the assembly the locations of bearings are provided with mounting lubricant. Mounting lubricant can be used for any fixed and sliding locations. It simplifies the assembly itself, prevents occurrence of joint corrosion and makes easier subsequent disassembly of the bearing from location.



































10.6 Assembly of bearings with cylindrical bore

Different types and sizes of roller bearings require different assembly procedure. In principle, direct hammer strokes on the ring flanges, on cages or rolling elements have to be avoided during the assembly. When assembling non-separable bearings, the mounting force must act on the ring located with overlap that is mounted as first. In no case shall the mounting force be transferred via the rolling elements of the bearings. Thus the bearing is firstly mounted on journal by loading via the inner ring and then the entire bearing is pushed in the body where the location is usually sliding (fig. 10.5). If a non-separable bearing with overlap on shaft and in body is mounted, the mounting force must act on both rings equally (fig. 10.6). Rings of separable bearings can be assembled separately.

Bearings are mounted in location units either cold or heated.




Fig. 10.5 Fig. 10.6

10.6.1 Cold assembly

Bearings with smaller dimensions, up to bore diameter of 80 mm can be cold mounted with common overlap. The force needed for assembly is achieved by means of press. Pressing is recommended to be performed using assembly jigs. If no press is available, smaller bearings can be mounted by means of light hammer strokes via the mounting sleeve leaned on the pressed ring. Hydraulic nuts can also be conveniently used in cold assembly.

••• 144 •••••••••••••••••



10.6.2 Hot assembly

Hot assembly is used for bigger bearings rings of which are usually located with higher overlap. During the process, inner rings, alternatively entire bearings and bodies in which the bearings are mounted, are heated up prior to the assembly. We recommend that the assembly procedure with bearing temperature heat-up above 100°C is discussed with the workers of the ZKL technical and consultancy services.

To ensure fast, safe and clean heat-up of bearings it is recommended to use induction heating equipment to ensure uniform heating of bearings without the risk of local overheating. Individual bearings of smaller dimensions can be heated on electrical hot plate with thermostatic control. Bearings have to be turned several times during the heating. Medium sized bearings can be heated by hot air reheat case with thermostatic control. The time of heating is however relatively long.

Roller bearings of all types and sizes can be heated in oil bath (fig. 10.7). This way of heating does not suit heating of sealed bearings, bearings with plastic lubricant filler and accurate bearings. Oil filler should be provided with thermostatic control (temperature between 80 and 100 °C) but usual heating is 50 to 60 °C above ambient temperature, i.e. oil is heated up to 70 to 80 °C. In the bath, bearings have to be placed on a grid or suspended in the bath to avoid their direct contact with the heated surface which might lead to overheating. Heating in oil bath however has a number of disadvantages, mostly the risk of injury, pollutant load with oil vapours, risk of hot oil inflammation and risk of bearing contamination.




Fig. 10.7






























10.7 Assembly of bearings with tapered bore

Bearings with tapered bore are mounted on shaft by means of adapter or withdrawal sleeves, or alternatively directly on tapered journal. Inner ring with tapered bore is always placed on the journal firmer than a ring with cylindrical bore. Fixed location is achieved either by pressing the inner ring on by means of a nut or a tapered sleeve. In both cases the inner ring will expand and cause reduction of radial clearance in the bearing. Therefore a method has to be determined that would correctly specify the overlap. This can be achieved by measuring the radial clearance reduction using a feeler gauge. The clearance before and after assembly must be measured between the inner ring and unloaded rolling element. This method suits to medium size and big spherical-roller bearings. Other methods are e.g. measuring of the lock nut torque angle or measuring of axial displacement of the inner ring on the tapered journal. In the assembly of double row self-aligning ball bearings, the adapter sleeve nut can be tightened to such extent that the inner ring can be smoothly turned and tilted. The assembly method should be consulted with the manufacturer.

Reliability of fixation of spherical-roller bearings can be checked by measuring of axial displacement of the inner ring on the journal or tapered sleeve. The initial position for measuring of this displacement will be achieved when the contact surfaces (of the ring, sleeve, shaft) abut against each other on the entire bearing surface. The values of axial displacement for the assembly of double row spherical-roller bearings with tapered bore are stated in chart 5, chapter Spherical-roller bearings.

Small bearings of bore diameter up to 80 mm can be pressed on a tapered journal, adapted sleeve (fig. 10.8) or the withdrawal sleeve (fig. 10.9) by means of terminal nut that is tightened by a mounting spanner. Prior to the assembly, the contact surfaces have to be coated by oil.






Fig. 10.8 Fig. 10.9

. . . 145



Bigger bearings require much bigger mounting force, and that's why hydraulic nut or pressure oil method should be applied in their assembly, when oil is brought between the contact surfaces of the ring and journal under high pressure (fig. 10.10). This creates an oil film that reduces friction between the bearing surfaces. This method can be used also for the assembly onto adapter sleeves or withdrawal sleeves that are modified to suit this method. Use of oil of 75 mm²/s viscosity at 20 °C is recommended for the assembly (nominal viscosity at 40 °C is 32 mm²/s).




Fig. 10.10

10.8 Disassembly of bearings with cylindrical bore

If bearings and related parts are to be reused, the disassembly has to be paid particular attention. Non-separable bearing is always dismantled by force acting on the ring located with overlap. In separable bearings they are dismantled one by one, analogically with the assembly of these bearings.

For disassembly of smaller bearings mechanical pullers or hydraulic presses (fig. 10.1) should be used. The disassembly can be simplified by means of a groove on the shaft or in the body that will allow engagement of the puller on the ring mounted with overlap. To dismantle inner rings of heat mounted cylindrical roller bearings one should use induction tools.

To dismantle bearings with fixed location on cylindrical journal also the procedure using pressure oil can be applied (fig. 10.12). This method significantly simplifies the disassembly in cases when big pulling force would have to be applied. The use of this method requires provision of a location with canals and distribution grooves for supply of pressure oil in the bearing inner ring location. The supplied oil significantly reduced the force necessary for bearing disassembly that has to be performed with the help of suitable dismantling equipment, even if this method is applied. Once the oil separates the surfaces of the bearing location which becomes obvious when the oil starts infiltrating, we will pull the bearing down rapidly, without an interruption. If the bearing blocks once the oil canal on the shaft gets partially uncovered, we either have to heat it, or pull down applying considerable force by means of hydraulic tooling.




































Fig. 10.11 Fig. 10.12

To disassembly inner rings of cylindrical roller bearings without guide flanges or with one guide flange also heating rings can be used (the so-called thermo rings). These are tools made of light alloy, provided with radial grooves (fig. 10.13). This alternative is a cheaper option to induction equipment, mainly for dismantling of bearings with bore diameter exceeding 400 mm, or bearings that are dismantled only sometimes. A thermo ring is heated on an electrical hot place to the temperature of 280 °C approximately, slipped over a dismantled bearing ring and clamped in grips. After pulling the cylindrical roller bearing inner ring off the journal, the ring has to be taken off the thermo ring immediately to prevent if from overheating.




Fig. 10.13



10.9 Disassembly of bearings with tapered bore

If a bearing is mounted on a tapered journal or on a adapter sleeve, first the lock of the terminal nut or the adapter nut has to be removed. The nut is loosened by the distance necessary to release the bearing. Alternatively, another holdback can be used. After pulled down from the tapered journal the bearing will release at a swoop, and without this holdback there is a risk that the bearing will fall down of the shaft.

Disassembly of small and medium size bearings off tapered journal proceeds often by means of pullers that are fastened by the inner ring of the bearing or a support part, such as labyrinth ring. Already when designing the location the layout of suitable bores or grooves for puller arms should be considered. Inner rings of small bearings can be pulled down by means of press or hammer and spine. If press is used, the adapter sleeve has to be leaned and force applied on the inner bearing ring (fig. 10.14).

Bearings that are fastened by means of a adapter sleeve are dismantled by means of terminal nut (fig. 10.15). When big bearings are dismantled and therefore bigger force has to be applied, trust screws guided by nut can be used (fig. 10.16). A washer has to be put between the inner bearing ring and the screws in order to prevent damage of the bearing. Very fast, simple and economic is disassembly of a withdrawal sleeve by means of hydraulic nut. If the bearing is on the edge of the journal, it is recommended that the hydraulic nut is before the disassembly locked with a jig fastened e.g. to the front of the shaft (fig. 10.17).

Big withdrawal sleeves usually have canals and grooves for pressure oil. Oil is thus supplied directly by the pulling nut between the shaft and the sleeve, and between the sleeve and the bearing (fig. 10.18). After pressurised, contact surfaces can be shifted against each other without a risk of damage. Needed pressure is achieved by oil injectors. For the disassembly oil with low viscosity is used, approx. 150 mm 2 /s at 20 °C is required (nominal viscosity at 40 °C is 46 mm 2 /s).




Fig. 10.14 Fig. 10.15

149






Fig. 10.16 Fig. 10.17




Fig. 10.18



10.10 Storage of bearings

ZKL bearings are stored and packed in a way that maintains the properties of the bearings as long as possible. The prerequisite for achieving these goals is achieving the conditions for storage of bearings and handling them.

Relative air humidity in the storage should not exceed 60%, and there should be no major temperature oscillations. Most convenient temperature range for storage of bearing is between 15 and 25°C.

Bearings should not be exposed to vibrations and shocks. When stored, bearings must not be exposed to aggressive media, such as gases, fog or aerosols of acids, lyes and salts. Also the effect of direct sunlight has to be prevented since it may cause major temperature oscillations in the container. Big bearings, especially those of light series, must not be stored as standing. They should be placed horizontally to avoid deformation of rings. Bearings must not be stored in racks made of fresh timber or on a stone floor. Bearings must not be placed in the proximity of heating or water piping.

10.10.1 Storage period

If preserved in usual manner, bearings can be stored up to five years as long as the above specified conditions are met. Otherwise shorter storage term has to be counted with.

If the admissible storage terms are exceeded we recommended that bearings are checked in terms of preservation and corrosion.

If possible, both-side shielded (2Z) or sealed (2RS) bearings should not be stored until the end of the storage term. During the storage, grease filler may get old due to chemical and physical processes. Bearings can be functional but the lubricant may be useless. The recommended time of storage of bearings with grease is two years.





























ZKI)

••• 152 ••••••





Just as other mechanical components, roller bearings can also undergo premature failure or housing defects for various reasons. One must differentiate bearing durability determined by loan fatigue during operating speeds and bearing service life, which determines the bearing uptime, before a bearing is for various reasons decommissioned.

Durability and the systemic approach to calculating fatigue damage is described in chapter 5. Determining bearing size. Bearing durability is affected, e.g. by improper installation, poor selection of bearings, production errors when manufacturing connecting parts, handling of bearings by unqualified personnel, the entry of contaminants into bearings, or improper lubrication. If bearings show signs of damage or other deficiencies, the cause of such damage must be determined to enable the adoption of measures that would prevent their recurrence.


This often involves more than a simple analysis, especially if there are several concomitant factors or if the damage is so extensive that the initial site of damage cannot be ascertained. Incipient damage is usually demonstrates during operation by increased vibration, temperature, or noise. Sophisticated housing designs should thus be monitored during operation with diagnostic systems and the equipment should be shut down in the initial stages of damage.

11.1 Main types of damage

Examples of main types of roller bearing damage are illustrated in the following figures.

Flaking of the surface

Unacceptable tearing off of material due to thermal overloading of the bearing is shown in fig. 11.1 and 11.2.






Fig. 11.1 Fig. 11.2

0

 $\overline{}$

=0

PO



Typical fatique effect – pitting, which forms on the bearing rings, is shown on fig. 11.3 and 11.4. This damage is the result of cyclical loading of bearing components and is caused by normal fatique of the material. The first cracks emanate from miniature non-homogeneities in the material at a particular depth below the surface. They are often, however, caused by overloading, insufficient lubrication, or other operating influences. Their timely identification can better help analyse and eliminate the cause. The figures illustrate unacceptable wear.







Fig. 11.3 Fig. 11.4

Depressions and pressure damage

Damage to bearing rings caused by indelicate installation (fig. 11.5) and shallow depressions in the raceway caused by beading of solid impurities during bearing operation (fig. 11.6). The extent of damage in both illustrated cases is unacceptable and may form the initial site of progressive fatique damage – pitting. Damage to raceway caused by improper installation are usually easily discernible because they are located within the pitch of the roller elements. Pressure damage caused by stationary overloading or by equipment vibrations when transporting over long distances, e.g. during shipping, also present a danger.






Fig. 11.5 Fig. 11.6





Ball glazing due to overloading and lubrication failures (fig. 11.7) and abrasion of the race due to spinning within the seat (fig. 11.8). The condition in both cases is unacceptable.






Fig. 11.7 Fig. 11.8

The formation of grooves and craters due to the passage of electric current

Damage to the ball (fig. 11.9) and the raceway (fig. 11.10) by the passage of electric current through the roller contact. This type of damage is unacceptable. This forms when sparking occurs over a thin layer of lubricant. Burned-out cratering forms on such sites and are a source of bearing vibration and increased noise. This type of damage in motor housings and other roller-contact seats of rail vehicles with electrical traction are prevent, for example, by the use of bearings with an insulation layer on one of the rings and by the use of hybrid bearings with ceramic balls.







Fig. 11.9 Fig. 11.10



Wear

Wear on the rolling surfaces of cylindrical rollers (fig. 11.11) and races (fig. 11.12) are caused by lubrication failure without flaking of material. Such damage may occur primarily in areas, where maintenance of the lubricating film is hindered, such as bearing ring faces or on roller faces. Undesirable wear may also occur due to slippage of rolling elements towards the bearing rings. Wear is characterized by traces of seizing and slippage, which is often accompanied by brownish spots on the raceway. This is unacceptable wear.







Fig. 11.11 Fig. 11.12

Corrosion

The first picture (fig. 11.13) shows traces of acceptable contact corrosion on the raceway and the second (fig. 11.14) show inner ring corrosion. Corrosion resulting from inadequate protection against moisture or the use of an unsuitable lubricant is always impermissible. Areas affected by rust formation may progressively become initial sites of flaking of operating surfaces, which can lead to deteriorated operating precision and decreased bearing durability. Corrosion occurs when atmospheric moisture condenses, which can occur under improper






Fig. 11.13 Fig. 11.14






storage conditions. Contact corrosion is caused by very weak oscillations or vibrations of loose components, which can lead to serious bearing damage and thus prevent their further use.

Cage damage

Under normal operating conditions, the roller bearing cage is stressed little. Damage primarily occurs due to poor lubrication. When lubrication is inadequate, cage wear first occurs on the surfaces in contact with rolling elements or with guiding surfaces of bearing rings. The first picture (fig. 11.15) shows deep cage pocket wear from contact with the cylindrical roller with traces of flaked material. This extent of damage is impermissible. The second picture (fig. 11.16) shows permissible glazing of the guide diameter of the solid bronze ball bearing cage.






Fig. 11.15 Fig. 11.16























ZKI)



12. PRODUCT DATA - CONTENT

12.1	SINGLE ROW BALL BEARINGS1Single row ball bearings1Single Row Ball Bearings with Seals or Shields1Single row ball bearings with groove for snap ring on outer race2Separable single row ball bearings2	70 90 10
12.2	ANGULAR CONTACT BALL BEARINGS 2 Single row angular contact ball bearings 2 Single row high-speed angular contact ball bearings 2 Double row angular contact ball bearings 2 Four-point contact bearings 2	32 38 52
12.3	DOUBLE ROW SELF ALIGNING BALL BEARINGS 2 Double row self aligning ball bearings 2	
12.4	CYLINDRICAL ROLLER BEARINGS2Single row cylindrical roller bearings2Double row cylindrical roller bearings3Single row full complement cylindrical roller bearings3Double row full complement cylindrical roller bearings3	90 34 56
12.5	SPHERICAL ROLLER BEARINGS3Double row spherical roller bearings3	
12.6	TAPERED ROLLER BEARINGS.4Single row tapered roller bearings in metric dimensions4Single row tapered roller bearings in inch dimensions4Four-row tapered roller bearings4	24 38
12.7	THRUST BALL BEARINGS4Single direction thrust ball bearings4Double direction thrust ball bearings4Thrust ball bearings with sphered housing washer4Double direction thrust ball bearings with sphered housing washers4	62 72 76
12.8	CYLINDRICAL ROLLER THRUST BEARINGS	
12.9	SPHERICAL ROLLER THRUST BEARINGS5Spherical roller thrust bearings5	
12.10	SPLIT ROLLER BEARINGS	



























ZKI)

12.11	BEARINGS FOR RAILWAY APPLICATIONS	. 535
	Single row ball bearings for traction motors	540
	Single row cylindrical roller bearings for traction motors	542
	Special Single row rolling bearings for railway vehicle axles	546
	Double row spherical roller bearings for railway vehicle axles	548
	Tapered bearing units TBU	550
1212	SPECIAL ROLLER BEARINGS	555
11.11	Hybrid ball bearings	
	Electrically insulated ball bearings	
	Electically insulated cylindrical roller bearings	
	Double row spherical roller bearing PLC 58-11; PLC 58-9-1	
	Double row spherical roller bearing PLC 010-3	
	Single row ball bearing PLC 010-3.	
	Double row spherical roller bearings PLC 59-10; PLC 511-14	
	Double row spherical roller bearing PLC 58-2.	
	Single row ball bearing KL 761.	
	Double row spherical roller bearings PLC 58-6; PLC 59-5; PLC 512-5	
	Double row spherical roller bearings PLC 59-7; PLC 510-9; PLC 510-20	
	Special double row ball bearings PLC 77-1; PLC 14-28; PLC 14-29.	
	Single row ball bearings PLC 03-29; PLC 03-33; PLC 03-79	
	Special thrust ball bearings 511Z30; PLC 23-4; PLC 23-5; 511Z35; PLC 24-2;	
	PLC 24-4; PLC 24-5; PLC 24-6; PLC 23-7	586
	Special double row angular contact ball bearings PLC 15-2; PLC 14-26;	
	PLC 14-25; PLC 14-24; PLC 15-22; PLC 15-12	588
12.13	BEARING HOUSINGS AND ACCESSORIES	
	Adapter sleeves	
	Withdrawal sleeve	
	Adapter and withdawal round nuts	
	Snap rings for roller bearings with a groove on the outer ring	
	Clamp bearings	
	Upright location units with clamp ring	
	Four row flanged location units with clamp ring	
	Oval shaped flanged location units with clamp ring	
	Triangular pressed flanged location units with clamp bearing	
	Round pressed flanged location units with clamp bearing	
	Upright sheet metal location units with clamp bearing	
	ohlidur zueer merai inrarinu miirz miru riamh neamid	ם ביי .











12.1 SINGLE ROW BALL BEARINGS

Due to the versatility of applications, single row ball bearings are among the most frequently used types of rolling bearings. They are made as non-separable without a filling slot. Simple design predetermines them for a wide range of operating conditions. They are provided with deep grooves in rings, diameters of which are just a little bigger than those of balls. Due to big ball diameters and high attachment, single row ball bearings feature relatively high dynamic load capacity in both radial and axial directions. Therefore they suit well combined load in both directions. In order to capture axial forces in high revolutions they conveniently substitute axial ball bearings.

ZKL offer single row ball bearings in many designs and sizes. The chart part of the catalogue states the standard assortment of bearings with parameters divided as follows:


- Uncovered bearings in standard version
- Bearings with shields and seals
- Bearings with snap ring groove
- Separable E and BO type bearings.

Main dimensions

With the exception of E and BO type separable single row ball bearings, main dimensions comply with the standard ISO 15. Dimensions of grooves for snap rings comply with the ISO 464 standard.

Uncovered bearings in standard version

The ZKL single row ball bearings in standard version are uncovered and without seals. For manufacturing reasons, also bearings with grooves for shields or seals may get among the standard version of these bearings. Use of these bearings does not require any special provisions.






Fig. 12.1.1



Bearings with shields and seals

Part of the ball bearing assortment is produced as non-separable bearings with cover sheets, or with contact seal on one or both sides. Chart No.12.1 shows detail information about the suitability of individual seal types for different conditions. See chapter 7.5 for additional information.

Depending on the design series and size, bearings are supplied filled with standard grease. The standard grease used is not stated in the bearing identification. Grease fills about 25 to 35% of the free bearing space. Supply of bearings with other than grease has to be agreed with ZKL.

Tab. 12.1.1

instructions for selection of sealing							
Requirement	Shields Contact seal						
	z	RS	RSR				
Low friction	+++	0	0				
High revolutions	+++	0	0				
Retention of plastic lubricant	0	+++	++				
Against dust penetration	0	+++	+++				
Against water penetration							
Static	-	+++	++				
dynamic	-	+	+				
high pressure	-	+++	0				
Symbols: +++ excellent ++ very good + good o sufficient unsuitable							

Bearings with shields


Single row ball bearings with cover sheets have an additional identification Z, ZZ, ZR or ZZR (see fig. 12.1.2). Covered bearings are mostly used to be seated with rotary inner ring. Rotation of outer ring represents a risk of leak of grease in higher revolutions. Cover sheets are made of steel plate. They are seated firmly in outer ring. In Z or 2Z version, cover sheet is embedded in the inner ring recess; ZR or 2ZR variants have cover sheet overlapping a bit above the edge of the inner ring.

Bearings with contact seals

Bearings with contact seal (see fig. 12.1.3) are designated by RS, ZRS, RSR or ZRSR identification, depending on the design series and size of the bearing. Seals are pressed in the outer ring recess, and ensure reliable sealing in given position, without outer ring deformation. In extreme conditions, e.g. at high temperatures or revolutions, grease on inner ring might leak. In locations where such lubricant leak is undesirable, different design solution has to be chosen. In these cases we recommend that you contact the ZKL technical and consultancy services.

Bearings versions with additional identification RS or ZRS are provided with a seal the tip of which leans on the recess on the inner ring front. The RSR or ZRSR versions have seals the tip of which leans on the cylindrical surface of the inner ring flange.

. . . 164



Bearings with snap ring groove

Single row ball bearings with a groove for snap ring on outer ring serve simple protection against axial displacement in the location element. Thos design has additional designation N. If bearing is supplied with added snap ring, it is identified with NR. Bearings with snap ring groove can be delivered also in combination with mounted covers.




Fig. 12.1.4

Separable bearings

Outer ring of separable single row ball bearings of E and BO type is designed so as to allow separable mounting of inner ring with cage and rolling elements. Bearings are made up to the bore diameter of d = 20 mm, and are suitable for lower load and fast running applications.

165



Accuracy

Single row ball bearings are made in normal accuracy level PO whilst this symbol is not presented. The accuracy of dimensions and run comply with the standard ISO 492. Exception is only separable single row ball bearings of E and BO type where the outer diameter has limit deviation of +0.01/0.00 mm. Limit tolerance values are stated in charts 7.2 and 7.3. Limit tolerance values for bearings of higher accuracies are stated in charts 7.4 to 7.8. Limit tolerance values of installation fillet are stated in chart 7.1. These values comply with the standard ISO 582.

Radial clearance

As standard, single row ball bearings are supplied with normal radial clearance. Majority of bearings are also supplied with bigger radial clearance C3. Some bearings can be also offered with a substantially bigger clearance C4 or C5, or with smaller clearance C2. Sizes of radial clearances comply with the standard ISO 5753. The values are stated in chart 7.17a. The stated values apply to non-mounted bearings at zero measuring load. Indicative dependence of radial and axial clearance is stated in Fig. 7.4. See chapter 7.2.3 for additional information

Vibration level

Commonly made single row ball bearings have normal vibration level checked by the manufacturer. Bearings with P5 and higher accuracy level have reduced vibration level C6. Special cases of location require bearings with specially reduced vibration level C06 and C66.

Tapered bore

For some less demanding locations, some sizes of single row ball bearings of 62 and 63 type with tapered bore and taper ratio 1:12 can be produced. Fixing the bearings onto cylindrical pin is performed using a adapter sleeve or directly on the tapered pin.

Cages

The standard version of single row ball bearings features a cage of steel plate, riveted or pressed, which is guided on balls. Bigger bearing sizes have massive brass cage. Special locations require polyamide cages.

Bearings for locations with high service temperatures

For locations working at service temperature of up to 400 °C we supply single row ball bearings with adequately big radial clearance as per technical conditions agreed between the manufacturer and the customer, and with stabilisation for operation at high temperatures SO to S5. Stabilisation however reduced the hardness of bearing components and thus also the value of the basic dynamic load capacity, as stated in Tab. 5.9.




Fig. 12.1.5

Misalignment

Only small mutual tipability of bearing rings is admissible for single row ball bearings, therefore the concentricity deviation of location points can be only very small. The size of it depends on radial clearance in the bearing, its dimensions and load. Misalignment induces additional load of bearing which shortens its service life. Any tilting of bearing rings will also increase the noise level of the bearing.

Tab. 12.1.2

Bearing type	Load						
	low (F _r < 0,15C _{or})	high (F _r ≥ 0,15C _{or})					
618, 619, 160, 60	2´ to 6´	5 ' to 10 '					
62, 63, 64	5 ′ to 10 ′	8′ to 16′					
62, 63, 64	5 ' to 10 '	8 to 1					

Minimum load

Bearings with spot or line contact must be exposed to certain minimum load in order to ensure their proper operation. This applies also to ball bearings working at high revolutions where high acceleration occurs, or in sudden changes of acting load. Insufficient load may cause damage to rolling surfaces and balls due to slip and friction which cause acting of inertial force on the cage and balls. In location with ball bearings axial prestress can be achieved through mutual adjustment of the inner and outer ring against each other, or by means of springs.

The recommended size of minimum load of bearing depending on the dynamic load capacity of it is defined by the below relation:

$$P/C_r > 0.01$$

































Axial load capacity

If only axial load acts on ball bearings, it should not exceed 0.5 C_{or} . Smaller bearings (with bore diameter up to 12 mm) and bearings of light series (diameter of series 8, 9, 0 and 1) should be exposed to axial load of over 0.25 C_{or} . Excessive axial load may cause substantial shortening of the service life of the bearing.

Equivalent radial load

Single row ball bearings:

$$P_r = F_r$$
 for $F_a/F_r \le e$

$$P_r = X F_r + Y F_a$$
 for $F_a/F_r > e$

where:

$$C_r \dots dynamic load rating of bearing$$
 (kN)

$$C_{nr}$$
.....static load rating of bearing (kN)

F, radial load

F₃.....axial load

Values of coefficients e and Y in dependency to the F_a/C_o relation is determined by chart 12.3. Determination of values also depends in the size of radial clearance. Bigger radial clearance allows transferring of bigger axial load. Intermediate values are defined by interpolation.

Tab. 12.1.3

	Radial clearance														
			normal					C ₃					C ₄		
F _a /C _{or}		F _a /F _r ≤ e		F _a /F _r > e			$F_a/F_r \le e$ $F_a/F_r > e$			F _a /F	r ≤ e	F _a /F	, > e		
	е	Х	Y	х	Υ	е	Х	Υ	х	Υ	е	Х	Υ	х	Υ
0,025	0,22	1	0	0,56	2	0,31	1	0	0,46	1,75	0,4	1	0	0,44	1,42
0,04	0,24	1	0	0,56	1,8	0,33	1	0	0,46	1,62	0,42	1	0	0,44	1,36
0,07	0,27	1	0	0,56	1,6	0,36	1	0	0,46	1,46	0,44	1	0	0,44	1,27
0,13	0,31	1	0	0,56	1,4	0,41	1	0	0,46	1,3	0,48	1	0	0,44	1,16
0,25	0,37	1	0	0,56	1,2	0,46	1	0	0,46	1,14	0,53	1	0	0,44	1,05
0,5	0,44	1	0	0,56	1	0,54	1	0	0,46	1	0,56	1	0	0,44	1

Values of coefficients X and Y apply on condition that bearings will be on pin and in body located within the tolerances recommended for low and medium load (Tab. 8.3) and that during the operation no significant decrease of radial clearance occurs due to service temperature (the temperature difference between the inner and outer ring of max 10°C).

Separable single row ball bearings:

$$P_r = F_r$$

for
$$F_a/F_r \leq 0.2$$

$$P_{r} = 0.5 F_{r} + 2.5 F_{a}$$

for
$$F_a/F_r > 0.2$$

Radial equivalent static load

Single row ball bearings:

$$P_{or} = 0.6 F_{r} + 0.5 F_{a}$$

$$(P_{nr} \geq F_r)$$

$$P_{or} = F_{r}$$

$$[P_{or} < F_{r}]$$

Separable single row ball bearings:

$$P_{or} = 0.9 F_{r} + 0.3 F_{a}$$

$$(P_{nr} \geq F_r)$$

$$P_{or} = F_{r}$$

$$[P_{nr} < F_r]$$
































Single row ball bearings d = 2 to 1060 mm

d = 2 to 10 mm




	Main dir	mensions		Basic loa	ad rating	Fatique load limit
				Dynamic	Static	P _u
d	D	В	r _s	C _r	C _{or}	
12.1.1	n	nm		k		kN
2	6	2,3	0,1	0,279	0,09	0,004
3	10	4	0,15	0,645	0,229	0,01
4	9	2,5	0,2	0,54	0,18	0,007
	11	4	0,2	0,715	0,232	0,01
	12	4	0,2	0,806	0,28	0,012
	13	5	0,2	1,168	0,412	0,019
	16	5	0,3	1,875	0,677	0,031
_						
5	11	3	0,15	0,637	0,255	0,011
	13	4	0,2	1,079	0,432	0,02
	16	5	0,3	1,875	0,677	0,031
	19	6	0,3	2,838	1,078	0,049
0	10	0.5	0.45	0.004	0.045	0.045
6	13	3,5	0,15	0,884	0,345	0,015
	15	5	0,2	1,47	0,599	0,027
	19	6	0,3	2,838	1,078	0,049
7	14	3,5	0,15	0,956	0,4	0,017
,	17	5	0,3	1,48	0,56	0,024
	19	6	0,3	2,838	1,078	0,049
	22	7	0,3	3,282	1,356	0,062
			-,-	-,	.,	2,222
8	16	4	0,2	1,55	0,722	0,033
	19	6	0,2	1,9	0,735	0,031
	22	7	0,3	3,282	1,356	0,062
	24	8	0,3	3,9	1,66	0,071
9	17	4	0,2	1,43	0,64	0,027
	20	6	0,3	2,08	0,865	0,036
	24	7	0,3	3,668	1,64	0,075
	26	8	0,3	4,557	1,955	0,089
10	19	5	0,3	1,38	0,585	0,025
	22	6	0,3	2,08	0,85	0,036
	26	8	0,3	4,557	1,955	0,089
	28	8	0,6	4,62	1,96	0,083
	30	9	0,6	6,047	2,51	0,114
	30	14	0,6	6,047	2,51	0,114
	35	11	0,6	8,072	3,43	0,156

.. 17







miting speed for lubri	cation with	Bearing designation	Abutment and Fillet Dimensions			Weight
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
63000	79000	619/2	3,2	4,8	0,1	0,0004
40000	50000	623	4,2	8,5	0,1	0,001
63000	75000	618/4	4,6	8,4	0,1	0,000
60000	71000	619/4	4,8	10,2	0,1	0,001
53000	63000	604	5,4	10,6	0,2	0,002
38000	45000	624	5,6	11,2	0,2	0,003
35000	42000	634	6,2	13,4	0,3	0,005
53000	63000	618/5	5,8	10,2	0,1	0,001
47000	56000	619/5	6,6	11,5	0,2	0,002
35000	42000	625	7	14	0,3	0,004
35000	42000	635	7,2	15,8	0,3	0,009
48000	56000	618/6	6,8	12,2	0,1	0,002
42000	50000	619/6	7,8	13	0,2	0,004
35000	42000	626	8,2	17	0,3	0,008
44000	51000	618/7	7,8	13,2	0,1	0,002
41000	47000	619/7	9	15	0,3	0,004
35000	42000	607	9	17,2	0,3	0,009
35000	42000	627	9,2	19	0,3	0,01
35000	42000	618/8TNH	9,8	14	0,2	0,003
39000	46000	619/8	10	17	0,3	0,007
35000	42000	608	10	20	0,3	0,01
31000	36000	628	10,4	21,6	0,3	0,01
38000	45000	618/9	10,4	15,6	0,2	0,003
37000	44000	619/9	11	18	0,3	0,007
35000	42000	609	11	22	0,3	0,01
35000	42000	629	11	24	0,3	0,02
36000	43000	61800	12	17	0,3	0,005
34000	40000	61900	12	20	0,3	0,010
28000	33000	6000	12	24	0,3	0,01
28000	34000	16100	14,2	23,8	0,3	0,02
25000	30000	6200	14	26	0,6	0,03
25000	30000	62200	14	26	0,6	0,04
22000	27000	6300	14	31	0,6	0,05






























Single row ball bearings

d = 12 to 20 mm




	Main dimensions			Basic loa	ad rating	Fatique load limit
				Dynamic	Static	P _u
d	D	В	r _s	C,	C _{or}	
12.1.1	mı	n		kl	N	kN
12	21	5	0,3	1,43	0,67	0,028
	24	6	0,3	2,25	0,98	0,043
	28	7	0,3	5,094	2,36	0,107
	28	8	0,3	5,094	2,36	0,107
	30	8	0,3	5,07	2,36	0,1
	32	10	0,6	6,905	3,1	0,141
	32	14	0,6	6,905	3,1	0,141
	37	12	1	9,759	4,235	0,193
15	24	5	0,3	1,56	0,8	0,034
	28	7	0,3	4,36	2,24	0,095
	32	8	0,3	5,594	2,86	0,13
	32	9	0,3	5,594	2,865	0,13
	35	11	0,6	7,718	3,745	0,17
	35	14	0,6	7,718	3,745	0,17
	42	13	1	11,31	5,33	0,242
17	26	5	0,3	1,68	0,93	0,039
	30	7	0,3	4,62	2,55	0,108
	35	8	0,3	5,999	3,265	0,148
	35	10	0,3	6,001	3,267	0,149
	40	12	0,6	9,534	4,734	0,215
	40	16	0,6	9,534	4,734	0,215
	47	14	1	13,565	6,56	0,298
	62	17	1,1	22,9	10,8	0,455
20	32	7	0,3	4,03	2,32	0,104
	37	9	0,3	6,37	3,65	0,156
	42	8	0,3	9,371	4,972	0,226
	42	12	0,6	9,371	4,972	0,226
	47	14	1	12,774	6,553	0,298
	47	18	1	12,774	6,553	0,298
	47	20,6	1	12,774	6,553	0,298
	52	15	1,1	15,866	7,811	0,355
	72	19	0,6	30,7	15	0,64
	52	21	1,1	15,866	7,811	0,355

. . 177







Limiting speed for lubri	cation with	Bearing designation	Abutment and Fillet Dimensions			Weight
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
32000	38000	61801	14	19	0,3	0,0063
30000	36000	61901	14	22	0,3	0,011
25000	30000	16001	14	26	0,3	0,020
25000	30000	6001	14	26	0,3	0,022
26000	32000	16101	14,4	27,6	0,3	0,023
22000	27000	6201	16	28	0,6	0,037
22000	27000	62201	16	28	0,6	0,045
20000	24000	6301	17	32	1	0,061
28000	34000	61802	17	22	0,3	0,0074
24000	30000	61902	17	26	0,3	0,016
21000	25000	16002	17	30	0,3	0,027
21000	25000	6002	17	30	0,3	0,030
20000	24000	6202	19	31	0,6	0,046
20000	24000	62202	19	31	0,6	0,054
18000	21000	6302	20	36	1	0,085
24000	30000	61803	19	24	0,3	0,0082
22000	28000	61903	19	28	0,3	0,018
20000	24000	16003	19	33	0,3	0,032
20000	24000	6003	19	33	0,3	0,040
18000	21000	6203	21	36	0,6	0,073
18000	21000	62203	21	36	0,6	0,083
16000	19000	6303	23	41	1	0,12
12000	15000	6403	23,5	55,5	1	0,27
19000	24000	61804	22	30	0,3	0,018
18000	22000	61904	22	35	0,3	0,038
17000	20000	16004D	22	40	0,3	0,050
17000	20000	6004	24	38	0,6	0,070
15000	18000	6204	25	42	1	0,11
15000	18000	62204	25	42	1	0,13
15000	18000	63204	25	42	1	0,15
14000	17000	6304	26	45	1	0,15
10000	13000	6404	29	63	1	0,40
14000	17000	62304	26	45	1	0,20


























• • • • • • 173 • • •



Single row ball bearings

d = 25 to 40 mm




	Main dim	ensions		Basic load	d rating	Fatique load limit	
				Dynamic	Static	P _u	
d	D	В	r _s	C,	C _{or}		
12.1.1	mn	n		kN		kN	
25	37	7	0,3	4,36	2,6	0,125	
	42	9	0,3	7,02	4,3	0,193	
	47	8	0,3	6,95	4,55	0,207	
	47	8	0,3	10,07	5,806	0,264	
	47	12	0,6	10,07	5,806	0,264	
	52	15	1	14,029	7,94	0,361	
	52	18	1	14,029	7,94	0,361	
	62	17	1,1	21,123	10,806	0,491	
	62	24	1,1	21,123	10,806	0,491	
	80	21	1,5	36	19,2	0,873	
30	42	7	0,3	4,49	2,9	0,146	
	47	9	0,3	7,28	4,55	0,212	
	55	9	0,3	11,2	7,36	0,335	
	55	13	1	13,243	8,25	0,375	
	62	16	1	19,443	11,186	0,508	
	62	20	1	19,443	11,186	0,508	
	72	19	1,1	29,701	15,678	0,713	
	90	23	1,5	43	23,7	1,077	
35	47	7	0,3	4,75	3,2	0,17	
	55	10	0,6	9,56	6,8	0,29	
	62	9	0,3	9,96	7,362	0,335	
	62	14	1	15,956	10,328	0,469	
	72	17	1,1	25,663	15,227	0,692	
	80	21	1,5	33,367	19,23	0,874	
	100	25	1,5	55,2	31	1,409	
40	52	7	0,3	4,94	3,45	0,19	
	62	12	0,6	13,8	10	0,43	
	68	9	0,3	12,667	9,617	0,437	
	68	15	1	16,824	11,493	0,522	
	80	18	1,1	32,633	19,887	0,904	
	80	18	1,1	35,8	20,8	0,88	
	90	23	1,5	40,76	24,17	1,099	
	110	27	2	63,1	36,2	1,645	
				,	,	,	

. . . 174







Grease Oil d₂ D₂ r₃ ~ min max max max 17000 20000 61805 27 35 0.3 0.045 18000 19000 61905 27 40 0.3 0.045 14000 17000 16005 27 43 0.3 0.053 14000 17000 6005 28 43 0.6 0.082 12000 15000 6205 30 47 1 0.13 12600 15000 6205 30 47 1 0.15 11000 13000 6305 31 55 1 0.23 11000 13000 6305 31 55 1 0.23 11000 13000 6305 31 55 1 0.32 9400 11000 6405 32 40 0.3 0.027 14000 17000 61906 32	Limiting speed for lub	Limiting speed for lubrication with		Abutment and Fillet Dimensions			Weight
min	Grease	Oil		d _a	D _a	r _a	~
17000 20000 61805 27 35 0,3 0,022 18000 19000 61905 27 40 0,3 0,045 14000 17000 18005 27 43 0,3 0,053 14000 17000 16005D 27 43 0,3 0,053 14000 17000 6005D 27 43 0,3 0,053 14000 17000 6005 28 43 0,6 0,082 12000 15000 6205 30 47 1 0,13 12800 15000 62205 30 47 1 0,15 11000 13000 6305 31 55 1 0,23 11000 13000 62305 31 55 1 0,32 9400 11000 6405 34 70 1,5 0,53 15000 18000 61806 32 40 0,3 0,027 14000 17000 61906 32 45 0,3 0,051 12000 14000 16006 32 53 0,3 0,087 12000 14000 16006 32 53 0,3 0,087 12000 14000 6006 34 50 1 0,12 11000 13000 6206 35 57 1 0,24 10000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 10600 12600 6007 39,5 57 1 0,15 9400 11000 6307 42 65 1 0,28 8400 10000 6307 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,33 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 6008 44 63 1 0,19 8400 11000 6008 44 63 1 0,19 8400 11000 6008 44 63 1 0,19 8400 11000 6008 44 63 1 0,19 8400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63				min	max	max	
16000	min ⁻¹				mm		kg
14000 17000 16005 27 43 0,3 0,063 14000 17000 16005D 27 43 0,3 0,063 14000 17000 6005 28 43 0,6 0,082 12000 15000 6205 30 47 1 0,13 12600 15000 62205 30 47 1 0,13 11000 13000 6305 31 55 1 0,23 11000 13000 62305 31 55 1 0,23 9400 11000 6405 34 70 1,5 0,53 15000 18000 61806 32 40 0,3 0,027 14000 17000 61906 32 45 0,3 0,051 12000 14000 16006 32 45 0,3 0,087 12000 14000 6006 34 50 1 0,12	17000	20000	61805	27	35	0,3	0,022
14000 17000 16005D 27 43 0,3 0,053 14000 17000 6005 28 43 0,6 0,082 12000 15000 6205 30 47 1 0,13 12600 15000 62205 30 47 1 0,15 11000 13000 6305 31 55 1 0,23 11000 13000 62305 31 55 1 0,23 9400 11000 6405 34 70 1,5 0,53 15000 18000 61806 32 40 0,3 0,027 14000 17000 61906 32 45 0,3 0,027 14000 17000 61906 32 45 0,3 0,027 12000 14000 16006 32 53 0,3 0,087 12000 14000 16006 35 57 1 0,22	16000	19000	61905	27	40	0,3	0,045
14000 17000 6005 28 43 0,6 0,082 12000 15000 6205 30 47 1 0,13 12600 15000 62205 30 47 1 0,15 11000 13000 6305 31 55 1 0,23 11000 13000 62305 31 55 1 0,32 9400 11000 6405 34 70 1,5 0,53 15000 18000 61806 32 40 0,3 0,027 14000 17000 61906 32 45 0,3 0,051 12000 14000 16006 32 45 0,3 0,087 12000 14000 16006 34 50 1 0,12 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,24	14000	17000	16005	27	43	0,3	0,053
12000	14000	17000	16005D	27	43	0,3	0,053
12600	14000	17000	6005	28	43	0,6	0,082
11000 13000 6305 31 55 1 0,23 11000 13000 62305 31 55 1 0,32 9400 11000 6405 34 70 1,5 0,53 15000 18000 61806 32 40 0,3 0,027 14000 17000 61906 32 45 0,3 0,051 12000 14000 16006 32 53 0,3 0,087 12000 14000 6006 34 50 1 0,12 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,20 11000 13000 6306 36 65 1 0,33 8400 10000 6407 37 45 0,3 0,03	12000	15000	6205	30	47	1	0,13
11000 13000 62305 31 55 1 0,32 9400 11000 6405 34 70 1,5 0,53 15000 18000 61806 32 40 0,3 0,027 14000 17000 61906 32 45 0,3 0,087 12000 14000 6006 32 53 0,3 0,087 12000 14000 6006 34 50 1 0,12 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,20 11000 1200 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,03	12600	15000	62205	30	47	1	0,15
9400 11000 6405 34 70 1,5 0,53 15000 18000 61806 32 40 0,3 0,027 14000 17000 61906 32 45 0,3 0,051 12000 14000 16006 32 53 0,3 0,087 12000 14000 6006 34 50 1 0,12 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,20 11000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080	11000	13000	6305	31	55	1	0,23
15000	11000	13000	62305	31	55	1	0,32
14000 17000 61906 32 45 0,3 0,051 12000 14000 16006 32 53 0,3 0,087 12000 14000 6006 34 50 1 0,12 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,24 10000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28	9400	11000	6405	34	70	1,5	0,53
14000 17000 61906 32 45 0,3 0,051 12000 14000 16006 32 53 0,3 0,087 12000 14000 6006 34 50 1 0,12 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,24 10000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28							
12000 14000 16006 32 53 0,3 0,087 12000 14000 6006 34 50 1 0,12 11000 13000 6206 35 57 1 0,20 11000 13000 62206 35 57 1 0,24 10000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 6007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 <t< td=""><td>15000</td><td>18000</td><td>61806</td><td>32</td><td>40</td><td>0,3</td><td>0,027</td></t<>	15000	18000	61806	32	40	0,3	0,027
12000 14000 6006 34 50 1 0,12 11000 13000 6206 35 57 1 0,20 11000 13000 6206 35 57 1 0,24 10000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95	14000	17000	61906	32	45	0,3	0,051
11000 13000 6206 35 57 1 0,20 11000 13000 62206 35 57 1 0,24 10000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 <	12000	14000	16006	32	53	0,3	0,087
11000 13000 62206 35 57 1 0,24 10000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 <td>12000</td> <td>14000</td> <td>6006</td> <td>34</td> <td>50</td> <td>1</td> <td>0,12</td>	12000	14000	6006	34	50	1	0,12
10000 12000 6306 36 65 1 0,33 8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 <td>11000</td> <td>13000</td> <td>6206</td> <td>35</td> <td>57</td> <td>1</td> <td>0,20</td>	11000	13000	6206	35	57	1	0,20
8400 10000 6406 39 80 1,5 0,73 13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 <td>11000</td> <td>13000</td> <td>62206</td> <td>35</td> <td>57</td> <td>1</td> <td>0,24</td>	11000	13000	62206	35	57	1	0,24
13000 16000 61807 37 45 0,3 0,030 11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35	10000	12000	6306	36	65	1	0,33
11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 <	8400	10000	6406	39	80	1,5	0,73
11000 14000 61907 38,2 51,8 0,6 0,080 10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 <							
10600 12600 16007 37 60 0,3 0,11 10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	13000	16000	61807	37	45	0,3	0,030
10600 12600 6007 39,5 57 1 0,15 9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	11000	14000	61907	38,2	51,8	0,6	0,080
9400 11000 6207 42 65 1 0,28 8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	10600	12600	16007	37	60	0,3	0,11
8400 10000 6307 42 71 1,5 0,45 7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	10600	12600	6007	39,5	57	1	0,15
7500 8900 6407 44 90 1,5 0,95 11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	9400	11000	6207	42	65	1	0,28
11000 14000 61808 42 50 0,3 0,034 10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	8400	10000	6307	42	71	1,5	0,45
10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	7500	8900	6407	44	90	1,5	0,95
10000 13000 61908 43,2 58,8 0,6 0,12 9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63							
9400 11000 16008 42 62 0,3 0,13 9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	11000	14000	61808	42	50	0,3	0,034
9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	10000	13000	61908	43,2	58,8	0,6	0,12
9400 11000 6008 44 63 1 0,19 8400 10000 6208 47 73 1 0,35 8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	9400	11000	16008	42	62	0,3	0,13
8500 10000 6208 47 73 1 0,34 7900 9400 6308 47 81 1,5 0,63	9400	11000	6008	44	63		0,19
7900 9400 6308 47 81 1,5 0,63	8400	10000	6208	47	73	1	0,35
	8500	10000	6208	47	73	1	0,34
	7900	9400	6308	47	81	1,5	0,63
6700 7900 6408 50 97 2 1,12	6700	7900	6408	50	97	2	1,12































d = 45 to 65 mm



	Main dimensions			Basic Io	ad rating	Fatique load limit
				Dynamic	Static	P _u
d	D	В	r _s	C _r	C _{or}	
12.1.1	m	ım		k	(N	kN
45	58	7	0,3	6,63	6,1	0,26
	68	12	0,6	14	10,8	0,47
	75	10	0,6	15,659	12,172	0,553
	75	16	1	21,1	15,3	0,695
	85	19	1,1	32,678	20,325	0,924
	100	25	1,5	52,804	31,715	1,442
	120	29	2	76,5	44,7	2,032
50	65	7	0,3	6,76	6,8	0,285
	72	12	0,6	14,6	11,8	0,5
	80	10	0,6	16,092	13,147	0,598
	80	16	1	21,72	16,65	0,757
	90	20	1,1	35,066	23,226	1,056
	110	27	2	61,754	37,754	1,716
	130	31	2,1	87,4	52,1	2,368
55	72	9	0,3	9,04	8,8	0,38
	80	13	1	16,5	14	0,6
	90	11	0,6	20,3	14	0,7
	90	18	1,1	28,216	21,318	0,969
	100	21	1,5	43,35	29,397	1,336
	120	29	2	71	44,7	2,032
	140	33	2,1	100	61,9	2,814
60	78	10	0,3	11,9	11,4	0,49
	85	13	1	16,5	14,3	0,6
	95	11	0,6	20,8	15	0,74
	95	18	1,1	29,343	23,256	1,057
	110	22	1,5	52,846	35,786	1,627
	130	31	2,1	81,5	52,1	2,368
	150	35	2,1	110	69,4	3,079
6.5	0.5	10	0.0	40 1	40.7	6.5.
65	85	10	0,6	12,4	12,7	0,54
	90	13	1	17,4	16	0,68
	100	11	0,6	21,2	19,6	0,891
	100	18	1,1	30,5	25,1	1,141
	120	23	1,5	57,21	40,011	1,819
	140	33	2,1	92,6	59,6	2,676
	160	37	2,1	117,95	78,329	3,357







Limiting speed for lub	orication with	Bearing designation	n Abutment and Fillet Dimensions		mensions	Weight
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
9500	12000	61809	47	56	0,3	0,040
9000	11000	61909	48,2	64,8	0,6	0,14
8400	10000	16009	49	71	1	0,17
8400	10000	6009	49	70	1	0,24
7900	9400	6209	52	78	1	0,40
7100	8400	6309	52	91	1,5	0,83
6000	7100	6409	55	107	2	1,54
9000	11000	61810	52	63	0,3	0,052
8500	10000	61910	53,2	68,8	0,6	0,14
7900	9400	16010	54	76	0,6	0,19
7900	9400	6010	54	75	1	0,26
7100	8400	6210	57	83	1	0,46
6300	7500	6310	60	100	2	1,06
5600	6700	6410	63	116	2	1,89
8500	10000	61811	57	70	0,3	0,083
8000	9500	61911	59,6	75,4	1	0,19
7500	9000	16011	58,2	86,8	0,6	0,26
7100	8400	6011	60	84	1	0,38
6700	7900	6211	62	91	1,5	0,60
5600	6700	6311	65	110	2	1,38
5300	6300	6411	68	126	2	2,29
7500	9000	61812	62	76	0,3	0,11
7500	9000	61912	64,6	80,4	1	0,20
6700	8000	16012	63,2	91,8	0,6	0,28
6700	7900	6012	65	88	1	0,41
6000	7100	6212	67	101	1,5	0,77
5300	6300	6312	72	118	2	1,72
4700	5600	6412	73	136	2	2,76
7000	8500	61813	68,2	81,8	0,6	0,13
6700	8000	61913	69,6	85,4	1	0,22
6300	7500	16013	69	96	0,6	0,30
6300	7500	6013	70	93	1	0,44
5300	6300	6213	72	111	1,5	1,00
5000	6000	6313	76	128	2	2,10
4500	5300	6413	78	146	2	3,28



































d = 70 to 90 mm



	Main din	nensions		Basic loa	ad rating	Fatique load limit		
				Dynamic	Static	P _u		
d	D	В	r _s	C _r	C _{or}			
1.1.1	m	m		k	N	kN		
70	90	10	0,6	12,4	13,2	0,56		
	100	16	1	23,8	21,2	0,9		
	110	13	0,6	27,6	25,1	1,141		
	110	20	1,1	37,96	30,959	1,407		
	125	24	1,5	62	43,8	1,991		
	150	35	2,1	104	63,1	2,735		
	180	42	3	144	104	4,228		
75	95	10	0,6	12,7	14,3	0,61		
	105	16	1	24,2	19,3	0,965		
	110	12	0,6	28,6	27	1,14		
	115	13	0,6	28,7	26,6	1,209		
	115	20	1,1	39,747	33,17	1,508		
	130	25	1,5	66,179	49,311	2,214		
	160	37	2,1	114	76,4	3,204		
	190	45	3	152,525	112,922	4,459		
80	100	10	0,6	13	15	0,64		
	110	16	1	25,1	20,4	1,02		
	125	14	0,6	32,9	31,6	1,419		
	125	22	1,1	47,5	39,8	1,787		
	140	26	2	72,2	53,1	2,301		
	170	37	2,1	122,85	86,226	3,506		
	200	48	3	163,587	124,984	4,801		
85	110	13	1	19,5	20,8	0,88		
	120	18	1,1	31,9	30	1,25		
	130	14	0,6	34,1	32,9	1,442		
	130	22	1,1	49,794	42,609	1,868		
	150	28	2	83,299	63,675	2,67		
	180	41	3	132,507	96,069	3,794		
	210	52	4	174	136	5,09		
0.0				40.5		0.045		
90	115	13	1	19,5	22	0,915		
	125	18	1,1	33,2	31,5	1,23		
	140	16	1	43,6	39	1,56		
	140	24	1,5	58,4	49,2	2,085		
	160	30	2	96,2	70,8	2,878		
	190	43	3	144	108	4,149		
	225	54	4	192	158	5,723		







Limiting speed for lubrication with		Bearing designation	Abutment	Weight		
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
6700	8000	61814	73,2	86,8	0,6	0,14
6300	7500	61914	74,6	95,4	1	0,3
5600	6700	16014	74	106	0,6	0,4
5600	6700	6014	75	103	1	0,6
5300	6300	6214	77	116	1,5	1,0
4700	5600	6314	81	138	2	2,5
4000	4700	6414	85	164	2,5	4,8
6300	7500	61815	78,2	91,8	0,6	0,1
6000	7000	61915	79,6	100	1	0,3
5500	7800	16115	77	108	0,3	0,3
5300	6300	16015	79	111	0,6	0,4
5300	6300	6015	80	108	1	0,6
5000	6000	6215	82	122	1,5	1,1
4200	5000	6315	86	148	2	3,0
3800	4500	6415	90	174	2,5	5,7
0000	7000	01010	00.0	00.0	0.0	0.4
6000	7000	61816	83,2	96,8	0,6	0,1
5600	6700	61916	84,6	105	1	0,4
5000	6000	16016	84	121	0,6	0,6
5000 4700	6000 5600	6016 6216	85 90	118 130	1 2	0,8
					2	1,4
4000	4700	6316	91	158		3,6
3500	4200	6416	95	184	2,5	6,7
5300	6300	61817	89,6	105	1	0,2
5300	6300	61917	91	114	1	0,5
4700	5600	16017	89	126	0,6	0,6
4700	5600	6017	90	123	1	0,8
4200	5000	6217	95	140	2	1,8
3800	4500	6317	98	166	2,5	4,2
3300	4000	6417	105	190	3	7,8
5300	6300	61818	94,6	110	1	0,2
5000	6000	61918	94,0	119	1	0,2
4800	5600	16018	94,6	135	1	0,8
4500	5300	6018	94,0	132	1,5	1,1
4000	4700	6218	100	150	2	2,1
3500	4200	6318	103	176	2,5	4,9
3200	3800	6418	110	205	3	4,9
3200	3000	U+10	110	200	J	11,

































d = 95 to 130 mm



	Main dim	ensions		Basic loa	nd rating	Fatique load limit		
				Dynamic	Static	P _u		
d	D	В	r _s	C _r	C _{or}			
12.1.1	mn	n		kN		kN		
95	120	13	1	19,9	22,8	0,93		
	130	18	1,1	33,8	33,5	1,43		
	145	16	1	42,3	41,5	1,722		
	145	24	1,5	60,7	54,1	2,245		
	170	32	2,1	108	81	3,199		
	200	45	3	152,444	117,366	4,393		
100	125	13	1	19,9	24	0,95		
	140	20	1,1	42,3	41	1,63		
	150	16	1	44	43,8	1,781		
	150	24	1,5	60,096	54,244	2,205		
	180	34	2,1	123	92,6	3,557		
	215	47	3	174	141	5,107		
105	130	13	1	20,8	19,6	1		
	145	20	1,1	44,2	44	1,7		
	160	18	1	54	51	1,86		
	160	26	2	72,2	65,6	2,59		
	190	36	2,1	132,927	104,833	3,924		
	225	49	3	185	153	5,414		
110	140	16	1	28,1	26	1,25		
	150	20	1,1	43,6	45	1,66		
	170	19	1	57,6	56,2	2,159		
	170	28	2	82,5	72,2	2,774		
	200	38	2,1	144	117	4,272		
	240	50	3	203	180	6,185		
120	150	16	1	29,1	28	1,29		
	165	22	1,1	55,3	57	2,04		
	180	19	1	61	63,1	2,342		
	180	28	2	85	79,4	2,947		
	215	40	2,1	144	117	4,109		
	260	55	3	208	186	5,7		
130	165	18	1,1	37,7	43	1,6		
100	180	24	1,5	65,503	67,193	2,453		
	200	22	1,1	83,2	81,5	2,7		
	200	33	2	106,986	99,667	3,527		
	230	40	3	153	133	4,506		
	280	58	4	229	216	6,3		







Limiting speed for lubr	Limiting speed for lubrication with		Abutment and Fillet Dimensions			Weight
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
5000	6000	61819	99,6	115	1	0,30
4800	5600	61919	101	124	1	0,61
4200	5000	16019	100	140	1	0,89
4200	5000	6019	102	137	1,5	1,22
3800	4500	6219	107	158	2	2,60
3300	4000	6319	109	186	2,5	5,72
4800	5600	61820	105	120	1	0,31
4500	5300	61920	106	134	1	0,83
4200	5000	16020	105	145	1	
4200	5000	6020	105	145		0,91
3500	4200	6220	112	169	1,5 2	1,27
3200	3800	6320	113	201		3,13 7,07
3200	3600	6320	113	201	2,5	7,07
4500	5300	61821	110	125	1	0,32
4300	5000	61921	111	139	1	0,87
4000	4800	16021	110	155	1	1,20
4000	4700	6021	113	151	2	1,59
3300	4000	6221	117	178	2	3,74
3000	3500	6321	119	211	2,5	8,00
4300	5000	61822	115	135	1	0,60
4000	4800	61922	116	144	1	0,90
3800	4500	16022	115	165	1	1,46
3800	4500	6022	118	161	2	1,95
3200	3800	6222	122	188	2	4,37
2600	3200	6322	123	227	2,5	9,58
3800	4500	61824	125	145	1	0,65
3600	4300	61924	126	159	1	1,20
3300	4000	16024	125	175	1	1,80
3300	4000	6024	128	171	2	2,10
3000	3500	6224	132	203	2	5,15
2400	3000	6324	134	246	2,5	12,5
3600	4300	61826	136	159	1	0,93
3200	3800	61926	137	172	1	1,86
3200	3800	16026	136	192	1	2,35
3200	3800	6026	138	191	2	3,26
2800	3300	6226	144	216	2,5	6,20
2200	2800	6326M	147	263	3	17,5
					-	,5































d = 140 to 190 mm



	Main dim	ensions		Basic Ioa	d rating	Fatique load limit	
				Dynamic	Static	P _u	
d	D	В	r _s	C,	C _{or}		
12:1.1	mr	n		kN		kN	
140	175	18	1,1	39	46,5	1,66	
	190	24	1,5	66,3	72	2,36	
	210	22	1,1	80,6	86,5	2,8	
	210	33	2	110	108	3,711	
	250	42	3	166	150	4,883	
	300	62	4	251	245	7,1	
150	190	20	1,1	48,8	61	1,96	
	210	28	2	88,4	93	2,9	
	225	24	1,1	92,2	98	3,05	
	225	35	2,1	126	126	4,183	
	270	45	3	190	181	5,677	
	320	65	4	276	285	7,8	
160	200	20	1,1	49,4	64	2	
	220	28	2	92,3	98	3,05	
	240	25	1,5	99,5	108	3,25	
	240	38	2,1	143	143	4,3	
	290	48	3	186	186	5,3	
	340	68	4	276	285	7,65	
170	215	22	1,1	61,8	78	2,4	
	230	28	2	93,6	106	3,15	
	260	28	1,5	119	129	3,75	
	260	42	2,1	168	171	5,301	
	310	52	4	212	224	6,1	
	360	72	4	312	340	8,8	
180	225	22	1,1	62,4	81,5	2,45	
	250	33	2	119	134	3,9	
	280	31	2	138	146	4,15	
	280	46	2,1	190	200	5,6	
	320	52	4	229	240	6,4	
	380	75	4	351	405	10,4	
100	0.40	2.1	4.5	70.1	0.0		
190	240	24	1,5	76,1	98	2,8	
	260	33	2	117	134	3,8	
	290	31	2	148	166	4,55	
	290	46	2,1	195	216	5,85	
	340	55	4	255	280	7,35	
	400	78	5	371	430	10,8	







imiting speed for lubri	cation with	Bearing designation	ion Abutment and Fillet Dimensions		Weigh	
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
3400	4000	61828	146	169	1	0,9
3200	3800	61928MA	147	183	1,5	1,7
3000	3600	16028	146	204	1	2,5
3000	3500	6028	148	200	2	3,3
2500	3000	6228	154	236	2,5	7,5
2000	2600	6328M	157	283	3	22
3000	3600	61830	156	184	1	1,4
2800	3400	61930MA	159	201	2	3,0
2600	3200	16030	156	219	1	3,
2700	3200	6030	159	213	2	4,
2200	2700	6230	164	256	2,5	9,8
1900	2400	6330M	167	303	3	26
2800	3400	61832	166	194	1	1,4
2600	3200	61932MA	169	211	2	3,2
2400	3000	16032	167	233	1,5	3,7
2400	3000	6032	169	231	2	5,9
1900	2400	6232	174	276	2,5	14
1800	2200	6332M	177	323	3	29
2600	3200	61834	176	209	1	1,9
2400	3000	61934MA	179	221	2	3,4
2200	2800	16034	177	253	1,5	5,0
2200	2700	6034	179	248	2	6,9
1900	2400	6234M	187	293	3	17
1700	2000	6334M	187	343	3	34
2400	3000	61836	186	219	1	2,0
2200	2800	61936MA	189	241	2	5,0
2000	2600	16036	189	271	2	6,6
2000	2600	6036M	190	270	2	10
1800	2200	6236M	197	303	3	18
1700	2000	6336M	197	363	3	42
2200	2800	61838	197	233	1,5	2,6
2200	2800	61938MA	199	251	2	5,2
2000	2600	16038	199	281	2	7,9
2000	2600	6038M	200	280	2	11
1700	2000	6238M	207	323	3	23
1600	1900	6338M	210	380	4	49
			-			

































	Main dim	ensions ——		Basic load rating		Fatique load limit	
				Dynamic	Static	P _u	
d	D	В	r _s	C _r	C _{or}		
	mn	n		kN		kN	
200		24	1,5	76,1	102	2,9	
	280	38	2,1	148	166	4,55	
	310	34	2	168	190	5,1	
	310	51	2,1	216	245	6,4	
	360	58	4	270	310	7,8	
220	270	24	1,5	78	110	3	
	300	38	2,1	151	180	4,75	
	340	37	2,12	174	204	5,2	
	340	56	3	247	290	7,35	
	400	65	4	296	365	8,8	
	460	88	5	410	520	12	
0.44			0	400	450	•	
240		28	2	108	150	3,8	
	320	38	2,1	159	200	5,1	
	360	37	2,1	178	220	5,3	
	360	56	3	255	315	7,8	
	440	72	4	358	465	10,8	
	500	95	5	442	585	12,9	
260	320	28	2	111	163	4	
	360	46	2,1	212	270	6,55	
	400	44	3	238	310	7,2	
	400	65	4	291	375	8,8	
	480	80	5	390	530	11,8	
280	350	33	2	138	200	4,75	
20.	380	46	2,1	216	285	6,7	
	420	44	3	242	335	7,5	
	420	65	4	302	405	9,3	
	500	80	5	423	600	12,9	
000				470	245		
300		38	2,1	172	245	5,6	
	420	56	3	270	375	8,3	
	460	50	4	286	405	8,8	
	460	74	4	358	500	10,8	
	540	85	5	462	670	13,7	
320) 400	38	2,1	172	255	5,7	
	440	56	3	276	400	8,65	
	480	50	4	281	405	8,65	
	480	74	4	371	540	11,4	

. 184







Limiting speed for lubrication with		Bearing designation	Abutment and Fillet Dimensions			Weight
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
2200	2800	61840	207	243	1,5	2,70
2000	2600	61940MA	210	270	2	7,40
1900	2400	16040	209	301	2	8,85
1900	2400	6040M	210	300	2	14,0
1700	2000	6240M	217	343	3	28,0
1900	2400	61844	227	263	1,5	3,00
1900	2400	61944MA	230	290	2	8,00
1800	2200	16044	230	330	2	11,5
1800	2200	6044M	233	327	2,5	18,5
1500	1800	6244M	237	383	3	37,0
1300	1600	6344M	240	440	4	72,5
1300	1600	6344IVI	240	440	4	12,5
1800	2200	61848	249	291	2	4,50
1800	2200	61948MA	250	310	2	8,60
1700	2000	16048MA	250	350	2	14,5
1700	2000	6048M	253	347	2,5	19,5
1300	1600	6248M	257	423	3	51,0
1300	1600	6348M	260	480	4	92,5
1700	2000	61852	269	311	2	4,80
1600	1900	61952MA	270	350	2	14,5
1500	1800	16052MA	273	387	2,5	21,5
1500	1800	6052M	277	383	3	29,5
1100	1400	6252M	280	460	4	65,5
1600	1900	61856	289	341	2	7,40
1500	1800	61956MA	291	369	2	15,0
1400	1700	16056MA	293	407	2,5	23,0
1400	1700	6056M	296	404	3	31,0
1100	1400	6256M	300	480	4	71,0
1400	1700	61860MA	309	371	2	10,5
1300	1600	61960MA	313	407	2,5	24,5
1200	1500	16060MA	315	445	3	32,0
1200	1500	6060M	315	445	3	44,0
1200	1500	6260M	320	520	4	88,5
						,0
1300	1600	61864MA	332	388	2	11,0
1200	1500	61964MA	333	427	2,5	25,5
1100	1400	16064MA	335	465	3	34,0
1100	1400	6064M	335	465	3	46,0

































d = 340 to 500 mm



		Main dim	ensions		Basic loa	ad rating	Fatique load limit
					Dynamic	Static	P _u
	d	D	В	r _s	C,	C _{or}	
12.1.1		mn	n .	·	kl		kN
_	340	420	38	2,1	178	275	6
		460	56	3	281	425	9
		520	57	4	345	520	10,6
		520	82	5	423	640	13,2
	360	440	38	2,1	182	285	6,1
		480	56	3	291	450	9,15
		540	57	4	351	550	11
		540	82	5	462	735	15
	380	480	46	2,1	242	390	8
		520	65	4	338	540	10,8
		560	57	4	377	620	12,2
		560	82	5	462	750	14,6
	400	500	46	2,1	247	405	8,15
		540	65	4	345	570	11,2
		600	90	5	520	865	16,3
	420	520	46	2,1	251	425	8,3
		560	65	4	351	600	11,4
		620	90	5	507	880	16,3
	4.40	5.40	4.0		0.5.5		0.5
	440	540	46	2,1	255	440	8,5
		600	74	4	410	720	13,2
		650	94	6	553	965	17,6
	460	590	56	3	319	570	10,6
	460	580 620	74	4	423	750	13,7
		680	100	6	582	1060	19
		000	100	0	362	1000	19
	480	600	56	3	325	600	10,8
	400	650	78	5	449	815	14,6
		700	100	6	618	1140	20
		700	100	- O	010	1140	20
	500	620	56	3	332	620	11,2
	000	670	78	5	462	865	15
		720	100	6	605	1140	19,6
		. 20			230		10,0







imiting speed for lubri	cation with	Bearing designation	Abutment	and Fillet Dir	nensions	Weight
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
1200	1500	61868MA	352	408	2	11,5
1100	1400	61968MA	353	447	2,5	26,5
1000	1300	16068MA	355	505	3	45,0
1000	1300	6068M	360	500	4	62,0
1100	1400	61872MA	372	428	2	12,0
1100	1400	61972MA	373	467	2,5	28,0
1000	1300	16072MA	375	525	3	49,0
1000	1300	6072MA	378	522	4	64,5
						, ,
1000	1300	61876MA	392	468	2	20,0
1000	1300	61976MA	395	505	3	40,0
950	1200	16076MA	395	545	3	51,0
950	1200	6076M	398	542	4	67,5
1000	1300	61880MA**	412	488	2	20,5
950	1200	61980MA**	415	525	3	41,5
900	1100	6080M**	418	582	4	87,5
950	1200	61884MA**	432	508	2	21,5
900	1100	61984MA**	435	545	3	43,0
900	1100	6084M**	438	602	4	91,5
	4400	0400011144	450	500		20.5
900	1100	61888MA**	452	528	2	22,5
900	1100	61988MA**	455	585	3	60,5
850	1000	6088M**	463	627	5	105
900	1100	61892MA**	473	567	2,5	35,0
850	1000	61992MA**	476	604	3	62,5
800	950	6092MB**	483	657	5	120
252	1000	0.100011111	100	507	2.5	22.5
850	1000	61896MA**	493	587	2,5	36,5
800	950	61996MA**	498	632	4	74,0
750	900	6096MB**	503	677	5	125
800	950	618/500MA**	513	607	2,5	40,5
750	900	619/500MA**	518	652	4	77,0
750	900	60/500MA**	523	697	5	135

































d = 530 to 1060 mm



	Main dime	ensions		Basic loa	ad rating	Fatique load limit
				Dynamic	Static	P _u
d	D	В	r _s	C,	C _{or}	
	mm	1		kl		kN
530	650	56	3	332	655	11,2
	710	82	5	488	930	15,6
	780	112	6	650	1270	20,8
560	680	56	3	345	695	11,8
	750	85	5	494	980	16,3
	820	115	6	663	1470	22
600	730	60	3	364	765	12,5
	800	90	5	585	1220	19,6
630	780	69	4	442	965	15,3
030	850	100	6	624	1340	21,2
	920	128	7,5	819	1760	27
	320	120	7,0	010	1700	21
670	820	69	4	442	1000	15,6
	900	103	6	676	1500	22,4
	980	136	7,5	904	2040	30
710	870	74	4	475	1100	16,6
	950	106	6	663	1500	22
	1030	140	7,5	956	2200	31,5
750	920	78	5	527	1250	18,3
750	1000	112	6	761	1800	25,5
	1000	112	U	701	1000	20,0
800	980	82	5	559	1370	19,3
	1060	115	6	832	2040	28,5
	1150	155	7,5	1010	2550	34,5
850	1030	82	5	559	1430	19,6
			_			
900	1090	85	5	619	1530	22,047
1000	1220	100	6	637	1800	22,8
1060	1280	100	6	728	2120	26,5







Limiting speed for lubr	ication with	Bearing designation	Abutment	and Fillet Di	mensions	Weight
Grease	Oil		d _a	D _a	r _a	~
			min	max	max	
min ⁻¹				mm		kg
750	900	618/530MA**	543	637	2,5	39,5
700	850	619/530MA**	548	692	4	90,5
670	800	60/530MA**	553	757	5	185
700	850	618/560MA**	573	667	2,5	42,0
670	800	619/560MA**	578	732	4	105
630	750	60/560MA**	583	797	5	210
670	800	618/600MA**	613	717	2,5	52,0
630	750	619/600MA**	618	782	4	125
630	750	618/630MA**	645	765	3	73,0
600	700	619/630MA**	653	827	5	160
560	670	60/630MB**	658	892	6	285
560	670	618/670MA**	685	805	3	83,5
530	630	619/670MA**	693	877	5	185
500	600	60/670MA**	698	952	6	345
530	630	618/710MA**	725	855	3	93,5
500	600	619/710MA**	733	927	5	220
480	560	60/710MA**	738	1002	6	375
500	000	040/750144++	700	000		440
500	600	618/750MA**	768	902	4	110
480	560	619/750MA**	773	977	5	255
450	500	C40/000MA**	010	962	4	130
420	530 500	618/800MA** 619/800MA**	818 823	1037	4 5	275
	500	·	828	1122	6	535
400	500	60/800MA**	020	1122	0	555
430	500	618/850MA**	868	1012	4	140
430	300	010/030WA	000	1012	4	140
380	450	618/900MA**	920	1070	4	165
380	400	O TO/ SUUIVIA	920	1070	4	100
340	400	618/1000MA**	1023	1197	5	245
340	+00	STO/ TOUGHIA	1020	1107	3	240
300	360	618/1060MA**	1083	1257	5	260
300	330	OTO/ TOUGHIA	1000	1207	3	200
































Single Row Ball Bearings with Seals or Shields d = 3 to 160 mm


d = 3 to 10 mm




	Main dir	nensions		Basic loa	ad rating	Fatique load limit	Bearing	designation
				Dynamic	Static			
d	D	В	r _s	C,	C _{or}	P _u	Z, ZR	2Z, 2ZR
			min					
	m	ım		k	N	kN	RS, RSR	2RS, 2RSR
3	10	4	0,15	0,645	0,229	0,01	623ZR	623-2ZR
4	13	5	0,2	1,168	0,412	0,02	624ZR	624-2ZR
	16	5	0,3	1,875	0,677	0,03	634ZR	634-2ZR
		_						
5	16	5	0,3	1,875	0,677	0,03	625ZR	625-2ZR
	19	6	0,3	2,838	1,078	0,05	635ZR	635-2ZR
0	10	0	0.0	0.000	1.070	0.05	C0C7D	606 0 7 D
6	19	6	0,3	2,838	1,078	0,05	626ZR	626-2 Z R
7	19	6	0,3	2,838	1,078	0,05	607ZR	607-2ZR
1	22	7	0,3	3,282	1,078	0,05	607ZR 627ZR	607-2ZR 627-2ZR
	22	1	0,3	3,202	1,356	0,06	02/ZR	021-22R
8	22	7	0,3	3,282	1,356	0,06	608ZR	608-2ZR
	22	7	0,3	3,282	1,356	0,06	608RSR	608-2RSR
		•	0,0	0,202	1,000	0,00	COCHOIL	000 211011
9	24	7	0,3	3,668	1,64	0,07	609ZR	609-2ZR
	24	7	0,3	3,668	1,64	0,07	609RSR	609-2RSR
	26	8	0,3	4,557	1,955	0,09	629ZR	629-2ZR
	26	8	0,3	4,557	1,955	0,09	629RSR	629-2RSR
10	19	5	0,3	1,38	0,59	0,025	-	61800-2Z
	19	5	0,3	1,38	0,59	0,025	-	61800-2RSR
	22	6	0,3	2,08	0,85	0,036	-	61900-2Z
	22	6	0,3	2,08	0,85	0,036	-	61900-2RSR
	26	8	0,3	4,557	1,955	0,09	6000ZR	6000-2ZR
	26	8	0,3	4,557	1,955	0,09	6000RSR	6000-2RSR
	26	12	0,3	4,62	1,96	0,083	-	63000-2RSR
	30	9	0,6	6,047	2,51	0,11	6200ZR	6200-2ZR
	30	9	0,6	6,047	2,51	0,11	6200RSR	6200-2RSR
	30	14	0,6	6,047	2,51	0,11	62200ZR	62200-2ZR
	30	14	0,6	6,047	2,51	0,11	62200RSR	62200-2RSR
	35	11	0,6	8,072	3,43	0,16	6300ZR	6300-2ZR
	35	11	0,6	8,072	3,43	0,16	6300RS	6300-2RS
	35	17	0,6	8,06	3,4	0,143	-	62300-2RSR











Limiting s	need for lubrica	ation with		Abutment	and Fillet D	imensions		Weight
	ase	Oil						
Z, 2Z	RS, 2RS	Z	d	d _a	d _b	D _a	r _a	~
	,		min	max	max	max	- a	
	min ⁻¹				mm			kg
40000		50000	3	4,2	4,8	8,5	0,1	0,0020
				,	,-	-,-	-,	.,
38000		45000	4	5,5	5,8	11,2	0,2	0,0040
35000		42000		6,2	6,5	13,4	0,3	0,0050
35000		42000	5	7	7	14	0,3	0,0060
35000		42000		7,2	7,5	15,8	0,3	0,0090
35000		42000	6	8,2	8,3	17	0,3	0,0100
			_	_	_			
35000		42000	7	9	9	17	0,3	0,0100
35000		42000		9,2	9,8	19,5	0,3	0,012
05000		40000			10			0.045
35000	04000	42000	8	10	10	20	0,3	0,015
	24000			10	10	20	0,3	0,015
35000		42000	9	11	12	22	0,3	0,018
33000	24000	42000	9	11	12	22	0,3	0,018
35000	24000	42000		12	12,5	22,5	0,3	0,010
00000	24000	42000		12	12,5	22,5	0,3	0,020
	21000			12	12,0	22,0	0,0	0,020
36000		43000	10	12	12	17	0,3	0,0055
	20000			11,8	11,8	17	0,3	0,0055
34000		40000		12	12	20	0,3	0,0100
	19000			12	12	20	0,3	0,0100
28000		33000		12	12,5	24	0,3	0,020
	19000			12	12,5	24	0,3	0,020
	19000			12	12	24	0,3	0,025
25000		30000		14	14,4	26	0,6	0,032
	17000			14	14,4	26	0,6	0,032
25000		30000		14	14,4	26	0,6	0,040
	17000			14	14,4	26	0,6	0,040
22000		27000		14	15	31	0,6	0,053
	15000			14	15	31	0,6	0,053
	15000			14,2	14,2	30,8	0,6	0,060




























•••• 191 •••




d = 12 to 15 mm



		Main di	mensions		Basic loa	ad rating	Fatique load limit	Bearing	designation
					Dynamic	Static			
	d	D	В	r _s	C,	C _{or}	P _u	Z, ZR	2Z, 2ZR
٥.				min					
12.1.2		r	nm		k	N	kN	RS, RSR	2RS, 2RSR
	12	21	5	0,3	1,43	0,67	0,028	-	61801-2Z
		21	5	0,3	1,43	0,67	0,028	-	61801-2RSR
		24	6	0,3	2,25	0,98	0,043	-	61901-2Z
		24	6	0,3	2,25	0,98	0,043	_	61901-2RSR
		28	8	0,3	5,094	2,36	0,11	6001ZR	6001-2ZR
		28	8	0,3	5,094	2,36	0,11	6001RSR	6001-2RSR
		28	12	0,3	5,07	2,36	0,1	-	63001-2RSR
		30	8	0,3	5,07	2,36	0,1	_	16101-2RSR
		32	10	0,6	6,905	3,1	0,14	6201ZR	6201-2ZR
		32	10	0,6	6,905	3,1	0,14	6201RSR	6201-2RSR
		32	14	0,6	6,905	3,1	0,14	62201ZR	62201-2ZR
		32	14	0,6	6,905	3,1	0,14	62201RS	62201-2RS
		37	12	1	9,759	4,235	0,19	6301ZR	6301-2ZR
		37	12	1	9,759	4,235	0,19	6301RS	6301-2RS
		37	17	1	9,75	4,15	0,176	-	62301-2RSR
	15	24	5	0,3	1,56	0,8	0,034	-	61802-2Z
		24	5	0,3	1,56	0,8	0,034	-	61802-2RSR
		28	7	0,3	4,36	2,24	0,095	-	61902-2Z
		28	7	0,3	4,36	2,24	0,095	-	61902-2ZR
		28	7	0,3	4,36	2,24	0,095	-	61902-2RSR
		32	9	0,3	5,594	2,86	0,13	6002ZR	6002-2ZR
		32	9	0,3	5,594	2,86	0,13	6002RS	6002-2RS
		32	13	0,3	5,59	2,85	0,12	-	63002-2RSR
		35	11	0,6	7,718	3,745	0,17	6202Z	6202-2Z
		35	11	0,6	7,718	3,745	0,17	6202RS	6202-2RS
		35	14	0,6	7,718	3,745	0,17	62202ZR	62202-2ZR
		35	14	0,6	7,718	3,745	0,17	62202RS	62202-2RS
		42	13	1	11,31	5,335	0,24	6302ZR	6302-2ZR
		42	13	1	11,31	5,335	0,24	6302RS	6302-2RS
		42	17	1	11,4	5,4	0,228	-	62302-2RSR










ZR

ZZ 2ZR



Limiting sp	peed for lubrica	tion with		Abutment	and Fillet D	imensions		Weight
Gre	ase	Oil						
Z, 2Z	RS, 2RS	Z	d	d _a	d _b	D _a	r _a	~
			min	max	max	max		
	min ⁻¹				mm			kg
32000		38000	12	14	14	19	0,3	0,0063
	19000			14	14	19	0,3	0,0063
30000		36000		14	14	22	0,3	0,01
	18000			14	14	22	0,3	0,01
25000		30000		14	14,5	26	0,3	0,02
	17000			14	14,5	26	0,3	0,02
	17000			14	14	26	0,3	0,02
				14,4	14,4	27,6	0,3	0,02
22000		27000		16	16,5	28	0,6	0,03
	15000			16	16,5	28	0,6	0,03
22000		27000		16	16,5	28	0,6	0,04
	15000			16	16,5	28	0,6	0,04
20000		24000		17	17	32	1	0,06
	13000			17	17	32	1	0,06
	14000			17,6	17,6	31,4	1	0,07
				,	,	,		,
28000		34000	15	17	17	22	0,3	0,007
	17000			17	17	22	0,3	0,007
24000		30000		17	17	26	0,3	0,01
24000		30000		17	17	26	0,3	0,01
	16000			17	17	26	0,3	0,01
21000		25000		17	18	30	0,3	0,03
	14000			17	18	30	0,3	0,03
	14000			17	17	30	0,3	0,03
20000		24000		19	19,5	31	0,6	0,04
	13000			19	19,5	31	0,6	0,04
20000		24000		19	19,5	31	0,6	0,05
	13000			19	19,5	31	0,6	0,05
18000		21000		20	20,5	36	1	0,08
	12000			20	20,5	36	1	0,08
	12000			20,6	20,6	36,4	1	0,1






























• • • • 193 • • •



d = 17 to 22 mm



		Main di	mensions		Basic loa	ad rating	Fatique load limit	Bearing	designation
					Dynamic	Static			
	d	D	В	r _s	C _r	C _{or}	P _u	Z, ZR	2Z, 2ZR
۷ .				min					
12.1.2		r	nm		kl	N	kN	RS, RSR	2RS, 2RSR
	17	26	5	0,3	1,68	0,93	0,039	-	61803-2Z
		26	5	0,3	1,68	0,93	0,039	_	61803-2ZR
		26	5	0,3	1,68	0,93	0,039	-	61803-2RSR
		30	7	0,3	4,62	2,55	0,108	_	61903-2Z
		30	7	0,3	4,62	2,55	0,108	-	61903-2ZR
		30	7	0,3	4,62	2,55	0,108	-	61903-2RSR
		35	10	0,3	5,999	3,265	0,15	6003ZR	6003-2ZR
		35	10	0,3	5,999	3,265	0,15	6003RS	6003-2RS
		35	14	0,3	6,05	3,25	0,137	-	63003-2RSR
		40	12	0,6	9,534	4,734	0,22	6203Z	6203-2Z
		40	12	0,6	9,534	4,734	0,22	6203RS	6203-2RS
		40	16	0,6	9,534	4,734	0,22	62203Z	62203-2Z
		40	16	0,6	9,534	4,734	0,22	62203RS	62203-2RS
		47	14	1	13,565	6,563	0,3	6303ZR	6303-2ZR
		47	14	1	13,565	6,563	0,3	6303RS	6303-2RS
		47	19	1	13,5	6,55	0,275	-	62303-2RSR
2	20	32	7	0,3	4,03	2,32	0,104	-	61804-2ZR
		32	7	0,3	4,03	2,32	0,104	_	61804-2RSR
		37	9	0,3	6,37	3,65	0,156	-	61904-2ZR
		37	9	0,3	6,37	3,65	0,156	_	61904-2RSR
		42	12	0,6	9,371	4,972	0,23	6004ZR	6004-2ZR
		42	12	0,6	9,371	4,972	0,23	6004RS	6004-2RS
		42	16	0,6	9,36	5	0,212	-	63004-2RSR
		47	14	1	12,774	6,553	0,3	6204Z	6204-2Z
		47	14	1	12,774	6,553	0,3	6204RS	6204-2RS
		47	18	1	12,774	6,553	0,3	62204Z	62204-2Z
		47	18	1	12,774	6,553	0,3	62204RS	62204-2RS
		47	20,6	1	12,774	6,553	0,3	63204Z	63204-2Z
		47	20,6	1	12,774	6,553	0,3	63204RS	63204-2RS
		52	15	1,1	15,866	7,811	0,36	6304Z	6304-2Z
		52	15	1,1	15,866	7,811	0,36	6304RS	6304-2RS
		52	21	1,1	15,866	7,811	0,36	62304Z	62304-2Z
		52	21	1,1	15,866	7,811	0,36	62304RS	62304-2RS
2	22	50	14	1	14	7,65	0,325	-	62/22-2RSR


ZZ

2ZR










ZR

Z




Limiting sp	eed for lubrica	tion with		Abutment	and Fillet Di	mensions		Weight
Gre	ase	Oil						
Z, 2Z	RS, 2RS	Z	d	d _a	d _b	D _a	r _a	~
			min	max	max	max		
	min ⁻¹				mm			kg
24000		30000	17	19	19	24	0,3	0,0082
24000		30000		19	19	24	0,3	0,0082
	16000			19	19	24	0,3	0,0082
22000		28000		19	19	28	0,3	0,018
22000		28000		19	19	28	0,3	0,018
	14000			19	19	28	0,3	0,018
20000		24000		19	20	33	0,3	0,040
	13000			19	20	33	0,3	0,040
	13000			19	19	33	0,3	0,052
18000		21000		21	21,4	36	0,6	0,065
	12000			21	21,4	36	0,6	0,065
18000		21000		21	21,4	36	0,6	0,083
	12000			21	21,4	36	0,6	0,083
16000		19000		23	23	41	1	0,12
	10600			23	23	41	1	0,12
	11000			22,6	22,6	41,4	1	0,15
19000		24000	20	22	22	30	0,3	0,018
	13000			22	22	30	0,3	0,018
18000		22000		22	22	35	0,3	0,038
	12000			22	22	35	0,3	0,038
17000		20000		24	24,5	38	0,3	0,070
	11000			24	24,5	38	0,3	0,070
	11000			23,2	23,2	38,8	0,6	0,086
15000		18000		25	25,5	42	0,6	0,11
	10000			25	25,5	42	0,6	0,11
15000		18000		25	25,5	42	0,6	0,13
	10000			25	25,5	42	0,6	0,13
15000		18000		25	25,5	42	0,6	0,15
	10000			25	25,5	42	0,6	0,15
14000		17000		26	26,6	45	1	0,14
	9400			26	26,6	45	1	0,14
14000		17000		26	26,6	45	1	0,20
	9400			26	26,6	45	1	0,20
			22	27,6	27,6	44,4	1	0,12

• • • 195 • • •



d = 25 to 30 mm





		Main di	mensions		Basic loa	ad rating	Fatique Ioad limit	Bearing	designation
					Dynamic	Static			
	d	D	В	r _s	C _r	C _{or}	P _u	Z, ZR	2Z, 2ZR
٠,				min					
12.1.2		r	nm		k	N	kN	RS, RSR	2RS, 2RSR
_	25	37	7	0,3	4,36	2,6	0,125	_	61805-2ZR
		37	7	0,3	4,36	2,6	0,125	-	61805-2RSR
		42	9	0,3	7,02	4,3	0,193	-	61905-2ZR
		42	9	0,3	7,02	4,3	0,193	-	61905-2RSR
		47	12	0,6	10,07	5,806	0,26	6005ZR	6005-ZR
		47	12	0,6	10,07	5,806	0,26	6005RS	6005-2RS
		47	16	0,6	11,2	6,55	0,275	_	63005-2RSR
		52	15	1	14,029	7,94	0,36	6205Z	6205-2Z
		52	15	1	14,029	7,94	0,36	6205RS	6205-2RS
		52	18	1	14,029	7,94	0,36	62205Z	62205-2Z
		52	18	1	14,029	7,94	0,36	62205RS	62205-2RS
		62	17	1,1	21,123	10,806	0,49	6305Z	6305-2Z
		62	17	1,1	21,123	10,806	0,49	6305RS	6305-2RS
		62	24	1,1	21,123	10,806	0,49	62305Z	62305-2Z
		62	24	1,1	21,123	10,806	0,49	62305RS	62305-2RS
	30	42	7	0,3	4,49	2,9	0,146	-	61806-2ZR
		42	7	0,3	4,49	2,9	0,146	-	61806-2RSR
		47	9	0,3	7,28	4,55	0,212	-	61906-2ZR
		47	9	0,3	7,28	4,55	0,212	-	61906-2RSR
		55	13	1	13,243	8,253	0,38	6006Z	6006-2Z
		55	13	1	13,243	8,253	0,38	6006RS	6006-2RS
		55	19	1	13,3	8,3	0,355	-	63006-2RSR
		62	16	1	19,443	11,186	0,51	6206Z	6206-2Z
		62	16	1	19,443	11,186	0,51	6206RS	6206-2RS
		62	20	1	19,443	11,186	0,51	62206Z	62206-2Z
		62	20	1	19,443	11,186	0,51	62206RS	62206-2RS
		72	19	1,1	29,701	15,678	0,71	6306Z	6306-2Z
		72	19	1,1	29,701	15,678	0,71	6306RS	6306-2RS
		72	27	1,1	28,1	16	0,67	-	62306-2RSR











Z	Z	ZR .	ZZ		ZZR
Limiting speed	for lubric	ation with		Abutment	and Fillet
Grease		Oil			

Limiting sp	peed for lubrica	ation with			Weight			
Gre	ase	Oil						
Z, 2Z	RS, 2RS	Z	d	d	d _b	D _a	ra	~
			min	max	max	max		
	min ⁻¹				mm			kg
17000		20000	25	27	27	35	0,3	0,022
	11000			27	27	35	0,3	0,022
16000		19000		27	27	40	0,3	0,045
	10000			27	27	40	0,3	0,045
14000		17000		28	29	43	0,6	0,081
	9400			28	29	43	0,6	0,081
	9500			29,2	29,2	43,8	0,6	0,100
12600		15000		30	30,5	47	1	0,13
	8400			30	30,5	47	1	0,13
12600		15000		30	30,5	47	1	0,15
	8400			30	30,5	47	1	0,15
11000		13000		31	33	55	1	0,23
	7500			31	33	55	1	0,23
11000		13000		31	33	55	1	0,32
	7500			31	33	55	1	0,32
15000		18000	30	32	32	40	0,3	0,027
	9500			32	32	40	0,3	0,027
14000		17000		32	32	45	0,3	0,051
	8500			32	32	45	0,3	0,051
12000		14000		34	35	50	1	0,12
	7900			34	35	50	1	0,12
	8000			34,6	34,6	50,4	1	0,16
11000		13000		35	36,7	57	1	0,20
	7500			35	36,7	57	1	0,20
11000		13000		35	36,7	57	1	0,24
	7500			35	36,7	57	1	0,24
10000		12000		36	38,9	65	1	0,35
	6700			36	38,9	65	1	0,35
	6300			37	37	65	1	0,48






























• • 197 • • •




d = 35 to 45 mm




	Main di	mensions		Basic loa	d rating	Fatique load limit	Bearing	designation
				Dynamic	Static			
d	D	В	r.	C,	C _{or}	P _u	Z, ZR	2Z, 2ZR
			min		<u>. </u>	<u> </u>		
	n	ım		kl	N	kN	RS, RSR	2RS, 2RSR
35	47	7	0,3	4,75	3,2	0,166	-	61807-2ZR
	47	7	0,3	4,75	3,2	0,166	-	61807-2RSR
	55	10	0,6	9,56	6,8	0,29	-	61907-2ZR
	55	10	0,6	9,56	6,8	0,29	-	61907-2RSR
	62	14	1	15,956	10,328	0,47	6007Z	6007-2Z
	62	14	1	15,956	10,328	0,47	6007RS	6007-2RS
	62	20	1	15,9	10,2	0,44	_	63007-2RSR
	72	17	1,1	25,663	15,227	0,69	6207Z	6207-2Z
	72	17	1,1	25,663	15,227	0,69	6207RS	6207-2RS
	72	23	1,1	25,5	15,3	0,655	-	62207-2RSR
	80	21	1,5	33,367	19,23	0,87	6307Z	6307-2Z
	80	21	1,5	33,367	19,23	0,87	6307RS	6307-2RS
	80	31	1,5	33,2	19	0,815	-	62307-2RSR
	00	01	1,0	33,2	19	0,013	_	02307-211311
40	52	7	0,3	4,94	3,45	0,186	_	61808-2ZR
	52	7	0,3	4,94	3,45	0,186	_	61808-2RSR
	62	12	0,6	13,8	10	0,425	-	61908-2ZR
	62	12	0,6	13,8	10	0,425	_	61908-2RSR
	68	15	1	16,824	11,493	0,423	6008Z	6008-2Z
	68	15	1	16,824	11,493	0,52	6008RS	6008-2RS
	68	21	1	16,8	11,495	0,49	-	63008-2RSR
	80	18	1,1	32,633	19,887	0,49	6208Z	6208-2Z
	80	18	1,1	32,633	19,887	0,9	6208RS	6208-2RS
	80	23		,	19,007	,	- 02UONS	62208-2RSR
	90	23	1,1	30,7		0,8		
			1,5	40,76	24,017	1,09	6308Z	6308-2Z
	90	23	1,5	40,76	24,017	1,09	6308RS	6308-2RS
	90	33	1,5	41	24	1,02	-	62308-2RSR
45	58	7	0,3	6,63	6,1	0,26	_	61809-2ZR
.0	58	7	0,3	6,63	6,1	0,26	_	61809-2RSR
	68	12	0,6	14	10,8	0,465	-	61909-2ZR
	68	12	0,6	14	10,8	0,465	_	61909-2RSR
	75	16	1	21,1	15,3	0,700	6009Z	6009-2Z
	75	16	1	21,1	15,3	0,7	6009RS	6009-2RS
	75	23	1	20.8	14,6	0,64	-	63009-2RSR
	85	19	1,1	32,687	20,323	0,04	6209Z	6209-2K3K
	85 85	19					6209Z 6209RS	6209-2RS
	85 85	23	1,1 1,1	32,687 33,2	20,323	0,92 0,915	6209K5 -	6209-2RSR
					21,6			
	100	25	1,5	52,804	31,715	1,44	6309Z	6309-2Z
	100	25	1,5	52,804	31,715	1,44	6309RS	6309-2RS
	100	36	1,5	52,7	31,5	1,34	-	62309-2RSR









Limiting sp	peed for lubrica	tion with		Abutment	and Fillet Di	imensions	\perp	Weight
Gre	ase	Oil						
Z, 2Z	RS, 2RS	Z	d	d _a	d _b	D _a	r _a	~
			min	max	max	max	- 1	
	min ⁻¹				mm			kg
13000		16000	35	37	37	45	0,3	0,030
	8000			37	37	45	0,3	0,030
11000		14000		38,2	38,2	51,8	0,6	0,080
	7500			38,2	38,2	51,8	0,6	0,080
10600		12600		39,5	39,5	57	1	0,16
	7100			39,5	39,5	57	1	0,16
	7000			39,6	39,6	57,4	1	0,21
9400		11000		42	42	65	1	0,29
	6300			42	42	65	1	0,29
	6300			42	42	65	1	0,37
8400		10000		42	44	71	1,5	0,46
	5600			42	44	71	1,5	0,46
	6000			44	44	71	1,5	0,66
11000		14000	40	42	42	50	0,3	0,034
	7500			42	42	50	0,3	0,034
10000		13000		43,2	43,2	58,8	0,6	0,12
	6700			43,2	43,2	58,8	0,6	0,12
9400		11000		44	46	63	1	0,20
	6300			44	46	63	1	0,20
	6300			44,6	44,6	63,4	1	0,26
8400		10000		47	48	73	1	0,37
	5600			47	48	73	1	0,37
	5600			47	47	73	1	0,44
7900		9400		47	50,6	81	1,5	0,64
	5300			47	50,6	81	1,5	0,64
	5000			49	49	81	1,5	0,89
							.,-	-,
9500		12000	45	47	47	56	0,3	0,040
	6700			47	47	56	0,3	0,040
9000		11000		48,2	48,2	64,8	0,6	0,14
	6000			48,2	48,2	64,8	0,6	0,14
8400		10000		49	51,5	70	1	0,25
	5600			49	51,5	70	1	0,25
	5600			50,8	50,8	69,2	1	0,34
7900	0000	9400		52	52,5	78	1	0,41
	5300	3.33		52	52,5	78	1	0,41
	5000			52	52	78	1	0,48
7100		8400		52	56	91	1,5	0,83
7100	4700	0.100		52	56	91	1,5	0,83
	4500			54	54	91	1,5	1,15
	1000			0-1	0-1	01	1,0	1,10


























d = 50 to 60 mm



	Main dir	mensions		Basic loa	nd rating	Fatique load limit	Bearing	designation
				Dynamic	Static			
d	D	В	r _s	C,	C _{or}	P _u	Z, ZR	2Z, 2ZR
0.1			min					
2.1.2	n	nm		kl	N	kN	RS, RSR	2RS, 2RSR
50	65	7	0,3	6,76	6,8	0,285	-	61810-2ZR
	65	7	0,3	6,76	6,8	0,285	-	61810-2RSR
	72	12	0,6	14,6	11,8	0,5	-	61910-2ZR
	72	12	0,6	14,6	11,8	0,5	-	61910-2RSR
	80	16	1	21,72	16,65	0,76	6010Z	6010-2Z
	80	16	1	21,72	16,65	0,76	6010RS	6010-2RS
	80	23	1	21,6	16	0,71	-	63010-2RSR
	90	20	1,1	35,066	23,266	1,06	6210Z	6210-2Z
	90	20	1,1	35,066	23,266	1,06	6210RS	6210-2RS
	90	23	1,1	35,1	23,2	0,98	-	62210-2RSR
	110	27	2	61,754	37,745	1,72	6310Z	6310-2Z
	110	27	2	61,754	37,745	1,72	6310RS	6310-2RS
	110	40	2	61,8	38	1,6	-	62310-2RSR
55	72	9	0,3	9,04	8,8	0,375	-	61811-2ZR
	72	9	0,3	9,04	8,8	0,375	-	61811-2RSR
	80	13	1	16,5	14	0,6	-	61911-2ZR
	80	13	1	16,5	14	0,6	-	61911-2RSR
	90	18	1,1	28,216	21,318	0,97	6011Z	6011-2Z
	90	18	1,1	28,216	21,318	0,97	6011RS	6011-2RS
	100	21	1,5	43,35	29,397	1,34	6211Z	6211-2Z
	100	21	1,5	43,35	29,397	1,34	6211RS	6211-2RS
	100	25	1,5	43,6	29	1,25	-	62211-2RSR
	120	29	2	71	44,7	2,03	6311Z	6311-2Z
	120	29	2	71	44,7	2,03	6311RS	6311-2RS
	120	43	2	71,5	45	1,9	-	62311-2RSR
60	78	10	0,3	11,9	11,4	0,49	_	61812-2ZR
30	78	10	0,3	11,9	11,4	0,49	_	61812-2RSR
	85	13	1	16,5	14,3	0,6	_	61912-2ZR
	85	13	1	16,5	14,3	0,6	_	61912-2RSR
	95	18	1,1	29,343	23,256	1,06	6012Z	6012-2Z
	95	18	1,1	29,343	23,256	1,06	6012RS	6012-2RS
	110	22	1,5	52,486	35,786	1,63	6212Z	6212-2Z
	110	22	1,5	52,486	35.786	1,63	6212RS	6212-2RS
	110	28	1,5	52,7	36	1,53	-	62212-2RSR
	130	31	2,1	81,5	52.1	2,37	6312Z	6312-2Z
	130	31	2,1	81,5	52,1	2,37	6312RS	6312-2RS
	130	46	2,1	81,9	52	2,2	-	62312-2RSR
	100	-10	۷,۱	01,0	- 02	2,2		SECTE ETION


ZZ

2ZR










ZR


Z



Limiting sp	eed for lubrica	tion with		Abutment	and Fillet Di	mensions		Weight
Gre	ase	Oil						
Z, 2Z	RS, 2RS	Z	d	d _a	d _b	D _a	r _a	~
			min	max	max	max		
	min ⁻¹				mm			kg
9000		11000	50	52	52	63	0,3	0,052
	6000			52	52	63	0,3	0,052
8500		10000		53,2	53,2	68,8	0,6	0,14
	5600			53,2	53,2	68,8	0,6	0,1
7900		9400		54	56,5	75	1	0,20
	5300			54	56,5	75	1	0,2
	5000			54,6	54,6	75,4	1	0,3
7100		8400		57	58	83	1	0,4
	4700			57	58	83	1	0,4
	4800			57	57	83	1	0,5
6300		7500		60	61,8	100	2	1,0
0000	4200	, 000		60	61,8	100	2	1,0
	4300			61	61	99	2	1,5
	1000			0.	0.	00	_	.,0
8500		10000	55	57	57	70	0,3	0,08
	5300			57	57	70	0,3	0,08
8000		9500		59,6	59,6	75,4	1	0,1
	5000			59,6	59,6	75,4	1	0,1
7100		8400		60	62,5	84	1	0,3
	4700	0.00		60	62,5	84	1	0,3
6700		7900		62	65	91	1,5	0,6
0700	4500	7000		62	65	91	1,5	0,6
	4300			64	64	91	1,5	0,0
5600	4000	6700		65	67	110	2	1,3
0000	3800	0700		65	67	110	2	1,3
	3800			66	66	109	2	1,9
	3000			00	00	109		1,0
7500		9000	60	62	62	76	0,3	0,1
7000	4800	0000	00	62	62	76	0,3	0,1
7500	1000	9000		64,6	64,6	80,4	1	0,2
	4500			64,6	64,6	80,4	1	0,2
6700	.555	7900		65	68	88	1	0,4
0,00	4500	, 000		65	68	88	1	0,4
6000	1000	7100		67	70,2	101	1,5	0,7
5500	4000	, 100		67	70,2	101	1,5	0,7
	4000			69	69	101	1,5	0,7
5300	7000	6300		72	75	118	2	1,7
3000	3500	0000		72	75	118	2	1,7
	3400			72	73 72	118	2	2.5



d = 65 to 75 mm




	Main dir	nensions		Basic loa	d rating	Fatique load limit	Bearing	designation
				Dynamic	Static			
d	D	В	rs	C,	C _{or}	P _u	Z, ZR	2Z, 2ZR
			min					
	n	ım		ki	1	kN	RS, RSR	2RS, 2RS
65	85	10	0,6	12,4	12,7	0,54	-	61813-2ZR
	85	10	0,6	12,4	12,7	0,54	-	61813-2RSF
	90	13	1	17,4	16	0,68	-	61913-2ZR
	90	13	1	17,4	16	0,68	_	61913-2RSI
	100	18	1,1	30,5	25,1	1,14	6013Z	6013-2Z
	100	18	1,1	30,5	25,1	1,14	6013RS	6013-2RS
	120	23	1,5	57,21	40,011	1,82	6213Z	6213-2Z
	120	23	1,5	57,21	40,011	1,82	6213RS	6213-2RS
	120	31	1,5	55,9	40,5	1,73	-	62213-2RSI
	140	33	2,1	92,6	59,6	2,68	6313Z	6313-2Z
	140	33	2,1	92,6	59,6	2,68	6313RS	6313-2RS
	140	48	2,1	92,3	60	2,5	-	62313-2RSI
70	90	10	0,6	12,4	13,2	0,56	-	61814-2ZR
	90	10	0,6	12,4	13,2	0,56	_	61814-2RSF
	100	16	1	23,8	21,2	0,9	-	61914-2ZR
	100	16	1	23,8	21,2	0,9	_	61914-2RSF
	110	20	1,1	37,96	30,959	1,41	6014Z	6014-2Z
	110	20	1,1	37,96	30,959	1,41	6014RS	6014-2RS
	125	24	1,5	62	43,8	1,99	6214Z	6214-2Z
	125	24	1,5	62	43.8	1.99	6214RS	6214-2RS
	125	31	1,5	60,5	45	1.9	-	62214-2RSI
	150	35	2,1	104	68.1	2.95	6314Z	6314-2Z
	150	35	2,1	104	68,1	2,95	6314RS	6314-2RS
	150	51	2,1	104	68	2,75	-	62314-2RSI
			=,.			_,		
75	95	10	0,6	12,7	14,3	0,61	-	61815-2ZR
	95	10	0,6	12,7	14,3	0,61	-	61815-2RSF
	105	16	1	24,2	19,3	0,965	_	61915-2ZR
	105	16	1	24,2	19,3	0,965	-	61915-2RSF
	115	20	1,1	39,747	33,17	1,51	6015Z	6015-2Z
	115	20	1,1	39,747	33,17	1,51	6015RS	6015-2RS
	130	25	1,5	66,179	49,311	2,21	6215Z	6215-2Z
	130	25	1,5	66,179	49,311	2,21	6215RS	6215-2RS
	160	37	2,1	114	76,4	3,2	6315Z	6315-2Z
	160	37	2,1	114	76,4	3,2	6315RS	6315-2RS
			-,.		, .	3,2		

. . . 202







Z ZR ZZ 2ZR

Limiting s	peed for lubricat	tion with			Weight			
Gre	ase	Oil						
Z, 2Z	RS, 2RS	Z	d	da	d _b	D _a	r _a	~
			min	max	max	max		
	min ⁻¹				mm			kg
7000		8500	65	68,2	68,2	81,8	0,6	0,13
	4500			68,2	68,2	81,8	0,6	0,13
6700		8000		69,6	69,6	85,4	1	0,22
	4300			69,6	69,6	85,4	1	0,22
6300		7500		70	73	93	1	0,44
	4200			70	73	93	1	0,44
5300		6300		72	77	111	1,5	1,00
	3500			72	77	111	1,5	1,00
	3600			74	74	111	1,5	1,25
5000		6000		76	78	128	2	2,10
	3300			76	78	128	2	2,10
	3200			77	77	128	2	3,00
6700		8000	70	73,2	73,2	86,8	0,6	0,14
	4300			73,2	73,2	86,8	0,6	0,14
6300		7500		74,6	74,6	95,4	1	0,35
	4000			74,6	74,6	95,4	1	0,35
5600		6700		75	78	103	1	0,62
	3800			75	78	103	1	0,62
5300		6300		77	82	116	1,5	1,09
	3500			77	82	116	1,5	1,09
	3400			79	79	116	1,5	1,30
4700		5600		81	85	138	2	2,53
	3200			81	85	138	2	2,53
	3000			82	82	138	2	3,55
6300		7500	75	78,2	78,2	91,8	0,6	0,15
0000	4000	7000	, 0	78,2	78,2	91,8	0,6	0,15
6000	4000	7000		79,6	79,6	100	1	0,37
0000	3600	7000		79,6	79,6	100	1	0,37
5300	0000	6300		80	83	108	1	0,64
0000	3500	0000		80	83	108	1	0,64
5000	0000	6000		82	85	121	1,5	1,19
0000	3300	0000		82	85	121	1,5	1,19
4200	0000	5000		86	93	148	2	3,03
7200	2800	0000		86	93	148	2	3,03
	2000			00		1-10	_	5,00






























• • 203 • • •



d = 80 to 95 mm



		Main di	mensions		Basic loa	ad rating	Fatique load limit	Bearing	designation
					Dynamic	Static			
	d	D	В	r _s	C,	C _{or}	P _u	Z, ZR	2Z, 2ZR
				min					
12.1.2		r	nm		k	N	kN	RS, RSR	2RS, 2RSR
	30	100	10	0,6	13	15	0,64	-	61816-2ZR
		100	10	0,6	13	15	0,64	-	61816-2RSR
		110	16	1	25,1	20,4	1,02	-	61916-2ZR
		110	16	1	25,1	20,4	1,02	-	61916-2RSR
		125	22	1,1	47,5	39,8	1,79	6016Z	6016-2Z
		125	22	1,1	47,5	39,8	1,79	6016RS	6016-2RS
		140	26	2	72,2	53,1	2,3	6216Z	6216-2Z
		140	26	2	72,2	53,1	2,3	6216RS	6216-2RS
		170	39	2,1	122,85	86,226	3,51	6316Z	6316-2Z
		170	39	2,1	130	86,5	3,25	6316-RSR	6316-2RSR
8	35	110	13	1	19,5	20,8	0,88	-	61817-2ZR
		110	13	1	19,5	20,8	0,88	-	61817-2RSR
		130	22	1,1	49,794	42,609	1,87	6017Z	6017-2Z
		130	22	1,1	52	43	1,76	6017-RSR	6017-2RSR
		150	28	2	83,299	63,675	2,67	6217Z	6217-2Z
		150	28	2	83,299	63,675	2,67	6217RS	6217-2RS
		180	41	3	132,507	96,069	3,79	6317Z	6317-2Z
		180	41	3	140	96,5	3,55	6317-RSR	6317-2RSR
9	90	115	13	1	19,5	22	0,915	-	61818-2ZR
		115	13	1	19,5	22	0,915	-	61818-2RSR
		140	24	1,5	60,5	50	1,96	6018-Z	6018-2Z
		140	24	1,5	60,5	50	1,96	6018-RSR	6018-2RSR
		160	30	2	96,2	70,8	2,88	6218Z	6218-2Z
		160	30	2	101	73,5	2,8	6218-RSR	6218-2RSR
		190	43	3	143	104	4	6318Z	6318-2Z
		190	43	3	151	108	3,8	6318-RSR	6318-2RSR
9	95	120	13	1	19,9	22,8	0,93	-	61819-2ZR
		120	13	1	19,9	22,8	0,93	-	61819-2RSR
		130	18	1,1	33,8	33,5	1,43	-	61919-2RSR
		145	24	1,5	63,7	54	2,08	6019-Z	6019-2Z
		145	24	1,5	63,7	54	2,08	6019-RSR	6019-2RSR
		170	32	2,1	114	81,5	3	6219-Z	6219-2Z
		170	32	2,1	114	81,5	3	6219-RSR	6219-2RSR
		200	45	3	159	118	4,15	6319-Z	6319-2Z
		200	45	3	159	118	4,15	6319-RSR	6319-2RSR


. 204

ZZ

2ZR








ZR

Z




l imiting s	peed for lubricat	tion with		Abutment	and Fillet Di	imensions		Weight
Lilliuing 5	Jeeu IOI Iubiica			Abutillelit	and I met Di	IIIICIISIOIIS		Weight
	ase	Oil						
Z, 2Z	RS, 2RS	Z	d	d _a	d _b	D _a	r _a	~
			min	max	max	max		
	min ⁻¹				mm			kg
6000		7000	80	83,2	83,2	96,8	0,6	0,15
	3600			83,2	83,2	96,8	0,6	0,15
5600		6700		84,6	84,6	105	1	0,40
	3400			84,6	84,6	105	1	0,40
5000		6000		85	90	118	1	0,86
	3300			85	90	118	1	0,86
4700		5600		90	92	130	2	1,41
	3200			90	92	130	2	1,41
4000		4700		91	99	158	2	3,62
	2600			92	92	158	2	3,60
5300		6300	85	89,6	89,6	105	1	0,27
	3400			89,6	89,6	105	1	0,27
4700		5600		90	95	123	1	0,89
	3000			92	92	123	1	0,89
	2800			95	99	140	2	1,79
4200		5000		95	99	140	2	1,79
3800		4500		98	103	166	2,5	4,26
	2400			99	99	166	2,5	4,25
5000		2222			0.4.0	440		0.00
5300	2222	6300	90	94,6	94,6	110	1	0,28
4000	3200	5000		94,6	94,6	110	1	0,28
4800	2800	5600		97 97	97 97	133 133	1,5 1,5	1,15
4000	2800	4700					,	1,15
4000	2600	4700		100 101	105 101	150 149	2	2,16
3400	2000	4200		101	101	176	2,5	2,15 5,15
3400	2400	4200		103	106	176	2,5	4,90
	2400			104	104	170	2,5	4,90
5000		6000	95	99,6	99,6	115	1	0,30
	3000			99,6	99,6	115	1	0,30
	2800			101	101	124	1	0,61
4500		5300		102	102	138	1,5	1,20
	2800			102	102	138	1,5	1,20
3600		4300		107	107	158	2	2,60
	3000			107	107	158	2	2,60
3200		3800		109	109	186	2,5	5,65
	2800			109	109	186	2,5	5,65

205



d = 100 to 130 mm



	Main di	mensions		Basic loa	ad rating	Fatique load limit	Bearing	designation
				Dynamic	Static			
d	D	В	r _s	C,	C _{or}	P _u	Z, ZR	2Z, 2ZR
			min					
7.	n	nm		kl	N	kN	RS, RSR	2RS, 2RSR
100	125	13	1	19,9	24	0,95	-	61820-2ZR
	125	13	1	19,9	24	0,95	-	61820-2RSR
	150	24	1,5	60	54	2,2	6020Z	6020-2Z
	150	24	1,5	63,7	54	2,04	6020-RSR	6020-2RSR
	180	34	2,1	127	93	3,35	6220-Z	6220-2Z
	180	34	2,1	127	93	3,35	6220-RSR	6220-2RSR
	215	47	3	174	140	4,75	6320-Z	6320-2Z
105	130	13	1	20,8	19,6	1	-	61821-2ZR
	130	13	1	20,8	19,6	1	_	61821-2RSR
	160	26	2	76,1	65,5	2,4	6021-Z	6021-2Z
	160	26	2	76,1	65,5	2,4	6021-RSR	6021-2RSR
	190	36	2,1	140	104	3,65	6221-Z	6221-2Z
	190	36	2,1	140	104	3,65	6221-RSR	6221-2RSR
	225	49	3	182	153	5,1	6321-Z	6321-2Z
110	140	16	1	28,1	26	1,25	-	61822-2ZR
	140	16	1	28,1	26	1,25	-	61822-2RSR
	170	28	2	85,2	73,5	2,4	6022-Z	6022-2Z
	170	28	2	85,2	73,5	2,4	6022-RSR	6022-2RSR
	200	38	2,1	151	118	4	6222-Z	6222-2Z
120	150	16	1	29,1	28	1,29	-	61824-2ZR
	150	16	1	29,1	28	1,29	_	61824-2RSR
	180	28	2	88,4	80	2,75	6024-Z	6024-2Z
	180	28	2	88,4	80	2,75	6024-RSR	6024-2RSR
	215	40	2,1	146	118	3,9	6224-Z	6224-2Z
130	165	18	1,1	37,7	43	1,6	-	61826-2ZR
	165	18	1,1	37,7	43	1,6	-	61826-2RSR
	200	33	2	112	100	3,35	6026-Z	6026-2Z
	200	33	2	112	100	3,35	6026-RSR	6026-2RSR
	230	40	3	156	132	4,15	6226-Z	6226-2Z


ZZ

2ZR










ZR


Z



Limiting s	peed for lubricat	tion with		Abutment	and Fillet Di	mensions		Weight
Gre	ease	Oil						
Z, 2Z	RS, 2RS	Z	d	da	d _b	D _a	r _a	~
			min	max	max	max		
	min ⁻¹				mm			kg
4800		5600	100	105	105	120	1	0,31
	3000			105	105	120	1	0,31
4200		5000		106	110	142	1,5	1,27
	2600			107	107	143	1,5	1,25
4300		5000		112	112	168	2	3,15
	2400			112	112	168	2	3,15
3000		3600		114	114	201	2,5	7,00
4500		5300	105	110	110	125	1	0,32
	2800			110	110	125	1	0,32
4000		4800		116	116	149	2	1,60
	2400			116	116	149	2	1,60
3200		3800		117	117	178	2	3,70
	2200			117	117	178	2	3,70
2800		3400		119	119	211	2,5	8,25
4300		5000	110	115	115	135	1	0,60
	2600			115	115	135	1	0,60
3800		4500		119	119	161	2	1,95
	2400			119	119	161	2	1,95
3000		3600		122	122	188	2	4,35
3800		4500	120	125	125	145	1	0,65
	2400			125	125	145	1	0,65
3400		4000		129	129	171	2	2,05
	2200			129	129	171	2	2,05
2800		3400		132	132	203	2	5,15
3600		4300	130	136	136	159	1	0,93
	2200			136	136	159	1	0,93
3200		3800		139	139	191	2	3,15
	2000			139	139	191	2	3,15
2600		3200		144	144	216	2,5	5,80



d = 140 to 160 mm




	Main dimensions			Basic loa	ad rating	Fatique load limit	Bearing	designation
				Dynamic	Static			
d	D	В	r _s	C _r	C _{or}	P _u	Z, ZR	2Z, 2ZR
			min					
	n	ım		k	N	kN	RS, RSR	2RS, 2RSR
140	175	18	1,1	39	46,5	1,66	-	61828-2ZR
	175	18	1,1	39	46,5	1,66	-	61828-2RSR
	210	33	2	111	108	3,45	6028-Z	6028-2Z
	210	33	2	111	108	3,45	6028-RSR	6028-2RSR
150	225	35	2,1	125	125	3,9	6030-Z	6030-2Z
	225	35	2,1	125	125	3,9	6030-RSR	6030-2RSR
160	240	38	2,1	143	143	4,3	6032-Z	6032-2Z
	240	38	2,1	143	143	4,3	6032-RSR	6032-2RSR

ZZ








ZR

Z



Limiting s	peed for lubric	ation with			Weight			
Gre	Grease							
Z, 2Z	RS, 2RS	Z	d	d _a	d _b	D _a	r _a	~
			min	max	max	max		
	min ⁻¹				mm			kg
3400		4000	140	146	146	169	1	0,99
	2000			146	146	169	1	0,99
3000		3600		149	149	201	2	3,35
	1800			149	149	201	2	3,35
2600		3200	150	160	160	215	2	4,80
	1700			160	160	215	2	4,80
2400		3000	160	169	169	231	2	5,90
	1600			169	169	231	2	5,90

2ZR








Single row ball bearings with groove for snap ring on outer race d=12 to $120\,\text{mm}$

d = 12 to 45 mm






Min Max Max Min Min	Main dimensions								Basic load rating		Fatique Ioad Iimit
Min Max Max Min Min Max Min Max Min Min Max Min Min Max Min Min									Dynamic	Static	
	d	D	В	r.	D.	а	b	r _o	C.	C.,	P _u
Name				min	max	max	min		·		
12 32 10 0,66 30,15 2,06 1,35 0,4 6,905 3,100 0, 32 14 0,66 30,15 2,06 1,35 0,4 6,905 3,100 0, 15 35 11 0,60 33,17 2,06 1,35 0,4 7,718 3,745 0, 35 14 0,60 33,17 2,06 1,35 0,4 7,718 3,745 0, 17 40 12 0,60 38,10 2,06 1,35 0,4 9,534 4,734 0,4 40 16 0,60 38,10 2,06 1,35 0,4 9,534 4,734 0,4 47 14 1,00 44,60 2,46 1,35 0,4 13,565 6,563 0,2 20 42 12 0,60 39,75 2,06 1,35 0,4 9,534 4,734 0,4 47 14 1,00 44,60 2,46 1,35 0,4 13,565 6,563 0,2 20 42 12 0,60 39,75 2,06 1,35 0,4 12,774 6,553 0,2 52 15 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 17 1,10 68,81 3,28 1,90 0,6 19,443 11,186 0,5 62 17 1,10 68,81 3,28 1,90 0,6 19,443 11,186 0,5 62 17 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,0 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,870 0,8 60 18 1,10 76,81 3,28 1,90 0,6 6 55,00 31,000 1,4 60 68 15 1,00 64,82 2,49 1,90 0,6 6 32,633 19,870 0,8 60 18 1,10 76,81 3,28 1,90 0,6 6 32,633 19,870 0,8 60 18 1,10 76,81 3,28 1,90 0,6 6 32,633 19,870 0,8 60 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0	2.1.3				mm				kN		kN
32 14 0,66 30,15 2,06 1,35 0,4 6,905 3,100 0, 15 35 11 0,60 33,17 2,06 1,35 0,4 7,718 3,745 0, 35 14 0,60 33,17 2,06 1,35 0,4 7,718 3,745 0, 17 40 12 0,60 38,10 2,06 1,35 0,4 9,534 4,734 0,3 40 16 0,60 38,10 2,06 1,35 0,4 9,534 4,734 0,3 47 14 1,00 44,60 2,46 1,35 0,4 9,534 4,734 0,3 47 14 1,00 44,60 2,46 1,35 0,4 13,565 6,563 0,2 20 42 12 0,60 39,75 2,06 1,35 0,4 9,371 4,972 0,2 47 14 1,00 44,60 2,46 1,35 0,4 12,774 6,553 0,2 52 15 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,5 52 21 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,5 52 15 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,9 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 40 68 15 1,00 64,82 2,49 1,90 0,6 55,200 31,000 1,2 40 68 15 1,00 64,82 2,49 1,90 0,6 52,663 15,277 0,6 80 18 1,10 76,81 3,28 1,90 0,6 52,663 15,277 0,6 80 18 1,10 76,81 3,28 1,90 0,6 63,3,367 19,230 0,4 80 18 1,10 76,81 3,28 1,90 0,6 63,2633 19,887 0,8 80 18 1,10 76,81 3,28 1,90 0,6 65,2663 15,277 0,6 80 80 18 1,10 76,81 3,28 1,90 0,6 63,603 19,870 0,8		32	10			2.06	1.35	0.4		3 100	0,141
35					,		,	,			0,141
35											
17	15	35	11	0,60	33,17	2,06	1,35	0,4	7,718	3,745	0,170
40 16 0,60 38,10 2,06 1,35 0,4 9,534 4,734 0,2 47 14 1,00 44,60 2,46 1,35 0,4 13,565 6,563 0,2 20 42 12 0,60 39,75 2,06 1,35 0,4 9,371 4,972 0,2 47 14 1,00 44,60 2,46 1,35 0,4 12,774 6,553 0,2 52 15 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,		35	14	0,60	33,17	2,06	1,35	0,4	7,718	3,745	0,170
40 16 0,60 38,10 2,06 1,35 0,4 9,534 4,734 0,2 47 14 1,00 44,60 2,46 1,35 0,4 13,565 6,563 0,2 20 42 12 0,60 39,75 2,06 1,35 0,4 9,371 4,972 0,2 47 14 1,00 44,60 2,46 1,35 0,4 12,774 6,553 0,2 52 15 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,											
47 14 1,00 44,60 2,46 1,35 0,4 13,565 6,563 0,2 20 42 12 0,60 39,75 2,06 1,35 0,4 9,371 4,972 0,2 47 14 1,00 44,60 2,46 1,35 0,4 12,774 6,553 0,2 52 15 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 62 17 1,10 59,61 3,28 1	17						,	,		,	0,215
20										,	0,215
47 14 1,00 44,60 2,46 1,35 0,4 12,774 6,553 0,2 52 15 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 15 1,00 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,8 62 16 2,00 59,61 3,28 1,90 0,6 13,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 80 21 1,50 78,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 52,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 55,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 55,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 55,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 55,200 31,000 1,2 40 68 15 1,00 64,82 2,49 1,90 0,6 55,200 31,000 1,2 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,6		47	14	1,00	44,60	2,46	1,35	0,4	13,565	6,563	0,298
47 14 1,00 44,60 2,46 1,35 0,4 12,774 6,553 0,2 52 15 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 21 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 52 15 1,00 49,73 2,46 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,8 62 16 2,00 59,61 3,28 1,90 0,6 13,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 80 21 1,50 78,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 52,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 55,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 55,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 55,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 55,200 31,000 1,2 40 68 15 1,00 64,82 2,49 1,90 0,6 55,200 31,000 1,2 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,6	20	40	10	0.60	20.75	2.06	1 25	0.4	0.271	4 072	0,226
52 15 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,5 52 21 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,3 25 47 12 0,60 44,60 2,06 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,6 30 55 13 1,00 52,60 <td< td=""><td>20</td><td></td><td></td><td>-,</td><td></td><td></td><td>,</td><td>,</td><td></td><td>, -</td><td>0,226</td></td<>	20			-,			,	,		, -	0,226
52 21 1,10 49,73 2,46 1,35 0,4 15,866 7,811 0,5 25 47 12 0,60 44,60 2,06 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,3 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,8 30 55 13 1,00 59,61 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0,255</td></t<>											0,255
25 47 12 0,60 44,60 2,06 1,35 0,4 10,070 5,806 0,2 52 15 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,8 62 16 2,00 59,61 3,28 1,90 0,6 36,000 19,200 0,8 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 80 21 1,50 78,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,1 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,2 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0				,	,						0,355
52 15 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,8 30 55 13 1,00 52,60 2,08 1,90 0,4 13,243 8,253 0,5 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28		02		.,	10,10	2, .0	.,00	0, .	.0,000	7,011	0,000
52 18 1,00 49,73 2,46 1,35 0,4 14,029 7,940 0,5 62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,6 30 55 13 1,00 52,60 2,08 1,90 0,4 13,243 8,253 0,3 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 </td <td>25</td> <td>47</td> <td>12</td> <td>0,60</td> <td>44,60</td> <td>2,06</td> <td>1,35</td> <td>0,4</td> <td>10,070</td> <td>5,806</td> <td>0,264</td>	25	47	12	0,60	44,60	2,06	1,35	0,4	10,070	5,806	0,264
62 17 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,8 30 55 13 1,00 52,60 2,08 1,90 0,6 19,443 11,186 0,5 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,0 35 62 14 1,00 59,61 2,06 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,3 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0		52	15	1,00	49,73	2,46	1,35	0,4	14,029	7,940	0,361
62 24 1,10 59,61 3,28 1,90 0,6 21,123 10,806 0,4 80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,8 30 55 13 1,00 52,60 2,08 1,90 0,6 19,443 11,186 0,5 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 35 62 14 1,00 59,61 2,06 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,1 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,2 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0		52	18	1,00	49,73	2,46	1,35	0,4	14,029	7,940	0,361
80 21 1,50 76,81 3,28 1,90 0,6 36,000 19,200 0,8 30 55 13 1,00 52,60 2,08 1,90 0,4 13,243 8,253 0,5 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,8 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,8 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 35 62 14 1,00 59,61 2,06 1,90 0,6 15,956 10,328 0,4 72 17 1,10 68,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,4 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,8 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,6		62	17	1,10	59,61	3,28	1,90	0,6	21,123	10,806	0,491
30 55 13 1,00 52,60 2,08 1,90 0,4 13,243 8,253 0,3 62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 35 62 14 1,00 59,61 2,06 1,90 0,6 15,956 10,328 0,4 72 17 1,10 68,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,8 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0				,				,			0,491
62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,1 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 35 62 14 1,00 59,61 2,06 1,90 0,6 15,956 10,328 0,4 72 17 1,10 68,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,8 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0		80	21	1,50	76,81	3,28	1,90	0,6	36,000	19,200	0,873
62 16 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,1 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 35 62 14 1,00 59,61 2,06 1,90 0,6 15,956 10,328 0,4 72 17 1,10 68,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,8 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0	0.0		4.0	4.00	50.00	0.00	4.00	0.4	10.010	0.050	0.075
62 20 2,00 59,61 3,28 1,90 0,6 19,443 11,186 0,5 72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,0 35 62 14 1,00 59,61 2,06 1,90 0,6 15,956 10,328 0,4 72 17 1,10 68,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,1 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0	30				,		,	,	,	,	0,375
72 19 1,10 68,81 3,28 1,90 0,6 29,701 15,678 0,7 90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,6 35 62 14 1,00 59,61 2,06 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,1 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0											0,508
90 23 1,50 86,79 3,28 2,70 0,6 43,000 23,700 1,0 35 62 14 1,00 59,61 2,06 1,90 0,6 15,956 10,328 0,4 72 17 1,10 68,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,4 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 16,824 11,493 0,5 80 18 1,10 76,81 3,28 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0				,	,		,	,			0,508 0,713
35 62 14 1,00 59,61 2,06 1,90 0,6 15,956 10,328 0,4 72 17 1,10 68,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,4 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 16,824 11,493 0,5 80 18 1,10 76,81 3,28 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0											1,077
72 17 1,10 68,81 3,28 1,90 0,6 25,663 15,277 0,6 80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,8 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 16,824 11,493 0,5 80 18 1,10 76,81 3,28 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0		00	20	1,00	00,10	0,20	2,10	0,0	40,000	20,700	1,077
80 21 1,50 78,81 3,28 1,90 0,6 33,367 19,230 0,1 100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 16,824 11,493 0,5 80 18 1,10 76,81 3,28 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0	35	62	14	1,00	59,61	2,06	1,90	0,6	15,956	10,328	0,469
100 25 1,50 96,80 3,28 2,70 0,6 55,200 31,000 1,4 40 68 15 1,00 64,82 2,49 1,90 0,6 16,824 11,493 0,5 80 18 1,10 76,81 3,28 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0		72	17	1,10	68,81	3,28	1,90	0,6	25,663	15,277	0,694
40 68 15 1,00 64,82 2,49 1,90 0,6 16,824 11,493 0,5 80 18 1,10 76,81 3,28 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0		80	21	1,50	78,81	3,28	1,90	0,6	33,367	19,230	0,874
80 18 1,10 76,81 3,28 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0		100	25	1,50	96,80	3,28	2,70	0,6	55,200	31,000	1,409
80 18 1,10 76,81 3,28 1,90 0,6 32,633 19,887 0,5 90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0											
90 23 1,50 86,79 3,28 2,70 0,6 40,760 24,017 1,0	40										0,522
				,	,		,	,		,	0,904
110 21 2,00 100,01 3,28 2,70 0,6 63,100 36,200 1,6											1,092
		110	21	2,00	100,81	3,28	2,70	0,6	03,100	30,200	1,645
45 75 16 1,00 71,83 2,49 1,90 0,6 21,100 15,300 0,6	45	75	16	1.00	71.83	2.49	1.90	0.6	21.100	15.300	0,695
							,	,	,	,	0,924
											1,442
120 29 2,00 115,21 4,06 3,10 0,6 76,500 44,700 2,0		120	29	2,00	115,21	4,06	3,10	0,6	76,500	44,700	2,032

.. 210





Limiting s lubricati		Bearing designation		Abutment and Fillet Dimensions					Weight	Suitable snap ring
Grease										
	Oil		d	d _a	D _a	D _b	b _a	r _a	~	
			min	min	max	min	min	max		
miı						ım			kg	
22000	27000	6201N	12	16,0	28,0	39,0	1,4	0,6	0,037	R32
22000	27000	62201N		16,0	28,0	39,0	1,4	0,6	0,045	R32
20000	24000	6202N	15	19,0	31,0	41.0	1,4	0,6	0.030	R35
20000	24000	6202N	15	19,0	31,0	41,0	1,4	0,6	0,054	R35
20000	24000	02202N		19,0	51,0	41,0	1,4	0,0	0,004	1100
18000	21000	6203N	17	21,0	36,0	46,0	1,5	0,6	0,073	R40
18000	21000	62203N		21,0	36,0	46,0	1,5	0,6	0,083	R40
16000	19000	6303N		23,0	41,0	54,0	1,5	1,0	0,12	R47
17000	20000	6004N	20	24,0	38,0	47,5	1,5	0,6	0,070	R42
15000	18000	6204N		25,0	42,0	54,0	1,5	1,0	0,11	R47
14000	17000	6304N		26,0	45,0	59,0	1,5	1,0	0,15	R52
14000	17000	62304N		26,0	45,0	59,0	1,5	1,0	0,20	R52
14000	17000	6005N	25	28,0	43,0	54,0	1,5	0,6	0,082	R47
12600	15000	6205N		30,0	47,0	59,0	1,5	1,0	0,13	R52
12600	15000	62205N		30,0	47,0	59,0	1,5	1,0	0,15	R52
11000	13000	6305N		31,0	55,0	69,0	2,2	1,0	0,23	R62
11000	13000	62305N		31,0	55,0	69,0	2,2	1,0	0,32	R62
9400	11000	6405N		34,0	70,0	88,0	2,2	1,5	0,53	R80
12000	14000	6006N	30	34.0	50.0	62,0	1,5	1,0	0.12	R55
11000	13000	6206N	00	35,0	57,0	69,0	2,2	1,0	0,20	R62
11000	13000	62206N		35,0	57,0	69,0	2,2	1,0	0,24	R62
10000	12000	6306N		36,0	65,0	80,0	2,2	1,0	0,33	R72
8400	10000	6406N		39,0	80,0	98,0	3,0	1,5	0,73	R90
10600	12600	6007N	35	39,5	57,0	69,0	2,2	1,0	0,15	R62
9400	11000	6207N	00	42,0	65,0	80,0	2,2	1,0	0,18	R72
8400	10000	6307N		42,0	71,0	88,0	2,2	1,5	0,45	R80
7500	8900	6407N		44,0	90,0	108,0	3,0	1,5	0,95	R100
				, -						
9400	11000	6008N	40	44,0	63,0	76,0	2,2	1,0	0,19	R68
8400	10000	6208N		47,0	73,0	88,0	2,2	1,0	0,35	R80
7900	9400	6308N		47,0	81,0	98,0	3,0	1,5	0,63	R90
6700	7900	6408N		50,0	97,0	118,0	3,0	3,0	1,23	R110
8400	10000	6009N	45	49,0	70,0	83,0	2,2	1,0	0,24	R75
7900	9400	6209N		52,0	78,0	93,0	2,2	1,0	0,40	R85
7100	8400	6309N		52,0	91,0	108,0	3,0	1,5	0,83	R100
6000	7100	6409N		55,0	107,0	131,0	3,5	2,0	1,54	R120
					. , .			,	,	




























Single row ball bearings with groove for snap ring on outer race

d = 50 to 85 mm






			Main d	limensions				Basic lo	ad rating	Fatique load limit
								Dynamic	Static	
d	D	В	r _s	D ₁	а	b	r _o	C,	C _{or}	Pu
e .			min	max	max	min	max			
12.1.3				mm				kN		kN
50	80	16	1,00	76,81	2,49	1,90	0,6	21,720	16,650	0,757
	90	20	1,10	86,79	3,28	2,70	0,6	35,066	23,226	1,056
	110	27	2,00	106,81	3,28	2,70	0,6	61,900	37,600	1,709
55	90	18	1,10	86,79	2,87	2,70	0,6	28,200	21,318	0,969
	100	21	1,50	96,80	3,28	2,70	0,6	43,350	29,397	1,336
	120 140	29 33	2,00	115,21 135.23	4,06 4,90	3,10	0,6	71,000 100,000	44,700	2,032
	140	აა	2,10	135,23	4,90	3,10	0,6	100,000	61,900	2,814
60	95	18	1,10	91.82	2,87	2,70	0,6	29,343	23,256	1,057
00	110	22	1,50	106,81	3,82	2,70	0,6	52,486	35,786	1,627
	130	31	2,10	125,22	4,06	3,10	0,6	81,500	52,100	2,368
	150	35	2,10	145,24	4,90	3,10	0,6	110,000	69,400	3,079
65	100	18	1,10	96,80	2,87	2,70	0,6	30,500	25,100	1,141
	120	23	1,50	115,21	4,06	3,10	0,6	57,210	40,011	1,819
	140	33	2,10	135,23	4,90	3,10	0,6	92,600	59,600	2,676
	160	37	2,10	155,22	4,90	3,10	0,6	117,950	78,329	3,357
70	110	20	1,10	106,81	2,87	2,70	0,6	37,960	30,959	1,407
	125	24	1,50	120,22	4,06	3,10	0,6	62,000	43,800	1,991
	150	35	2,10	145,24	4,90	3,10	0,6	104,000	68,100	2,951
	180	42	3,00	173,66	5,69	3,50	0,6	114,000	104,000	4,228
75	115	20	1.10	111,81	2,87	2,70	0,6	39.747	33.170	1,508
7.5	130	25	1,50	125,22	4,06	3,10	0,6	66,170	49,311	2,214
	160	37	2,10	155,22	4,90	3,10	0,6	114,000	76,400	3,204
	190	45	3,00	183,64	5,69	3,50	0,6	152,529	112,922	4,459
			,	,	,	,	,	,	,	,
80	125	22	1,10	120,22	2,87	3,10	0,6	47,500	39,800	1,787
	140	26	2,00	135,23	4,90	3,10	0,6	72,200	53,100	2,301
	170	39	2,10	163,65	5,69	3,50	0,6	122,850	86,226	3,506
	200	48	3,00	193,65	5,69	3,50	0,6	163,587	124,984	4,801
85	130	22	1,10	125,22	2,87	3,10	0,6	49,794	42,609	1,868
	150	28	2,00	145,24	4,90	3,10	0,6	83,299	63,675	2,670
	180	41	3,00	173,66	5,69	3,50	0,6	132,507	96,069	3,794

. . . 212







Limiting s _i		Bearing designation	Abutment and Fillet Dimensions					Weight	Suitable snap ring	
Grease -	Oil		d	d _a	D _a	D _b	b _a	r _a	~	
			min	min	max	min	min	max		
min		+				1m		IIIax	kg	
7900	9400	6010N	50	54,0	75,0	88,0	2,2	1,0	0,26	R80
7100	8400	6210N	30	57,0	83,0	98,0	3,0	1,0	0,46	R90
6300	7500	6310N		60,0	100,0	118,0	3,0	2,0	1,06	R110
				,-	,.	,.		_,-	.,	
7100	8400	6011N	55	60,0	84,0	98,0	3,0	1,0	0,38	R90
6700	7900	6211N		62,0	91,0	108,0	3,0	1,5	0,60	R100
5600	6700	6311N		65,0	110,0	131,0	3,5	2,0	1,38	R120
5300	6300	6411N		68,0	126,0	151,0	3,5	2,0	2,29	R140
0700	7000	004011	0.0	05.0	00.0	100.0	0.0	4.0	0.44	D05
6700	7900	6012N 6212N	60	65,0	88,0	103,0	3,0	1,0	0,41	R95
6000 5300	7100 6300	6212N 6312N		67,0 72,0	101,0 118,0	110,0 141,0	3,0	1,5 2,0	0,77 1,72	R110 R130
4700	5600	6412N		73,0	136,0	162,0	3,5 3,5	2,0	2,76	R150
47 00	3000	041214		75,0	100,0	102,0	5,5	2,0	2,70	11130
6300	7500	6013N	65	70,0	93,0	108,0	3,0	1,0	0,44	R100
5300	6300	6213N		72,0	111,0	131,0	3,5	1,5	1,00	R120
5000	6000	6313N		76,0	128,0	148,0	3,5	2,0	2,10	R140
4500	5300	6413N		78,0	146,0	172,0	3,5	2,0	3,28	R160
5600	6700	6014N	70	75,0	103,0	118,0	3,0	1,0	0,60	R110
5300	6300	6214N		77,0	116,0	136,0	3,5	1,5	1,07	R125
4700	5600	6314N		81,0	138,0	162,0	3,5	2,0	2,54	R150
4000	4700	6414N		85,0	164,0	195,0	4,5	2,5	4,85	R180
5000	0000	6015N	75	00.0	108,0	123,0	0.0	1.0	0.04	R115
5300 5000	6300 6000	6215N	75	80,0 82,0	121,0	141,0	3,0	1,0 1,5	0,64 1,18	R115
4200	5000	6315N		86,0	148,0	172,0	3,5	2,0	3,06	R160
3800	4500	6415N		90,0	174,0	205,0	4,5	2,5	5,74	R190
0000	4000	041514		30,0	174,0	200,0	7,0	2,0	0,14	11100
5000	6000	6016N	80	85,0	118,0	136,0	3,5	1,0	0,85	R125
4700	5600	6216N		90,0	130,0	151,0	3,5	2,0	1,40	R140
4000	4700	6316N		91,0	158,0	185,0	3,5	2,0	3,63	R170
3500	4200	6416N		95,0	184,0	215,0	4,5	2,5	6,72	R200
4700	5600	6017N	85	91,5	123,5	141,0	3,5	1,0	0,89	R130
4200	5000	6217N		95,0	140,0	162,0	3,5	2,0	1,80	R150
3800	4500	6317N		98,0	166,0	195,0	4,5	2,5	4,20	R180
























•••••• 213 •••



Single row ball bearings with groove for snap ring on outer race

d = 90 to 120 mm






	Main dimensions									Basic load rating	
									Dynamic	Static	
	d	D	В	r _s	D ₁	а	b	r _o	C _r	C _{or}	P _u
<u>_</u>				min	max	max	min	max			
12.1.3					mm				kN		kN
	90	140	24	1,50	135,23	3,71	3,10	0,6	58,400	49,200	2,085
		160	30	2,00	155,22	4,90	3,10	0,6	96,200	70,800	2,878
	0.5	222		0.00	100.05	- 00	0.50		150 111	447.000	
	95	200	45	3,00	193,65	5,69	3,50	0,6	152,444	117,366	4,393
	100	150	24	1,50	145,24	3,71	3,10	0,6	60,096	54,244	2,205
	100	100	24	1,00	140,24	0,71	0,10	0,0	00,000	04,244	2,200
	105	190	36	2,10	183,64	5,96	3,50	0,6	132,297	104,833	3,924
	120	180	28	2,00	173,66	3,71	3,50	0,6	85,000	79,400	2,947

... 214





Limiting s lubricati		Bearing designation	Abutment and Fillet Dimensions						Weight	Suitable snap ring
Grease										
	Oil		d	d _a	D _a	D _b	b _a	r _a	~	
			min	min	max	min	min	max		
miı	n ⁻¹				m	ım			kg	
4500	5300	6018N	90	96,0	132,0	151,0	3,5	1,5	1,17	R140
4000	4700	6218N		100,0	150,0	172,0	3,5	2,0	2,16	R160
3300	4000	6319N	95	109,0	186,0	215,0	4,5	2,5	5,72	R200
4200	5000	6020N	100	106,0	142,0	162,0	3,5	1,5	1,27	R150
3300	4000	6221N	105	117,0	178,0	205,0	4,5	2,0	3,74	R190
3300	4000	6024N	120	188,0	171,0	195,0	4,5	2,0	2,10	R180































Separable single row ball bearings d = 10 to 20 mm



	Ma	in dimensi	ons 		Basic Io	ad rating	Fatique load limit
					Dynamic	Static	
d	D	В	r _s	r _{1s}	C,	C _{or}	P _u
4			min	min			
4.		mm			kN		kN
10	28	8	0,3	0,15	6,448	2,914	0,13
12	32	7	0,3	0,15	6,363	3,369	0,15
15	35	8	0,3	0,15	8,395	4,584	0,21
	35	8	0,3	0,15	8,395	4,584	0,21
17	44	11	0,6	0,30	10,713	6,077	0,28
	44	11	0,6	0,30	14,723	8,066	0,37
20	47	12	1,0	0,60	15,876	9,149	0,42





Limiting speed for lubrication with		Bearing designation	Abutment and Fillet Dimensions			Weight	
Grease	Oil		d	d _a	D _a	r _a	~
				min	max	max	
min ⁻¹				m	m		kg
25000	31000	E10Y	10	12,0	25,5	0,3	0,022
22000	28000	E12TNG	12	14,0	29,0	0,3	0,029
20000	24000	E15	15	17,2	31,8	0,3	0,034
20000	24000	E15Y	10	17,2	31,8	0,3	0,034
					,	,	
16000	19000	E17	17	22,0	39,0	0,6	0,079
14000	17000	B017		22,0	39,0	0,6	0,075
14000	17000	E20	20	26,0	42,0	1,0	0,089




































12.2 ANGULAR CONTACT BALL BEARINGS

Angular contact ball bearings have raceways of bearing rings designed so that the joins of their contact points and balls contain sharp angle, the so-called contact angle, with the vertical line towards the axis. The bearings are non separable. Separable are some special bearings, or bearings with multipoint contact of QJ type. These bearings are suitable for transfer of combined loads, the so-called simultaneously acting radial and axial loads. With increasing contact angle the axial load bearing capacity grows whilst the radial load bearing capacity slowly reduced.


ZKL manufacture angular contact ball bearings in many versions and dimensions for use in general engineering. The chart section of the catalogue states the standard assortment of ZKL bearings with main dimensions and parameters divided as follows:


- Single row angular contact ball bearings
- Single row angular contact ball bearings for high revolution frequency
- Double row angular contact ball bearings
- Four Point Contact Ball Bearings

Single row angular contact ball bearings

Single row angular contact ball bearings are capable of transferring axial force only in one direction, and are not separable. B and BE design bearings have contact angle 40°. This design allows the bearing to capture radial load acting simultaneously with relatively big axial load in one direction. In order capture axial load in both direction bearings are mounted in pairs opposite each other. BE version bearings have modified inner design in order to transfer bigger load.

The production program includes bearings with contact angle 25° which have additional designation A, alternatively with 26° identified AA. These bearings are made in P5 and P4 accuracy levels, and are designed for location of machine tool and similar machine spindles with relatively higher axial load.

































SINGLE ROW ANGULAR CONTACT BALL BEARINGS FOR HIGH REVOLUTION FREQUENCY

Single row angular contact ball bearings of A70 and A72 type with symmetrical outer ring, or B70 and B72 with symmetrical inner ring are designed for high revolution frequencies. They differ from common bearings of this design group not only in the inner design of bearing raceways but also in the size of the contact angle, design of cage and high accuracy level.

C design bearings have contact angle 15° and are made in the P5, P5A and P4, P4A accuracy classes. They are used mostly for location of spindles of machine tools and similar equipment. CA design bearings have contact angle 12°. CB version bearings have contact angle 10°. They are usually made in the P4 and P4A accuracy level and are designed for very accurate locations with high revolution frequency, e.g. for electric grinding spindles and instruments.




Fig. 12.2.2

Main dimensions

Main dimensions comply with the international standard ISO 15 and are stated in the table section.

Designation

The system of designating the bearings in basic version forms a part of the data stated in the table section. Difference from the basic design is identified with additional characters as advised in chapter 7.6. The characteristics of individual design variants are described below.

Cages

The 72 and 73 type bearings in B, BE and A versions are supplied with massive brass cage guided on rolling elements (M). Bearings can be also supplied with a sheet-metal cage that is not identified, or with a massive polyamide cage reinforced by glass fibres (TNG).

... 777

 $(z\kappa)$



Bearings intended for high revolution frequencies are supplied with a massive cage of reinforced fabric – textit – guided on the outer ring (TA), or guided on the inner ring (TB). These bearings can be supplied even with a massive brass cage (M).

Accuracy

Single row 72 and 73 type angular contact ball bearings are usually made in normal accuracy level P0 whilst this symbol is not presented. For more exacting locations bearings are supplied in higher accuracy level P6 or P5.

Bearings intended for high revolutions are supplied in higher accuracy levels P5 and P4, alternatively P4A

The limit values of bearing dimension and run accuracy deviations comply with the standard ISO 492, and are stated in charts 7.2 and 7.3. Limit tolerance values for bearings of higher accuracies are stated in charts 7.4 to 7.8. Limit tolerance values of installation fillet are stated in chart 7.1. These values comply with the standard ISO 582

Misalignment

Single row angular contact ball bearings can only balance misalignment to certain limited extent. The allowed misalignment of shaft against the element which does not cause inadmissibly high additional load depends on the service clearance in the bearing, size of bearings, inner design and forces and torques acting on the bearing. Considering unusually complex relations between individual factors, no generally applicable values can be stated. If bearings are mounted in pairs, especially in the arrangement with backs opposite one another (in the "O" layout) with small axial inner clearance, the misalignment can only be compensated by increased load of the balls that will cause higher stress of the cage and reduce the service durability of the bearings. More suitable for locations with small misalignment is the layout of bearings with fronts to each other (in the "X" layout) which has smaller rigidity in tilting. Any misalignment also causes increased noise level during the bearing run.

Association of bearings

The A70, A72, B70 and B72 version bearings designed for high revolution frequencies are supplied by the manufacturer associated in pairs, triplets or quaternions. Bearing can also be supplied as universally coupled.

Various arrangements of bearings are shown in the figure 12.2.3.

Associated pair "O"

Pair features high rigidity against misalignment and transfers axial forces in both directions through one bearing only. It is used to capture overturning torque.

Associated pair "X"

Pair has the same abilities in terms of transfer of axial forces as the "O" arrangement, but lower rigidity in capturing overturning torque.






























Associated pair "T"

Pair features high rigidity in capturing overturning torque but is able to transfer axial load in one direction only.

Association of bearings in triplets and quaternions

For special locations that require high accuracy, rigidity, load bearing capacity and high revolution frequency, bearings of A70, A72, B70 and B72 type are supplied, combined in triplets and quaternions. The scheme of such arrangement is indicated in par. 2.2.

Considering the specifics of such cases, any use of the arrangement in triplets and quaternions should be discussed with the supplier.

Associated pair is supplied in a joint packaging in order to prevent confusion and the place of the biggest radial runout is for the assembly purposes marked with a punch mark on the face of rings. Mutual position of rings opposite each other is marked with concurring lines in "V" shape on the outer cylindrical surface of the associated pair. Bearings are mounted in location so that the punch marks identifying the place of the biggest radial runout are situated on the line that runs in parallel to the shaft axis.

... 274





Universal association of bearings

Bearings for universal pairing are produced in such tolerances that allow in any arrangement achieving of required prestress or tolerance without additional re-grinding of rings, or use of spacing washers. Additional identification of universal bearings contain the U symbol in combination with character that defines the final clearance or prestress range (UA2, UA, UA3, UO, UL, UM, US). Bearings can be arranged in location only in pairs of the same version. Thus, bearings can be mounted in tandems to capture bigger forces where one bearing is not enough; with the fronts or backs opposite each other.

Internal clearance and prestress

Usual method of use of single row angular contact ball bearings is in a pair where suitable service clearance or prestress are set during the assembly and depends on the construction of location and service conditions.

ZKL bearings intended for pairing are made for association with three clearance values, without clearance and three prestress values.

A association of bearings with normal clearance

A2 association of bearings with clearance smaller than normal

A3 association of bearings with clearance bigger than normal

O association of bearings without clearance

L association of bearings with small prestress

M association of bearings with medium prestress

S association of bearings with big prestress

Size of internal clearance and prestress

Indicative values of axial prestress can be determined upon the below relation:

$$F_{n} = k C_{r} 10^{-2}$$

where:

 F_paxial prestress

kcoefficient of axial prestress according to table 12.2.1

C, radial dynamic load rating

Values of axial clearance of universally pairable bearings in pair with backs or front opposite each other are available in table 12.2.2





























Table 12.2.1

Axial pr	estress	Coeficient K						
		Contact angle α						
		10°	12°	15°	26°			
Size	Designation	Bearing design						
		СВ	CA	С	AA			
Small	L	0,4	0,5	0,7	1,2			
Big	М	1,4	1,6	2	3,5			
Big	S	2,8	3,2	4	7			

Table 12.2.2

Bore d	iameter		Axial Internal clearance, Class							
	d	A2		,	4	А3				
over	including	min	max	min	max	min	max			
mm		μm								
10	18	5	13	15	23	24	32			
18	30	7	15	18	26	32	40			
30	50	9	17	22	30	40	48			
50	80	11	23	26	38	48	60			
80	120	14	26	32	44	55	67			
120	180	17	29	35	47	62	74			
180	250	21	37	45	61	74	90			

Load rating of bearings mounted in pairs

The load bearing capacity values stated in tables apply to individual bearings. The following values apply to the use in pairs:

Dynamic load rating of pair in O or X arrangement: $C_{r2} = 1.62 C_{r1}$ (of individual bearing)

Dynamic load rating of pair in T arrangement: $C_{r2} = 2 C_{r1}$ (of individual bearing)

Static load capacity of pair $C_{or2} = 2 C_{or1}$ (of individual bearing)

... 226





Equivalent radial dynamic load

Bearings with contact angle of 40°

Individual bearings:

$$P_r = F_r$$

for
$$F_a/F_r \leq 1.14$$

$$P_r = 0.35 F_r + 0.57 F_a$$

for
$$F_a/F_r > 1.14$$

Bearings with contact angle of 25°

Individual bearings and associated bearings in T arrangement:

$$P_{.} = F_{.}$$

for
$$F_a/F_r \leq 0.68$$

$$P_r = 0.41 F_r + 0.87 F_a$$

for
$$F_a/F_r > 0.68$$

Associated pairs in O or X arrangement:

$$P_r = F_r + 0.92 F_a$$

for
$$F_a/F_c \leq 0.68$$

$$P_r = 0.67 F_r + 1.14 F_a$$

for
$$F_a/F_r > 0.68$$

Bearings with contact angle of 15°

Individual bearings and associated bearings in T arrangement:

$$P_r = F_r$$

for
$$F_a/F_r \leq e$$

$$P_{r} = 0.44 F_{r} + Y F_{a}$$

for
$$F_3/F_1 > e$$

Associated pairs in O or X arrangement:

$$P_r = F_r + Y_1 F_a$$

for
$$F_a/F_r \leq e$$

$$P_{r} = 0.72 F_{r} + Y_{z} F_{a}$$

for
$$F_a/F > e$$

 F_r and F_a are forces acting on a pair of bearings. If the shaft is located in two single row angular contact ball bearings, the acting radial clearance will distribute to radial and axial component. Axial load of one bearing depends on the load and size of the contact angle of the second bearing. These additional inner forces must be considered in calculation of bearing.

























Table 12.2.3

F _a /iC _{or}	e	Y
0,015	0,38	1,47
0,029	0,40	1,40
0,058	0,43	1,30
0,087	0,46	1,23
0,12	0,47	1,19
0,17	0,50	1,12
0,29	0,55	1,02
0,44	0,56	1,00
0,58	0,56	1,00

Table 12.2.4

F _a /iC _{or}	е	Y ₁	Y ₂
0,015	0,38	1,65	2,39
0,029	0,40	1,57	2,28
0,058	0,43	1,46	2,11
0,087	0,46	1,38	2,00
0,12	0,47	1,34	1,93
0,17	0,50	1,26	1,82
0,29	0,55	1,14	1,66
0,44	0,56	1,12	1,63
0,58	0,56	1,12	1,63

The below table states relations for different arrangements of bearings during acting of external axial force $K_{a'}$, radial force F_{ra} or – more precisely – F_{rb} . Radial forces act in the point of intersection of joint line with the shaft axis. (Dimension "a" is in the table section.) The calculation considers the force intensity in absolute values only. The calculated force F_{a} is instituted in the calculation of equivalent radial dynamic load P_{r} .




Fig. 12.2.7

... 778



Table 12.2.5

Arrangement of bearings	Force ratios	Axial load of bearings				
		Bearing A	Bearing B			
	$F_{rA}/Y_{A} \le F_{rB}/Y_{B}$ $K_{a} \ge 0$	$F_{aA} = F_{aB} + K_a$	F _{aB} = e F _{rB}			
See fig. 12.2.7 and 12.2.8	$F_{rA}/Y_A > F_{rB}/Y_B$ $K_a \ge e (F_{rA} - F_{rB})$	$F_{aA} = F_{aB} + K_a$	F _{aB} = e F _{rB}			
	$F_{rA}/Y_A > F_{rB}/Y_B$ $K_a < e (F_{rA} - F_{rB})^{11}$	$F_{aA} = e F_{rA}$	$F_{aB} = F_{aA} - K_a$			
	$F_{rA}/Y_A \ge F_{rB}/Y_B$ $Ka \ge 0$	$F_{aA} = e F_{rA}$	$F_{aB} = F_{aA} + K_a$			
See fig. 12.2.9 and 12.2.10	$F_{rA}/Y_A < F_{rB}/Y_B$ $K_a < e (F_{rB} - F_{rA})$	$F_{aA} = e F_{rA}$	$F_{aB} = F_{aA} + K_a$			
	$F_{rA}/Y_A < F_{rB}/Y_B$ $K_a < e (F_{rB} - F_{rA})^{1}$	$F_{aA} = F_{aB} - K_a$	F _{aB} = e F _{rB}			

 $^{1)}$ Applies to Ka = 0 For bearings with contact angle = 40° (BE a B) e = 1,14; Y = 0,57 For bearings with contact angle = 25° (A) e = 0,68; Y = 0,87 For other bearings e and Y accord. to tables 12.2.3 and 12.2.4




Fig. 12.2.8






























Fig. 12.2.9




Fig. 12.2.10





Equivalent radial static load

The following applies to individual bearings and bearings mounted in tandem:

$$P_{or} = 0.5 F_{r} + 0.26 F_{a}$$

for
$$P_{or} \ge F_{r}$$

$$P_{nr} = F_{r}$$

for
$$P_{nr} < F_{r}$$

The following applies to bearings mounted in $\mathbb O$ or X arrangement:

$$P_{or} = F_{r} + 0.52 F_{a}$$

for
$$P_{or} \geq F_{r}$$

$$P_{nr} = F_{r}$$

for
$$P_{nr} < F_{r}$$

Location structure

Designing locations with single row angular contact ball bearings has to consider that these bearings must be used either with another bearing, or in pair. If single row angular contact ball bearings are used, the have to be arranged against each other to achieve the required prestress or clearance. If locations use bearings with universal pairing in contact next to each other, they need not be adjusted. Required prestress or clearance will be achieved by selecting a bearing of corresponding prestress or clearance class and proper location on the shaft and in the body. Proper adjustment and selection of prestress or clearance are essential for correct function of the bearing and reliability of location. If the service clearance is e.g. too big, then the bearing's load bearing capacity will not be fully utilised, whilst excessive prestress will cause high friction and higher service temperature which will lead to shorter service durability of the bearing. It however has to be emphasized that proper rolling of single row ball bearings of 72B and 73B series (with contact angle 40°) is only ensured in case that $F_{\nu}/F_{\nu} \ge 1$.

Special attention has to be paid to a pair of bearings mounted with their backs opposite each other (in the "O" arrangement), or with their fronts opposite each other (in the "X" arrangement), when axial load prevails in one direction. Incorrect rolling of unloaded bearing balls in these conditions might cause noise, interruption of grease film and increased stress of the cage. Under such conditions it is advisable to have zero service clearance which can be achieved e.g. by the use of thrust springs, or by pairing of bearings with adequate prestress sizes.






























Single row angular contact ball bearings d = 10 to 240 mm


d = 10 to 45 mm



			Main di	imensions		_	Basic loa	ad rating	Fatique load limit
ĺ							dynamic	static	
ĺ	d	D	В	r _s	r _{1S}	а	C,	C _{or}	P _u
				min	min			<u> </u>	<u> </u>
12.2.1				nm			kl	N	kN
_	10	30	9	0,6	0,3	13,0	7,423	3,290	0,150
		30	9	0,6	0,3	13,0	7,020	3,350	0,140
	12	32	10	0,6	0,3	14,0	8,035	3,778	0,172
		32	10	0,6	0,3	14,4	7,610	3,800	0,160
		37	12	1,0	0,6	16,3	10,600	5,000	0,208
	15	35	11	0,6	0,3	12,0	9,580	4,875	0,222
		35	11	0,6	0,3	16,0	8,595	4,368	0,199
		42	13	1,0	0,6	18,0	13,946	6,575	0,299
		35	11	0,6	0,3	16,0	8,840	4,800	0,204
	17	42	13	1,0	0,6	18,6	13,000	6,700	0,280
	.,	47	14	1,0	0,6	15,0	16,627	7,890	0,359
		47	14	1,0	0,6	20,0	15,188	7,200	0,327
		47	14	1,0	0,6	20,0	16,307	8,000	0,364
				.,0	0,0	20,0	10,007	0,000	3,33
	20	47	14	1,0	0,6	21,0	14,300	8,150	0,345
		47	14	1,0	0,6	15,0	16,388	8,535	0,388
		47	14	1,0	0,6	21,0	14,691	7,645	0,348
		47	14	1,0	0,6	21,0	16,663	8,645	0,393
		52	15	1,1	0,6	22,8	19,000	10,000	0,425
	25	52	15	1,0	0,6	23,7	15,600	10,000	0,430
		62	17	1,1	0,6	27,0	26,818	14,570	0,662
		62	17	1,1	0,6	27,0	26,842	14,570	0,662
	30	62	16	1,0	0,6	27,3	24,000	15,600	0,655
		72	19	1,1	0,6	31,0	35,500	21,200	0,900
	35	72	17	1,1	0,6	31,0	31,000	20,800	0,880
	00	80	21	1,5	1,0	35,0	40.388	24.100	1.095
		80	21	1,5	1,0	35,0	41,500	26,500	1,140
		00		.,0	.,0	00,0	11,000	20,000	1,1.10
	40	80	18	1,1	0,6	34,0	36,500	26,000	1,100
		90	23	1,5	1,0	39,0	50,000	32,500	1,370
	45	85	19	1,1	0,6	37,0	38,000	28,500	1,220
		100	25	1,5	1,0	43,0	64,305	40,386	1,836
		100	25	1,5	1,0	43,0	61,000	40,500	1,730

. . . 232

(ZKL)



miting speed for lubri	cation with	Bearing designation	Abutr	sions	kg 0,033 0,033 0,036 0,056 0,056 0,08 0,08 0,01 0,11 0,11 0,11 0,10 0,12		
Grease	Oil		d	d _a	D _a	r _a	kg 6 0,030 6 0,037 6 0,036 0 0,063 6 0,050 0 0,080 0 0,081 6 0,050 0 0,081 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,11 0 0,13 0 0,24 0 0,24 0 0,24 0 0,37 0 0,37 5 0,61
				min	max	max	
min ⁻¹				m	m		
21000	28000	7200BETNG	10	14,5	25,5	0,6	0,03
19000	28000	7200B	10	14,5	25,8	0,6	
19000	26000	7201BETNG	12	16,5	27,5	0,6	0,0
18000	26000	7201B	12	16,2	27,8	0,6	0,0
17000	24000	7301B		17,6	31,4	1,0	
17000	20000	7202AA	15	19,0	31,0	0,6	0,0
17000	20000	7202B		19,0	31,0	0,6	r _a Residue Residue
14000	17000	7302BETNG		21,0	36,0	,	
15000	20000	7302B		20,6	36,4	1,0	
15000	20000	7203B	17	21,2	35,8	0.6	0.0
12600	15000	7303AA		23,0	41,0		
12600	15000	7303B		23,0	41,0		
12600	15000	7303BTNG		23,0	41,0	1,0	
12000	17000	7204B	20	25,6	41,4	1.0	0
12600	15000	7204AA	20	25,0	42,0		
12600	15000	7204B		25,0	42,0		
12600	15000	7204BTNG		25,0	42,0		
11000	16000	7304B		27,0	45,0		
	.0000			2.,0	.0,0	.,0	,
10000	15000	7205B	25	30,6	46,4	1,0	0,
9400	11000	7305B		31,0	55,0	1,0	0,
10000	12500	7305BTNG		31,0	55,0	1,0	0,
8500	12000	7206B	30	35,6	56,4	1,0	0.
8000	11000	7306B		37,0	65,0	1,0	
8000	11000	7207B	35	42,0	65,0	1,0	0.:
7100	8400	7307B		42,0	71,0	1.5	0.
7500	10000	7307B		44,0	71,0	1,5	
7000	9500	7208B	40	47,0	73,0	1.0	0.3
6700	9000	7308B		49,0	81,0	1,5	
6700	9000	7209B	45	52,0	78,0	1.0	0.
5600	6700	7309B		52,0	91,0	1,5	0,
6000	8000	7309B		54,0	91,0	1,5	0,





























Single row angular contact ball bearings

d = 50 to 110 mm



			Main di	mensions	;		Basic loa	ad rating	Fatique load limit
Ī							dynamic	static	
	d	D	В	r _s	r _{1S}	а	C,	C _{or}	P _u
ĺ				min	min				
12.2.1			r	nm			kl	N	kN
_	50	90	20	1,1	0,6	39,0	40,000	31,000	1,320
		110	27	2,0	1,0	47,0	75,000	51,000	2,160
	55	100	21	1,5	1,0	29,5	58,101	40,460	1,839
		100	21	1,5	1,0	43,0	49,000	40,000	1,660
		120	29	2,0	1,0	51,0	87,010	56,380	2,563
	60	110	22	1,5	1,0	32,0	70,120	50,625	2,301
		110	22	1,5	1,0	47,0	61,000	50,000	2,120
		130	31	2,1	1,0	55,0	104,000	76,500	3,200
	65	120	23	1,5	1,0	50,0	66,300	54,000	2,280
		140	33	2,1	1,0	60,0	116,000	86,500	3,650
	70	125	24	1,5	1,0	53,0	75,000	64,000	2,700
	70	150	35	2,1	1,0	64,0	127,000	98,000	3,900
		150	30	۷,۱	1,0	04,0	127,000	98,000	3,900
	75	130	25	1,5	1,0	56,0	72,800	64,000	2,650
		160	37	2,1	1,0	68,0	132,000	104,000	4,150
	00	110	00	0.0	4.0	50.0	05.000	75.000	0.050
	80	140	26	2,0	1,0	59,0	85,000	75,000	3,050
		170	39	2,1	1,0	72,0	143,000	118,000	4,500
	85	150	28	2,0	1,0	63,0	102,000	90,000	3,550
		180	41	3,0	1,0	76,0	156,000	132,000	4,900
	90	160	30	2,0	1,0	67,0	116,000	104,000	4,000
		190	43	3,0	1,0	80,0	166,000	146,000	5,300
	95	170	32	2,1	1,0	72,0	129,000	118,000	4,400
	95	200	45	3,0	1,0	72,0 84,0	180,000	163,000	5,700
		200	40	0,0	1,0	04,0	100,000	100,000	3,700
	100	180	34	2,1	1,0	76,0	143,000	134,000	4,750
		215	47	3,0	-	90,0	216,000	208,000	6,950
	105	190	36	2,1	1,0	80,0	156,000	150,000	5,200
		225	49	3,0	1,0	94,0	228,000	228,000	7,500
	440	000	00	0.1	1.0	04.0	470.000	400.000	4 700
	110	200	38	2,1	1,0	84,0	170,000	166,000	4,700
		240	50	3,0	1,0	99,0	240,000	245,000	7,800

(ZKI)



Limiting speed for lubr	ication with	Bearing designation	Abut	ment and F	illet Dimen	sions	Weight
0	0.1						~
Grease	Oil		d	d _a	D _a	r _a	
min ⁻¹				min	max im	max	kg
6000	8000	7210B	50	57,0	83,0	1,0	0,47
5300	7000	7310B	50	61,0	99,0	2,0	1,04
0000	7000	70100		01,0	55,0	2,0	1,04
5300	6300	7211AA	55	62,0	91,0	1,5	0,63
5600	7500	7211B		64,0	91,0	1,5	0,62
4700	5600	7311B		65,0	110,0	2,0	1,45
5000	6000	7212AA	60	67,0	101,0	1,5	0,80
5000	6700	7212B	60	69,0	101,0	1,5	0,78
4500	6000	7312B		72,0	118,0	2,0	1,71
4500	6000	7213B	65	74,0	111,0	1,5	1,00
4300	5600	7313B		77,0	128,0	2,0	2,10
4300	5600	7214B	70	79,0	116,0	1,5	1,10
3800	5000	7314B		82,0	138,0	2,0	2,55
4300	5600	7215B	75	84,0	121,0	1,5	1,18
3600	4800	7315B		87,0	148,0	2,0	3,06
3800	5000	7216B	80	91,0	129,0	2,0	1,43
3400	4500	7316B		92,0	158,0	2,0	3,64
2222	4000	70470	0.5	00.0	100.0	0.0	4.00
3600	4800	7217B	85	96,0	139,0	2,0	1,83
3200	4300	7317B		99,0	166,0	2,5	4,26
3400	4500	7218B	90	101,0	149,0	2,0	2,12
3000	4000	7318B		104,0	176,0	2,5	4,98
2002				, .	,-	-,-	.,
3200	4300	7219B	95	107,0	158,0	2,0	2,68
2800	3800	7319B		109,0	186,0	2,5	5,77
3000	4000	7220B	100	112,0	168,0	2,0	3,29
2600	3600	7320B		114,0	201,0	2,5	7,17
2800	3800	7221B	105	117,0	178,0	2,0	3,82
2400	3400	7321B		119,0	211,0	2,5	8,46
0000	2000	70000	440	100.0	100.0	0.0	4.00
2600 2200	3600 3200	7222B 7322B	110	122,0 124,0	188,0 226,0	2,0 2,5	4,60 9,69
2200	3200	1 322D		124,0	220,0	2,5	9,09



























Single row angular contact ball bearings

d = 120 to 240 mm



			Main di	mensions	;		Basic Ioa	d rating	Fatique load limit
							dynamic	static	
	d	D	В	r _s	r _{1s}	а	C _r	C _{or}	P _u
_				min	min				
12.2.1			r	nm			kN	1	kN
	120	215	40	2,1	1,0	90,0	165,000	163,000	5,300
		260	55	3,0	1,0	107,0	238,000	250,000	7,650
	130	230	40	3,0	1,0	96,0	186,000	193,000	6,100
		280	58	4,0	1,5	115,0	276,000	305,000	9,000
		050	4.0	0.0	4.0	100.0	400 000	040.000	0.400
	140	250	42	3,0	1,0	103,0	199,000	212,000	6,400
		300	62	4,0	1,5	123,0	302,000	345,000	9,800
	150	270	45	3,0	1,0	111,0	216,000	240,000	6,950
	100	320	65	4,0	1,5	131,0	332,000	390,000	10,800
		320	00	4,0	1,0	131,0	332,000	390,000	10,800
	160	290	48	3,0	1,0	118,0	255,000	300,000	8,500
	.00	200		0,0	1,0	110,0	200,000	000,000	3,555
	170	310	52	4,0	1,5	127,0	281,000	345,000	9,500
		360	72	4,0	1,5	147,0	390,000	490,000	12,700
	180	320	52	4,0	1,5	131,0	291,000	375,000	10,000
		380	75	4,0	2,0	156,0	410,000	540,000	13,700
	190	340	55	4,0	1,5	139,0	307,000	405,000	10,400
		400	78	5,0	2,0	164,0	442,000	600,000	14,600
	000	000	50	4.0	4.5	110.0	005.000	400.000	11 000
	200	360	58	4,0	1,5	146,0	325,000	430,000	11,000
		420	80	5,0	2,0	170,0	462,000	655,000	15,600
	220	400	65	4,0	1,5	164,0	390,000	560,000	13,400
	220	400	00	4,0	1,0	104,0	330,000	300,000	10,400
	240	440	72	4,0	1,5	180,0	364,000	540,000	12,500

ZKI



Limiting speed for lubr	ication with	Bearing designation	Abut	ment and F	illet Dimen	sions	Weight
							~
Grease	Oil		d	d	D _a	r _a	~
				min	max	max	
min ⁻¹				m	ım		kg
2200	3200	7224B	120	132,0	203,0	2,0	5,89
1900	2800	7324BM		134,0	246,0	2,5	13,8
1900	2800	7226BM	130	144,0	216,0	2,5	6,76
1800	2600	7326BM		147,0	263,0	3,0	17,1
1800	2600	7228BM	140	154,0	236,0	2,5	8,63
1700	2400	7328BM	1-10	157,0	283,0	3,0	21,3
				,.		-,-	,_
1700	2400	7230BM	150	164,0	256,0	2,5	10,8
1600	2200	7330BM		167,0	303,0	3,0	25,0
1600	2200	7232BM	160	174,0	276,0	2,5	13,6
1600	0000	7234BM	470	407.0	000.0	0.0	40.7
1400	2200 1900	7234BM 7334BM	170	187,0 187,0	293,0 343,0	3,0 3,0	16,7 34,6
1400	1900	7 334DIVI		107,0	343,0	3,0	34,0
1500	2000	7236BM	180	197,0	303.0	3,0	17,6
1300	1800	7336BM		197,0	363,0	3,0	40,0
				,	,	,	ŕ
1400	1900	7238BM	190	207,0	323,0	3,0	21,9
1200	1700	7338BM		210,0	380,0	4,0	48,3
1200	1700	7240BM	200	217,0	343,0	3,0	25,0
1100	1600	7340BM		220,0	400,0	4,0	52,8
1100	1600	7244BM	220	237,0	383,0	3,0	35,2
1100	1000	I Z44DIVI	220	231,0	303,0	3,0	30,2
1000	1500	7248BM	240	257,0	423,0	3,0	49,0
.000	.000			,	0,0	-,0	.0,0





























Single row high-speed angular contact ball bearings d = 7 to 130 mm d = 7 to 17 mm



			Main	dimension	s		Basic Ioa	nd rating	Fatique load limit
ĺ							dynamic	static	
	d	D	В	r _s	r _{is}	а	C _r	C _{or}	P _u
2				min	min				
2.2.				mm			ki	N	kN
	7	22	7	0,3	0,15	5,000	2,364	0,90	0,041
	_		_						
	9	26	8	0,6	0,30	5,500	3,891	1,64	0,075
	10	30	9	0,6	0,30	6,000	5,335	2,29	0,104
	10	30	9	0,6	0,30	6,500	7,124	2,90	0,132
		30	9	0,6	0,30	7,000	7,729	3,28	0,149
		30	9	0,6	0,30	7,180	4,387	2,10	0,095
		30	9	0,6	0,30	9,000	7,529	3,20	0,145
		30	9	0,6	0,30	9,160	4,181	2,00	0,091
	12	32	10	0,6	0,30	7,000	5,880	2,65	0,120
		32	10	0,6	0,30	7,500	7,980	3,46	0,157
		32	10	0,6	0,30	8,000	8,622	3,89	0,177
		32	10	0,6	0,30	10,000	8,275	3,78	0,172
		32	10	0,6	0,30	10,500	7,505	3,21	0,146
	15	32	9	0,3	0,15	7,648	4,695	2,30	0,105
		32	9	0,3	0,15	9,980	6,622	3,20	0,145
		32	9	0,3	0,15	9,980	4,490	2,20	0,100
		32	9	0,3	0,30	7,648	6,955	3,50	0,159
		35	11	0,6	0,30	7,500	6,940	3,45	0,157
		35	11	0,6	0,30	8,000	8,855	4,18	0,190
		35	11	0,6	0,30	11,000	9,078	4,44	0,202
		35	11	0,6	0,60	9,000	9,483	4,59	0,209
	17	35	10	0,3	0,15	8,480	6,235	3,40	0,155
	17	35	10	0,3	0,15	16,780	7,562	4,25	0,193
		35	10	0,3	0,15	16,780	5,916	3,00	0,136
		35	10	0,3	0,30	8,480	7,896	4,45	0,202
		40	12	0,6	0,30	8,500	8,362	4,25	0,193
		40	12	0,6	0,30	9,000	10,904	5,29	0,240
		40	12	0,6	0,30	13,000	11,182	5,62	0,255
		40	12	0,6	0,60	10,000	11,631	5,82	0,265
				.,.		.,	,	.,	.,===

(ZKI)



*** Bearings in the new standard NEW FORCE
*** Separable bearing dedicated to separable arrangements of textile spindles parts


Limiting speed for lu	ıbrication with	Axial prestres	s of associate	ed bearings	Bearing designation	Weigh
Grease	Oil	L	М	s		~
min ⁻¹	140000		N		A7070DTA++	kg
94000	140000				A727CBTA**	0,0
71000	106000				A729CBTA**	0,0
60000	89000	20	70	140	B7200CBTB**	0,0
42000	63000	33	105	213	B7200CATB**	0,0
56000	85000	45	140	280	B7200CTA**	0,0
65000	100000	15	60	130	CB7200CTA**	0,0
50000	75000	65	240	450	B7200ATA**	0,0
55000	85000	22	80	195	CB7200ATA**	0,0
56000	84000	22	77	154	B7201CBTB**	0,0
38000	56000	37	118	235	B7201CATB**	0,0
50000	75000	50	160	320	B7201CTA**	0,0
45000	67000	75	270	540	B7201ATA**	0,0
33000	50000				AC7201ATA***	0,0
55000	85000	11	52	115	CB7002CTA**	0,0
40000	65000	37	155	355	B7002CTA B7002ATA**	0,0
50000	72000	18	68	170	CB7002ATA**	0,0
45000	70000	30	110	225	B7002CTA**	0,0
50000	75000	25	90	180	B7202CBTB**	0,0
33000	50000	41	132	264	B7202CATB**	0,0
40000	60000	80	290	590	B7202ATA**	0,0
45000	67000	55	170	350	B7202CTA**	0,0
55000	80000	18	75	165	CB7003CTA**	0,0
38000	56000	50	190	420	B7003CTA**	0,0
45000	65000	30	100	230	CB7003ATA**	0,0
44000	67500	40	150	260	B7003CTA**	0,0
45000	67000	31	109	219	B7203CBTB**	0,0
28000	42000	51	163	326	B7203CATB**	0,0
36000	53000	100	360	730	B7203ATA**	0,0
38000	56000	70	210	430	B7203CTA**	0,0

• • • • • • • • • 239 • • •




Single row high-speed angular contact ball bearings

d = 20 to 35 mm



		Main	dimension	s		Basic loa	d rating	Fatique load limit
						dynamic	static	
d	D	В	r _s	r _{1s}	а	C,	C _{or}	P _u
			min	min				
			mm			kN	ı	kN
20	42	12	0,6	0,30	9,150	11,899	6,20	0,282
	42	12	0,6	0,30	9,150	7,940	4,20	0,191
	42	12	0,6	0,30	12,220	11,707	6,00	0,273
	42	12	0,6	0,30	12,220	7,740	4,00	0,182
	47	14	1,0	0,60	10,000	10,224	5,54	0,252
	47	14	1,0	0,60	10,500	14,572	7,32	0,333
	47	14	1,0	0,60	12,000	15,685	8,06	0,366
	47	14	1,0	0,60	14,000	14,952	7,77	0,353
	47	14	1,0	0,60	15,000	13,897	6,99	0,318
25	47	12	0,6	0,30	10,320	13,750	8,60	0,391
	47	12	0,6	0,30	10,320	9,532	5,70	0,259
	47	12	0,6	0,30	13,890	13,186	8,20	0,373
	47	12	0,6	0,30	13,890	9,121	5,60	0,255
	52	15	1,0	0,60	11,000	14,091	7,96	0,362
	52	15	1,0	0,60	11,500	15,921	8,63	0,392
	52	15	1,0	0,60	13,000	17,679	10,28	0,467
	52	15	1,0	0,60	16,000	16,917	9,81	0,446
	52	15	1,0	0,60	17,000	14.895	8,15	0,370
30	55	13	1,0	0,60	12,200	16,234	10,30	0,468
	55	13	1,0	0,60	12,200	11,331	7,20	0,327
	55	13	1,0	0,60	25,850	15,515	10,10	0,459
	55	13	1,0	0,60	25,850	10,817	6,90	0,314
	62	16	1,0	0,60	12,000	18,020	10,72	0,487
	62	16	1,0	0,60	13,000	22,072	12,42	0,565
	62	16	1,0	0,60	14,000	24,734	14,72	0,669
	62	16	1,0	0,60	19,000	20,877	11,58	0,526
	62	16	1,0	0,60	19,000	23,483	14,07	0,640
			,				, ,	
35	62	14	1,0	0,60	13,490	20,680	14,40	0,655
	62	14	1,0	0,60	13,490	14,298	10,00	0,455
	62	14	1,0	0,60	18,500	18,476	12,05	0,548
	62	14	1,0	0,60	28,980	20,097	13,25	0,602
	62	14	1,0	0,60	28,980	13,910	9,40	0,427
	72	17	1,1	0,60	10,000	29,131	17,40	0,791
	72	17	1,1	0,60	13,000	22,523	14,34	0,652
	72	17	1,1	0,60	14,000	31,042	18,60	0,845
	72	17	1,1	0,60	15,000	32,929	20,29	0,922
	72	17	1,1	0,60	16,000	32,669	20,04	0,911
	72	17	1,1	0,60	21,000	31,002	19,10	0,868
			1,1	5,00	2.,500	51,002	.0,10	3,300

(ZKI)



** Bearings in the new standard NEW FORCE


Limiting speed for lu	brication with	Axial prestres	s of associate	ed bearings	Bearing designation	Weight
Grease	Oil	L	М	s		~
min ⁻¹			N			kg
39000	57000	55	180	400	B7004CTA**	0,066
45000	65000	25	100	200	CB7004CTA**	0,066
35000	50000	75	290	645	B7004ATA**	0,066
35000	55000	30	120	300	CB7004ATA**	0,066
40000	60000	38	134	268	B7204CBTB**	0,098
25000	38000	68	218	437	B7204CATB**	0,100
32000	48000	90	290	580	B7204CTA**	0,10
30000	45000	140	490	950	B7204ATA**	0,10
22000	33000	156	455	910	B7204AATB**	0,10
35000	50000	65	220	470	B7005CTA**	0,080
40000	55000	30	120	250	CB7005CTA**	0,080
30000	45000	100	360	740	B7005ATA**	0,080
35000	50000	35	180	410	CB7005ATA**	0,080
33000	50000	53	183	367	B7205CBTB**	0,12
22000	33000	74	237	474	B7205CATB**	0,12
28000	43000	100	330	650	B7205CTA**	0,13
26000	40000	155	550	1100	B7205ATA**	0,13
20000	30000	167	488	977	B7205AATB**	0,12
26000	40000	75	260	555	B7006CTA**	0,12
30000	45000	37	140	300	CB7006CTA**	0,12
24000	38000	105	405	885	B7006ATA**	0,12
28000	43000	40	200	450	CB7006ATA**	0,12
28000	42000	67	235	470	B7206CBTB**	0,18
20000	30000	102	325	655	B7206CATB**	0,19
24000	38000	140	450	910	B7206CTA**	0,19
17000	25000	233	679	1740	B7206AATB**	0,19
22000	36000	220	770	1530	B7206ATA**	0,19
						-,
22000	36000	100	330	710	B7007CTA**	0,16
30000	45000	48	180	380	CB7007CTA**	0,16
9400	11000	207	605	1210	B7007AATB**	0,15
20000	32000	140	530	1150	B7007ATA**	0,16
25000	40000	60	270	600	CB7007ATA**	0,16
13000	20000	326	952	1900	B7207AATB**	0,28
25000	38000	84	280	588	B7207CBTB**	0,27
16000	24000	144	462	925	B7207CATB**	0,28
16000	24000	153	490	981	B7207CAMB**	0,3
20000	34000	185	600	1200	B7207CTA**	0,28
19000	32000	290	1010	2010	B7207ATA**	0,28
.5555	02000					5,20

• • • • • • • • • 241 • • •



Single row high-speed angular contact ball bearings

d = 40 to 55 mm




		Main o	dimension	s		Basic Ioa	d rating	Fatique load limit
						dynamic	static	
d	D	В	r _s	r _{1s}	а	C,	C _{or}	P _u
			min	min				
			mm			kN	ı	kN
40	68	15	1,0	0,60	14,730	21,960	16,10	0,732
	68	15	1,0	0,60	14,730	15,151	11,00	0,500
	68	15	1,0	0,60	20,100	20,933	15,20	0,691
	68	15	1,0	0,60	20,100	14,111	10,60	0,482
	68	15	1,0	0,60	20,500	19,859	14,13	0,642
	80	18	1,1	0,60	14,000	26,240	17,30	0,786
	80	18	1,1	0,60	15,500	39,375	23,77	1,080
	80	18	1,1	0,60	17,000	41,450	26,02	1,183
	80	18	1,1	0,60	23,000	39,759	24,90	1,132
45	68	12	0,6	0,30	13,000	16,018	12,60	0,573
	68	12	0,6	0,30	13,000	11,502	9,10	0,414
	68	12	0,6	0,30	18,190	15,137	12,00	0,545
	68	12	0,6	0,30	18,190	10,777	8,80	0,400
	75	16	1,0	0,60	0,030	27,020	20,40	0,927
	75	16	1,0	0,60	16,030	18,921	14,30	0,650
	75	16	1,0	0,60	21,980	25,680	19,30	0,877
	75	16	1,0	0,60	21,980	17,993	13,50	0,614
	85	19	1,1	0,60	15,000	30,327	20,31	0,923
	85	19	1,1	0,60	16,500	39,540	24,61	1,119
	85	19	1,1	0,60	18,000	43.841	28,81	1,310
	85	19	1,1	0,60	25,000	41,893	27,54	1,252
	00	10	1,1	0,00	20,000	41,000	21,04	1,202
50	80	16	1,0	0,60	15,800	24,133	18,52	0,842
00	80	16	1,0	0,60	19,730	27,716	21,80	0,991
	80	16	1,0	0,60	19,730	19,740	15,30	0,695
	80	16	1,0	0,60	23,150	26,273	20,80	0,945
	80	16	1,0	0,60	23,150	18,708	14,60	0,664
	90	20	1,1	0,60	16,000	34,593	23,56	1,071
	90	20	1,1	0,60	17,500	41,758	27,26	1,239
	90	20	1,1	0,60	19,000	45,871	31,73	1,442
	90	20	1,1	0,60	26,000	39,229	25,92	1,178
	90	20	1,1	0,60	26,000	43,970	30,08	1,367
	90	20	1,1	0,00	20,000	43,970	30,08	1,307
55	90	18	11	0.60	26,500	33,314	25,38	1,154
55	100	21	1,1 1,5	0,60 1,00	17,000	41,229	25,38 29,12	1,154
	100	21	1,5	1,00	18,500	51,719	34,50	1,324
	100	21	1,5	,				,
				1,00	21,000	56,847	39,92	1,815
	100	21	1,5	1,00	29,000	54,288	38,23	1,738

. . 747

(ZKI)





** Bearings in the new standard NEW FORCE

Weigh	Bearing designation	ed bearings	ss of associate	Axial prestre	ubrication with	imiting speed for lu
~		s	М	L	Oil	Grease
kg			N			min ⁻¹
0	B7008CTA**	755	350	105	34000	20000
0	CB7008CTA**	410	190	50	40000	26000
0	B7008ATA**	1200	560	150	30000	19000
0	CB7008ATA**	630	280	60	35000	22000
0	B7008AATB**	1290	645	222	10000	8400
0,	B7208CBTB**	686	343	98	33000	22000
0,	B7208CATB**	1170	587	180	20000	13000
0,	B7208CTA**	1540	770	235	30000	18000
0,	B7208ATA**	2500	1100	370	28000	17000
0	B71909CTA**	535	320	90	32000	20000
0	CB71909CTA**	310	140	35	38000	25000
0	B71909ATA**	840	390	100	30000	18000
0	CB71909ATA**	450	200	70	35000	22000
0,	B7009CTA**	935	470	140	30000	18000
0,	CB7009CTA**	530	250	70	37000	23000
0,	B7009ATA**	1500	750	195	28000	17000
0,	CB7009ATA**	840	370	85	33000	21000
0,	B7209CBTB**	792	396	113	30000	20000
0,	B7209CATB**	1175	590	184	19000	12600
0,	B7209CTA**	1630	810	250	28000	17000
0,	B7209ATA**	2710	1200	390	24000	15000
0	B7010AATB**	1580	793	270	11000	9500
0,	B7010AA1B**				11000	
0,	CB7010CTA**	965	510	150	28000	17000
0,	B7010CTA**	580 1550	280 750	75 210	35000 24000	22000 15000
0,	CB7010ATA**	880	400	90	30000	18000
0,	B7210CBTB**					
0,	B7210CB1B**	905 1245	450 623	129 195	27000 18000	18000 12000
0,	B7210CA1B***					
0,		1710	850	260	26000	16000
0,	B7210AATB**	2550	1275	438	16000	10600
0,	B7210ATA**	2810	1400	400	20000	14000
0,	B7011AATB**	2160	1080	371	7500	6300
0,	B7211CBTB**	1075	538	153	25000	17000
0,	B7211CATB**	1540	771	241	17000	11000
0,	B7211CTA**	2100	1010	320	22000	14000
0,	B7211ATA**	3500	1710	500	20000	13000



























Single row high-speed angular contact ball bearings

d = 60 to 80 mm



	Main dimensions						Basic load	d rating	Fatique load limit
							dynamic	static	
	d	D	В	r _s	r _{is}	а	C _r	C _{or}	P _u
2				min	min				
12.2.				mm			kN		kN
_	60	95	18	1,1	1,00	21,660	38,610	32,00	1,455
		95	18	1,1	1,00	21,660	27,085	22,40	1,018
		95	18	1,1	1,00	27,100	36,807	30,40	1,382
		95	18	1,1	1,00	27,100	25,810	21,30	0,968
		110	22	1,5	1,00	18,000	47,450	33,80	1,536
		110	22	1,5	1,00	20,000	64,377	42,60	1,936
		110	22	1,5	1,00	22,000	70,784	49,07	2,230
		110	22	1,5	1,00	31,000	67,627	47,07	2,140
		110	22	1,5	1,00	32,000	60,741	39,96	1,816
	65	120	23	1,5	1,00	21,500	78,185	54,78	2,490
		120	23	1,5	1,00	24,000	81,130	58,70	2,668
		120	23	1,5	1,00	33,000	76,670	56,06	2,548
	70	110	20	1,1	0,60	22,060	53,288	45,00	2,045
		110	20	1,1	0,60	22,060	36,807	31,20	1,418
		110	20	1,1	0,60	30,990	50,628	42,90	1,950
		110	20	1,1	0,60	32,000	45,430	36,46	1,657
		125	24	1,5	1,00	20,500	64,709	47,66	2,166
		125	24	1,5	1,00	22,500	84,775	60,13	2,733
		125	24	1,5	1,00	25,000	87,597	64,55	2,934
		125	24	1,5	1,00	30,990	35,567	21,80	0,991
		125	24	1,5	1,00	35,000	83,397	61,56	2,798
	75	130	25	1,5	1,00	23,500	84,948	61,39	2,756
		130	25	1,5	1,00	26,000	87,285	65,44	2,938
		130	25	1,5	1,00	36,000	83,103	62,52	2,807
		130	25	1,5	1,00	37,500	82,540	62,49	2,806
		130	25	1,5	1,00	37,500	78,887	58,32	2,618
	80	125	22	1,1	0,60	22,000	61,117	50,01	2,245
		125	22	1,1	0,60	24,730	66,963	57,50	2,582
		125	22	1,1	0,60	24,730	46,894	40,20	1,805
		125	22	1,1	0,60	34,900	64,095	55,10	2,474
		125	22	1,1	0,60	34,900	44,874	38,60	1,733
		125	22	1,1	0,60	36,000	59,265	49,44	2,220
		140	26	2,0	1,00	24,500	99,345	73,05	3,166
		140	26	2,0	1,00	28,000	102,080	77,56	3,361
		140	26	2,0	1,00	39,000	97,328	73,95	3,205
		140	26	2,0	1,00	40,000	92,645	68,04	2,949

(ZKI)



** Bearings in the new standard NEW FORCE

Limiting speed for	lubrication with	Axial prestre	ess of associat	Bearing designation	Weight	
Grease	Oil	L	М	s		~
min			N			kg
14000	22000	210	700	1305	B7012CTA**	0,41
18000	30000	100	360	780	CB7012CTA**	0,35
13000	20000	290	1000	2100	B7012ATA**	0,41
15000	25000	130	540	1150	CB7012ATA**	0,35
15000	22000	172	602	1200	B7212CBTB**	0,74
10000	15000	291	932	1860	B7212CATB**	0,75
13000	20000	380	1200	2500	B7212CTA**	0,75
12000	19000	610	2130	4200	B7212ATA**	0,75
8900	13000	657	1915	3830	B7212AATB**	0,76
8900	13000	352	1128	2250	B7213CATB**	0,99
12000	19000	440	1400	2900	B7213CA1B B7213CTA**	1,00
11000	18000	700	2410	4810	B7213ATA**	1,00
11000	18000	700	2410	4010	D/2IJAIA	1,00
13000	19000	280	930	1825	B7014CTA**	0,60
15000	25000	140	500	1020	CB7014CTA**	0,50
11000	17000	390	1390	2910	B7014ATA**	0,60
7900	12000	493	1140	2050	B7014AATB**	0,60
12600	19000	234	820	1640	B7214CBTB**	1,04
7900	12000	373	1190	2350	B7214CATB**	1,07
11000	18000	480	1540	3170	B7214CTA**	1,09
14000	20000	180	720	1600	CB7014ATA**	0,50
10000	17000	760	2620	5300	B7214ATA**	1,09
7500	11000	383	1250	2450	B7215CATB**	1,16
11000	18000	480	1560	3170	B7215CTA**	1,17
9500	16000	760	2640	5210	B7215ATA**	1,17
4200	5000	898	2620	5240	B7215AAMB**	1,39
6700	10000	858	2500	500	B7215AATB**	1,26
7500	11000	076	995	1770	D7016CATD**	0.94
7500	11000	276	885	1770	B7016CATB**	0,84
10000	18000	350	1140	2290	B7016CTA**	0,85
14000 9000	22000	180	620 1800	1350 3700	CB7016CTA**	0,71 0,85
	15000	500			B7016ATA** CB7016ATA**	
13000 6700	20000 10000	250 267	950 855	1950 1710	B7016AATB**	0,71 0,85
6700	10000	447	1432	2860	B7016AA1B**	1,41
10000	17000	560	1840	3700	B7216CTA**	1,43
9000	15000	880	3050	6110	B7216ATA**	1,43
6300	9400	1008	2940	5880	B7216AATB**	1,43
0300	3400	1000	2340	3000	DIZIOAAID	1,42






























Single row high-speed angular contact ball bearings


d = 85 to 130 mm



	Main dimensions					Basic load rating		Fatique load limit	
						dynamic	static		
d	D	В	r _s	r _{is}	а	C,	C _{or}	P _u	
2			min	min					
12.2.			mm			kN	ı	kN	
85	130	22	1,1	0,60	25,400	68,386	58,70	2,573	
	130	22	1,1	0,60	25,400	47,914	41,40	1,815	
	130	22	1,1	0,60	30,060	67,847	58,20	2,552	
	130	22	1,1	0,60	30,060	47,558	40,70	1,784	
	130	22	1,1	0,60	37,000	60,265	52,69	2,310	
	130	28	1,1	0,60	37,000	62,314	55,33	2,426	
	150	28	2,0	1,00	26,500	111,477	86,08	3,610	
	150	28	2,0	1,00	30,000	115,662	88,55	3,713	
	150	28	2,0	1,00	42,000	108,988	86,45	3,625	
	150	28		1,00	42,500	103,780	80,67	3,383	
90	140	24	1,5	1,00	24,000	74,528	62,47	2,648	
	140	24	1,5	1,00	27,410	81,622	72,40	3,069	
	140	24	1,5	1,00	27,410	57,187	57,90	2,454	
	140	24	1,5	1,00	38,810	77,461	69,00	2,925	
	140	24	1,5	1,00	38,810	54,305	40,50	1,717	
	140	24	1,5	1,00	40,000	72,276	61,75	2,617	
	180	34	2,1	1,10	51,000	156,339	120,96	4,732	
100	150	24	1,5	0,60	28,750	89,607	80,80	3,285	
	150	24	1,5	0,60	28,750	61,827	55,70	2,265	
	150	24	1,5	0,60	41,150	84,040	76,40	3,106	
	150	24	1,5	0,60	41,150	58,023	52,70	2,143	
	180	34	2,1	1,10	35,760	105,682	86,00	3,304	
	180	34	2,1	1,10	36,000	171,671	136,01	5,225	
	180	34	2,1	1,10	49,770	98,808	83,00	3,189	
	180	34	2,1	1,10	50,000	164,214	129,98	4,993	
110	140	16	1,0	0,60	24,700	44,428	49,60	2,017	
	140	16	1,0	0,60	34,000	42,287	46,30	1,882	
120	180	28	2,0	1,00	30,000	112,019	103,66	3,847	
	180	28	2,0	1,00	34,100	114,338	107,80	4,001	
	180	28	2,0	1,00	34,100	78,921	75,40	2,798	
	180	28	2,0	1,00	48,980	107,543	102,10	3,789	
	180	28	2,0	1,00	48,980	74,299	71,50	2,654	
	180	28	2,0	1,00	50,500	106,191	101,28	3,759	
130	165	11	1,0	0,50	41,500	14,903	19,10	0,715	

• • 246

(ZKL)



** Bearings in the new standard NEW FORCE

imiting speed for	lubrication with	Axial prestres	s of associate	ed bearings	Bearing designation	Weight
Grease	Oil	L	М	s		~
min ⁻	1		N			kg
10000	17000	380	1240	2350	B7017CTA**	0,91
12000	19000	190	640	1400	CB7017CTA**	0,77
9000	15000	540	1870	3900	B7017ATA**	0,91
10000	18000	260	1000	2100	CB7017ATA**	0,77
4200	5000	653	1900	3800	B7017AATA**	0,91
6300	9400	675	1970	3940	B7017AAMB**	1,06
6300	9400	502	1608	3210	B7217CATB**	1,80
9000	15000	630	2010	4150	B7217CTA**	1,82
8000	13000	1000	3450	6910	B7217ATA**	1,82
6000	8900	1310	3290	6590	B7217AATB**	1,82
6300	9400	338	1080	2160	B7018CATB**	1,15
10000	16000	450	1450	2800	B7018CTA**	1,15
12000	19000	230	760	1590	CB7018CTA**	0,97
9000	15000	620	2200	4580	B7018ATA**	1,15
10000	17000	315	1150	2550	CB7018ATA**	0,97
4000	4700	783	2280	4570	B7018AATB**	1,16
5300	7900	1690	4930	9870	B7220AATB**	3,32
8000	14000	470	1520	3070	B7020CTA**	1,29
11000	18000	235	815	1700	CB7020CTA**	
7000				4950	B7020CTA**	1,10
9000	12000 15000	680 335	2340 1265	2710	CB7020ATA**	1,29
10000	15000	450	1460	2950	CB7020ATA**	1,10 2,89
7500	12000	940	3100	6220	B7220CTA**	3,32
8000	13000	640	2200	5580	CB7220ATA**	
6700	10000	1480	5200	10100	B7220ATA**	2,89 3,32
6700	10000	1460	5200	10100	B/22UAIA	3,32
8000	13000	200	700	1500	B71822CTA**	0,50
7000	11000	350	900	2000	B71822ATA**	0,50
5000	7500	505	1617	3230	B7024CATB**	2,10
7000	10000	670	2000	4100	B7024CTA**	2,10
9000	14000	320	1100	2220	CB7024CTA**	1,85
6000	9000	950	3200	6550	B7024ATA**	2,10
8000	12000	450	1680	3550	CB7024ATA**	1,85
3000	3500	1153	3363	6727	B7024AATB**	2,09
3200	3800				B70826AAMB**	0,64

••••• 247 •••

ZKL)


DOUBLE ROW ANGULAR CONTACT BALL BEARINGS

Design

Double row angular contact ball bearings in fact correspond with associated pair of single row angular contact ball bearings in configuration "O". At the same size (d and D), associated pair has total width smaller.

They can transfer radial load and also double direction axial loads. Bearings allow design of rigid location and transfer also overturning torques. Standard offer of ZKL double row angular contact ball bearings (fig. 12.2.4) includes:

- Bearings in standard version
- Bearings with seals






Fig. 12.2.4

Bearings in standard version

ZKL double row angular contact ball bearings in fact of 32 and 33 series produced in the NEW FORCE standard are marked with ** in the table section. The bearings feature optimised inner design. They have a filling slot on one side. If axial forces acting in one direction prevail, the bearing should be mounted so that these forces do not act against the filling slot.

The bearings have contact angle of 32°. Due to this design they are able to transfer axial load and higher overturning torques in axial plane so if there is a lack of space, only one bearing is enough for location of the rotary part.



Bearings with seals

The bearings have a design with contact angle of 25° . The 32 and 33 series bearings with sealing 2RS are filled with high quality lithium grease SHELL ALVANIA RL3. This grease features good anticorrosive properties, and can be therefore used in temperature ranging between -30 and 20° C. The viscosity of basic oil compound is $100 \text{ mm}^2/\text{s}$ at 40° C or $10 \cdot \text{mm}^2/\text{s}$ at 100° C.

Main dimensions

The main dimensions of the bearings comply with the ISO 15 standard, with the exception of the width of bearing 3200X. Dimensions of individual bearings are stated in the table section of the publication.

Designation

The system of designating the bearings in basic version is stated in the table section of the publication. Difference from the basic design is identified with additional characters as advised in chapter 7.6.

Cages

Double row angular contact ball bearings have cages pressed of steel plate (fig. 12.2.5). The design not identified. Bearings can be also supplied with polyamide cage PAG or PAGG, designated TNH (fig. 12.2.6)








Fig. 12.2.6































Accuracy

Bearings are usually made in normal accuracy level PO whilst this symbol is not presented. For more exacting locations bearings in higher accuracy level P6 are made.

The limit values of bearing dimension and run accuracy are stated in charts 7.2 to 7.4, and comply with the standard ISO 492

Axial clearance

Commonly produced bearings feature normal axial clearance that is not identified. Special locations require bearings with reduced C2 and increased axial clearance C3 and C4. Axial clearance values are stated in chart 7.17b.

Misalignment

Bearings form very rigid locations and are extremely sensitive to misalignment of rings caused by assembly inaccuracies. Any misalignment of bearing rings in operation will also increase significantly the noise level and shorten the service life of the bearing.

Minimum load

Bearings with point or line contact must be exposed to certain minimum load in order to ensure their proper operation. This applies also to double row ball bearings working at high revolutions where high acceleration or sudden changes of acting load occur. Under such conditions the inertial forces of balls and cages as well as the friction in the lubricant may have negative impact on the conditions of rolling, which might cause damage to the rolling elements and raceways due to slipping. The required minimum radial load for double row angular contact ball bearings can be estimated by the below relation:

$$F_{rm} = k_r \cdot \left[\frac{vn}{1000} \right]^{\frac{2}{3}} \cdot \left[\frac{d_m}{100} \right]^2$$

F_{m} is minimum radial load	(kN)
$\mathbf{k_r},\ldots,\mathbf{k_r}$ is coefficient of minimum radial load	
0.06 for bearings of series 32	
0.07 for bearings of series 33	
N oil viscosity at service temperature	[mm²/s]
n revolutions	[min ⁻¹]
$d_m \ldots$ mean diameter of bearing, i.e. 0.5 (d + 0),	[mm]



At start-up in low temperatures, or in use of grease with high viscosity even higher minimum load may be necessary. The weight of components captured by bearing, along with external forces is often higher than the minimum load required. If this is not the case, an additional radial load must act on double row angular contact ball bearing.



Equivalent radial dynamic load

$$P_{r} = F_{r} + 0.73F_{a}$$

for
$$F_a/F_r \le 0.86$$

$$P_r = 0.62F_r + 1.17F_a$$

for
$$F_a/F_r > 0.86$$

Equivalent radial static load

$$P_{or} = F_{r} + 0.63F_{a}$$

























Double row angular contact ball bearings d = 10 to 110 mm

d = 10 to 70 mm



	Ma	in dimensi	ons		Basic loa	d rating	Fatique load limit
_ຫ d	D	В	r _s	а	dynamic (C _r)	static (C _{or})	P _u
12.2.3 n		mm			kN		kN
10	30	14,0	0,6	20,0	9,253	5,840	0,265
	30	14,3	0,6	20,0	9,253	5,840	0,265
12	32	15,9	0,6	22,0	11,050	7,080	0,322
15	35	15,9	0,6	23,0	10,381	7,500	0,341
10	42	19,0	1,0	27,0	17,369	11,900	0,541
		.0,0	.,0	2.,0	17,000	11,000	3,5
17	40	17,5	0,6	27,0	14,418	10,600	0,482
	47	22,2	1,0	31,0	23,649	16,200	0,736
20	47	20,6	1,0	31,0	19,905	15,000	0,682
	52	22,2	1,1	34,0	23,656	18,500	0,841
25	52	20,6	1,0	35,0	21,539	18,100	0,823
20	62	25,4	1,0	40,0	32,881	26,600	1,209
	02	20,4	','	40,0	02,001	20,000	1,200
30	62	23,8	1,0	41,0	30,998	27,100	1,232
	72	30,2	1,1	47,0	43,688	36,200	1,645
35	72	27,0	1,1	47,0	42,125	37,600	1,709
	80	34,9	1,5	54,0	56,219	47,300	2,150
40	80	30,2	1,1	52,0	48,186	43,800	1,991
40	90	36,5	1,5	58,0	59,431	59,600	2,709
	00	00,0	1,0	00,0	00,401	00,000	2,700
45	85	30,2	1,1	56,0	51,994	51,100	2,323
	100	39,7	1,5	64,0	82,479	73,600	3,345
50	90	30,2	1,1	59,0	59,553	58,400	2,655
	110	44,4	2,0	73,0	99,898	96,200	4,373
55	100	33,3	1,5	64,0	74,481	66,800	3,036
55	120	49,2	2,0	80,0	110,379	108,000	4,909
		.0,2	2,0	00,0	110,070	100,000	1,000
60	110	36,5	1,5	71,0	82,491	85,800	3,900
	130	54,0	2,1	86,0	128,709	128,000	5,818
65	120	38,1	1,5	76,0	90,746	94,400	4,291
	140	58,7	2,1	94,0	146,328	147,000	6,600
70	125	39,7	1,5	81,0	87,349	98,100	4,459
70	120	39,1	1,5	01,0	01,349	90,100	4,459

(ZKI)



** Bearings in the new standard NEW FORCE

• • • • • • • • • • • • 253 • • •

Limiting speed for lu	ıbrication with	Bearing designation	Abut	ment and F	illet Dimen	sions	Weight
Grease	Oil		d	d	D _a	r _a	
min ⁻¹				min	max	max	kg
16 000	19 000	3200X**	10	14	25	0,6	0,05
16 000	19 000	3200**	10	14	25	0,6	0,05
14 000	17 000	3201**	12	16	27	0,6	0,05
13 000	16 000	3202**	15	19	30	0,6	0,07
10 600	12 600	3302**	15	21	26	1	0,13
11 000	13 000	3203**	17	21	35	0,6	0,1
9 400	11 000	3303**	17	23	41	1	0,19
0 400	11 000	0000	.,	20			0,10
9 400	11 000	3204**	20	25	42	1	0,17
8 400	10 000	3304**	20	27	45	1	0,23
8 400	10 000	3205**	25	30	46	1	0,19
7 100	8 400	3305**	25	32	55	1	0,37
7 400	0.400			0.5			2.21
7 100	8 400	3206**	30	35	56	1	0,31
6 000	7 100	3306**	30	37	65	1	0,58
6 000	7 100	3207**	35	41	65	1	0,48
5 300	6 300	3307**	35	44	71	1,5	0,78
	0 000					.,0	0,. 0
5 300	6 300	3208**	40	46	73	1	0,65
4 700	5 600	3308**	40	49	81	1,5	1,05
5 000	6 000	3209**	45	51	78	1	0,7
4 200	5 000	3309**	45	54	91	1,5	1,41
4 500	5 300	3210**	F0	56	83	1	0,74
3 800	4 500	3310**	50 50	60	100	1 2	1,9
3 000	4 300	3310	30	00	100	۷	1,9
4 200	5 000	3211**	55	62	91	1,5	1,05
3 300	4 000	3311**	55	65	110	2	2,48
3 800	4 500	3212**	60	67	101	1,5	1,36
3 200	3 800	3312**	60	72	118	2	3,17
3 500	4 200	3213**	65	72	111	1,5	1,76
3 000	3 500	3313**	65	77	128	2	4,01
3 200	3 800	3214**	70	77	116	1.5	1.02
3 200	3 600	3214	70	11	110	1,5	1,93


























Double row angular contact ball bearings


d = 75 to 110 mm



		Mai	n dimensi	ons		Basic loa	ad rating	Fatique load limit
e .	d	D	В	r _s	а	dynamic (C _r)	static (C _{or})	P _u
12.2.			mm			kN		kN
	75	130	41,3	1,5	84,0	96,151	110,000	4,939
	80	140	44,4	2,0	82,0	95,000	106,000	3,900
		170	68,3	2,1	101,0	156,000	182,000	6,000
	85	150	49,2	2,0	88,0	110,000	124,000	4,400
		180	73,0	3,0	107,0	176,000	195,000	6,550
	90	160	52,4	2,0	94,0	120,000	130,000	4,550
		190	73,0	3,0	112,0	180,000	195,000	6,400
	95	170	55,6	2,1	101,0	146,000	159,000	5,400
		200	77,8	3,0	118,0	216,000	225,000	7,500
	100	180	60,3	2,1	107,0	166,000	178,000	6,000
		215	82,6	3,0	127,0	255,000	255,000	8,650
	110	200	69,8	2,1	119,0	212,000	212,000	7,200
		240	92,1	3,0	142,0	305,000	291,000	9,800

. . . 754





** Bearings in the new standard NEW FORCE

Limiting speed for l	lubrication with	Bearing designation	Abutr	nent and F	illet Dimen	sions	Weight
Grease	Oil		d	$d_{\scriptscriptstyle{a}}$	D _a	r _a	
min ⁻¹	1			min	max	max	kg
3 200	3 800	3215**	75	82	121	1,5	2,08
2 800	3 800	3216	80	91	129	2	2,65
2 400	3 400	3316		92	158	2	6,8
2 600	3 600	3217	85	96	139	2	3,4
2 200	3 200	3317		99	166	2,5	8,3
2 400	3 400	3218	90	101	149	2	4,15
2 000	3 000	3318		104	176	2,5	9,25
2 200	3 200	3219	95	107	158	2	5
1 900	2 800	3319		109	186	2,5	11
2 000	3 000	3220	100	112	168	2	6,1
1 800	2 600	3320		114	201	2,5	13,5
1 900	2 800	3222	110	122	188	2	8,8
1 700	2 400	3322	110	124	226	2,5	19





























Four-point contact bearings d = 15 to $200 \, mm$

d = 15 to 75 mm



		Mai	in dimens	sions		Basic load	Basic load rating		Limiting s		Weight
						dynamic	static		Grease	Oil	
4	d	D	В	r _s min	а	C _r	C _{or}	P _u			
12.2.4			mm			kN		kN	m ⁻	1	kg
	15	35	11	0,6	18	12,7	8,3	0,36	15000	20000	0,062
	17	40	12	0,6	20	15,9	10,6	0,45	14000	19000	0,082
	•	47	14	1	22	23,4	15	0,64	12000	17000	0,14
	20	52	15	1,1	25	29,6	20	0,85	10000	15000	0,18
	25	52	15	1	25	25,1	20	0,83	9500	14000	0,16
		62	17	1,1	30	39,1	28	1,18	9000	14000	0,29
	30	62	16	1	32	35.1	28,5	1.2	8500	12000	0,24
	00	72	19	1,1	36	49,4	39	1,63	7500	10000	0,42
	35	72 80	17 21	1,1 1,5	37 40	46,2 59,2	39 46,5	1,63 1,96	7500 7000	10000 9500	0,36 0,57
		00	21	1,0	40	55,2	40,5	1,30	7000	9300	0,01
	40	80	18	1,1	42	52,7	45	1,9	6700	9000	0,45
		90	23	1,5	46	71,5	58,5	2,45	6300	8500	0,78
	45	85	19	1,1	46	58,5	51	2,16	6300	8500	0,52
	10	100	25	1,5	51	93,6	76,5	3,25	5600	7500	1,05
		0.0	00		40	24.2	50	0.4	5000	7500	0.50
	50	90	20 27	1,1 2	49 56	61,8 111	56 91,5	2,4 3,9	5600 5000	7500 6700	0,59 1,35
		110	27	2	56	111	91,5	3,9	5000	6700	1,35
	55	100	21	1,5	54	79,3	76,5	3,2	5300	7000	0,77
		120	29	2	61	127	108	4,55	4500	6000	1,75
	60	110	22	1,5	60	92,3	86,5	3,65	4800	6300	0,99
		130	31	2,1	67	146	125	5,3	4300	5600	2,15
	65	120	23	1,5	65	104	104	4,4	4300	5600	1,2
	00	140	33	2,1	72	165	146	6,1	4000	5300	2,7
	70	125 150	24 35	1,5 2,1	68 77	114 186	114 166	4,8 6,7	4300 3600	5600 4800	1,32 3,15
		150	30	۷,۱	- 11	100	100	0,1	3000	4000	3,10
	75	130	25	1,5	72	117	122	5,2	4000	5300	1,45
		160	37	2,1	82	199	186	7,35	3400	4500	3,9

(ZKL)



Bearing d	Bearing designation		Dimensions			Dimensions of grooves			Abutment and Fillet Dimensions		
Bearing with safety grooves	Bearing without safety grooves										
		d	d ₁	D ₁	b	h	r _o	d _a	D _a	r _a	
			<u> </u>		<u> </u>			min	max	max	
0.1000010144		45	0.0	00.4	0	mm	0.5	40.0	00.0	0.0	
QJ202N2MA	-	15	22	28,1	3	2,2	0,5	19,2	30,8	0,6	
QJ203N2MA	-	17	23,5	32,5	3,5	2,5	0,5	21,2	35,8	0,6	
QJ303N2MA	-		27,7	36,3	4,5	3,5	0,5	22,6	41,4	1	
QJ304N2MA	QJ304MA	20	27,5	40,8	4,5	3,5	0,5	27	45	1	
QJ205N2MA	QJ205MA	25	31,5	43	4,5	3	0,5	30,6	46,4	1	
QJ305N2MA	QJ305MA	20	34	49	4,5	3,5	0,5	32	55	1	
QJ206N2MA	QJ206MA	30	37,5	50,8	4,5	3,5	0,5	35,6	56,4	1	
QJ306N2MA	QJ306MA		40,5	58,2	4,5	3,5	0,5	37	65	1	
QJ207N2MA	_	35	44	59	4,5	3,5	0,5	42	65	1	
QJ307N2MA	QJ307MA	00	46,2	64,3	5,5	4	0,5	44	71	1,5	
QJ208N2MA	QJ208MA	40	49,5	66	5,5	4	0,5	47	73	1	
QJ308N2MA	QJ308MA		52	72,5	5,5	4	0,5	49	81	1,5	
_	QJ209MA	45	54,5	72	_	_	_	52	78	1	
QJ309N2MA	QJ309MA	-10	58	81,2	6,5	5	0,5	54	91	1,5	
-	QJ210MA	50	59,5	76,5	5,5	4	0,5	57	83	1	
-	QJ310MA QJ310PHAS		65 65	90 90	-	-	-	61 61	99 99	2	
-	QJ3 IUPHAS		65	90	-	-	-	01	99		
QJ211N2MA	QJ211MA	55	66	84,7	6,5	5	0,5	64	91	1,5	
QJ311N2MA	QJ311MA		70,5	97,8	6,5	8,1	0,5	66	109	2	
0.1040110144	0.1040144	00	70	00	0.5	_	0.5	00	101	4.5	
QJ212N2MA QJ312N2MA	QJ212MA QJ312MA	60	72 77	93 106	6,5 6,5	5 8,1	0,5 0,5	69 72	101 118	1,5 2	
QUUIZIVIA	GOSTZIVIA		11	100	0,0	0,1	0,5	12	110	2	
QJ213N2MA	QJ213MA	65	78,5	101	6,5	6,5	0,5	74	111	1,5	
-	QJ313MA		82,5	115	-	-	-	77	128	2	
0.1044N084	0.104.4MA	70	00.5	100	0.5	0.5	0.5	70	110	1.5	
QJ214N2MA QJ314N2MA	QJ214MA QJ314MA	70	83,5 89	106 123	6,5 8,5	6,5 10,1	0,5 2	79 82	116 138	1,5 2	
GUUTHILINIA	GUU I HIVIA		03	120	0,0	10,1		02	100		
QJ215N2MA	QJ215MA	75	88,5	112	6,5	6,5	0,5	84	121	1,5	
QJ315N2MA	-		104	131	8,5	10,1	2	87	148	2	



























Four-point contact bearings

d = 80 to 200 mm



		Mai	n dimens	sions		Basic load	d rating	Fatique load limit			
ĺ						dynamic	static		Grease	Oil	
4.	d	D	В	r _s min	а	C,	C _{or}	P _u			
12.2.4			mm			kN		kN	m ⁻	-1	kg
	80	140	26	2	77	138	146	5,85	3600	4800	1,85
		170	39	2,1	88	216	208	8	3200	4300	4,6
	85	150	28	2	83	148	160	6,2	3400	4500	2,25
		180	41	3	93	234	236	8,65	3000	4000	5,45
	90	160	30	2	88	174	186	6,95	3200	4300	2,75
	90	190	43	3	98	265	285	10,2	2800	3800	6,45
		100	40	J	00	200	200	10,2	2000	0000	0,40
	95	170	32	2,1	93	199	212	7,8	3000	4000	3,35
		200	45	3	103	286	315	11	2600	3600	7,45
	100	100	0.4	0.1	00	005	040	0.05	0000	2000	4.05
	100	180 215	34 47	2,1 3	98 110	225 307	240 340	8,65 11,6	2800 2400	3800 3400	4,05 9,3
		210	41	3	110	301	040	11,0	2400	3400	9,0
	110	200	38	2,1	109	265	305	10,4	2400	3400	5,6
		240	50	3	123	390	475	15	2000	3000	12,5
	120	215	40	2,1	117	286	340	11,2	2200	3200	6,95
		260	55	3	133	390	490	15	1900	2800	16
	130	230	40	3	126	296	365	11,6	1900	2800	7,75
Г		280	58	4	144	423	560	16,6	1800	2600	19,5
	140	250	42	3	137	325	440	13,2	1800	2600	9,85
		300	62	4	154	468	640	18,6	1800	2600	24
	150	270	45	3	147	338	465	15,3	1700	2400	12,5
	.00	320	65	4	165	494	710	19,6	1600	2200	29
	160	290	48	3	158	390	570	17,6	1600	2200	15,5
		340	68	4	175	540	815	21,6	1500	2000	34,5
	170	310	52	4	168	397	600	18,3	1600	2200	19,5
	170	360	72	4	186	618	965	25	1400	1900	41,5
											, 2
	180	320	52	4	175	436	680	19	1500	2000	20,5
		380	75	4	196	637	1020	26	1300	1800	47,5
	100	400	78	-	207	690	1100	00 E	1200	1600	40
	190	400	78	5	207	690	1100	28,5	1200	1600	49
	200	360	58	4	196	507	850	23,2	1300	1800	28,5
								,_			

(ZKI)



Bearing d	Dimensions			Dimen	Dimensions of grooves			Abutment and Fillet Dimensions		
Bearing with safety grooves	Bearing without safety grooves									
		d	d,	D ₁	b	h	r _o	d _a min	D _a max	r _a max
						mm				
QJ216N2MA	QJ216MA	80	95,3	120	6,5	8,1	1	91	129	2
QJ316N2MA	-		111	139	8,5	10,1	2	92	158	2
QJ217N2MA	QJ217MA	85	100	128	6,5	8.1	1	96	139	2
QJ317N2MA	-	00	117	148	10,5	11,7	2	99	166	2,5
					,.	,.				_,-
QJ218N2MA	-	90	114	136	6,5	8,1	1	101	149	2
QJ318N2MA	-		124	156	10,5	11,7	2	104	176	2,5
0.1040110111		0.5	100	4.45	0.5	0.1		107	450	0
QJ219N2MA QJ319N2MA	-	95	120 131	145 165	6,5	8,1	1 2	107 109	158 186	2
QUO I SIN ZIVIA	-		101	100	10,5	11,7	۷	108	100	2,5
QJ220N2MA	_	100	127	153	8,5	10,1	2	112	168	2
QJ320N2MA	-		139	176	10,5	11,7	2	114	201	2,5
QJ222N2MA	-	110	141	169	8,5	10,1	2	122	188	2
QJ322N2MA	-		154	196	10,5	11,7	2	124	226	2,5
QJ224N2MA	_	120	152	183	10,5	11,7	2	132	203	2
QJ224N2MA QJ324N2MA	_	120	169	211	10,5	11,7	2	134	246	2,5
QUUZTIVZIVIA	_		100	211	10,0	11,7	2	104	240	2,0
QJ226N2MA	-	130	165	195	10,5	11,7	2	144	216	2,5
QJ326N2MA	-		182	227	10,5	12,7	2	147	263	3
QJ228N2MA	-	140	179	211	10,5	11,7	2	154	236	2,5
QJ328N2MA	-		196	244	10,5	12,7	2	157	283	3
QJ230N2MA	-	150	194	226	10,5	11,7	2	164	256	2,5
QJ330N2MA	-		211	259	10,5	12,7	2	167	303	3
QJ232N2MA		160	206	243	10,5	12,7	2	174	276	2,5
QJ332N2MA		100	224	276	10,5	12,7	2	177	323	3
G0002112111111				2.0	.0,0	,.	_		020	
QJ234N2MA		170	221	258	10,5	12,7	2	187	293	3
QJ334N2MA			237	293	10,5	12,7	2	187	343	3
QJ236N2MA		180	231	269	10,5	12,7	2	197	303	3
QJ336N2MA			252	309	10,5	12,7	2	197	363	3
QJ338N2MA		190	263	326	10,5	12,7	2	210	380	4
GOODITEINA		.50	_30	020	. 5,0	,,	_	_10	550	-
QJ240N2MA		200	258	302	10,5	12,7	2	217	363	3

0























• • • • 259 • • •









12.3 DOUBLE ROW SELF ALIGNING BALL BEARINGS

Design

Bearings are designed with two rows of balls and round raceway on the outer ring, which enables certain tilting of the inner ring towards the outer ring around the bearing centre without impeding bearing function (fig. 12.3.1). Bearings are made with a cylindrical (a) or tapered (b) bore and are non-detachable. The self aligning ability, while maintaining functionality, determines the bearing application in cases, where certain misalignment of bores in the bearing hubs or deflection and oscillation of the shaft are expected. Due to the small contact angle and imperfect adherence of the balls to the raceways, they are unsuitable for capturing greater axial forces.

Due to the small adherence of balls on the outer ring spherical surface, self aligning ball bearings elicit little friction in comparison to other types of bearings and the heat generated is thus also less. The ZKL product line includes only standard uncovered bearings.




Fig. 12.3.1a Fig. 12.3.1b

Standard design

ZKL double row self aligning ball bearings, manufactured to NEW FORCE standards, are designated as ** in the tables. Standard self aligning ball bearings are designed with a cylindrical bore. They are also alternatively designed with a tapered bore (with a 1:12 taper ratio).

Certain series 12 and 13 bearings contain overlapping balls even in the basic non-tilted ring position of the face of both rings. The size of the overlap is specified in the catalogue tables.



Accessories

Adapter sleeves are a basic accessory to self aligning ball bearings. They serve to fasten bearings with a tapered bore onto the cylindrical shaft. Adapter sleeves are described in the chapter "Bearing accessories." The assignment of adapter sleeves is specified in the catalogue tables.

Main dimensions

The main dimensions of bearings are consistent with standard ISO 15 and are listed for individual bearings in the tables of the publication.

Precision

Bearings are currently produced at a normal degree of precision PO, which is not marked. Bearings for more demanding loadings and higher degree of precision P6 are also supplied.

The dimensional and operational precision tolerances are listed in tables 7.2 to 7.4b and are consistent with standard ISO 492.

Self-alignment ability

Self aligning ball bearings enable, within certain limits, the mutual alignment of rings without negatively affecting the bearing function (fig. 4.9a)

Permissible alignment values of bearing rings, while maintaining functionality, are listed in table 12.3.1.

Table 12.3.1

Bearing type	Permissible tilt $lpha$
d<10 mm; series 126; series 13; series 23	±3°
series 12; series 22	± 2°30′

Internal clearance

Commonly manufactured bearings have a normal internal radial clearance, which is not labelled. Bearings with a reduced clearance C2 or increased radial clearance C3 are supplied for special conditions. The supplier must be consulted for delivery of bearings with C4 and C5 clearance.

Clearance values that conform to standard ISO 5753 are listed in table 7.18. Values apply to bearings prior to installation and without the use of a measuring load.

Cages

Bearings, in their standard design, general have cages as listed in table 12.3.2 (the symbol characterizing the material and cage design is usually not specified).

... 264





Table 12.3.2

Bearings with steel sheet or brass cage	Bearings with massive brass or steel cage
d < 10 mm; series 126	-
1200 to 1222	1224 až 1230
2200 to 2222	-
1300 to 1322	1324
2304 to 2320 ¹⁾	2322

¹⁾ Bearing 2305 is manufactured with a massive plastic cage with filler (TNGN)

Note:

TNGN cages can work in bearings for normal operating conditions, i.e. up to +120 °C.

Axial loading capacity

The ability of self aligning ball bearings, installed on adapter sleeves on a shaft without shoulder, to carry axial loads depends on the friction between the sleeve and the shaft. The permissible axial loading capacity can be roughly determined by the relationship

$$F_{ao} = 0.003 \cdot B \cdot d$$

\boldsymbol{F}_{ap} maximum permissible axial loading capacity	[kN]
B bearing width	[mm]
d bearing bore diameter	[mm]

Minimal load

A certain minimal load must act on all single-point contact or line contact bearings to ensure their satisfactory operation. This also applies for self aligning ball bearings, especially when they must operate at high speeds, with high acceleration, or when the direction of the acting load suddenly changes. Under such conditions, the inertial forces of balls, cages, and friction in the lubricant can have a negative effect on the rolling conditions and can cause harmful slippage between the balls and the raceways.

The requisite minimal load for self aligning ball bearings can be estimated using the relationship

$$P_m = 0.01 \cdot C_o$$

Pm minimal equivalent load	[kN]
Co static load capacity	[kN]





























A higher minimum load may be required when starting under low temperatures or when using a high viscosity lubricant. The weight of components associated with the bearing together with external forces is often greater than the requisite minimal load. If not, then an auxiliary axial load may act on the bearing, which is elicited e.g. by increased tension of a belt, etc.

Equivalent dynamic radial load of bearing

$$P_r = F_r + Y_1F_3$$
 for $F_2/F_r \le e$ [kN]

$$P_r = 0.65F_r + Y_2F_a$$
 for $F_a/F_r > e$ [kN]

The values of coefficients e, Y_1 and Y_2 for individual bearings are listed in the tables of the publication.

Equivalent static radial load of bearing

$$P_{nr} = F_r + Y_n F_a$$
 [kN]

The values of coefficients Y_0 for individual bearings are listed in the tables of the publication.

Additional markings

Markings of standard bearings and of bearings with a tapered bore are listed in the tables of the publication. Divergence from the standard design is marked by the additional characters provided below:

C2 Radial internal clearance less than Normal

C3Radial internal clearance greater than Normal

K Tapered bore with 1:12 taper ratio

TNGN.... Injected open cage from fibreglass reinforced polyamide 6.6, ball-guided

Installation of bearings with tapered bore

Bearings with a tapered bore have a taper size of 1:12. Bearings with a tapered bore are fastened on a cylindrical shaft using adapter sleeves. Sleeve designations belonging to individual bearings are listed in the tables of the publication.

... 266



Self aligning ball bearings with tapered bore are always installed with an overlap on the conical journal or on the adapter or withdrawal sleeve. A decrease in the internal radial bearing clearance or in the axial shift of the internal ring on the conical journal can be used to measure the overlap size. Suitable methods for checking correct installation of self aligning ball bearings with a tapered bore are provided below:

- Measuring the decrease of clearance.
- Measuring the lock nut tightening angle.
- Measuring the axial displacement.

Measuring the decrease of clearance

When installing self aligning ball bearings in standard design with a relatively small Normal radial internal clearance, it generally suffices to check the decrease in clearance during installation by turning and tilting the outer bearing ring. If the bearing is properly installed, then the outer ring can easily be turned; however, you must feel slight resistance when tilting the bearing outer ring. In such a case, the bearing is installed with a correct overlap.

In certain cases, however, the resulting internal clearance for the give application may be too small. Consequently, a bearing with an internal radial clearance of C3 should be used.

Measuring the torque of lock nuts

Measuring the tightening angle of the lock nut presents an easy method of installing self aligning ball bearings with a tapered bore. Recommended tightening angles and lock nut torques are specified in table 12.3.3.

The bearing must be pushed onto the conical journal or sleeve prior to final nut tightening so that it touches the contact surfaces along its entire perimeter (i.e. so it cannot be turned). By tightening the nut by the given angle a, move the bearing on the tapered surface the correct distance. The resulting clearance in the bearing must be checked by turning and tilting the outer bearing ring.

Then unscrew the nut and carefully install the lock washer and re-tighten the nut. Secure the nut by bending the lock washer tab so the tab fits into the slot on the lock nut.

Measuring axial displacement

Installation of bearings with a tapered bore can also be based on measuring the axial displacement of the inner ring on the tapered contact surface. The recommended values of requisite axial displacement "s" are listed in the following table.



























Table 12.3.3

Tightening angle	Axial displacement
α	s
degrees	mm
80	0,22
55	0,22
55	0,22
70	0,3
70	0,3
80	0,35
80	0,35
75	0,4
75	0,4
80	0,4
80	0,4
85	0,45
85	0,45
110	0,6
110	0,6
110	0,6
110	0,6
125	0,7
125	0,7
	α degrees 80 55 55 70 70 70 80 80 80 75 75 80 80 81 110 110 110 110 110 110 125




Fig. 12.3.2


••• 268 •••••••






Double row self aligning ball bearings d = 10 to 150 mm


d = 10 to 50 mm





	Main dimensions				Basic loa	d rating	Fatique load limit	Limiting s lubricati		Bearing d	esignation
d	D	В	B ₁ ¹⁾	r _s	dynamic	static				with cylindrical bore	with tapered bore
				min	C,	C _{or}	P _u	Grease	Oil		
		mm			k۱		kN	miı	n ⁻¹		
10	30	14		0,6	7,28	1,58	0,07	25 000	30 000	2200	
10	00	17		0,0	1,20	1,00	0,07	20 000	00 000	2200	
12	32	10		0,6	5,59	1,26	0,06	24 000	28 000	1201	
15	35	11		0,6	7,41	1,74	0,08	21 000	25 000	1202	
	35	14		0,6	7,61	1,81	0,08	21 000	25 000	2202	
17	40	12		0,6	8,14	2,03	0,09	17 000	20 000	1203**	1203 K
17	40	12		0,0	0,14	2,00	0,03	17 000	20 000	1203	1203 K
20	47	14		1,0	10,24	2,66	0,12	14 000	17 000	1204**	1204 K
25	52	15		1,0	12,46	3,35	0,15	12 600	15 000	1205**	1205 K
	52	18		1,0	12,88	3,48	0,16	12 600	15 000	2205**	2205 K
	62	17		1,1	18,49	5,01	0,23	10 000	13 000	1305**	1305 K
	62	24		1,1	25,24	6,56	0,30	10 000	12 000	2305TNGN**	2305 K TNGN
30	62	16		1,0	16,69	4,73	0,22	11 000	13 000	1206**	1206 K
30	62	20		1,0	15,76	4,75	0,22	11 000	13 000	2206**	2206 K
	72	19		1,1	22,04	6,31	0,29	9 400	11 000	1306**	1306 K
	72	27		1,1	32,34	8,74	0,40	8 400	10 000	2306**	2306 K
35	72	17		1,1	16,27	5,11	0,23	9 400	11 000	1207**	1207 K
	72	23		1,1	22,35	6,68	0,30	9 400	11 000	2207**	2207 K
40	80	18		1.1	10.00	6,56	0,30	7 900	9 400	1208**	1208 K
40	90	23		1,1 1,5	19,88 29,87	9,81	0,30	7 100	8 400	1308**	1208 K 1308 K
	90	33		1,5	46,14	13,30	0,43	6 700	7 900	2308**	2308 K
				.,,	,	,	-,				
45	85	19		1,1	22,56	7,36	0,33	7 500	8 900	1209**	1209 K
	85	23		1,1	24,00	8,10	0,37	7 500	8 900	2209**	2209 K
	100	25		1,5	39,14	12,80	0,58	6 300	7 500	1309**	1309 K
	100	36		1,5	55,41	16,50	0,75	6 000	7 100	2309**	2309 K
50	90	20		11	23,38	8,10	0,37	7 100	8 400	1210**	1210 K
50	90	23		1,1	23,38	8,10	0,37	7 100	8 400	2210**	2210 K
	110	27		2,0	44,60	14,10	0,64	5 600	6 700	1310**	1310 K
	113			2,5	77,00	1-1,10	0,07	0 000	3,30		.515 K

(ZKL)



** Bearings in the new standard NEW FORCE

							caringo in an			
Abutm	ent and F	illet Dime	ensions	We	ight	Respective adapter sleeve		Coeffic	cients	
d	d _a min	D _a max	r _a max	-	к		е	Υ,	Y ₂	Y _o
	m	m		k						
					· ·					
10	14	26	0,6	0,047			0,65	1,0	1,5	1
40	40	40	0.0	0.040			0.04	4.0	0.0	0.0
12	16	18	0,6	0,040			0,34	1,9	2,9	2,0
15	19	31	0,6	0,049			0,33	1,9	2,9	2,0
15	19	31	0,6	0,049			0,33	1,3	2,9	1,3
15	19	31	0,0	0,000			0,49	1,0	2,0	1,3
17	21	36	0,6	0,073	0,071	H203	0,31	2,1	3,2	2,2
.,		00	0,0	0,070	0,071	11200	0,01	۷, ۱	0,2	_,_
20	25	42	1,0	0,12	0,12	H204	0,27	2,3	3,6	2,4
			, ,							
25	30	47	1,0	0,14	0,14	H205	0,27	2,3	3,6	2,4
25	30	47	1,0	0,16	0,16	H305	0,43	1,5	2,3	1,5
25	32	55	1,0	0,26	0,26	H305	0,28	2,3	3,5	2,4
25	31	55	1,0	0,34	0,33	H2305	0,47	1,3	2,1	1,4
30	35	57	1,0	0,22	0,22	H206	0,25	2,6	4,0	2,7
30	35	57	1,0	0,26	0,25	H306	0,40	1,6	2,5	1,7
30	36	65	1,0	0,39	0,38	H306	0,26	2,5	3,8	2,6
30	36	65	1,0	0,50	0,49	H2306	0,44	1,4	2,2	1,5
35	42	65	1,0	0,32	0,32	H207	0,23	2,7	4,2	2,9
35	42	65	1,0	0,40	0,40	H307	0,37	1,7	2,6	1,8
40	47	73	1,0	0,42	0,41	H208	0,22	2,9	4,4	3,0
40	47	81	1,5	0,72	0,70	H308	0,24	2,6	4,1	2,7
40	47	81	1,5	0,93	0,90	H2308	0,43	1,5	2,3	1,5
4.5	F0	70	1.0	0.47	0.40	11000	0.01	0.0	4.0	0.1
45 45	52 52	78 78	1,0 1,0	0,47 0,55	0,46 0,53	H209 H309	0,21 0,31	3,0 2,1	4,6 3,2	3,1 2,2
45	52 52	91	1,0	0,55	0,53	H309	0,31	2,1	3,2	2,2
45	52	91	1,5	1,23		H2309	0,25	1,5		1,6
45	52	91	1,5	1,23	1,20	ಗ೭ಎ೮೪	0,42	1,5	2,3	1,0
50	57	83	1,0	0,53	0,52	H210	0,20	3,1	4,9	3,3
50	57	83	1,0	0,59	0,58	H310	0,29	2,2	3,4	2,3
50	60	100	2,0	1,21	0,19	H310	0,24	2,7	4,1	2,8
			_, =	.,	5,.5		٥,٢.	_,.	.,.	_,0

00























•••••• 271



Double row self aligning ball bearings








	Main dimensions					Basic loa	d rating	Fatique Ioad Iimit	Limiting s lubricati		Bearing o	lesignation
	d	D	В	B ₁ ¹⁾	r _s	dynamic	static				with cylindrical bore	with tapered bore
-					min	C _r	C _{or}	P _u	Grease	Oil		
12.3.1			mm			kl*	1	kN	miı	n ⁻¹		
	55	100	21		1,5	27,60	10,00	0,45	6 300	7 500	1211**	1211 K
		100	25		1,5	27,30	10,00	0,45	6 300	7 500	2211**	2211 K
	60	110	22		1,5	31,00	11,70	0,53	5 600	6 700	1212**	1212 K
		110	28		1,5	35,23	12,60	0,57	5 600	6 700	2212**	2212 K
		130	31		2,0	58,81	20,70	0,94	4 700	5 600	1312**	1312 K
	65	120	23		1,5	31,93	12,30	0,56	5 300	6 300	1213**	1213 K
	00	120	31		1,5	44,91	16,50	0,75	5 300	6 300	2213**	2213 K
		140	48		2,1	98,88	32,40	1,47	4 000	4 800	2313**	2313 K
	70	125	31		1,5	45,22	17,10	0,78	5 000	6 000	2214**	2214 K
		150	51		2,1	112,27	37,60	1,63	3 800	4 500	2314**	2314 K
		400				40.07		0.70	4 700		1015++	101516
	75	130	25 31		1,5	40,07	15,50	0,70	4 700	5 600 5 600	1215** 2215**	1215 K 2215 K
		130 160	37		1,5 2,1	45,53 81,68	17,80 29,90	0,80 1,25	4 700 3 800	4 500	1315**	1315 K
		160	55		2,1	126,69	43,00	1,80	3 500	4 200	2315**	2315 K
		100	55		۷,۱	120,00	40,00	1,00	3 300	4 200	2010	2313 K
	80	140	26		2,0	40,99	16,80	0,73	4 500	5 300	1216**	1216 K
		140	33		2,0	50,47	20,00	0,87	4 500	5 300	2216**	2216 K
	85	150	28		2,0	50,57	20,30	0,85	4 000	4 700	1217**	1217 K
		180	41		3,0	100,63	37,60	1,48	3 300	4 000	1317**	1317 K
		180	60		3,0	144,20	51,10	2,02	3 200	3 800	2317**	2317 K
	90	160	30		2,0	58,61	23,30	0,95	3 800	4 500	1218**	1218 K
	50	160	40		2,0	72,41	28,70	1,17	3 800	4 500	2218**	2218 K
		190	64		3,0	157,59	57,30	2,20	3 000	3 500	2318**	2318 K
	95	170	32		2,1	65,61	27,10	1,07	3 500	4 200	1219**	1219 K
		170	43		2,1	85,70	34,10	1,35	3 500	4 200	2219**	2219 K
		200	45	48	3,0	135,96	51,10	1,91	3 000	3 500	1319**	1319 K
		200	67		3,0	169,95	64,30	2,41	2 800	3 300	2319**	2319 K
	100	180	34		2,1	71,07	29,30	1,13	3 300	4 000	1220**	1220 K
	100	180	46		2,1	96,92	40,60	1,56	3 300	4 000	2220**	2220 K
		215	47	52	3,0	147,29	58,40	2,12	2 800	3 300	1320**	1320 K
		215	73		3,0	197,76	77,90	2,82	2 700	3 200	2320**	2320 K





** Bearings in the new standard NEW FORCE

1) The dimension B₁ indicates the bearing width measured over balls
if they protrude from the bearing side faces


						if	they protruc	le from the	e bearing s	side faces	
Abutm	ent and F	illet Dime	ensions	Wei	ght	Respective adapter sleeve		Coefficients			
d	d _a min	D _a max	r _a max	-	К		е	Υ,	Y ₂	Y _o	
	m	ım		kç]						
55	62	91	1,5	0,71	0,69	H211	0,20	3,2	5,0	3,4	
55	62	91	1,5	0,81	0,79	H311	0,28	2,3	3,5	2,4	
60	67	101	1,5	0,90	0,89	H212	0,19	3,4	5,3	3,6	
60	67	101	1,5	1,09	1,07	H312	0,28	2,3	3,5	2,4	
60	72	118	2,0	1,96	1,93	H312	0,23	2,8	4,3	2,9	
65	72	111	1,5	1,15	1,13	H213	0,17	3,7	5,7	3,9	
65	72	111	1,5	1,46	1,43	H313	0,28	2,2	3,5	2,3	
65	76	128	2,0	3,28	3,20	H2313	0,38	1,6	2,5	1,7	
70	77	116	1,5	1,52	1,49	H314	0,27	2,4	3,7	2,5	
70	81	138	2,0	3,90	3,79	H2314	0,38	1,7	2,6	1,8	
75	82	121	1,5	1,36	1,34	H215	0,18	3,6	5,6	3,8	
75	82	121	1,5	1,62	1,58	H315	0,25	2,5	3,9	2,6	
75	86	148	2,0	3,56	3,51	H315	0,22	2,8	4,4	3,0	
75	86	148	2,0	4,72	4,61	H2315	0,38	1,7	2,6	1,7	
80	90	130	2,0	1,67	1,64	H216	0,16	3,9	6,1	4,1	
80	90	130	2,0	2,01	1,97	H316	0,25	2,5	3,9	2,6	
85	95	140	2,0	2,07	2,04	H217	0,17	3,7	5,7	3,9	
85	98	166	2,5	4,98	4,91	H317	0,22	2,9	4,5	3,0	
85	98	166	2,5	6,71	6,55	H2317	0,37	1,7	2,7	1,8	
90	100	150	2,0	2,52	2,48	H218	0,17	3,8	5,8	3,9	
90	100	150	2,0	3,20	3,13	H318	0,27	2,4	3,6	2,5	
90	103	176	2,5	7,96	7,77	H2318	0,38	1,7	2,6	1,8	
95	107	158	2,0	3,10	3,05	H219	0,17	3,6	5,7	3,9	
95	107	158	2,0	3,95	3,85	H319	0,27	2,4	3,6	2,5	
95	109	186	2,5	6,69	6,59	H319	0,23	2,7	4,3	2,9	
95	109	186	2,5	9,21	8,99	H2319	0,38	1,7	2,6	1,8	
100	112	168	2,0	3,70	3,64	H220	0.17	3,6	5,6	3,8	
100	112	168	2,0	4,72	4,61	H320	0,27	2,4	3,6	2,5	
100	113	201	2,5	8,30	8,19	H320	0,24	2,7	4,1	2,8	
100	113	201	2,5	11,7	11,4	H2320	0,38	1,7	2,6	1,7	


• • • • • • • • 273 • • •



Double row self aligning ball bearings


d = 110 to 150 mm





Main dimensions					Basic loa	d rating	Fatique load limit	Limiting s lubricati		Bearing d	esignation
d	D	В	B ₁ ¹⁾	r _s	dynamic	static				with cylindrical bore	with tapered bore
				min	C,	C _{or}	P _u	Grease	Oil		
		mm			kt		kN	mir	1 ⁻¹		
110	200	38		2,1	90,54	38,30	1,40	3 000	3 500	1222**	1222 K
	200	53		2,1	123,60	52,10	1,90	3 000	3 500	2222**	2222 K
	240	50	55	3,0	167,89	70,80	2,43	2 700	3 200	1322**	1322 K
	240	80		3,0	223,51	94,40	3,24	2 500	3 000	2322**	2322 K
120	215	42	45	2,1	119,00	52,10	1,83	2 800	3 300	1224	
	260	55	62	3,0	196,00	90,90	3,00	2 500	3 000	1324	
130	230	46	48	3,0	129,78	59,60	2,02	2 700	3 200	1226**	1226 K
140	250	50	54	3,0	163,77	72,20	2,35	2 500	3 000	1228**	1228 K
150	270	54	56	3,0	176,13	85,80		2 400	2 800	1230**	1230 K





** Bearings in the new standard NEW FORCE

1) The dimension B₁ indicates the bearing width measured over balls
if they protrude from the bearing side faces

							they protitud	ao iroin an	boaring	side ideed
Abutm	ent and F	illet Dime	ensions	We	ight	Respective adapter sleeve		Coeffic	ients	
d	d _a min	D _a max	r _a max	- к			е	Υ,	Y ₂	Y _o
	m	m		k	g					
110	122	188	2,0	5,15	5,07	H222	0,17	3,6	5,6	3,8
110	122	188	2,0	6,84	6,68	H322	0,28	2,3	3,5	2,4
110	124	226	2,5	11,8	11,7	H322	0,22	2,8	4,4	3,0
110	124	226	2,5	17,3	16,9	H2322	0,37	1,7	2,7	1,8
			, .	, -	.,.		.,.	,	,	, -
120	132	203	2,0	6,75			0,19	3,3	5,1	3,4
120	134	246	2,5	15,5			0,24	2,7	4,1	2,8
			_,-	, -			7,= 1	_,.	.,.	_,-
130	144	216	2,5	8,30	8,10		0,19	3,3	5,0	3,4
				, , , , ,						,
140	154	236	2,5	10,9	10,6		0,20	3,1	4,8	3,3
150	164	256	2,5	13,8	13,5		0,2	3,2	5,0	3,4
			,	-,-	-,-		- /	,	, -	
























• • • • • • • • • • • • 275 • • •









12.4 CYLINDRICAL ROLLER BEARINGS

Cylindrical roller bearings are manufactured in many designs, dimensions and sizes. The most common designs are single row cylindrical roller bearings with cage. Single row cylindrical roller bearings are capable of transferring big radial loads and, in some design cases, they are capable of capturing even axial load. Cylindrical roller bearings can operate at high revolutions. The full complement design is capable of transferring big radial loads but at lower rpm.

Majority of design versions is separable which allows easier assembly and disassembly in location. In majority of cases the mutual axial displacement of the outer and inner ring is used when the axial shift of the shaft against the body is aligned inside the bearing without reducing the service life of the bearing. Axial displacement is mostly caused by thermal expansion of the shaft.

Use of cylindrical roller bearings requires good alignment of both rings. Modification of raceways of rings and cylindrical rollers allow only small tilting in case of misalignment without reducing the service life of the bearing. Multirow cylindrical roller bearings have to comply with even more stringent alignment requirements.

KL manufactures the following types of cylindrical roller bearings:

- single row cylindrical roller bearings
- double row cylindrical roller bearings
- single row full complement cylindrical roller bearings
- double row full complement cylindrical roller bearings
- multi row cylindrical roller bearings

ZKL further offers special cylindrical roller bearings that are described in more details in chapter Special cylindrical roller bearings:

- single row cylindrical roller bearings and bearing units for railway applications
- electrically insulated cylindrical roller bearings
- single row and multirow bearings for heavy industry
- split cylindrical roller bearings.

Where the space for bearing is limited significantly, cylindrical roller bearing can be used without the inner or outer ring. Rolling elements are guided directly on the shaft or in the body. This location requires that the contact shaft or body surfaces correspond with the structural design of the bearing ring.























SINGLE ROW CYLINDRICAL ROLLER BEARINGS

Design

Single row cylindrical roller bearings with cage are among the mostly used cylindrical roller bearings. These bearings are made in several design versions that are either axially free (do not transfer axial load), or able to capture axial loads in one or both directions.

Single row cylindrical roller bearings are made in dimensional rows same as those of ball bearings, transfer significantly higher radial load than cylindrical roller bearings and are able to work even at extremely high revolution frequencies. Out of the line contact bearings they achieve the highest limit revolution frequencies which are given by minimum slippage of rolling elements.

Ring with guide flanges along with cage and cylindrical rollers can be separated from the other ring which simplifies the assembly and disassembly of the bearing mostly in locations where the inner and outer ring of the bearing has to be pressed at loading conditions.

Bearings in E version have basic dynamic load rating 30% higher in average than bearings in basic version. This is allowed due to the optimised inner design of the bearing.

Basic version

Single row cylindrical roller bearings are made in several design versions that differ in the number and location of quide flanges.

NU design

Inner bearing ring has guide flanges on both sides; the inner ring is without flanges (fig. 12.4.1). NU version bearing is axially free; it allows axial displacement of shaft against body in both directions.

N design

Inner bearing ring has guide flanges on both sides; the outer ring is without flanges (fig. 12.4.2). N version bearing is axially free; it allows axial displacement of shaft against body in both directions.

NJ design

Outer bearing ring has guide flanges on both sides; the inner ring has one guide flange (fig. 12.4.3). NJ design bearing is axially guiding in one direction; in one direction the bearing captures axial load whilst in the other direction it allows axial displacement of shaft against body.

NUP design

Outer bearing ring has guide flanges on both sides; the inner ring has one fixed guide flange and one free flange which consists of free angle ring (fig. 12.4.4). NUP bearing is axially guiding in both directions, it captures axial load in both directions.






Fig. 12.4.1 Fig. 12.4.2




Fig. 12.4.3 Fig. 12.4.4

Angle rings

NJ and NU version bearings can be used in combinations with HJ angle rings. This enables transfer of double direction axial load in NJ bearings and single direction axial load in NU bearings.

NUP version bearing with shortened inner ring bearing surface should be in case of big radial load interchanged with NJ + HJ bearing. This arrangement has standard width of inner ring that ensures more stable support. Angle rings are made of the same steel as the bearing rings.

The designation and dimensions of angle rings are stated in the table section of the catalogue. Designation of ZKL bearing assembly pair consists of the designation of the bearing and the angle ring as follows: NJ214 + HJ214

Also associated designation of assemblies that consist of the below examples can be encountered:

NJ214 + HJ214 = NH214

NU208 + HJ208 = NUJ208




























Bearing NJ + HJ (NH)

It is a bearing in NJ version along with angle ring HJ (fig. 12.4.5). NH bearing is axially guiding in both directions; the bearing captures axial load in both directions.

NU + HJ (NUJ) design

It is a bearing in NU version along with angle ring HJ (fig. 12.4.6). NUJ bearing is axially guiding in one direction; in one direction the bearing captures axial load whilst in the other direction is allows axial displacement of shaft against body.






Fig. 12.4.5

Fig. 12.4.6

Special design

Availability of special design bearings shall be consulted with ZKL.

Bearings without inner or outer ring

Where the space for bearing location is limited, ZKL supplies NU single row cylindrical roller bearings without inner ring marked R NU (fig. 12.4.7), or N single row cylindrical roller bearings without outer ring marked R N (fig. 12.4.8). The raceway is formed directly with hardened and ground surface of shaft or body; these surfaces must comply with stringent requirements, similarly as the raceways of bearing rings. Therefore use of through-hardening steels, cementation steels or steels for high-frequency hardening is recommended in these cases, accordingly with ISO 683-17.

Tolerance of journal dimension is usually "g6" for normal radial clearance, "f6" for increased radial clearance and "h5" for reduced radial clearance. Journal raceway roundness and cylindricality deviations in this case must not exceed those of deviations applicable to the IT3 accuracy level. Maximum surface roughness for this surface should be Ra = 0.2 μ m and Ra = 0.4 μ m for less exacting locations. Similar tolerances apply to raceway that forms a part of the body.

Basic bearing capacity values C_r a C_{or} stated in the table section apply to the R NU and R N bearings provided that the hardness on the raceway surface will range within 58 to 64 HRC. With reducing hardness values also the load bearing capacity values C_r drop. For instance, bearings with 48 HRC ring hardness have half the

... 282






Fig. 12.4.7 Fig. 12.4.8

value of dynamic load bearing rating. The minimum depth of through hardening of the raceway after abrasion depends on the diameter of rollers and load size, and should be 1 to 3 mm. In big static loading, through hardening to the depth of 0.1 of the roller diameter is recommended. The above stated requirements apply to recommended bearing materials. If other materials are used, the resistance to fatigue damage will reduce.

Bearings with snap ring groove

To ensure simple protection against axial displacement in the location element single row cylindrical roller bearings with a groove for snap ring on outer ring are made. Bearings with snap ring groove have additional designation N (fig. 12.4.9)

Dimensions of the groove for snap ring comply with the standard ISO 464. The standard also states dimensions of relevant snap rings.

Bearings with snap ring grooves

If assembly of outer ring with clearance is required and spinning of outer ring in body has to be prevented, bearing with snap ring grooves on one face of outer ring can be supplies. Bearing provided with one snap ring groove is identified with additional designation N1; bearing with two grooves by 180° is identified with additional designation N2. fig. 12.4.10)




Fig. 12.4.9 Fig. 12.4.10



General information

Main dimensions

Main dimensions comply with the standard ISO 15 and are stated for individual bearings in the table section of the publication. Main dimensions of angle rings HJ comply with the standard ISO 246 and are also stated in the table section of the catalogue.

Tolerances

Bearings are usually made in normal accuracy level PO which is not presented. Also bearings in higher accuracy level P6, P5 and P4 are supplied.

The limit values of bearing dimension and run accuracy are stated in tables 7.2 to 7.8, and comply with the standard ISO 492. Tolerances of higher accuracy bearings SP and UP are stated in tables 7.9 to 7.11.

Radial clearance

Commonly produced single row cylindrical roller bearings feature normal axial clearance that is not identified. Special locations require bearings with reduced C2 radial clearance, or with increased radial clearance C3, C4 and C5. Values of radial clearances comply with the standard ISO 5753 and are stated in chart 7.19. The values in the table apply to bearing in non-assembled state and without load.

In some cases bearings with non-standard radial clearance range can be supplied. We recommend that these supplies are discussed with the technical and consultancy services of ZKL.

Misalignment

Mutual misalignment of rings of single row roller bearings is very small. Admissible values of misalignment are stated in table 12.4.1.

Table 12.4.1

Bearing type	Lo	ad
bearing type	small (F _r < 0,1 C _{or})	big (F _r ≥ 0,1 C _{or})
NU10, NU2, NU3, NU4	2´ to 3´	5′ to 7′
NU29, NU22, NU23	1 ′ to 3 ′	3′ to 4′
Version NJ, NUP, N 1)	1 ′ to 2 ′	3 ′ to 4 ′
1) lower values of pair of digits apply for b	earings of width series 2 and higher	

The stated values apply to axially free bearings. At the same time it has to apply that the shaft axis and body axis position do not change. Bigger misalignment than is that stated in the table leads to significant reduction of service life and increased noise level of the bearing. The misalignment values recommended for axially guiding bearings are even lower to avoid unequal loading of guiding flanges which would lead to more significant wear or damage to the flange. Also bearings axially guiding in both direction are very inclinable to

... 284



misalignment. In case of bigger misalignment axial clearance in bearing can get defined and rollers gripped by flanges which may cause occurrence of axial stress.

If there is a risk of bigger misalignment angles in roller bearing locations, we recommend that the ZKL technical and consultancy services are contacted.

Sliding axial movement

Axially free (NU, N) and single direction axially guiding (NJ) roller bearings are to certain extent capable of alignment of the shaft axial displacement against the body without reducing the service life of the bearing, Axial displacement is mostly caused by thermal expansion of the shaft. The values of maximum axial shift "s" of one ring towards the other as shown in the figure 12.4.11 are stated in the table section hereof.




Fig. 12.4.11

Running temperatures

As standard, roller bearings rings are made for use in environment with temperature up to 120 °C. Upon request, cylindrical roller bearings with dimension stabilisation for operation at higher temperatures can be supplied.

Cages

Design of cylindrical roller bearing cages:

- Cage pressed from steel plate, guided on rolling elements, additional designation J (is not presented)
- Two-piece massive steel cage quided on rolling elements, additional designation F
- Two-piece massive brass cage on rolling elements, additional designation M, guided on outer ring
 has additional designation MA, and the one guided on inner ring has additional designation MB
- Massive cage of polyamide or similar plastic, stiffened by glass fibres, guided on rolling elements, additional designation TNG

• 285 • • •



Special locations require bearings with cages provided with surface treatment, delivery of which must be discussed in advance with the supplier.

Minimum load

Cyllindrical roller bearings must be exposed to certain minimum load, especially when operated at high revolutions and rapid load changes. In these cases, inertial effects of cage with rolling elements become mostly apparent which are indicated mainly by slippage or the rolling elements in the bearing.

Minimum radial load recommended for ZKL cylindrical roller bearings is such that equals to 2% of the dynamic load bearing capacity of the bearing.

Axial dynamic load rating

Bearings with flanges on both sides can, besides radial load, transfer also limited axial load. Considering the fact that the allowed load of bearings in axial direction depends on a number of factors that cannot be captured in a single calculation, the following relations have indicative character only.

In this case, axial load bearing capacity is not limited by material fatigue but by the load bearing capacity of the grease film in the contact surface between the roller face and guide flange, lubrication conditions, service temperature and possibilities of cooling of the bearing. In usual service conditions when the temperature difference between the bearing and ambient area does not exceed 60°C at specific heat passage of 0.5 mWmm⁻²°C⁻¹, at minimum value of viscosity rate 2, the maximum admissible axial load can be calculated with sufficient accuracy from the below equation:

for lubrication with oil

$$F_{a \text{ max}} = \frac{0.5 C_{or} \cdot 10^{4}}{n (d + D)} - 0.05 F_{r}$$
 [kN]

for lubrication with greace

$$F_{a \text{ max}} = \frac{0.35 \text{ C}_{or} \cdot 10^4}{\text{n (d + D)}} - 0.03 F_{r}$$
 [kN]

$$F_{a \text{ max}} \dots$$
 maximum admissible axial load [kN]

$$\mathsf{C}_{\mathsf{or}} \ldots$$
 basic radial static load rating
 $[\mathsf{kN}]$

. . . 286



The $F_{a max}$ values calculated according to the above stated equations apply on condition of acting of constant axial force. In case of interrupted load or impact load the admissible axial load can grow by two or three times towards the calculated value

At acting axial load cylindrical roller bearings operate reliably only if the bearings are loaded radially at the same time. The relation $F_a/F_r \le 0.5$ has to be maintained.

Equivalent dynamic load of bearing

Axially free N and NU type bearings are capable of transferring radial load only; the following applies to these bearings:

$$P = F_r$$

Axially guiding NJ, NUP, NH and NUJ type bearings are capable of transferring both radial and axial load; the following applies to these bearings:

$$P = F_r$$
 pro $F_a/F_r \le e$

$$P = 0.92 F_1 + Y F_2$$
 pro $F_2/F_1 > e$

Equivalent static load of bearing

$$P_0 = F_r$$

Additional designations

Supplementary characters before basic designation

$$oldsymbol{\mathsf{L}}$$
 separate detachable ring of bearing





















Supplementary characters behind the basic designation:

Radial clearance: Normal radial clearance is usually not presented in the bearing's designation.

- **C2** Radial clearance smaller than normal
- **C3** Radial clearance bigger than normal
- **C4** Radial clearance bigger than C3
- **C5** Radial clearance bigger than C4
- R Radial clearance in non-standardised range (range in µm)

Construction design:

- **E** Optimised inner design with higher load rating
- N Snap ring groove on the outer ring
- NR Snap ring groove on the outer ring and inserted snap ring
- **N1** One snap ring groove on the outer ring face
- N2 Two snap ring grooves by 180° on one outer ring face

Material of the cage:

- J Cage pressed from steel plate, guided on rolling elements
- **F** Massive steel cage guided on rolling elements
- **M** Massive brass cage guided on rolling elements
- L Massive light metal cage guided on rolling elements
- **TN** Massive cage of polyamide or similar plastic guided on rolling elements
- **TNG** Massive cage of polyamide or similar plastic, reinforced by glass fibres, guided on rolling elements



Cage design (stated characters are always used in combination with cage material characters).

- A Cage guided on outer ring
- **B** Cage quided on inner ring
- P Compact window cage
- **S** Cage with lubrication slots
- R Silver-plated cage

Dimension stabilisation:

- **SO** For service temperature to 150°C
- **S1** For service temperature to 200°C
- **S2** For service temperature to 250°C

























Single row cylindrical roller bearings d = 20 to 1180 mm


d = 20 to 25 mm




				Ма	in dime	nsions	;				Bearing designation	Other cages	Angle ring designation	Basic I ratin	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	s ₁₎				C _r	C _{or}
			min	min			max								
000		44.00	4.0	0.0	mm		00.0	0.0	0.75		NII OO A		111007	kN	
20	47	14,00	1,0		27		30,0	3,0	6,75	1,4	NU204		HJ204	13,9	10,2
	47	14,00	1,0	0,6	27		30,0	3,0	6,75	1,4	NJ204		HJ204	13,9	10,2
	47	14,00	1,0	,	27	40.0				1,4	NUP204			13,9	10,
	47	14,00	1,0	0,6		40,0				1,4	N204			13,9	10,
25	52	15,00	1,0	0,6	32		35,0	3,0	7,25	1,5	NU205		HJ205	15,8	12,6
25	52	15,00			32		35,0	3,0	7,25	1,5	NJ205		HJ205	15,8	12,0
	52	15,00	1,0	0,6	32		55,0	0,0	1,20	1,5	NUP205		110200	15,8	12,6
	52	15,00			02	45,0				1,5	N205			15,8	12,6
	52	15,00	1,0	0,6	31,5	40,0	34,9	3,0	6,00	1,4	NU205E	TNG	HJ205E	29,3	25,6
	52	15,00			31,5		34,9	3,0	6,00	1,4	NJ205E	TNG	HJ205E	29,3	25,6
	52	15,00	1,0	0,6	31.5		01,0	0,0	0,00	1,4	NUP205E	TNG	1102002	29,3	25,6
	52	15,00			0.,0	46,5				1,4	N205ETNG			29,3	25,6
	52	18,00	1,0	0,6	32	10,0				1,6	NU2205			22,4	19,6
	52	18,00			32					1,6	NJ2205			22,4	19,6
	52	18,00	1,0	0,6	32					1,6	NUP2205			22,4	19,6
	62	17,00		1,1	35		39,3	4,0	8,00	1,4	NU305		HJ305	27,6	21,5
	62	17,00	1,1	1,1	35		39,3	4,0	8,00	1,4	NJ305		HJ305	27,6	21,5
	62	17,00		1,1	35					1,4	NUP305			27,6	21,5
	62	17,00	1,1	1,1		53,0				1,4	N305			27,6	21,5
	62	17,00	1,1	1,1	34		38,3	4,0	7,00	1,4	NU305EMAS	TNG	HJ305E	43,0	36,2
	62	17,00	1,1	1,1	34		38,3	4,0	7,00	1,4	NJ305EMAS	TNG	HJ305E	43,0	36,2
	62	17,00	1,1	1,1	34					1,4	NUP305EMAS	TNG		43,0	36,2
	62	17,00	1,1	1,1	34	54,0				1,4	N305ETNG			43,0	36,2
	80	21,00	1,5	1,5	38,8					1,4	NU405			43,8	34,
	80	21,00	1,5	1,5	38,8					1,4	NJ405			43,8	34,1

(ZKI)








Fatique load limit	Limiting s lubricati				Abı	utment	and fil	let dim	ensior	ıs			Weigh	nt
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn						kg	
1,24	14000	17000	20	25	25,5	29,0	32	-		-	1,0	0,6	0,11	0,0100
1,24	14000	17000		25	25,5	29,0	32	-	42	-	1,0	0,6	0,11	0,010
1,24	14000	17000		25	25,5	29,0	32	-	42	-	1,0	0,6	0,11	
1,24	14000	17000		25	25,5	29,0	32	39	42	42	1,0	0,6	0,11	
1,54	12600	15000	25	30	30,5	34,0	37	-	47	-	1,0	0,6	0,13	0,02
1,54	12600	15000		30	30,5	34,0	37	-	47	-	1,0	0,6	0,13	0,02
1,54	12600	15000		30	30,5	34,0	37	-	47	-	1,0	0,6	0,13	
1,54	12600	15000		30	30,5	34,0	37	43	47	47	1,0	0,6	0,13	
3,12	12600	15000		30	30,0	34,0	37	-	47	-	1,0	0,6	0,13	0,020
3,12	12600	15000		30	30,0	34,0	37	-	47	-	1,0	0,6	0,13	0,02
3,12	12600	15000		30	30,0	34,0	37	-	47	-	1,0	0,6	0,13	
3,12	12600	15000		30	30,0	34,0	37	44	47	47	1,0	0,6	0,13	
2,39	12600	15000		30	30,5	34,0	37	-	47	-	1,0	0,6	0,16	
2,39	12600	15000		30	30,5	34,0	37	-	47	-	1,0	0,6	0,16	
2,39	12600	15000		30	30,5	34,0	37	-	47	-	1,0	0,6	0,16	
2,62	10000	12000		31	33,0	37,0	40	-	55	-	1,0	1,0	0,24	0,03
2,62	10000	12000		31	33,0	37,0	40	-	55	-	1,0	1,0	0,24	0,03
2,62	10000	12000		31	33,0	37,0	40	-	55	-	1,0	1,0	0,24	
2,62	10000	12000		31	33,0	37,0	40	51	55	55	1,0	1,0	0,24	
4,41	10000	12000		31	32,0	37,0	40	-	55	-	1,0	1,0	0,26	0,03
4,41	10000	12000		31	32,0	37,0	40	-	55	-	1,0	1,0	0,26	0,03
4,41	10000	12000		31	32,0	37,0	40	-	55	-	1,0	1,0	0,26	
4,41	10000	12000		31	32,0	36,0	39	52	55	55	1,0	1,0	0,24	
4,16	8400	10000		32	38,0	39,0	40	-	73	-	1,0	1,0	0,57	
4,16	8400	10000		32	38,0	39,0	40	-	73	-	1,0	1,0	0,57	

• • 291 • • •




d = 30 to 32 mm





				Mai	in dime	nsions	;				Bearing designation	Other cages	Angle ring designation	Basic I ratin	
														dynamic	stati
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C _r	C _{or}
			min	min			max								
					mm									kN	
30	62	16,00	1,0	0,6	38,5		42,2	4,0	8,25	1,5	NU206		HJ206	21,5	1
	62	16,00	1,0	0,6	38,5		42,2	4,0	8,25	1,5	NJ206		HJ206	21,5	10
	62	16,00	1,0	0,6	38,5					1,5	NUP206			21,5	1
	62	16,00	1,0	0,6		53,5				1,5	N206			21,5	- 1
	62	16,00	1,0	0,6	37,5		41,4	4,0	7,00	1,4	NU206ETNG		HJ206E	39,1	3
	62	16,00	1,0	0,6	37,5		41,4	4,0	7,00	1,4	NJ206ETNG		HJ206E	39,1	3
	62	16,00	1,0	0,6	37,5					1,4	NUP206ETNG			39,1	3
	62	16,00	1,0	0,6		55,5				1,4	N206ETNG			39,1	3
	62	20,00	1,0	0,6	38,5					1,6	NU2206			31,6	2
	62	20,00	1,0	0,6	38,5					1,6	NJ2206			31,6	2
	62	20,00	1,0	0,6	38,5					1,6	NUP2206			31,6	2
	72	19,00	1,1	1,1	42		46,6	5,0	9,50	1,4	NU306		HJ306	36,2	3
	72	19,00	1,1	1,1	42		46,6	5,0	9,50	1,4	NJ306		HJ306	36,2	3
	72	19,00	1,1	1,1	42					1,4	NUP306			36,2	3
	72	19,00	1,1	1,1		62,0				1,4	N306			36,2	3
	72	19,00	1,1	1,1	40,5		45,1	5,0	8,50	1,4	NU306E	TNG	HJ306E	53,1	4
	72	19,00	1,1	1,1	40,5		45,1	5,0	8,50	1,4	NJ306E	TNG	HJ306E	53,1	4
	72	19,00	1,1	1,1	40,5					1,4	NUP306E	TNG		53,1	4
	72	19,00	1,1	1,1		62,5				1,4	N306ETNG			53,1	4
	90	23,00	1,5	1,5	45		51,4	7,0	11,50	1,5	NU406		HJ406	59,6	4
	90	23,00	1,5	1,5	45		51,4	7,0	11,50	1,5	NJ406		HJ406	59,6	4
	90	23,00	1,5	1,5	45					1,5	NUP406			59,6	4
32	65	21,00	1,0	0,6	38,5					1,6	NU22/32ETNG			51,1	5

. . . 797

ZKI)







Fatique load limit	Limiting s lubricati				Abı	utment	and fil	let dim	ensior	าร			Weigl	nt
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
2,17	10600	12600	30	35	37,0	40,0	44	-	57	-	1,0	0,6	0,20	0,030
2,17	10600	12600		35	37,0	40,0	44	-	57	-	1,0	0,6	0,20	0,030
2,17	10600	12600		35	37,0	40,0	44	-	57	-	1,0	0,6	0,20	
2,17	10600	12600		35	37,0	40,0	44	52	57	56	1,0	0,6	0,20	
4,33	10600	12600		35	37,0	40,0	43	-	57	-	1,0	0,6	0,20	0,030
4,33	10600	12600		35	37,0	40,0	43	-	57	-	1,0	0,6	0,20	0,030
4,33	10600	12600		35	37,0	40,0	43	-	57	-	1,0	0,6	0,20	
4,33	10600	12600		35	37,0	40,0	43	54	57	57	1,0	0,6	0,20	
3,57	10600	12600		35	37,0	40,0	44	-	57	-	1,0	0,6	0,26	
3,57	10600	12600		35	37,0	40,0	44	-	57	-	1,0	0,6	0,26	
3,57	10600	12600		35	37,0	40,0	44	-	57	-	1,0	0,6	0,26	
3,78	8900	10600		36	39,0	44,0	48	-	65	-	1,0	1,0	0,36	0,040
3,78	8900	10600		36	39,0	44,0	48	-	65	-	1,0	1,0	0,36	0,040
3,78	8900	10600		36	39,0	44,0	48	-	65	-	1,0	1,0	0,36	
3,78	8900	10600		36	39,0	44,0	48	60	65	64	1,0	1,0	0,36	
5,66	8400	10000		36	37,5	43,0	47	-	65	-	1,0	1,0	0,36	0,040
5,66	8400	10000		36	37,5	43,0	47	-	65	-	1,0	1,0	0,36	0,040
5,66	8400	10000		36	37,5	43,0	47	-	65	-	1,0	1,0	0,36	
5,66	8400	10000		36	37,5	43,0	47	60	65	64	1,0	1,0	0,36	
5,88	7100	8400		39	41,0	47,0	53	-	80	-	1,5	1,5	0,75	0,080
5,88	7100	8400		39	41,0	47,0	53	-	80	-	1,5	1,5	0,75	0,080
5,88	7100	8400		39	41,0	47,0	53	-	80	-	1,5	1,5	0,75	
6,11	10000	12000	32	35	37,0	39,0	43	-	60	-	1,0	1,0	0,31	




00

••••• 293 •••




d = 35 mm





r _{1s} n min 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6	F	E 61,8	d ₂ max 48,1 48,1 48,3 48,3	4,0 4,0	b ₁ 8,00 8,00	1,5 1,5 1,5	NU207 NJ207 NUP207		HJ207 HJ207	dynamic C _r kN 31,6 31,6 31,6	27,1 27,1
1 0,6 1 0,6	mm 43,8 43,8 43,8 44 44 44	61,8	48,1 48,1 48,3	4,0 4,0	8,00 8,00	1,5 1,5 1,5	NJ207 NUP207			kN 31,6 31,6	27,1 27,1
1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6	43,8 43,8 43,8 44 44 44		48,1 48,1 48,3	4,0	8,00	1,5 1,5	NJ207 NUP207			31,6 31,6	27,1
1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6	43,8 43,8 43,8 44 44 44		48,1	4,0	8,00	1,5 1,5	NJ207 NUP207			31,6 31,6	27,
1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6	43,8 43,8 44 44 44		48,1	4,0	8,00	1,5 1,5	NJ207 NUP207			31,6	27,
1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6	43,8 44 44 44		48,3	,		1,5	NUP207		HJ207		
1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6	44 44 44			4.0		,				31,0	
1 0,6 1 0,6 1 0,6 1 0,6 1 0,6 1 0,6	44 44			4.0						31,6	27
1 0,6 1 0,6 1 0,6 1 0,6 1 0,6	44 44				7,00	1,4	N207 NU207E	TNG	HJ207E	51,1	27, 48,
1 0,6 1 0,6 1 0,6 1 0,6	44			4,0	7,00	1,4	NJ207E	TNG	HJ207E	51,1	48,
1 0,6 1 0,6 1 0,6			10,0	4,0	7,00	1,4	NUP207E	TNG	110207 L	51,1	48,
1 0,6 1 0,6	43,8	64,0				1,4	N207ETNG	IIIG		51,1	48,
1 0,6	40,0	04,0				1,4	NU2207			48,2	47,
	43,8					1,6	NJ2207			48,2	47
	43,8					1,6	NUP2207			48.2	47,
1 0,6	45,6					1,6	NU2207ETNG			64.3	64,
1 0,6	44					1,6	NJ2207ETNG			64,3	64
						,					64,
			51.2	6.0	11 00	, .			H 1307		36
				,		,					36
			51,2	0,0	11,00				110007		36
,	70,2	68.2				,					36
	46.2	00,2	51.2	6.0	9.50				H1307F		61.
						,					61
			01,2	0,0	0,00				110007 E		61
						,					92
											92
						,					92
			59 Q	8.0	13.00				Н ИО7		64
			,							,	64
			00,0	0,0	10,00				110-101		64
	00	83.0									64
0 1,0		00,0				1,0	11407			10,0	04
	1 0,6 5 1,1 5 1,5 5 1,5 5 1,5 5 1,5	5 1,1 46,2 5 1,5 53 5 1,5 53	5 1,1 46,2 5 1,5 53 5 1,5 53	5 1,1 46,2 51,2 5 1,1 46,2 5 5 1,1 5 53 59,9 5 1,5 53 59,9 5 1,5 53 59,9	5 1,1 46,2 51,2 6,0 5 1,1 46,2 51,2 6,0 5 1,1 46,2 51,2 6,0 5 1,1 46,2 51,2 6,0 5 1,1 46,2 51,2 6,0 5 1,1 46,2 51,2 6,0 5 1,1 46,2 5 5,1 6,0 5 1,1 46,2 5 5,1 46,2 5 1,1 46,2 5 5,1	5 1,1 46,2 51,2 6,0 11,00 5 1,1 46,2 51,2 6,0 11,00 5 1,1 46,2 51,2 6,0 9,50 5 1,1 46,2 51,2 6,0 9,50 5 1,1 46,2 51,2 6,0 9,50 5 1,1 46,2 5 51,1 46,2 5 1,1 46,2 5 1,1 46,2 5 1,1 46,2 5 1,3 59,9 8,0 13,00 5 1,5 53 59,9 8,0 13,00 5 1,5 53 59,9 8,0 13,00	5 1,1 46,2 51,2 6,0 11,00 1,4 5 1,1 46,2 51,2 6,0 11,00 1,4 5 1,1 46,2 1,4 1,4 1,4 5 1,1 46,2 51,2 6,0 9,50 1,4 5 1,1 46,2 51,2 6,0 9,50 1,4 5 1,1 46,2 51,2 6,0 9,50 1,4 5 1,1 46,2 2,7 2,7 5 1,1 46,2 2,7 2,7 5 1,1 46,2 2,7 2,7 5 1,1 46,2 2,7 3,0 1,5 5 1,5 53 59,9 8,0 13,00 1,5 5 1,5 53 59,9 8,0 13,00 1,5 5 1,5 53 59,9 8,0 13,00 1,5	5 1,1 46,2 51,2 6,0 11,00 1,4 NU307 5 1,1 46,2 51,2 6,0 11,00 1,4 NU307 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E 5 1,1 46,2 2,7 NU2307EMAS NU2307EMAS 5 1,1 46,2 2,7 NU2307EMAS 5 1,1 46,2 2,7 NU2307EMAS 5 1,1 46,2 2,7 NU2307EMAS 5 1,5 53 59,9 8,0 13,00 1,5 NU407 5 1,5 53 59,9 8,0 13,00 1,5	5 1,1 46,2 51,2 6,0 11,00 1,4 NU307 5 1,1 46,2 51,2 6,0 11,00 1,4 NU307 5 1,1 46,2 1,4 NU9307 1,4 NU9307 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E 5 1,1 46,2 51,2 6,0 9,50 1,4 NU9307E 5 1,1 46,2 2,7 NU2307EMAS 5 1,1 46,2 2,7 NUP307EMAS 5 1,5 53 59,9 8,0 13,00 1,5 NU407 5 1,5 53 59,9 8,0 13,00	5 1,1 46,2 51,2 6,0 11,00 1,4 NU307 HJ307 5 1,1 46,2 51,2 6,0 11,00 1,4 NJ307 HJ307 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E HJ307E 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E HJ307E 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E HJ307E 5 1,1 46,2 2,7 NU2307EMAS 1,4 NU2307EMAS 5 1,1 46,2 2,7 NU2307EMAS 5 5 1,1 46,2 2,7 NU2307EMAS 5 1,1 46,2 2,7 NUP2307EMAS 5 1,5 53 59,9 8,0 13,00 1,5 NU407 HJ407 5 1,5 53 59,9 8,0 13,00 1,5 NU	5 1,1 46,2 51,2 6,0 11,00 1,4 NU307 HJ307 43,0 5 1,1 46,2 51,2 6,0 11,00 1,4 NU307 HJ307 43,0 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E HJ307E 66,8 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E HJ307E 66,8 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E HJ307E 66,8 5 1,1 46,2 51,2 6,0 9,50 1,4 NU307E HJ307E 66,8 5 1,1 46,2 2,7 NU2307EMAS 92,6 5 1,1 46,2 2,7 NU2307EMAS 92,6 5 1,1 46,2 2,7 NU2307EMAS 92,6 5 1,1 46,2 2,7 NU2307EMAS 92,6

. . . 794

(ZKL)








Fatique load limit	Limiting s				Abı	utment	and fil	let dim	nension	าร			Weigl	ht
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
3,30	9400	11000	35	42	42,0	46,0	50	-	65	-	1,0	0,6	0,29	0,040
3,30	9400	11000		42	42,0	46,0	50	-	65	-	1,0	0,6	0,29	0,040
3,30	9400	11000		42	42,0	46,0	50	-	65	-	1,0	0,6	0,29	
3,30	9400	11000		42	42,0	46,0	50	60	65	64	1,0	0,6	0,29	
5,88	8900	10600		42	42,0	46,0	50	-	65	-	1,0	0,6	0,29	0,040
5,88	8900	10600		42	42,0	46,0	50	-	65	-	1,0	0,6	0,29	0,040
5,88	8900	10600		42	42,0	46,0	50	-	65	-	1,0	0,6	0,29	
5,88	8900	10600		42	42,0	46,0	50	62	65	65	1,0	0,6	0,29	
5,77	9400	11000		42	42,0	46,0	50	-	65	-	1,0	0,6	0,40	
5,77	9400	11000		42	42,0	46,0	50	-	65	-	1,0	0,6	0,40	
5,77	9400	11000		42	42,0	46,0	50	-	65	-	1,0	0,6	0,40	
7,84	8900	10600		42	42,0	46,0	50	-	65	-	1,0	0,6	0,39	
7,84	8900	10600		42	42,0	46,0	50	-	65	-	1,0	0,6	0,39	
7,84	8900	10600		42	42,0	46,0	50	-	65	-	1,0	0,6	0,39	
4,41	7900	9400		42	44,0	48,0	53	-	71	-	1,5	1,0	0,48	0,060
4,41	7900	9400		42	44,0	48,0	53	-	71	-	1,5	1,0	0,48	0,060
4,41	7900	9400		42	44,0	48,0	53	-	71	-	1,5	1,0	0,48	
4,41	7900	9400		42	44,0	48,0	53	66	71	71	1,5	1,0	0,48	
7,55	7500	8900		42	44,0	48,0	53	-	71	-	1,5	1,0	0,47	0,060
7,55	7500	8900		42	44,0	48,0	53	-	71	-	1,5	1,0	0,47	0,060
7,55	7500	8900		42	44,0	48,0	53	-	71	-	1,5	1,0	0,47	
11,29	7100	8400		42	44,0	48,0	53	-	71	-	1,5	1,0	0,75	
11,29	7100	8400		42	44,0	48,0	53	-	71	-	1,5	1,0	0,75	
11,29	7100	8400		42	44,0	48,0	53	-	71	-	1,5	1,0	0,75	
7,84	6300	7500		44	52,0	55,0	62	-	90	-	1,5	1,5	1,00	0,13
7,84	6300	7500		44	52,0	55,0	62	-	90	-	1,5	1,5	1,00	0,13
7,84	6300	7500		44	52,0	55,0	62	-	90	-	1,5	1,5	1,00	
7,84	6300	7500		44	52,0	55,0	62	81	90	86	1,5	1,5	1,00	

00

• • • • 295 • • •










				Ма	in dime	nsions	;				Bearing designation	Other cages	Angle ring designation	Basic I ratin	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C _r	C _{or}
			min	min			max								
- 40	- 00	40.00	-44	44	mm		540		0.00	4.5	NU208		111000	kN	07.0
40	80	18,00	1,1	1,1	50		54,6	5,0	9,00	1,5			HJ208	42,2	37,6
	80	18,00	1,1	1,1	50		54,6	5,0	9,00	1,5	NJ208 NUP208		HJ208	42,2	37,6
	80 80	18,00 18,00	1,1	1,1	50	70.0				1,5 1,5	NUP208 N208			42,2 42,2	37,6
	80	18,00	1,1	1,1 1,1	49,5	70,0	54,1	5,0	8,50	1,5	NU208E		HJ208E	54,1	37,6 50,1
	80	18,00	1,1	1,1	49,5		54,1	5,0	8,50	1,4	NJ208E		HJ208E	54,1	50,1
	80	18,00	1,1	1,1	49,5		04,1	0,0	0,50	1,4	NUP208E		110200L	54,1	50,1
	80	23,00	1,1	1,1	50					1,6	NU2208			57,3	56,2
	80	23,00	1,1	1,1	50					1,6	NJ2208			57,3	56,2
	80	23,00	1,1	1,1	50					1,6	NUP2208			57,3	56,2
	80	30,16	1,0	1,5	49,3					3,0	NU5208M			57,0	98,1
	90	23,00	1,5		53,5		59.0	7.0	12,50	1.4	NU308		HJ308	55,2	48,2
	90	23,00	1,5	1,5	53,5		59,0		12,50	1,4	NJ308		HJ308	55,2	48,2
	90	23,00	1,5	1,5	53,5		00,0	1,0	12,00	1.4	NUP308		110000	55,2	48,2
	90	23,00	1,5	1,5	00,0	77,5				1,4	N308			55,2	48,2
	90	23,00	1,5	1,5	52	11,0	57,7	7.0	11,00	1,4	NU308E	TNG	HJ308E	84,1	77,9
	90	23,00	1,5	1,5	52		57,7	,	11,00	1,4	NJ308E	TNG	HJ308E	84,1	77,9
	90	23,00	1,5	1,5	52		0.,.	.,0	,00	1,4	NUP308E	TNG		84,1	77,9
	90	23,00	1.5	1,5	OL.	80,0				1,4	N308ETNG	1110		84,1	77,9
	90	33,00	1,5	1,5	52	00,0				2,9	NU2308EMAS			119,0	123,0
	90	33,00	1,5	1,5	52					2,9	NJ2308EMAS			119,0	123,0
	90	33,00	1,5	1,5	52					2,9	NUP2308EMAS			119,0	123,0
	110	27,00	2,0	2,0	58		65,8	8,0	13,00	1,5	NU408		HJ408	92,6	79,4
	110	27,00	2,0	2,0	58		65,8		13,00	1,5	NJ408		HJ408	92,6	79,4
	110	27,00	2,0	2,0	58					1,5	NUP408			92,6	79,4
	110	27,00	2,0			92,0				1,5	N408			92,6	79,4
		,		,		ŕ								,	,

ZKL)








Fatique load limit	Limiting s lubricati				Abı	utment	and fil	let dim	nension	ns			Weigl	nt
P _u	grease	oil	d	d _a	da	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
4,59	7900	9400	40	47	48,0	52,0	56	-	73	-	1,0	1,0	0,37	0,050
4,59	7900	9400		47	48,0	52,0	56	-	73	-	1,0	1,0	0,37	0,050
4,59	7900	9400		47	48,0	52,0	56	-	73	-	1,0	1,0	0,0000	
4,59	7900	9400		47	48,0	52,0	56	68	73	72	1,0	1,0	0,0000	
6,11	7900	9400		47	47,0	51,0	56	-	73	-	1,0	1,0	0,38	0,050
6,11	7900	9400		47	47,0	51,0	56	-	73	-	1,0	1,0	0,38	0,050
6,11	7900	9400		47	47,0	51,0	56		73	-	1,0	1,0	0,38	
6,85	7900	9400		47	48,0	52,0	56	-	73	-	1,0	1,0	0,74	
6,85	7900	9400		47	48,0	52,0	56	-	73	-	1,0	1,0	0,74	
6,85	7900	9400		47	48,0	52,0	56	-	73	-	1,0	1,0	0,74	
11,96	7500	8900		48	-	51,5		-	72	-	1,5	1,5	0,74	
5,88	7100	8400		47	51,0	55,0	61	-	81	-	1,5	1,5	0,66	0,090
5,88	7100	8400		47	51,0	55,0	61		81	-	1,5	1,5	0,66	0,090
5,88	7100	8400		47	51,0	55,0	61	-	81	-	1,5	1,5	0,66	
5,88	7100	8400		47	51,0	55,0	61	75	81	81	1,5	1,5	0,66	
9,50	6700	7900		47	50,0	54,0	60	-	81	-	1,5	1,5	0,67	0,080
9,50	6700	7900		47	50,0	54,0	60		81	-	1,5	1,5	0,67	0,080
9,50	6700	7900		47	50,0	54,0	60	-	81	-	1,5	1,5	0,67	
9,50	6700	7900		47	50,0	54,0	60	77	81	81	1,5	1,5	0,83	
15,00	6300	7500		47	50,0	54,0	60	-	81	-	1,5	1,5	1,00	
15,00	6300	7500		47	50,0	54,0	60	-	81	-	1,5	1,5	1,00	
15,00	6300	7500		47	50,0	54,0	60	-	81	-	1,5	1,5	1,00	
9,68	5600	6700		50	55,0	60,0	68	-	97	-	2,0	2,0	1,30	0,14
9,68	5600	6700		50	55,0	60,0	68	-	97	-	2,0	2,0	1,30	0,14
9,68	5600	6700		50	55,0	60,0	68	-	97	-	2,0	2,0	1,30	
9,68	5600	6700		50	55,0	60,0	68	90	97	95	2,0	2,0	1,30	

••••• 297 •••





d = 45 mm




				Mai	in dime	nsions	6				Bearing designation	Other cages	Angle ring designation	Basic l ratir	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	s ₁₎				C,	C _{or}
			min	min			max								
	0.5	10.00	- 4.4	- 4.4	mm		50.0	F 0	0.50	4.5	NUOCO		111000	kN	
45	85	19,00	1,1	1,1	55		59,6	5,0	9,50	1,5	NU209		HJ209	43,8	41,1
	85	19,00	1,1	1,1	55		59,6	5,0	9,50	1,5	NJ209		HJ209	43,8	41,1
	85	19,00	1,1	1,1	55	75.0				1,5	NUP209			43,8	41,1
	85	19,00	1,1	1,1		75,0	50.4		0.50	1,5	N209	TNO	1110005	43,8	41,1
	85	19,00	1,1	1,1	54,5		59,1	5,0	8,50	1,4	NU209E	TNG	HJ209E	61,9	60,7
	85	19,00	1,1	1,1	54,5		59,1	5,0	8,50	1,4	NJ209E	TNG	HJ209E	61,9	60,7
	85	19,00	1,1	1,1	54,5					1,4	NUP209E	TNG		61,9	60,7
	85	19,00	1,1	1,1		76,5				1,4	N209ETNG			61,9	60,7
	85	23,00	1,1	1,1	54,5					1,6	NU2209E	TNG		76,4	79,4
	85	23,00	1,1	1,1	54,5					1,6	NJ2209E	TNG		76,4	79,4
	85	23,00	1,1	1,1	54,5					1,6	NUP2209E	TNG		76,4	79,4
	85	30,16	1,0	1,5	55,52					4,0	NU5209M			89,1	117,7
	100	25,00	1,5	1,5	58,5		65,0		12,50	1,4	NU309		HJ309	70,8	61,9
	100	25,00	1,5	1,5	58,5		65,0	7,0	12,50	1,4	NJ309		HJ309	70,8	61,9
	100	25,00	1,5	1,5	58,5					1,4	NUP309			70,8	61,9
	100	25,00	1,5	1,5		86,5				1,4	N309			70,8	61,9
	100	25,00	1,5	1,5	58,5		64,6	7,0	11,50	1,4	NU309E		HJ309E	102,0	98,0
	100	25,00	1,5	1,5	58,5		64,6	7,0	11,50	1,4	NJ309E		HJ309E	102,0	98,0
	100	25,00	1,5	1,5	58,5					1,4	NUP309E			102,0	98,0
	100	36,00	1,5	1,5	58,5					2,9	NU2309E			139,0	147,0
	100	36,00	1,5	1,5	58,5					2,9	NJ2309E			139,0	147,0
	100	36,00	1,5	1,5	58,5					2,9	NUP2309E			139,0	147,0
	120	29,00			64,5		72,8	8.0	13,50	1,5	NU409		HJ409	104,0	90,9
	120	29,00	2,0	2,0	64,5		72,8	,	13,50	1,5	NJ409		HJ409	104.0	90,9
	120	29,00	2,0		64,5		. 2,0	0,0	10,00	1,5	NUP409		1.01.00	104,0	90,9
	120	29,00	2,0	2,0	04,0	100,5				1,5	N409			104,0	90,9
	120	29,00	2,0	2,0		100,5				1,5	11409			104,0	90,9

ZKI








00

Fatique pad limit	Limiting s lubricati				Abı	utment	and fil	let dim	ensior	ıs			Weigl	nt
P _u	grease	oil	d	d _a	da	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r
kN	min ⁻¹						mn	n					kg	
5,01	7500	8900	45	52	53,0	57,0	61	-	78	-	1,0	1,0	0,43	0,05
5,01	7500	8900		52	53,0	57,0	61	-	78	-	1,0	1,0	0,43	0,05
5,01	7500	8900		52	53,0	57,0	61	-	78	-	1,0	1,0	0,43	
5,01	7500	8900		52	53,0	57,0	61	74	78	78	1,0	1,0	0,43	
7,40	7500	8900		52	53,0	57,0	61	-	78	-	1,0	1,0	0,45	0,05
7,40	7500	8900		52	53,0	57,0	61	-	78	-	1,0	1,0	0,45	0,05
7,40	7500	8900		52	53,0	57,0	61	-	78	-	1,0	1,0	0,45	
7,40	7500	8900		52	53,0	57,0	61	74	78	78	1,0	1,0	0,43	
9,68	7100	8400		52	53,0	57,0	61	-	78	-	1,0	1,0	0,55	
9,68	7100	8400		52	53,0	57,0	61	-	78	-	1,0	1,0	0,55	
9,68	7100	8400		53	53,0	57,0	61	-	76	-	1,5	1,0	0,55	
14,35	6700	7900		53	-	57,0	-	-	76	-	1,5	1,0	0,80	
7,55	6300	7500		52	56,0	60,0	66	-	91	-	1,5	1,5	0,87	0,10
7,55	6300	7500		52	56,0	60,0	66	-	91	-	1,5	1,5	0,87	0,10
7,55	6300	7500		52	56,0	60,0	66	-	91	-	1,5	1,5	0,87	
7,55	6300	7500		52	56,0	60,0	66	84	91	90	1,5	1,5	0,87	
11,95	6000	7100		52	56,0	60,0	66	-	91	-	1,5	1,5	0,89	0,10
11,95	6000	7100		52	56,0	60,0	66	-	91	-	1,5	1,5	0,89	0,10
11,95	6000	7100		52	56,0	60,0	66	-	91	-	1,5	1,5	0,89	
17,93	5600	6700		52	56,0	60,0	66	-	91	-	1,5	1,5	1,36	
17,93	5600	6700		52	56,0	60,0	66	-	91	-	1,5	1,5	1,36	
17,93	5600	6700		52	56,0	60,0	66	-	91	-	1,5	1,5	1,36	
11,09	5300	6300		55	62,7	66,0	75	-	107	-	2,0	2,0	1,65	0,1
11,09	5300	6300		55	62,7	66,0	75	-	107	-	2,0	2,0	1,65	0,1
11,09	5300	6300		55	62,7	66,0	75	-	107	-	2,0	2,0	1,65	
11,09	5300	6300		55	62,7	66,0	75	99	107	103	2,0	2,0	1,65	

• • • 299 • • •










				Ma	in dime	nsions	;				Bearing designation	Other cages	Angle ring designation	Basic I ratin	
												i		dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C _r	C _{or}
12.4.1			min	min			max					+			
50	90	20,00	1.1	4.4	mm		64,6	5.0	9,00	1.0	NU210E		HJ210E	64.3	65.6
50	90			1,1	59,5			5,0		1,6				. , .	, .
		20,00		1,1	59,5		64,6	5,0	9,00	1,6	NJ210E		HJ210E		65,6
	90	20,00	1,1	1,1	59,5					1,6 1,6	NUP210E NU2210			64,3 63,1	65,6
	90	23,00	1,1	1,1 1,1	60,4 60,4					1,6	NU2210 NJ2210			63,1	66,8
										1,6				63,1	66,8
	90	23,00		1,1	60,4					,	NUP2210				66,8
	90	23,00	1,1	1,1	59,5					1,6	NU2210E			84,1	90,9
	90	23,00		1,1	59,5					1,6				84,1	90,9
	90	23,00	1,1	1,1	59,5					1,6	NUP2210E			84,1	90,9
	90	30,16			60,46		74.0	0.0	44.00	4,5	NU5210M		111040	92,6	128,0
	110	27,00	2,0	2,0	65		71,9		14,00	1,5	NU310		HJ310	87,4	79,4
	110	27,00			65		71,9	8,0	14,00	1,5	NJ310		HJ310		79,4
	110	27,00	2,0	2,0	65	05.0				1,5	NUP310			87,4	79,4
	110	27,00			0.5	95,0				1,5	N310		1110405	87,4	79,4
	110	27,00	2,0	2,0	65		71,4		13,00	1,5	NU310ETNG		HJ310E		114,0
	110	27,00	,	,	65		71,4	8,0	13,00	1,5	NJ310ETNG		HJ310E	,	114,0
	110	27,00	2,0	2,0	65					1,5	NUP310ETNG			117,0	114,0
	110	27,00	,			97,0				1,5	N310ETNG			117,0	114,0
	110	40,00	2,0	2,0	65					3,0	NU2310			123,0	126,0
	110	40,00			65					3,0	NJ2310			123,0	126,0
	110	40,00	2,0	2,0	65					3,0	NUP2310			123,0	126,0
	110	40,00	,		65					3,0	NU2310EMAS			168,0	178,0
	110	40,00	2,0	2,0	65					3,0	NJ2310EMAS			168,0	178,0
	110	40,00			65					3,0	NUP2310EMAS			168,0	178,0
	130	31,00	2,1	2,1	70,8		80,0		14,50	2,0	NU410		HJ410	139,0	114,0
	130	31,00		,	70,8		80,0	9,0	14,50	2,0	NJ410		HJ410		114,0
	130	31,00	2,1	2,1	70,8					2,0	NUP410			139,0	114,0
	130	31,00	2,1	2,1		110,8				2,0	N410			139,0	114,0

ZKL)








00

Fatique load limit	Limiting s lubricati				Abı	utment	and fil	let dim	nensio	าร			Weigl	nt
P _u	grease	oil	d	da	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹				max		mn		max		max	шах	kg	Allg.ii.
8,00	6700	7900	50	57	57,0	61.0	66	-	83	-	1,0	1,0	0,49	0.060
8,00	6700	7900		57	57,0	61,0	66	-	83	-	1,0	1,0	0,49	0,060
8,00	6700	7900		57	57,0	61,0	66	-	83	-	1,0	1,0	0,49	,
8,15	7100	8400		57	58,0	62,0	66	-	83	-	1,0	1,0	0,58	
8,15	7100	8400		57	58,0	62,0	66	-	83	-	1,0	1,0	0,58	
8,15	7100	8400		57	58,0	62,0	66	-	83	-	1,0	1,0	0,58	
11,09	6700	7900		57	57,0	61,0	66	-	83	-	1,0	1,0	0,59	
11,09	6700	7900		57	57,0	61,0	66	-	83	-	1,0	1,0	0,59	
11,09	6700	7900		57	57,0	61,0	66	-	83	-	1,0	1,0	0,59	
15,61	6300	7500		58	-	62,0	-	-	81	-	1,5	1,0	0,88	
9,68	5600	6700		60	63,0	67,0	74	-	100	-	2,0	2,0	1,15	0,15
9,68	5600	6700		60	63,0	67,0	74	-	100	-	2,0	2,0	1,15	0,15
9,68	5600	6700		60	63,0	67,0	74	-	100	-	2,0	2,0	1,15	
9,68	5600	6700		60	63,0	67,0	74	93	100	99	2,0	2,0	1,15	
13,90	5300	6300		60	63,0	67,0	74	-	100	-	2,0	2,0	1,13	0,14
13,90	5300	6300		60	63,0	67,0	74	-	100	-	2,0	2,0	1,13	0,14
13,90	5300	6300		60	63,0	67,0	74	-	100	-	2,0	2,0	1,13	
13,90	5300	6300		60	63,0	67,0	74	95	100	100	2,0	2,0	1,13	
15,37	5600	6700		60	63,0	67,0	74	-	100	-	2,0	2,0	0,17	
15,37	5600	6700		60	63,0	67,0	74	-	100	-	2,0	2,0	0,17	
15,37	5600	6700		60	63,0	67,0	74	-	100	-	2,0	2,0	0,17	
21,71	5000	6000		60	63,0	67,0	74	-	100	-	2,0	2,0	1,83	
21,71	5000	6000		60	63,0	67,0	74	-	100	-	2,0	2,0	1,83	
21,71	5000	6000		60	63,0	67,0	74	-	100	-	2,0	2,0	1,83	
13,90	4700	5600		63	68,0	73,0	82	-	116	-	2,0	2,0	2,00	0,23
13,90	4700	5600		63	68,0	73,0	82	-	116	-	2,0	2,0	2,00	0,23
13,90	4700	5600		63	68,0	73,0	82	-	116	-	2,0	2,0	2,00	
13,90	4700	5600		63	68,0	73,0	82	109	116	114	2,0	2,0	2,00	

•••• 301 •••










				Ма	in dime	nsions	;				Bearing designation	Other cages	Angle ring designation	Basic I ratin	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C _r	C _{or}
12.4.1			min	min			max								
	400	04.00	4.5	-	mm		74.5	0.0	44.00	4.0	NUO44		111044	kN	
55	100	21,00	1,5		66,5		71,5		11,00	1,6	NU211		HJ211	56,2	56,2
	100	21,00	1,5	1,1	66,5		71,5	0,0	11,00	1,6	NJ211 NUP211		HJ211	56,2	56,2
	100	21,00	1,5	1,1	66,5	88,5				1,6 1,6	N0P211 N211			56,2 56,2	56,2
	100	21,00	1,5 1,5	1,1 1,1	66	00,0	71,0	6,0	9,50	1,6	NU211E		HJ211E	85,8	56,2 90,9
	100	21,00	1,5	1,1	66		71,0	6,0	9,50	1,6	NJ211E		HJ211E	85,8	90,9
	100	21,00	1,5		66		7 1,0	0,0	3,50	1,6	NUP211E		TIJZTIL	85,8	90,9
	100	25,00	1,5	1,1	66,5					1,6	NU2211			76,4	82,5
	100	25,00			66,5					1,6	NJ2211			76,4	82,5
	100	25,00	1,5	1,1	66,5					1,6	NUP2211			76,4	82,5
	100	33,34			66,9					4,5	NU5211M			119,0	171,0
	120	29,00	2,0	2,0	70,5		78,4	9.0	15,00	1,5	NU311		HJ311	108,0	100,0
	120	29,00			70,5		78,4	.,.	15,00	1,5	NJ311		HJ311	108,0	100,0
	120	29,00	2,0	2,0	70,5		, .	-,-	,	1,5	NUP311			108,0	100,0
	120	29,00			. 0,0	104,5				1,5	N311			108,0	100,0
	120	29,00	2,0	2,0	70,5	. , .	77,7	9,0	14,00	1,5	NU311E		HJ311E	136,0	128,0
	120	29,00			70,5		77,7		14,00	1,5	NJ311E		HJ311E	136,0	128,0
	120	29,00	2,0	2,0	70,5					1,5	NUP311E			136,0	128,0
	140	33,00	2,1		77,2		86,4	10,0	16,60	3,0	NU411		HJ411	139,0	128,0
	140	33,00	2,1	2,1	77,2		86,4	10,0	16,60	3,0	NJ411		HJ411	139,0	128,0
	140	33,00	2,1	2,1	77,2					3,0	NUP411			139,0	128,0
	140	33,00	2,1	2,1		117,2				3,0	N411			139,0	128,0










Fatique load limit	Limiting s lubricati				Abı	utment	and fil	let dim	ensior	ıs			Weigl	ht
P _u	grease	oil	d	d _a	da	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
6,85	6300	7500	55	62	65,0	68,0	73	-	91	-	1,5	1,0	0,64	0,080
6,85	6300	7500		62	65,0	68,0	73	-	91	-	1,5	1,0	0,64	0,080
6,85	6300	7500		62	65,0	68,0	73	-	91	-	1,5	1,0	0,64	
6,85	6300	7500		62	65,0	68,0	73	86	91	91	1,5	1,0	0,64	
11,09	6300	7500		62	64,5	68,0	73	-	91	-	1,5	1,0	0,66	0,080
11,09	6300	7500		62	64,5	68,0	73	-	91	-	1,5	1,0	0,66	0,080
11,09	6300	7500		62	64,5	68,0	73	-	91	-	1,5	1,0	0,66	
10,06	6300	7500		62	65,0	68,0	73	-	91	-	1,5	1,0	0,78	
10,06	6300	7500		62	65,0	68,0	73	-	91	-	1,5	1,0	0,78	
10,06	6300	7500		62	65,0	68,0	73	-	91	-	1,5	1,0	0,78	
20,85	5600	6700		64	-	69,0	-	-	90	-	2,0	1,5	1,20	
12,20	5300	6300		65	67,0	72,0	80	-	110	-	2,0	2,0	1,45	0,19
12,20	5300	6300		65	67,0	72,0	80	-	110	-	2,0	2,0	1,45	0,19
12,20	5300	6300		65	67,0	72,0	80	-	110	-	2,0	2,0	1,45	
12,20	5300	6300		65	67,0	72,0	80	102	110	108	2,0	2,0	1,45	
15,61	4700	5600		65	67,0	72,0	80	-	110	-	2,0	2,0	1,38	0,18
15,61	4700	5600		65	67,0	72,0	80	-	110	-	2,0	2,0	1,38	0,18
15,61	4700	5600		65	67,0	72,0	80	-	110	-	2,0	2,0	1,38	
15,61	4500	5300		68	71,0	79,0	88	-	126	-	2,0	2,0	2,50	0,30
15,61	4500	5300		68	71,0	79,0	88	-	126	-	2,0	2,0	2,50	0,30
15,61	4500	5300		68	71,0	79,0	88	-	126	-	2,0	2,0	2,50	
15,61	4500	5300		68	71,0	79,0	88	115	126	120	2,0	2,0	2,50	



• • • • 303 • • •




d = 60 to 65 mm





					Mai	in dime	nsions	i				Bearing designation	Other cages	Angle ring designation	Basic l ratir	
															dynamic	static
	d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	s ₁₎				C,	C _{or}
4. 				min	min			max								
12.4.1						mm									kN	
	60	110	22,00	1,5	1,5	73,5		79,0	6,0	11,00	1,6	NU212		HJ212	66,8	68,1
		110	22,00	1,5	1,5	73,5		79,0	6,0	11,00	1,6	NJ212		HJ212	66,8	68,1
		110	22,00	1,5	1,5	73,5					1,6	NUP212			66,8	68,1
		110	22,00	1,5	1,5		97,5				1,6	N212			66,8	68,1
		110	28,00	1,5	1,5	73,5					1,6	NU2212			98,1	112,0
		110	28,00	1,5	1,5	73,5					1,6	NJ2212			98,1	112,0
		110	28,00	1,5	1,5	73,5					1,6	NUP2212			98,1	112,0
		110	36,50	1,5	2,0	72,38					4,5	NU5212M			150,0	211,0
		130	31,00	2,1	2,1	77		85,3	9,0	15,50	1,5	NU312		HJ312	121,0	114,0
		130	31,00	2,1	2,1	77		85,3	9,0	15,50	1,5	NJ312		HJ312	121,0	114,0
		130	31,00	2,1	2,1	77	440.0				1,5	NUP312			121,0	114,0
		130	31,00	2,1	2,1		113,0				1,5	N312			121,0	114,0
		130	46,00	2,1	2,1	77					4,5	NU2312			168,0	174,0
		130	46,00	2,1	2,1	77					4,5	NJ2312			168,0	174,0
		130	46,00	2,1	2,1	77		004	10.0	10.50	4,5	NUP2312		111440	168,0	174,0
		150	35,00	2,1	2,1	83		93,1		16,50	2,0	NU412		HJ412	168,0	158,0
		150	35,00	2,1	2,1	83		93,1	10,0	16,50	2,0	NJ412		HJ412	168,0	158,0
		150	35,00	2,1	2,1	83	407.0				2,0	NUP412			168,0	158,0
		150	35,00	2,1	2,1		127,0				2,0	N412			168,0	158,0
	65	120	23,00	1,5	1,5	79,6		85,6	6,0	11,00	1,6	NU213		HJ213	79,4	82,5
		120	23,00	1,5	1,5	79,6		85,6	6,0	11,00	1,6	NJ213		HJ213	79,4	82,5
		120	23,00	1,5	1,5	79,6					1,6	NUP213			79,4	82,5
		120	23,00	1,5	1,5		105,6				1,6	N213			79,4	82,5
		120	31,00	1,5	1,5	79,6					1,6	NU2213			117,0	136,0
		120	31,00	1,5	1,5	79,6					1,6	NJ2213			117,0	136,0
		120	31,00	1,5	1,5	79,6					1,6	NUP2213			117,0	136,0
		120	38,10	1,7	1,7	80,42					4,5	NU5213M			139,0	196,0
		140	33,00	2,1	2,1	83,5		92,2	10,0	17,00	1,5	NU313		HJ313	131,0	128,0
		140	33,00	2,1	2,1	83,5		92,2	10,0	17,00	1,5	NJ313		HJ313	131,0	128,0
		140	33,00	2,1	2,1	83,5					1,5	NUP313			131,0	128,0
		140	33,00	2,1	2,1		121,5				1,5	N313			131,0	128,0
		140	33,00	2,1	2,1	82,5		90,7		15,50	1,5	NU313E		HJ313E	181,0	178,0
		140	33,00	2,1	2,1	82,5		90,7	10,0	15,50	1,5	NJ313E		HJ313E	181,0	178,0
		140	33,00	2,1	2,1	82,5					1,5	NUP313E			181,0	178,0
		140	48,00	2,1	2,1	83,5					4,5	NU2313			192,0	203,0
		140	48,00	2,1	2,1	83,5					4,5	NJ2313			192,0	203,0
		140	48,00	2,1	2,1	83,5		00.0	4	40.00	4,5	NUP2313			192,0	203,0
		160	37,00	2,1	2,1	89,3		99,9			2,0	NU413MAS	М	HJ413	181,0	174,0
		160	37,00	2,1	2,1	89,3		99,9	11,0	18,00	2,0	NJ413MAS	М	HJ413	181,0	174,0
		160	37,00	2,1	2,1	89,3					2,0	NUP413MAS	М		181,0	174,0

ZKI)










Fatique load limit	Limiting s lubricati				Ab	utment	and fil	let din	nensio	ns			Weig	ht
P _u	grease	oil	d	da	da	d _ь	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹		,				mn	n					kg	
8,30	5600	6700	60	67	71,0	75,0	80	-	101	-	1,5	1,5	0,82	0,11
8,30	5600	6700		67	71,0	75,0	80	-	101	-	1,5	1,5	0,82	0,11
8,30	5600	6700		67	71,0	75,0	80	-	101	-	1,5	1,5	0,82	
8,30	5600	6700		67	71,0	75,0	80	95	101	101	1,5	1,5	0,82	
13,66	5600	6700		69	69,5	74,0	79	-	101	-	1,5	1,5	1,05	
13,66	5600	6700		69	69,5	74,0	79	-	101	-	1,5	1,5	1,05	
13,66	5600	6700		69	69,5	74,0	79	-	101	-	1,5	1,5	1,05	
25,73	5300	6300		69	-	74,0	-	-	99	-	2,0	1,5	1,59	
13,90	4700	5600		72	75,0	79,0	87	-	118	-	2,0	2,0	1,85	0,22
13,90	4700	5600		72	75,0	79,0	87	-	118	-	2,0	2,0	1,85	0,22
13,90	4700	5600		72	75,0	79,0	87	-	118	-	2,0	2,0	1,85	
13,90	4700	5600		72	75,0	79,0	87	110	118	117	2,0	2,0	1,85	
21,22	4700	5600		72	75,0	79,0	87	-	118	-	2,0	2,0	2,70	
21,22	4700	5600		72	75,0	79,0	87	-	118	-	2,0	2,0	2,70	
21,22	4700	5600		72	75,0	79,0	87	-	118	-	2,0	2,0	2,70	
18,99	4200	5000		73	77,0	85,0	95	-	136	-	2,0	2,0	3,00	0,34
18,99	4200	5000		73	77,0	85,0	95	-	136	-	2,0	2,0	3,00	0,34
18,99	4200	5000		73	77,0	85,0	95	-	136	-	2,0	2,0	3,00	
18,99	4200	5000		73	77,0	85,0	95	124	136	130	2,0	2,0	3,00	
10,06	5300	6300	65	72	77,0	81,0	87	-	111	-	1,5	1,5	1,05	0,13
10,06	5300	6300		72	77,0	81,0	87	-	111	-	1,5	1,5	1,05	0,13
10,06	5300	6300		72	77,0	81,0	87	-	111	-	1,5	1,5	1,05	
10,06	5300	6300		72	77,0	81,0	87	103	111	110	1,5	1,5	1,05	
16,59	5300	6300		72	77,0	81,0	87	-	111	-	1,5	1,5	1,45	
16,59	5300	6300		72	77,0	81,0	87	-	111	-	1,5	1,5	1,45	
16,59	5300	6300		72	77,0	81,0	87	-	111	-	1,5	1,5	1,45	
23,90	4700	5600		77	-	83,0	-	-	108	-	1,5	1,5	1,88	
15,49	4500	5300		76	78,0	85,0	94	-	128	-	2,0	2,0	2,25	0,29
15,49	4500	5300		76	78,0	85,0	94	-	128	-	2,0	2,0	2,25	0,29
15,49	4500	5300		76	78,0	85,0	94	-	128	-	2,0	2,0	2,25	
15,49	4500	5300		76	78,0	85,0	94	119	128	126	2,0	2,0	2,25	
21,55	4200	5000		76	77,0	84,0	93	-	128	-	2,0	2,0	2,35	0,27
21,55	4200	5000		76	77,0	84,0	93	-	128	-	2,0	2,0	2,35	0,27
21,55	4200	5000		76	77,0	84,0	93	-	128	-	2,0	2,0	2,35	
24,57	4500	5300		76	78,0	85,0	94	-	128	-	2,0	2,0		
24,57	4500	5300		76	78,0	85,0	94	-	128	-	2,0	2,0	3,25	
24,57	4500	5300		76	78,0	85,0	94	-	128	-	2,0	2,0	3,25	
20,48	3800	4500		78	83,0	91,0	101	-	146	-	2,0	2,0	3,60	0,43
20,48	3800	4500		78	83,0	91,0	101	-	146	-	2,0	2,0		0,43
20,48	3800	4500		78	83,0	91,0	101	-	146	-	2,0	2,0	3,60	

• • 305 • • •










				Ma	in dime	nsions	;				Bearing designation	Other cages	Angle ring designation	Basic I ratir	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C,	C _{or}
12.4.1			min	min			max					-			
	105	04.00	1.5	1.	mm		00.5	7.0	10.50	1.0	NU214		HJ214	kN 70.4	
70	125 125	24,00 24,00	1,5	1,5 1,5	84,5		90,5 90,5		12,50 12,50	1,6 1,6	NU214 NJ214		HJ214 HJ214	79,4 79,4	82,5 82,5
					84,5		90,5	1,0	12,50		NUP214		ΠJ214		
	125 125	24,00 24,00	1,5	1,5 1,5	84,5	110,5				1,6 1,6	N0P214 N214			79,4 79,4	82,5 82,5
	125	31,00	1,5 1,5	1,5	84,5	110,5				1,6	N214 NU2214			117,0	139,0
	125				84,5					1,6	NJ2214 NJ2214				139,0
		31,00	1,5 1,5	1,5						1,6	NUP2214			117,0 117,0	-
	125 125	31,00 39,69		1,5	84,5					4,5	NU5214M			178,0	139,0
	150	35,00	1,5 2,1	2,2	84,84		99,2	10.0	17,50	1,5	NU3214W NU314		HJ314	147,0	261,0 144,0
	150	35,00			90		99,2		17,50	1,5	NJ314		HJ314		144,0
				2,1			99,2	10,0	17,50				NJ314		,
	150	35,00	2,1	2,1	90	100.0				1,5	NUP314			147,0	144,0
	150	35,00		2,1	00	130,0				1,5	N314			147,0	144,0
	150	51,00	2,1	2,1	90					4,1	NU2314			215,0	233,0
	150	51,00		2,1	90					4,1	NJ2314			215,0	233,0
	150	51,00	2,1	2,1	90					4,1	NUP2314			215,0	233,0
	150	51,00			89					4,1	NU2314EMAS			282,0	310,0
	150	51,00	2,1	2,1	89					4,1	NJ2314EMAS			282,0	310,0
	150	51,00	,	2,1	89		440.0	40.0	00.00	4,1	NUP2314EMAS		111444	282,0	310,0
	180	42,00	3,0	3,0	100		112,0		20,00	2,0	NU414		HJ414	224,0	215,0
	180	42,00			100		112,0	12,0	20,00	2,0	NJ414		HJ414		215,0
	180	42,00	3,0	3,0	100	450.0				2,0	NUP414			224,0	215,0
	180	42,00	3,0	3,0		152,0				2,0	N414			224,0	215,0

ZKL)







Fatique load limit	Limiting s lubricati				Abı	utment	and fil	let dim	nensior	ıs			Weigl	nt
P _u	grease	oil	d	d _a	da	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
10,06	5600	6700	70	77	82,0	86,0	92	-	116	-	1,5	1,5	1,15	0,16
10,06	5600	6700		77	82,0	86,0	92	-	116	-	1,5	1,5	1,15	0,16
10,06	5600	6700		77	82,0	86,0	92	-	116	-	1,5	1,5	1,15	
10,06	5600	6700		77	82,0	86,0	92	108	116	115	1,5	1,5	1,15	
16,95	5000	6000		77	82,0	86,0	92	-	116	-	1,5	1,5	1,50	
16,95	5000	6000		77	82,0	86,0	92	-	116	-	1,5	1,5	1,50	
16,95	5000	6000		77	82,0	86,0	92	-	116	-	1,5	1,5	1,50	
31,83	4700	5600		81,5	-	87,0	-	-	112	-	2,0	1,5	2,22	
17,07	4200	5000		81	85,0	92,0	101	-	138	-	2,0	2,0	2,75	0,34
19,14	4200	5000		81	85,0	92,0	101	-	138	-	2,0	2,0	2,75	0,34
19,14	4200	5000		81	85,0	92,0	101	-	138	-	2,0	2,0	2,75	
19,14	4200	5000		81	85,0	92,0	101	127	138	135	2,0	2,0	2,75	
27,61	4200	5000		81	85,0	92,0	101	-	138	-	2,0	2,0	5,25	
27,61	4200	5000		81	85,0	92,0	101	-	138	-	2,0	2,0	5,25	
27,61	4200	5000		81	85,0	92,0	101	-	138	-	2,0	2,0	5,25	
36,74	3800	4500		81	84,0	91,0	100	-	138	-	2,0	2,0	4,21	
36,74	3800	4500		81	84,0	91,0	100	-	138	-	2,0	2,0	4,21	
36,74	3800	4500		81	84,0	91,0	100	-	138	-	2,0	2,0	4,21	
24,52	3300	4000		85	93,0	102,0	114	-	164	-	2,5	2,5	5,25	0,61
24,52	3300	4000		85	93,0	102,0	114	-	164	-	2,5	2,5	5,25	0,61
24,52	3300	4000		85	93,0	102,0	114	-	164	-	2,5	2,5	5,25	
24,52	3300	4000		85	93,0	102,0	114	149	164	156	2,5	2,5	5,25	




00

• • • • 307 • • •










				Ма	in dime	nsions	5				Bearing designation	Other cages	Angle ring designation	Basic l ratir	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C,	C _{or}
12.4.1		ļ	min	min			max					\vdash			
	100	05.00			mm		0.4.0	7.0	10.50	4.0	NUMBER		111045	kN	
75				1,5	88,5		94,9		12,50	1,6	NU215		HJ215	96,2	96,2
	130		1,5	1,5	88,5		94,9	7,0	12,50	1,6	NJ215		HJ215	96,2	96,2
	130	,		1,5	88,5					1,6	NUP215			96,2	96,2
	130		1,5	1,5	00.5	116,5	010		44.00	1,6	N215		1110455	96,2	96,2
	130			1,5	88,5		94,6	7,0	11,00	1,6	NU215E		HJ215E		147,0
	130			1,5	88,5		94,6	7,0	11,00	1,6	NJ215E		HJ215E	131,0	147,0
	130			1,5	88,5					1,6	NUP215E			131,0	147,0
	130	. ,	1,5	1,5	88,5					2,1	NU2215E			162,0	196,0
	130			1,5	88,5					2,1	NJ2215E			162,0	196,0
	130		1,5	1,5	88,5					2,1	NUP2215E			162,0	196,0
	130			1,5						4,5	NU5215M			196,0	299,0
	160	. ,	2,1	2,1	95,5		105,6		18,50	1,5	NU315		HJ315	178,0	178,0
	160			2,1	95,5		105,6	11,0	18,50	1,5	NJ315		HJ315	178,0	178,0
	160		2,1	2,1	95,5					1,5	NUP315			178,0	178,0
	160			2,1		139,5				1,5	N315			178,0	178,0
	160		2,1	2,1	95,5					4,5	NU2315			266,0	287,0
	160			2,1	95,5					4,5	NJ2315			266,0	287,0
	160		2,1	2,1	95,5					4,5	NUP2315			266,0	287,0
	190			2,0	104,5		117,0		21,50	2,0	NU415		HJ415		251,0
	190		3,0	2,0	104,5		117,0	13,0	21,50	2,0	NJ415		HJ415	261,0	251,0
	190		3,0		104,5					2,0	NUP415			261,0	251,0
	190	45,00	3,0	2,0		160,5				2,0	N415			261,0	251,0

ZKI







Fatique load limit	Limiting s lubricati				Abı	utment	and fil	let dim	ensior	າຣ			Weigl	nt
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	1					kg	
11,65	4700	5600	75	82	85,0	90,0	96	-	121	-	1,5	1,5	1,25	0,17
11,65	4700	5600		82	85,0	90,0	96	-	121	-	1,5	1,5	1,25	0,17
11,65	4700	5600		82	85,0	90,0	96	-	121	-	1,5	1,5	1,25	
11,65	4700	5600		82	85,0	90,0	96	114	121	120	1,5	1,5	1,25	
17,79	4500	5300		82	85,0	90,0	96	-	121	-	1,5	1,5	1,30	0,16
17,79	4500	5300		82	85,0	90,0	96	-	121	-	1,5	1,5	1,30	0,16
17,79	4500	5300		82	85,0	90,0	96	-	121	-	1,5	1,5	1,30	
23,73	4500	5300		82	85,0	90,0	96	-	121	-	1,5	1,5	1,65	
23,73	4500	5300		82	85,0	90,0	96	-	121	-	1,5	1,5	1,65	
23,73	4500	5300		82	85,0	90,0	96	-	121	-	1,5	1,5	1,65	
36,19	4500	5300		85,5	-	91,0	-	-	117	-	2,0	1,5	2,41	
20,68	3800	4500		86	93,0	97,0	107	-	148	-	2,0	2,0	3,25	0,40
20,68	3800	4500		86	93,0	97,0	107	-	148	-	2,0	2,0	3,25	0,40
20,68	3800	4500		86	93,0	97,0	107	-	148	-	2,0	2,0	3,25	
20,68	3800	4500		86	93,0	97,0	107	137	148	145	2,0	2,0	3,25	
33,35	3800	4500		86	93,0	97,0	107	-	148	-	2,0	2,0	4,85	
33,35	3800	4500		86	93,0	97,0	107	-	148	-	2,0	2,0	4,85	
33,35	3800	4500		86	93,0	97,0	107	-	148	-	2,0	2,0	4,85	
28,13	3200	3800		90	98,0	107,0	119	-	174	-	-,-	2,5	6,25	0,80
28,13	3200	3800		90	98,0	107,0	119	-	174	-	2,5	2,5	6,25	0,80
28,13	3200	3800		90	98,0	107,0	119	-	174	-	2,5	2,5	6,25	
28,13	3200	3800		90	98,0	107,0	119	158	174	164	2,5	2,5	6,25	




00

• • 309 • • •





d = 80 to 85 mm




				Mai	in dime	nsions	;				Bearing designation	Other cages	Angle ring designation	Basic I ratin	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	s ₁₎				C,	C _{or}
			min	min			max								
-00	405	00.00	- 44	4.0	mm					4.0	NUMBER			kN	
80	125	22,00	1,1	1,0	91,5		100.0	0.0	10.50	1,2	NU1016		111040	66,8	76,4
	140	26,00			95,3		102,2		13,50	2,0	NU216		HJ216	106,0	114,0
	140	26,00	2,0	2,0	95,3		102,2	8,0	13,50	2,0	NJ216		HJ216	106,0	114,0
	140	26,00			95,3	105.0				2,0	NUP216			106,0	114,0
	140	26,00	2,0	2,0	05.0	125,3				2,0	N216			106,0	114,0
	140	33,00		,	95,3					2,5	NU2216			147,0	178,0
	140	33,00	2,0	2,0	95,3					2,5	NJ2216			147,0	178,0
	140	33,00	,	,	95,3					2,5	NUP2216			147,0	178,0
	140	33,00	2,0	2,0	95,3					2,5	NU2216E			196,0	246,0
	140	33,00		,	95,3					2,5	NJ2216E			196,0	246,0
	140	33,00	2,0	2,0	95,3					2,5	NUP2216E			196,0	246,0
	140	44,45	,	2,1	95,28			44.0	10.50	5,0	NU5216M		111010	185,0	282,0
	170	39,00	2,1	2,1	103		113,1		19,50	1,5	NU316		HJ316	192,0	192,0
	170	39,00		2,1	103		113,1	11,0	19,50	1,5	NJ316		HJ316	192,0	192,0
	170	39,00	2,1	2,1	103					1,5	NUP316			192,0	192,0
	170	39,00		,		147,0				1,5	N316			192,0	192,0
	200	48,00	3,0	3,0	110		123,8		22,00	2,0	NU416M		HJ416	299,0	293,0
	200	48,00	,		110		123,8	13,0	22,00	2,0	NJ416M		HJ416	299,0	293,0
	200	48,00	3,0	3,0	110					2,0	NUP416M			299,0	293,0
	200	48,00	3,0	3,0		170,0				2,0	N416M			299,0	293,0
85	150	28,00	2,0	,	101,8		109,2	,	14,00	2,0	NU217		HJ217	121,0	131,0
	150	28,00	2,0	2,0	101,8		109,2	8,0	14,00	2,0	NJ217		HJ217	121,0	131,0
	150	28,00			101,8					2,0	NUP217			121,0	131,0
	150	28,00	2,0			133,8				2,0	N217			121,0	131,0
	150	36,00	2,0	,	100,5					2,0	NU2217E			220,0	261,0
	150	36,00	2,0		100,5					2,0	NJ2217E			220,0	261,0
	150	36,00	2,0	,	100,5					2,0	NUP2217E			220,0	261,0
	150	49,21	2,1	2,1	102					5,5	NU5217M			211,0	316,0
	180	41,00	,	,	108		119,0		20,50	2,0	NU317		HJ317	215,0	215,0
	180	41,00	3,0	3,0	108		119,0	12,0	20,50	2,0	NJ317		HJ317	215,0	215,0
	180	41,00		,	108					2,0	NUP317			215,0	215,0
	180	41,00	3,0	3,0		156,0				2,0	N317			215,0	215,0
	210	52,00	4,0	,	113		127,7	,	24,00	2,5	NU417M	MAS	HJ417	362,0	362,0
	210	52,00	4,0	4,0	113		127,7	14,0	24,00	2,5	NJ417M	MAS	HJ417	362,0	362,0
	210	52,00	4,0	4,0	113					2,5	NUP417			362,0	362,0










Fatique load limit	Limiting s lubricati				Ab	utment	and fil	let din	nensio	ns			Weigl	ht
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
9,25	5000	6000	80	85	90,0	94,0	-	-	118	-	1,0	1,0	0,99	
13,51	4500	5300		90	92,0	97,0	104	-	130	-	-,-	2,0	1,50	0,21
13,51	4500	5300		90	92,0	97,0	104	-	130	-	2,0	2,0	1,50	0,21
13,51	4500	5300		90	92,0	97,0	104	-	130	-	2,0	2,0	1,50	
13,51	4500	5300		90	92,0	97,0	104	125	130	130	2,0	2,0	1,50	
21,10	4500	5300		90	92,0	97,0	104	-	130	-	2,0	2,0	1,95	
21,10	4500	5300		90	92,0	97,0	104	-	130	-	2,0	2,0	1,95	
21,10	4500	5300		90	92,0	97,0	104	-	130	-	2,0	2,0	1,95	
29,15	4200	5000		90	92,0	97,0	104	-	130	-	2,0	2,0	2,05	
29,15	4200	5000		90	92,0	97,0	104	-	130	-	2,0	2,0	2,05	
29,15	4200	5000		90	92,0	97,0	104	-	130	-	2,0	2,0	2,05	
33,42	4200	5000		91,5	-	98,0	-	-	126	-	2,0	2,0	2,91	
21,90	3500	4200		99	97,0	105,0	116	-	158	-	2,0	2,0	3,90	0,49
21,90	3500	4200		99	97,0	105,0	116	-	158	-	2,0	2,0	3,90	0,49
21,90	3500	4200		99	97,0	105,0	116	-	158	-	2,0	2,0	3,90	,
21,90	3500	4200		99	97,0	105,0	116	144	158	153	2,0	2,0	3,90	
32,30	3000	3500		95	105,0	112,0	125	-	184	-	2,5	2,5	7,30	0,80
32,30	3000	3500		95	105,0	112,0	125	-	184	-	2,5	2,5	7,30	0,80
32,30	3000	3500		95	105.0	112.0	125	-	184	-	2,5	2,5	7,30	.,
32,30	3000	3500		95	105,0	112,0	125	167	184	174	2,5	2,5	7,30	
,					,.	,-					-,-	-,-	.,	
15,22	4200	5000	85	95	99.0	104.0	111	_	140	-	2,0	2,0	1,90	0,25
15,22	4200	5000	00	95	99.0	104,0	111	-	140	-	2,0	2,0	1,90	0,25
15,22	4200	5000		95	99,0	104,0	111	_	140	-		2,0	1,90	0,25
15,22	4200	5000		95	99.0	104.0	111	131	140	138	2,0	2,0	1,90	0,25
30,33	3800	4500		95	98.0	103.0	110	-	140	-	2,0	2,0	2,52	0,20
30,33	3800	4500		95	98,0	103,0	110	-	140	_	2,0	2,0	2,52	
30,33	3800	4500		95	98.0	103.0	110	_	140	_	2,0	2,0	2,52	
36,72	3800	4500		98	-	105.0	-		135	-	2,0	2,0	3,69	
24,10	3300	4000		98	103,0	110,0	121	174	166	162	2,5	2,5	4,50	0,57
24,10	3300	4000		98	103,0	110,0	121	174	166	162	2,5	2,5	4,50	0,57
24,10	3300	4000		98	103,0	110,0	121	174	166	162	2,5	2,5	4,50	0,01
24,10	3300	4000		98	103,0	110,0	121	174	166	162	2,5	2,5	4,50	
39,29	3000	3500		105	108,0	115,0	129	1/4	190	102	3,0	3,0	8,70	0,89
39,29	3000	3500		105	108,0	115,0	129	-	190	-	3,0	3,0	8,70	0,89
39,29	3000	3500		105	108,0	115,0	129	-	190	-		3,0	8,70	0,09
39,29	3000	3300		105	100,0	110,0	129	-	190	-	3,0	3,0	0,70	

• 311 • • •



d = 90 to 95 mm





d	D						;				designation	cages	designation	ratin	g
	D													dynamic	static
		В	r _s	r _{1s}	F	E	d ₂	b	b ₁	s ₁₎				C,	C _{or}
			min	min			max								
90					mm									kN	
	160	30,00	2,0	2,0	107		115,3	9,0	15,00	2,0	NU218		HJ218	147,0	158,0
	160	30,00	2,0	2,0	107		115,3	9,0	15,00	2,0	NJ218		HJ218	147,0	158,0
	160	30,00	2,0	,	107					2,0	NUP218			147,0	158,0
	160	30,00	2,0	2,0		143,0				2,0	N218			147,0	158,0
	160	40,00	2,0	,	107					2,0	NJ2218EM	F		241,0	313,0
	160 190	52,40 43.00	2,1		107,218		100 F	12.0	21,00	6,0	NU5218M NU318		HJ318	237,0 233.0	355,0
	190	43,00	3,0	3,0	115 115		126,5 126.5	, .	21,00	2,0	NJ318		HJ318	233,0	242,0 242.0
	190	43,00	3,0	3,0	115		120,0	12,0	21,00	2,0	NUP318		ПООТО	233,0	242,0
	190	43,00	3,0	3,0	110	165.0				2.0	N318			233,0	242,0
	190	43,00	3,0	3,0	113,5	100,0	124,2	12.0	18,50	2,0	NU318EM		HJ318E	316,0	329,0
	190	43,00	3,0	3,0	113,5		124,2	12,0	18,50	2,0	NJ318EM		HJ318E	316,0	329,0
	190	43,00	3,0		113,5					2,0	NUP318EM			316,0	329,0
	225	54,00	4,0	4,0	123,5		139,1	14,0	24,00	2,5	NU418M	MAS	HJ418	391,0	406,0
	225	54,00	4,0	4,0	123,5		139,1	14,0	24,00	2,5	NJ418M	MAS	HJ418	391,0	406,0
	225	54,00	4,0	4,0	123,5					2,5	NUP418M	MAS		391,0	406,0
95	170	32,00	2,1	2,1	113,5		122,2	9.0	15,50	2,0	NU219		HJ219	162,0	181,0
- 00	170	32,00	2,1	2,1	113,5		122,2		15,50	2,0	NJ219		HJ219	162,0	181,0
	170	32,00	2,1	2,1	113,5		,	.,.	.,	2,0	NUP219			162,0	181,0
	170	32,00	2,1	2,1		151,5				2,0	N219			162,0	181,0
	170	43,00	2,1	2,1	113,5					3,0	NU2219			233,0	282,0
	170	43,00	2,1	2,1	113,5					3,0	NJ2219			233,0	282,0
	170	43,00	2,1	2,1	113,5					3,0	NUP2219			233,0	282,0
	170	55,56	2,5	3,0	113,52					6,0	NU5219M			335,0	511,0
	200	45,00	3,0	3,0	121,5					2,0	NU319			256,0	266,0
	200	45,00	3,0	3,0	121,5					2,0	NJ319			256,0	266,0
	200	45,00	3,0	3,0	121,5	470.5				2,0	NUP319			256,0	266,0
	200	45,00	3,0	3,0	121,5	173,5				2,0	N319 NU319EM			256,0	266,0 362,0
	200	45,00 45.00	3,0	3,0	121,5					1,9	NJ319EM			329,0 329.0	362,0
	200	45,00	3,0	3,0	121,5					1,9	NUP319EM			329,0	362,0
	240	55,00	4,0		133,5					2,5	NU419M			430.0	447,0
	240	55,00	4,0	4,0	133,5					2,5	NJ419M			430,0	447,0
	240	55,00	4,0	4,0	133,5					2,5	NUP419M			430,0	447,0


. . . 312

ZKL)










Fatique load limit	Limiting s lubricati	Abutment and fillet dimensions										Weight		
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
18,02	4000	4700	90	100	105,0	109,0	117	-	150	-	2,0	2,0	2,30	0,31
18,02	4000	4700		100	105,0	109,0	117	-	150	-	2,0	2,0	2,30	0,31
18,02	4000	4700		100	105,0	109,0	117	-	150	-	2,0	2,0	2,30	,
18,02	4000	4700		100	105,0	109,0	117	140	150	147	2,0	2,0	2,30	
35,70	3800	4500		100	105,0	109,0	-	-	150	-	2,0	2,0	3,60	
40,49	3500	4200		103	-	110,0	-	-	144	-	2,5	2,0	4,48	
26,68	3200	3800		103	111,0	117,0	128	-	176	-	2,5	2,5	5,40	0,65
26,68	3200	3800		103	111,0	117,0	128	-	176	-	2,5	2,5	5,40	0,65
26,68	3200	3800		103	111,0	117,0	128	-	176	-	2,5	2,5	5,40	
26,68	3200	3800		103	111,0	117,0	128	162	176	172	2,5	2,5	5,40	
36,27	3000	3500		103	110,0	116,0	127	-	176	-	2,5	2,5	5,50	0,60
36,27	3000	3500		103	110,0	116,0	127	-	176	-	2,5	2,5	5,50	0,60
36,27	3000	3500		103	110,0	116,0	127	-	176	-	2,5	2,5	5,50	
43,20	2700	3200		110	117,0	125,0	140	-	205	-	3,0	3,0	11,7	1,05
43,20	2700	3200		110	117,0	125,0	140	-	205	-	3,0	3,0	11,7	1,05
43,20	2700	3200		110	117,0	125,0	140	-	205	-	3,0	3,0	11,7	,
20,29	3800	4500	95	107	111,0	116,0	124	-	158	-	2,0	2,0	2,80	0,35
20,29	3800	4500		107	111,0	116,0	124	-	158	-	2,0	2,0	2,80	0,35
20,29	3800	4500		107	111,0	116,0	124	-	158	-	2,0	2,0	2,80	
20,29	3800	4500		107	111,0	116,0	124	149	158	155	2,0	2,0	2,80	
31,61	3800	4500		107	111,0	116,0	124	-	158	-	2,0	2,0	3,85	
31,61	3800	4500		107	111,0	116,0	124	-	158	-	2,0	2,0	3,85	
31,61	3800	4500		107	111,0	116,0	124	-	158	-	2,0	2,0	3,85	
57,27	3300	4000		110	-	117,0	-	-	153	-	2,5	2,0	5,65	
28,87	3200	3800		109	119,0	124,0	135	-	186	-	2,5	2,5	6,20	
28,87	3200	3800		109	119,0	124,0	135	-	186	-	2,5	2,5	6,20	
28,87	3200	3800		109	119,0	124,0	135	-	186	-	2,5	2,5	6,20	
28,87	3200	3800		109	119,0	124,0	135	170	186	178	2,5	2,5	6,20	
39,29	2800	3300		109	119,0	124,0	135	-	186	-	2,5	2,5	6,50	
39,29	2800	3300		109	119,0	124,0	135	-	186	-	2,5	2,5	6,50	
39,29	2800	3300		109	119,0	124,0	135	-	186	-	2,5	2,5	6,50	
46,70	2500	3000		115	125,0	136,0	151	-	220	-	3,0	3,0	13,5	
46,70	2500	3000		115	125,0	136,0	151	-	220	-	3,0	3,0	13,5	
46,70	2500	3000		115	125,0	136,0	151	-	220	-	3,0	3,0	13,5	

•••• 313 •••



d = 100 to 105 mm





				Ma	in dime	nsions	;				Bearing designation	Other cages	Angle ring designation	Basic I ratin	ıg
d	D	В	r,	r _{1s}	F	E	d,	b	b,	S ₁₎				dynamic C _r	stati C _{or}
<u> </u>			"s min	min					- 1	01)				٠,	or
			min	min	mm		max							kN	
100	400	04.00	0.4	0.4		_	100.0	10.0	47.00	0.0	AULOGO	_	111000		
100	180	34,00	2,1	2,1	120		129,2		17,00	2,0	NU220		HJ220	178,0	20
	180	34,00	2,1	2,1	120		129,2	10,0	17,00	2,0	NJ220		HJ220	178,0	20
	180	34,00	2,1	2,1	120	100.0				2,0	NUP220			178,0	20
	180	34,00	2,1	2,1	100	160,0				2,0 3,0	N220			178,0	20
	180 180	46,00	2,1	2,1	120 120					3,0	NU2220M NJ2220M			261,0 261.0	32 32
		46,00		2,1						.,.	NUP2220M			. , .	32
	180 180	46,00 60.32	2,1	2,1	120 121,005					3,0 7.0	NU5220M NU5220M			261,0 304.0	32 47
	215	47,00	3,0	3,0	121,005		142.4	12.0	22,50	2.0	NU320W		HJ320	299.0	31
	215	47.00	3,0	3,0	129,5		142,4	,	22,50	2,0	NJ320		HJ320	299,0	31
	215	47,00			129,5		142,4	13,0	22,50	2,0	NUP320		HJ320	299,0	31
	215	47,00	3,0	3,0	129,5	185,5				2,0	N320			, -	31
	215	73,00	3,0		127,5	100,0				4,9	NU2320EMAS	М		299,0	69
		,	3,0	3,0	,					,	NJ2320EMAS	M		596,0	
	215 215	73,00	3,0	3,0	127,5					4,9	NUP2320EMAS	M		596,0	69
		73,00	3,0	3,0	127,5 139		155.0	10.0	07.00	4,9	NU420M	IVI	HJ420	596,0	69
	250	58,00	4,0	4,0			155,9		27,00	2,5				473,0	50
	250	58,00	4,0	4,0	139		155,9	10,0	27,00	2,5	NJ420M		HJ420	473,0	50
	250	58,00	4,0	4,0	139					2,5	NUP420M			473,0	50
105	190	36,00	2,1	2,1	126,8		136,5	10,0	17,50	2,0	NU221		HJ221	200,0	22
	190	36,00	2,1	2,1	126,8		136,5	10,0	17,50	2,0	NJ221		HJ221	200,0	22
	190	36,00	2.1	2,1	126.8		, .	-,-	,	2,0	NUP221			200.0	22
	190	36.00	2,1	2,1		168.8				2.0	N221			200.0	22
	190	65,10	2,1	2,1	126,52	, .				7,0	NU5221M			362,0	57
	225	49.00	3,0	3,0	135		148.8	13.0	22.50	4.5	NU321		HJ321	341.0	36
	225	49,00	3,0	3,0	135		148,8	13,0	22,50	4,5	NJ321		HJ321	341,0	36
	225	49,00	3,0	3,0	135					4,5	NUP321			341,0	36
	225	49.00	3,0	3,0		195.0				4,5	N321			341.0	36
	260	60,00	4,0	4,0	144,5		162,0	16.0	27,00	2,5	NU421M		HJ421	531,0	56
	260	60,00	4,0	4,0	144,5		162,0		27,00	2,5	NJ421M		HJ421	531,0	56
	260	60,00	4,0	4,0	144,5					2,5	NUP421M			531,0	56


. 314

(ZKI)










Fatique load limit	Limiting s			Weight										
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	1					kg	
22,38	3500	4200	100	112	117,0	122,0	131	-	168	-	2,0	2,0	3,40	0,45
22,38	3500	4200	.00	112	117.0	122.0	131	-	168	-	2.0	2,0	3,40	0,45
22,38	3500	4200		112	117,0	122,0	-	-	168	-	2,0	2,0	3,40	0,10
22,38	3500	4200		112	117.0	122,0	-	157	168	165	2,0	2,0	3,40	
35,50	3500	4200		112	117.0	122,0	-	-	168	-	2,0	2,0	4,65	
35,50	3500	4200		112	117,0	122,0	-	-	168	-	2,0	2,0	4,65	
35,50	3500	4200		112	117,0	122,0	-	_	168	-	2,0	2,0		
52,14	3200	3800		116,5	-	124.0	-	-	162	-	2,0	2,0	6,49	
32,99	2800	3300		113	125.0	132.0	145	-	201	-	2,0	2,0	7,70	0,91
32,99	2800	3300		113	125.0	132,0	145	-	201	-	2,0	2,0	7,70	0,91
32,99	2800	3300		113	125,0	132,0	-	-	201	-	2,0	2,0	7,70	-,
32,99	2800	3300		113	125.0	132.0		182	201	190	2,0	2,0	7,70	
73,85	2500	3000		113	123,0	130,0	-	-	201	-	2,5	2,5	12,5	
73,85	2500	3000		113	123,0	130,0	-	-	201	-	2,5	2,5	12,5	
73,85	2500	3000		113	123.0	130.0	-	-	201	-	2,5	2,5		
51,66	2400	2800		120	130,0	141,0	158	-	230	-	3,0	3,0	14,0	1,55
51,66	2400	2800		120	130.0	141,0	158	-	230	-	3,0	3,0	14,0	1,55
51,66	2400	2800		120	130.0	141.0	-	-	230	-	3,0	3,0	14,0	1,00
0.,00	2.00	2000			.00,0	,0			200		0,0	0,0	,0	
24,31	3300	4000	105	117	122,0	129,0	138	-	178	-	2,0	2,0	4,00	0,51
24,31	3300	4000	700	117	122,0	129.0	138	-	178	-	2,0	2,0	4,00	0,51
24,31	3300	4000		117	122.0	129.0	-	-	178	-	2,0	2,0	4,00	0,01
24,31	3300	4000		117	122,0	129,0	-	166	178	175	2,0	2,0	4,00	
62,19	3000	3500		121,5	-	130.0	-	-	171	-	2,0	2,0	7,94	
37,99	2700	3200		119	132,0	137.0	150	-	211	-	2,5	2,5	8,75	1,00
37,99	2700	3200		119	132.0	137,0	150	-	211	-	2,5	2,5	8,75	1,00
37,99	2700	3200		119	132,0	137,0	-	-	211	-	2,5	2,5	8,75	.,50
37,99	2700	3200		119	132.0	137.0	-	192	211	199	2,5	2,5	8,75	
57,22	2200	2700		125	135.0	147.0	164	-	240	-	3,0	3,0	19.0	1,65
57,22	2200	2700		125	135,0	147,0	164	-	240	-	3,0	3,0	19,0	1,65
57,22	2200	2700		125	135,0	147,0	-	-	240	-	3,0	3,0	19,0	.,50

• • • • • • 315 • • •




d = 110 to 120 mm





d							Bearing designation	Other cages	Angle ring designation	Basic load rating					
d														dynamic	static
	D	В	r _s	r _{1s}	F	Е	d ₂	b	b ₁	s ₁₎				C,	C _{or}
			min	min			max								
					mm									kN	
110	200	38,00	2,1	2,1	132,5		143,1	11,0	18,50	2,5	NU222		HJ222	237,0	271,
	200	38,00	2,1	2,1	132,5		143,1	11,0	18,50	2,5	NJ222		HJ222	237,0	271,
	200	38,00	2,1	2,1	132,5					2,5	NUP222			237,0	271,
	200	38,00	2,1	2,1		178,5				2,5	N222			237,0	271,
	200	53,00	2,1	2,1	132,5					5,0	NU2222M			341,0	422,
	200	53,00	2,1	2,1	132,5					5,0	NJ2222M			341,0	422,
	200	53,00	2,1	2,1	132,5					5,0	NUP2222M			341,0	422,
	200	69,85	2,1	4,0	132,951					7,0	NU5222M			464,0	736,
	240	50,00	3,0	3,0	143		157,5	14,0	23,00	2,7	NU322		HJ322	391,0	414,
	240	50,00	3,0	3,0	143		157,5	14,0	23,00	2,7	NJ322		HJ322	391,0	414,
	240	50,00	3,0	3,0	143					2,7	NUP322			391,0	414,
	240	50,00	3,0	3,0		207,0				2,7	N322			391,0	414,
	240	50,00	3,0	3,0	143					2,9	NU322EM			447,0	492,
	240	50,00	3,0	3,0	143					2,9	NJ322EM			447,0	492,
	240	50,00	3,0	3,0	143					2.9	NUP322EM			447.0	492,
	280	65,00	4,0	4,0	155		173,4	17.0	29,50	2,7	NU422M		HJ422	584,0	631,
	280	65,00	4,0	4,0	155		173,4		29,50	2,7	NJ422M		HJ422	584,0	631,
	280	65,00	4,0	4,0	155		, .	,-	,	2,7	NUP422M			584,0	631,
		00,00	.,0	.,0	100					_,.				001,0	001
120	180	28,00	2,0	1,1	135					2,0	NU1024			131.0	168
	215	40,00	2,1	2,1	143,5		154,5	11.0	19,00	2,5	NU224		HJ224	261,0	299
	215	40,00	2,1	2,1	143,5		154,5	,	19,00	2,5	NJ224		HJ224	261,0	299,
	215	40.00	2,1	2,1	143.5		,.	,-	,	2,5	NUP224			261,0	299.
	215	40,00	2,1	2,1	, .	191,5				2,5	N224			261,0	299,
	215	58,00	2,1	2,1	143,5	,.				5,4	NU2224M			369.0	473,
	215	58,00	2,1	2,1	143,5					5,4	NJ2224M			369,0	473,
	215	58,00	2,1	2,1	143,5					5,4	NUP2224M			369,0	473,
	215	76,20	2.1	2,1	145,14					7,0	NU5224M			482.0	794,
	260	55,00	3,0	3,0	154		170,5	14 0	23,50	2,7	NU324		HJ324	447,0	473,
	260	55,00	3,0	3,0	154		170,5		23,50	2,7	NJ324		HJ324	447,0	473
	260	55,00	3,0	3,0	154		170,0	11,0	20,00	2,7	NUP324		110021	447,0	473
	260	86,00	3,0	3,0	154					6,4	NU2324EMAS	М		810,0	981,
	260	86,00	3,0	3,0	154					6.4	NJ2324EMAS	M		810.0	981
	260	86,00	3,0	3,0	154					6,4	NUP2324EMAS	M		810,0	981
	310	72,00	5,0	6,0	170		188,0	17 A	30,50	2,7	NU424M	IVI	HJ424	736,0	810
	310	72,00	5.0	6,0	170		188.0		30,50	2,7	NJ424M		HJ424	736.0	810
	310	72,00	5,0	6,0	170		100,0	17,0	30,50	2,7	NUP424M		FIJ424	736,0	810
	310	12,00	5,0	0,0	170					2,1	NUF4Z4W			130,0	010,

. . 316










Fatique load limit	Limiting s lubricati	Abutment and fillet dimensions										Weight		
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
28,98	3200	3800	110	122	125,0	135,0	145	-	188	-	2,0	2,0	4,65	0,62
28,98	3200	3800		122	125,0	135,0	145	-	188	-	2,0	2,0	4,65	0,62
28,98	3200	3800		122	125,0	135,0	-	-	188	-	2,0	2,0	4,65	
28,98	3200	3800		122	125,0	135,0	-	175	188	182	2,0	2,0	4,65	
45,12	3200	3800		122	125,0	135,0	-	-	188	-	2,0	2,0	6,95	
45,12	3200	3800		122	125,0	135,0	-	-	188	-	2,0	2,0	6,95	
45,12	3200	3800		122	125,0	135,0	-	-	188	-	2,0	2,0	6,95	
78,70	3000	3500		128	-	137,0	-	-	180	-	3,0	2,0	10,00	
42,68	2500	3000		124	135,0	145,0	160	-	226	-	2,5	2,5	10,5	1,17
42,68	2500	3000		124	135,0	145,0	160	-	226	-	2,5	2,5	10,5	1,17
42,68	2500	3000		124	135,0	145,0	-	-	226	-	2,5	2,5	10,5	
42,68	2500	3000		124	135,0	145,0	-	204	226	211	2,5	2,5	10,5	
50,73	2400	2800		124	135,0	145,0	-	-	226	-	2,5	2,5	11,0	
50,73	2400	2800		124	135,0	145,0	-	-	226	-	2,5	2,5	11,0	
50,73	2400	2800		124	135,0	145,0	-	-	226	-	2,5	2,5	11,0	
62,98	2100	2500		130	140,0	157,0	175	-	260	-	3,0	3,0	20,0	2,16
62,98	2100	2500		130	140,0	157,0	175	-	260	-	3,0	3,0	20,0	2,16
62,98	2100	2500		130	140,0	157,0	-	-	260	-	3,0	3,0	20,0	
18,14	3300	4000	120	128	131,0	138,0	-	-	171	-	2,0	1,0	2,45	
31,24	3000	3500		132	138,0	146,0	157	-	203	-	2,0	2,0	5,65	0,72
31,24	3000	3500		132	138,0	146,0	157	-	203	-	2,0	2,0	5,65	0,72
31,24	3000	3500		132	138,0	146,0	-	-	203	-	2,0	2,0	5,65	
31,24	3000	3500		132	138,0	146,0	-	188	203	196	2,0	2,0	5,65	
49,41	3000	3500		132	138,0	146,0	-	-	203	-	2,0	2,0	8,55	
49,41	3000	3500		132	138,0	146,0	-	-	203	-	2,0	2,0	8,55	
49,41	3000	3500		132	138,0	146,0	-	-	203	-	2,0	2,0	8,55	
82,95	2700	3200		140	-	149,0	-	-	194	-	2,0	2,0	11,8	
47,58	2400	2800		134	145,0	156,0	172	-	246	-	2,5	2,5	13,0	1,40
47,58	2400	2800		134	145,0	156,0	172	-	246	-	2,5	2,5	13,0	1,40
47,58	2400	2800		134	145,0	156,0	-	-	246	-	2,5	2,5	13,0	
98,68	2100	2500		134	145,0	156,0	-	-	246	-	2,5	2,5	24,5	
98,68	2100	2500		134	145,0	156,0	-	-	246	-	2,5	2,5	24,5	
98,68	2100	2500		134	145,0	156,0	-	-	246	-	2,5	2,5	24,5	
78,51	1900	2200		144	155,0	172,0	192	-	286	_	4,0	4,0	28,0	2,60
78,51	1900	2200		144	155,0	172,0	192	-	286	-	4,0	4,0	28,0	2,60
78,51	1900	2200		144	155,0	172,0	-	-	286	-	4,0	4,0	28,0	,

• • 317 • • •



d = 130 to 160 mm





				Ma	in dime	nsions	_				Bearing designation	Other cages	Angle ring designation	Basic load rating		
Ì														dynamic	static	
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C _r	C _{or}	
			min	min			max									
					mm									kN		
130	200	33,00	2,0	1,1	148					2,0	NU1026			162,0	203,	
	230	40,00	3,0	3,0	156		167,0	11,0	19,00	2,5	NU226		HJ226	271,0	322,	
	230	40,00	3,0	3,0	156		167,0	11,0	19,00	2,5	NJ226		HJ226	271,0	322,	
	230	40,00	3,0	3,0	156					2,5	NUP226			271,0	322,	
	230	40,00	3,0	3,0		204,0				2,5	N226			271,0	322,	
	230	79,38	4,0	4,0	155					8,0	NU5226M			511,0	841,	
	280	58,00	4,0	4,0	167		182,3	14,0	23,00	2,9	NU326EM		HJ326E	619,0	694,	
	280	58,00	4,0	4,0	167		182,3	14,0	23,00	2,9	NJ326EM		HJ326E	619,0	694,	
	280	58,00	4,0	4,0	167					2,9	NUP326EM			619,0	694,	
140	250	42,00	3,0	3,0	169		181,0	11,0	19,00	2,5	NU228		HJ228	310,0	369,	
	250	42,00	3,0	3,0	169		181,0	11,0	19,00	2,5	NJ228		HJ228	310,0	369,	
	250	42,00	3,0	3,0	169					2,5	NUP228			310,0	369,	
	250	42,00	3,0	3,0		221,0				2,5	N228			310,0	369,	
	250	82,55	4,0	4,0	168,46					10,0	NU5228M			596,0	981	
	300	62,00	4,0	4,0	180		198,4	15,0	26,00	2,7	NU328M		HJ328	619,0	708,	
	300	62,00	4,0	4,0	180		198,4	15,0	26,00	2,7	NJ328M		HJ328	619,0	708,	
	300	62,00	4,0	4,0	180					2,7	NUP328M			619,0	708,	
150	225	35,00	2,1	1,5	169,5					2,0	NU1030M			192,0	251,	
	270	45.00	3.0	3,0	182		194.7	12.0	20,50	2.4	NU230M		HJ230	369.0	455,	
	270	45,00	3.0	3,0	182		194,7		20,50	2.4	NJ230M		HJ230	369,0	455,	
	270	45,00	3,0	3,0	182					2.4	NUP230M			369,0	455,	
	270	45,00	3,0	3,0	182		193,7	12.0	19,50	2,4	NU230EM		HJ230E	447,0	552,	
	270	45,00	3,0	3,0	182		193,7		19,50	2,4	NJ230EM		HJ230E	447.0	552,	
	270	45.00	3.0	3.0	182		,.	,-	,	2.4	NUP230EM			447.0	552,	
	270	88,90	2,3	.,.	181,544					10,0	NU5230M			736,0	1260,	
	320	65.00	4.0	4.0	193		212.3	15.0	26,50	2.7	NU330M		HJ330	681.0	779,	
	320	65,00	4.0	4.0	193		212,3		26,50	2,7	NJ330M		HJ330	681.0	779,	
	320	65,00	4,0	4,0	193		212,0	10,0	20,00	2,7	NUP330M		110000	681,0	779,	
	020	30,00	7,0	7,0	100					۷, ۱	1107 000111			001,0	110,	
160	240	38,00	2,1	2,1	180		188,0	10.0	19,00	5,2	NU1032M		HJ1032	229,0	325,	
100	240	38,00	2,1	2,1	180		188,0		19,00	5,2	NJ1032M		HJ1032	229,0	325	
	290	48.00	3.0	3,0	195		207,4	,	20,00	2.5	NU232M		HJ232	511,0	631,	
	290	-,	.,.		195					, .	NJ232M NJ232M					
		48,00	3,0	3,0	195		207,4	12,0	20,00	2,5			HJ232	511,0	631,	
	290	48,00	3,0	3,0						2,5	NUP232M			511,0	631	
	290	98,42	2,5	,	193,634		001.0	15.0	05.00	10,0	NU5232M	144	LUCCO	764,0	1310	
	340	68,00	4,0	4,0	204		221,0		25,00	4,0	NU332EM	MA	HJ332E	900,0	1080,	
	340	68,00	4,0	4,0	204		221,0	15,0	25,00	4,0	NJ332EM	MA	HJ332E	900,0	1080,	


. . 318

 $(z\kappa)$










Fatique load limit	Limiting s lubricati				Abı	utment	and fil	let dim	nensio	าร			Weig	ht
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn						kg	
21,30	3200	3800	130	138	143,0	151,0	-	-	191	-	2,0	1,0	3,75	
32,92	2700	3200		144	150,0	158,0	169	-	216	-	2,5	2,5	6,50	0,84
32,92	2700	3200		144	150,0	158,0	169	-	216	-	2,5	2,5	6,50	0,84
32,92	2700	3200		144	150,0	158,0	-	-	216	-	2,5	2,5	6,50	
32,92	2700	3200		144	150,0	158,0	-	201	216	208	2,5	2,5	6,50	
85,98	2500	3000		149		159,0	-		207		3,0	2,0	13,8	
68,24	2000	2400		148	155,0	169,0	186	-	262	-	3,0	3,0	17,0	1,65
68,24	2000	2400		148	155,0	169,0	186	-	262	-	3,0	3,0	17,0	1,65
68,24	2000	2400		148	155,0	169,0	-	-	262	-	3,0	3,0	17,0	
36,83	2500	3000	140	154	160,0	171,0	182	-	236	-	2,5	2,5	8,25	1,00
36,83	2500	3000		154	160,0	171,0	182	-	236	-	2,5	2,5	8,25	1,00
36,83	2500	3000		154	160,0	171,0	-	-	236	-	2,5	2,5	8,25	
36,83	2500	3000		154	160,0	171,0	-	218	236	255	2,5	2,5	8,25	
97,91	2200	2700		162	-	173,0	-	-	225	-	3,0	3,0	17,1	
68,15	2000	2400		158	166,0	182,0	198	-	282	-	3,0	3,0	20,0	2,05
68,15	2000	2400		158	166,0	182,0	198	-	282	-	3,0	3,0	20,0	2,05
68,15	2000	2400		158	166,0	182,0	-	-	282	-	3,0	3,0	20,0	
25,35	2700	3200	150	159	165,0	173,0	-	-	213	-	2,0	1,5	4,85	
44,42	2200	2700		164	170,0	184,0	196	-	256	-	2,5	2,5	10,5	1,35
44,42	2200	2700		164	170,0	184,0	196	-	256	-	2,5	2,5	10,5	1,35
44,42	2200	2700		164	170,0	184,0	-	-	256	-	2,5	2,5	10,5	
53,88	2200	2700		164	170,0	184,0	196	-	256	-	2,5	2,5	11,0	1,30
53,88	2200	2700		164	170,0	184,0	196	-	256	-	2,5	2,5	11,0	1,30
53,88	2200	2700		164	170,0	184,0	-	-	256	-	2,5	2,5	11,0	
123,00	2000	2400		174	-	187,0	-	-	243	-	5,0	2,0	22,9	
73,52	1900	2200		168	185,0	195,0	213	-	302	-	3,0	3,0	27,0	2,37
73,52	1900	2200		168	185,0	195,0	213	-	302	-	3,0	3,0	27,0	2,37
73,52	1900	2200		168	185,0	195,0	-	-	302	-	3,0	3,0	27,0	
32,19	2500	3000	160	167	177,0	191,0	-	-	230	-	2,0	2,0	6,10	0,65
32,19	2500	3000		167	177,0	191,0	-	-	230	-	2,0	2,0	6,10	0,65
60,33	2000	2400		174	180,0	197,0	210	-	276	-	2,5	2,5	14,7	1,50
60,33	2000	2400		174	180,0	197,0	210	-	276	-	2,5	2,5	14,7	1,50
60,33	2000	2400		174	180,0	197,0	-	-	276	-	2,5	2,5	14,7	
125,26	1900	2200		186	-	199,0	-	-	261	-	5,0	2,0	28,9	
100,05	1700	2000		177	200,0	225,0	-	-	323	-	3,0	3,0	32,2	2,55
100,05	1700	2000		177	200,0	225,0	-	-	323	-	3,0	3,0	32,2	2,55

• 319 • • •




Single row cylindrical roller bearings


d = 170 to 200 mm




	Main dimensions										Bearing designation	Other cages	Angle ring designation	Basic I ratin	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C _r	\mathbf{C}_{or}
-			min	min			max								
					mm									kN	
170		42,00	2,1	2,1	193					3,0	NU1034M			276,0	376,0
	310	52,00	4,0	4,0	207		228,8		20,00	2,9	NU234M		HJ234	607,0	750,0
	310	52,00	4,0	4,0	207		228,8	12,0	20,00	2,9	NJ234M		HJ234	607,0	750,0
	310	52,00	4,0	4,0	207					2,9	NUP234M			607,0	750,0
	310	. ,	3,2	,	205,483					10,0	NU5234M	144		891,0	1470,0
	360	72,00	4,0	4,0	218					4,6	NU334EM	MA		950,0	1180,0
	360	72,00	4,0	4,0	218					4,6	NJ334EM	MA		950,0	1180,0
180		46,00	2,1	2,1	205					3,6	NU1036M			329,0	447,0
	280	46,00	2,1	2,1	205		000.0	40.0	00.00	3,6	NJ1036M		111000	329,0	447,0
	320	52,00	4,0	4,0	217		230,8	12,0	.,	2,9	NU236M		HJ236	631,0	794,0
	320	52,00	4,0	4,0	217		230,8	12,0	20,00	2,9	NJ236M NUP236M		HJ236	631,0	794,0
	320 320	52,00	4,0	4,0	217		000 5	10.0	29.00	2,9	NU2236M		HJ2236	631,0	794,0
	320	86,00 86.00	4,0	4,0	218 218		230,5	, .	29,00	6,9 6,9	NJ2236M		HJ2236	736,0 736,0	1060,0 1060,0
	320	86,00	4,0	4,0	218		230,5	12,0	29,00	6,9	NUP2236M		102230	736,0	1060,0
	380	75,00	4,0	4,0	231					4,6	NU336EM	MA		1020,0	1290,0
	380	75,00	4,0	4,0	231					4,6	NJ336EM	MA		1020,0	1290,0
	000	70,00	7,0	7,0	201					4,0	HOOGOLIN	IVIZ		1020,0	1200,0
190		46,00	2,1	2,1	215		225,0	12,0	22,50	6,1	NU1038M		HJ1038	350,0	500,0
	290	46,00	2,1	2,1	215		225,0	12,0	22,50	6,1	NJ1038M		HJ1038	350,0	500,0
	340	55,00	4,0	4,0	230		244,0	13,0	21,50	3,0	NU238EM	MA	HJ238E	770,0	965,0
	340	55,00	4,0	4,0	230		244,0	13,0	21,50	3,0	NJ238EM	MA	HJ238E	770,0	965,0
	340	92,00	4,0	4,0	228					5,0	NU2238EM			1220,0	1600,0
	400	78,00	5,0	5,0	245		264,0	18,0	.,	4,3	NU338EM	MA	HJ338E	1140,0	1500,0
	400	78,00	5,0	5,0	245		264,0	18,0	29,00	4,3	NJ338EM	MA	HJ338E	1140,0	1500,0
200	310	51,00	2,1	2,1	229					4,2	NU1040M	MA		383,0	531,0
200	360	58,00	4,0	4,0	243		258,2	14.0	23,00	2,9	NU240EM	MA	HJ240E	779,0	1000,0
	360	58,00	4,0	4,0	243		258,2	, .	23,00	2,9	NJ240EM	MA	HJ240E	779,0	1000,0
	360	58,00	4,0	4,0	243					2,9	NUP240EM	MA		779,0	1000,0
	360	98,00	4,0	4,0	241					5,1	NU2240EM	MA		1360,0	1800,0
	360	98,00	4,0	4,0	241					5,1	NJ2240EM	MA		1360,0	1800,0
	420	80,00	5,0	5,0	258					6,0	NU340EM	MA		1230,0	1630,0
	420	138,00	5,0	5,0	253					9,4	NU2340EMA			1980,0	2800,0
	420	138,00	5,0	5,0	253					9,4	NJ2340EMA			1980,0	2800,0










kN min¹¹ kg 36,45 2200 2700 170 179 190,0 197,0 - - 248 - 2,0 2,0 7,90 70,34 1900 2200 188 195,0 211,0 223 - 293 - 3,0 3,0 16,6 1,70,34 1900 2200 188 195,0 211,0 - - 293 - 3,0 3,0 16,6 1,70,34 1900 2200 188 195,0 211,0 - - 293 - 3,0 3,0 16,6 1,73,86 1800 2100 197 - 211,0 - - 293 - 3,0 3,0 35,5 107,42 1460 1700 187 214,0 221,0 - - 343 - 3,0 3,0 37,5 42,46 2100 2500 189 196,0 209,0 - - 268 -	Fatique pad limit	Limiting s lubricati				Abı	utment	and fil	let din	nensior	ns			Weigl	nt
No. Min	P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
36,45 2200 2700 170 179 190,0 197,0 - 248 - 2,0 2,0 7,90 70,34 1900 2200 188 195,0 211,0 223 - 293 - 3,0 3,0 16,6 1,7 70,34 1900 2200 188 195,0 211,0 - - 293 - 3,0 3,0 16,6 1,7 70,34 1900 2200 188 195,0 211,0 - - 293 - 3,0 3,0 16,6 1,7 137,86 1800 2100 187 211,0 - - 293 - 3,0 3,0 35,5 107,42 1460 1700 187 214,0 221,0 - 268 - 2,0 2,0 10,5 42,46 2100 2500 189 196,0 299,0 - - 268 - 2,0					min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
70,34 1900 2200 188 195,0 211,0 223 - 293 - 3,0 3,0 16,6 1,7 70,34 1900 2200 188 195,0 211,0 - 293 - 3,0 3,0 16,6 1,7 70,34 1900 2200 188 195,0 211,0 - 293 - 3,0 3,0 16,6 1,7 177,42 1460 1700 187 214,0 221,0 - 343 - 3,0 3,0 37,5 107,42 1460 1700 187 214,0 221,0 - 343 - 3,0 3,0 37,5 107,42 1460 1700 187 214,0 221,0 - 343 - 3,0 3,0 37,5 42,46 2100 2500 189 196,0 209,0 - 268 - 2,0 2,0 10,5 73,56 1800 2100 198 207,0 220,0 233 - 302 - 3,0 3,0 19,5 <t< td=""><td>kN</td><td>min⁻¹</td><td></td><td></td><td></td><td></td><td></td><td>mn</td><td>n</td><td></td><td></td><td></td><td></td><td>kg</td><td></td></t<>	kN	min ⁻¹						mn	n					kg	
70,34 1900 2200 188 195,0 211,0 223 - 293 - 3,0 3,0 16,6 1,7 70,34 1900 2200 188 195,0 211,0 - - 293 - 3,0 3,0 36,5 107,42 1460 1700 187 214,0 221,0 - - 343 - 3,0 3,0 37,5 107,42 1460 1700 187 214,0 221,0 - - 343 - 3,0 3,0 37,5 107,42 1460 1700 187 214,0 221,0 - - 343 - 3,0 3,0 37,5 42,46 2100 2500 189 196,0 209,0 - 268 - 2,0 2,0 10,5 73,56 1800 2100 198 207,0 220,0 - 302 - 3,0 3,0 19,5	,	2200		170		, .	197,0		-		-	2,0			
70,34 1900 2200 188 195,0 211,0 - - 293 - 3,0 3,0 16,6 137,86 1800 2100 197 - 211,0 - - 279 - 5,0 3,0 35,5 107,42 1460 1700 187 214,0 221,0 - 343 - 3,0 3,0 37,5 42,46 2100 2500 180 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 42,46 2100 2500 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 42,46 2100 2500 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 42,46 2100 198 207,0 220,0 233 - 3,0 3,0 30,0 19,5 1,4 </td <td>70,34</td> <td>1900</td> <td>2200</td> <td></td> <td>188</td> <td>195,0</td> <td>211,0</td> <td>223</td> <td>-</td> <td>293</td> <td>-</td> <td>3,0</td> <td>3,0</td> <td>16,6</td> <td>1,7</td>	70,34	1900	2200		188	195,0	211,0	223	-	293	-	3,0	3,0	16,6	1,7
137,86	70,34	1900	2200		188	195,0	211,0	223	-	293	-	3,0	3,0	16,6	1,7
107,42 1460 1700 187 214,0 221,0 - 343 - 3,0 3,0 37,5 107,42 1460 1700 187 214,0 221,0 - - 343 - 3,0 3,0 37,5 42,46 2100 2500 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 42,46 2100 2500 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 73,56 1800 2100 198 207,0 220,0 233 - 3,0 3,0 19,5 1,6 73,56 1800 2100 198 207,0 220,0 - - 302 - 3,0 3,0 19,5 1,8 98,20 1800 2100 198 208,0 221,0 233 - 3,0 3,0 31,2 1,5	70,34	1900	2200		188	195,0	211,0			293	-	3,0	3,0	16,6	
107,42 1460 1700 187 214,0 221,0 - - 343 - 3,0 3,0 37,5 42,46 2100 2500 180 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 73,56 1800 2100 198 207,0 220,0 233 - 3,0 3,0 19,5 1,8 73,56 1800 2100 198 207,0 220,0 233 - 30,0 3,0 19,5 1,8 73,56 1800 2100 198 207,0 220,0 - 302 - 3,0 3,0 19,5 1,8 73,56 1800 2100 198 208,0 221,0 233 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 - 302 - 3,0 3,0 31,2 1,5 1	137,86	1800	2100		197	-	211,0	-	-	279	-	5,0	3,0	35,5	
42,46 2100 2500 180 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 42,46 2100 2500 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 73,56 1800 2100 198 207,0 220,0 233 - 3,0 3,0 19,5 1,8 73,56 1800 2100 198 207,0 220,0 - - 302 - 3,0 3,0 19,5 1,8 98,20 1800 2100 198 208,0 221,0 233 - 302 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 - 302 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 - 302 - 3,0	107,42	1460	1700		187	214,0	221,0	-	-	343	-	3,0	3,0	37,5	
42,46 2100 2500 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 73,56 1800 2100 198 207,0 220,0 233 - 302 - 3,0 3,0 19,5 1,8 73,56 1800 2100 198 207,0 220,0 - - 302 - 3,0 3,0 19,5 1,8 73,56 1800 2100 198 207,0 220,0 - - 302 - 3,0 3,0 19,5 1,8 98,20 1800 2100 198 208,0 221,0 233 - 302 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 - - 302 - 3,0 3,0 31,2 1,5 115,51 1370 1600 197 225,0 235,0 - - 363 - 3,0 3,0 3,0 345,0 115,51	107,42	1460	1700		187	214,0	221,0	-	-	343	-	3,0	3,0	37,5	
42,46 2100 2500 189 196,0 209,0 - - 268 - 2,0 2,0 10,5 73,56 1800 2100 198 207,0 220,0 233 - 302 - 3,0 3,0 19,5 1,8 73,56 1800 2100 198 207,0 220,0 - - 302 - 3,0 3,0 19,5 1,8 73,56 1800 2100 198 207,0 220,0 - - 302 - 3,0 3,0 19,5 1,8 98,20 1800 2100 198 208,0 221,0 233 - 302 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 - - 302 - 3,0 3,0 31,2 1,5 115,51 1370 1600 197 225,0 235,0 - - 363 - 3,0 3,0 3,0 345,0 115,51	42.46	2100	2500	180	189	196.0	209.0	-	-	268	-	2.0	2.0	10.5	
73,56 1800 2100 198 207,0 220,0 233 - 302 - 3,0 3,0 19,5 1,6 73,56 1800 2100 198 207,0 220,0 - - 3,0 3,0 30,0 19,5 1,6 98,20 1800 2100 198 208,0 221,0 233 - 302 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 233 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 233 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 233 - 302 - 3,0 3,0 31,2 1,5 115,51 1370 1600 197 225,0 235,0 - 363 - 3,0	,	2100	2500		189								,	,	
73,56 1800 2100 198 207,0 220,0 233 - 302 - 3,0 3,0 19,5 1,6 73,56 1800 2100 198 207,0 220,0 - - 302 - 3,0 3,0 19,5 1,6 98,20 1800 2100 198 208,0 221,0 233 - 302 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 - 302 - 3,0 3,0 31,2 1,5 98,20 1800 2100 198 208,0 221,0 - 302 - 3,0 3,0 31,2 1,5 115,51 1370 1600 197 225,0 235,0 - - 363 - 3,0 3,0 45,0 115,51 1370 1600 190 200 212,0 228,0 - -		1800	2100		198			233	_	302	-				1,8
73,56 1800 2100 198 207,0 220,0 - - 302 - 3,0 3,0 19,5 98,20 1800 2100 198 208,0 221,0 233 - 302 - 3,0 3,0 31,2 1,8 98,20 1800 2100 198 208,0 221,0 - - 302 - 3,0 3,0 31,2 1,1 98,20 1800 2100 198 208,0 221,0 - - 302 - 3,0 3,0 31,2 1,1 115,51 1370 1600 197 225,0 235,0 - - 363 - 3,0 3,0 45,0 115,51 1370 1600 197 225,0 235,0 - - 280 - 2,0 2,0 11,0 1,3 46,89 2180 2600 200 212,0 228,0 - - 280	,													,	
98,20 1800 2100 198 208,0 221,0 233 - 302 - 3,0 3,0 31,2 1,8 98,20 1800 2100 198 208,0 221,0 - 302 - 3,0 3,0 31,2 1,8 98,20 1800 2100 198 208,0 221,0 - - 302 - 3,0 3,0 31,2 1,8 98,20 1800 2100 198 208,0 221,0 - - 302 - 3,0 3,0 31,2 1,8 98,20 1800 2100 190 208,0 221,0 - 363 - 3,0 3,0 345,0 45,0 115,51 1370 1600 190 200 212,0 228,0 - - 280 - 2,0 2,0 111,0 1,3 46,89 2180 2600 202 212,0 228,0 - - 280 - 2,0															.,0
98,20							,								1 0
99,20						, .	, .								
115,51 1370 1600 197 225,0 235,0 - - 363 - 3,0 3,0 45,0 115,51 1370 1600 197 225,0 235,0 - - 363 - 3,0 3,0 45,0 46,89 2180 2600 190 200 212,0 228,0 - - 280 - 2,0 2,0 11,0 1,3 46,89 2180 2600 200 212,0 228,0 - - 280 - 2,0 2,0 11,0 1,3 87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2; 87,85 1700 2000 207 222,0 232,0 - - 323 - 3,0 3,0 24,5 2; 145,66 1700 2000 210 240,0 249,0 -						, .	, -					.,.	.,.	,	1,0
115,51 1370 1600 197 225,0 235,0 - - 363 - 3,0 3,0 45,0 46,89 2180 2600 190 200 212,0 228,0 - - 280 - 2,0 2,0 11,0 1,3 46,89 2180 2600 200 212,0 228,0 - - 280 - 2,0 2,0 11,0 1,3 87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2,8 87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2,9 145,66 1700 2000 207 222,0 232,0 - - 323 - 3,0 3,0 39,0 132,23 1290 1500 210 240,0 249,0 -						, .	, .								
46,89							, .					.,.		,	
46,89 2180 2600 200 212,0 228,0 - - 280 - 2,0 2,0 11,0 1,5 87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2; 87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2; 145,66 1700 2000 207 222,0 232,0 - - 323 - 3,0 3,0 39,0 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,3 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,4 48,90 1900 2200 200 212 220,0 233,0 - - 298 -	110,01	1070	1000		101	220,0	200,0			000		0,0	0,0	40,0	
46,89 2180 2600 200 212,0 228,0 - - 280 - 2,0 2,0 11,0 1,5 87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2; 87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2; 145,66 1700 2000 207 222,0 232,0 - - 323 - 3,0 3,0 39,0 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,3 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,4 48,90 1900 2200 200 212 220,0 233,0 - - 298 - 2,0 2,0 14,0 89,54	46.89	2180	2600	190	200	212.0	228.0	-		280		2.0	2.0	11.0	1,3
87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2,87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2,145,66 1700 2000 207 222,0 232,0 - - 323 - 3,0 3,0 39,0 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,3 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,3 48,90 1900 2200 200 212 220,0 233,0 - - 298 - 2,0 2,0 14,0 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>- , -</td> <td>_</td> <td>_</td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td>							- , -	_	_		_				
87,85 1700 2000 207 226,0 248,0 - - 323 - 3,0 3,0 24,5 2; 145,66 1700 2000 207 222,0 232,0 - - 323 - 3,0 3,0 39,0 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,5 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,5 48,90 1900 2200 200 212 220,0 233,0 - - 298 - 2,0 2,0 14,0 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 -	,											, .		,	,
145,66 1700 2000 207 222,0 232,0 - - 323 - 3,0 3,0 39,0 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,5 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,5 48,90 1900 2200 200 212 220,0 233,0 - - 298 - 2,0 2,0 14,0 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 -							- , -								
132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,5 132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,5 48,90 1900 2200 200 212 220,0 233,0 - - 298 - 2,0 2,0 14,0 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 - - 342 - 3,0 3,0 28,4 2,7 161,18 1610 1900 217 235,0 245,0 <td></td> <td>.,.</td> <td>,</td> <td></td> <td>۷,۱</td>												.,.	,		۷,۱
132,23 1290 1500 210 240,0 249,0 - - 380 - 4,0 4,0 50,0 4,5 48,90 1900 2200 200 212 220,0 233,0 - - 298 - 2,0 2,0 14,0 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 - - 342 - 3,0 3,0 28,4 2,7 161,18 1610 1900 217 235,0 245,0 - - 342 - 3,0 3,0 28,4 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 141,57 1200 1400 220 254,0 262,0 - - 400 - 4,0 4,0 57,5 243,18 1200															13
48,90 1900 2200 200 212 220,0 233,0 298 - 2,0 2,0 14,0 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,1 89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 3,0 28,4 2,1 89,54 1500 1800 218 227,0 246,0 - 342 - 3,0 3,0 3,0 28,4 2,1 161,18 1610 1900 217 235,0 245,0 - 342 - 3,0 3,0 3,0 46,0 161,18 1610 1900 217 235,0 245,0 - 343 - 3,0 3,0 46,0 161,18 1610 1900 217 235,0 245,0 - 343 - 3,0 3,0 46,0 141,57 1200 1400 220 254,0 262,0 - 400 - 4,0 4,0 57,5 243,18 1200 1400 220 249,0 280,0 - 400 - 4,0 4,0 97,0	,						,					, .		,	
89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 - - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 - - 342 - 3,0 3,0 28,4 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 141,57 1200 1400 220 254,0 262,0 - - 400 - 4,0 4,0 57,5 243,18 1200 1400 220 249,0 280,0 - - 400 - 4,0 4,0 97,0	102,20	1200	1000		210	240,0	240,0			000		7,0	7,0	00,0	7,0
89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 - - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 - - 342 - 3,0 3,0 28,4 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 141,57 1200 1400 220 254,0 262,0 - - 400 - 4,0 4,0 57,5 243,18 1200 1400 220 249,0 280,0 - - 400 - 4,0 4,0 97,0	48 QN	1900	2200	200	212	220.0	233 0	_	_	208	_	2.0	2.0	1/1 0	
89,54 1500 1800 218 227,0 246,0 261 - 342 - 3,0 3,0 28,4 2,7 89,54 1500 1800 218 227,0 246,0 - - 342 - 3,0 3,0 28,4 2,7 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 141,57 1200 1400 220 254,0 262,0 - - 400 - 4,0 4,0 57,5 243,18 1200 1400 220 249,0 280,0 - - 400 - 4,0 4,0 97,0				200											2.7
89,54 1500 1800 218 227,0 246,0 - - 342 - 3,0 3,0 28,4 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 141,57 1200 1400 220 254,0 262,0 - - 400 - 4,0 4,0 57,5 243,18 1200 1400 220 249,0 280,0 - - 400 - 4,0 4,0 97,0							. , .					.,.		,	
161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 141,57 1200 1400 220 254,0 262,0 - - 400 - 4,0 4,0 57,5 243,18 1200 1400 220 249,0 280,0 - - 400 - 4,0 4,0 97,0						, , ,	.,.					.,.	.,.		۷, ۱
161,18 1610 1900 217 235,0 245,0 - - 343 - 3,0 3,0 46,0 141,57 1200 1400 220 254,0 262,0 - - 400 - 4,0 4,0 57,5 243,18 1200 1400 220 249,0 280,0 - - 400 - 4,0 4,0 97,0						,	. , .					.,.		,	
141,57 1200 1400 220 254,0 262,0 - - 400 - 4,0 4,0 57,5 243,18 1200 1400 220 249,0 280,0 - - 400 - 4,0 4,0 97,0	. , .					, .	.,.								
243,18 1200 1400 220 249,0 280,0 400 - 4,0 4,0 97,0	,											,	,	,	
240,10 1200 1400 220 248,0 200,0 400 - 4,0 4,0 97,0	,											-,-		,	
	243,10	1200	1400		220	249,0	200,0		_	400		4,0	4,0	97,0	

• • 321 • • •



Single row cylindrical roller bearings

d = 220 to 300 mm





				Mai	in dime	nsion	s				Bearing designation	Other cages	Angle ring designation	Basic I ratir	
														dynamic	statio
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	s ₁₎				C,	Cor
			min	min			max								
					mm									kN	
220	300	48,00	2,1	2,1	242					3,0	NU2944M	MA		460,0	830,
	340	56,00	3,0	3,0	250					4,1	NU1044M	MA		514,0	775,
	340	56,00	3,0	3,0	250					4,1	NJ1044M			514,0	775,
	400	65,00	4,0	4,0	268		284,0	. , .	25,00	4,0	NU244EM	MA	HJ244E	1050,0	1290,
	400	65,00	4,0	4,0	268		284,0	15,0	25,00	4,0	NJ244EM	MA	HJ244E	1050,0	1290,
	400	108,00	4,0	4,0	259					7,9	NU2244EMA			1630,0	2350,
	460	88,00	5,0	5,0	284					5,2	NU344M			1240,0	1650,
	460	88,00	5,0	5,0	284					5,2	NJ344M			1240,0	1650
	460	145,00	5,0	5,0	275					10,4	NU2344EM	MA		2350,0	3420
240	360	56,00	3,0	3,0	270					4,1	NU1048MA			531,0	764
	440	72,00	4,0	4,0	295		315,0	,	25,90	4,0	NU248MA		HJ248	944,0	1280
	440	72,00	4,0	4,0	295		315,0	16,0	25,90	4,0	NJ248MA		HJ248	944,0	1280
	440	120,00	4,0	4,0	295					4,3	NU2248MA			1460,0	2360
	440	120,00	4,0	4,0	295					4,3	NJ2248MA			1460,0	2360
	500	95,00	5,0	5,0	310		335,0	22,0	39,50	5,6	NU348M	MA	HJ348	1450,0	2000
	500	95,00	5,0	5,0	310		335,0	22,0	39,50	5,6	NJ348M	MA	HJ348	1450,0	2000
	500	155,00	5,0	5,0	299					6,4	NU2348EMA			2600,0	3600
260	400	65,00	4,0	4,0	296					2,0	NU1052M	MA, F		642,0	996
	400	65,00	4,0	4,0	296					2,0	NJ1052M	MA, F		642,0	996
	400	65,00	4,0	4,0	296					2,0	NUP1052M	MA, F		642,0	996
	480	80,00	5,0	5,0	320		340,0	- , .	33,00	3,4	NU252MA		HJ252	1160,0	1700
	480	80,00	5,0	5,0	320		340,0	18,0	33,00	3,4	NJ252MA		HJ252	1160,0	1700
	480	130,00	5,0	5,0	320					4,3	NU2252MA			1760,0	2900
	480	130,00	5,0	5,0	320					4,3	NJ2252MA			1760,0	2900
	540	102,00	6,0	6,0	337					4,2	NU352EMA			1900,0	2680
	540	165,00	6,0	6,0	319					1,8	NU2352EMA			3100,0	4400
000	400	05.00		4.0	0.10									201.0	1000
280	420	65,00	4,0	4,0	316					5,0	NU1056MA			681,0	1020
	500	80,00	5,0	5,0	340					3,8	NU256MA			1120,0	1670
	500	80,00	5,0	5,0	340					3,8	NJ256MA			1120,0	1670
		130,00	5,0	5,0	330					10,0	NU2256EMA			2190,0	3410
	580	175,00	6,0	6,0	362					6,6	NU2356MA			2700,0	4300
300	460	74,00	5,0	5,0	340					4.5	NU1060MA	M. F		885.0	1400
300				,	340					, .		,		, -	1400
	460	74,00	5,0	5,0	340					4,5 4,8	NJ1060MA NU260M	M, F		885,0	
	540	85,00	5,0	5,0								IVIA		1430,0	2150
	540	140,00	5,0	5,0	364					5,6	NU2260MA			2100,0	3470
	620	185,00	7,5	7,5	371					11,0	NU2360EMA			4000,0	5800


. . . 377

ZKI










Fatique load limit	Limiting s				Abı	utment	and fil	let din	nensio	ns			Weigl	ht
P _u	grease	oil	d	da	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mn	n					kg	
75,99	2040	2400	220	231	236,0	242,0	_	-	289	-	2,0	2,0	10,00	
69,40	1700	2000		234	240,0	254,0	-	-	326	-	2,5	2,5	18,5	
69,40	1700	2000		234	240,0	254,0	-	-	326	-	2,5	2,5	18,5	
112,04	1360	1600		237	264,0	288,0	-	-	383	-	3,0	3,0	38,2	3,25
112,04	1360	1600		237	264,0	288,0	-	-	383	-	3,0	3,0	38,2	3,25
204,10	1360	1600		237	255,0	264,0	-	-	383	-	3,0	3,0	62,5	
139,39	1290	1500		240	277,0	311,0	-	-	440	-	4,0	4,0	74,0	
139,39	1290	1500		240	277,0	311,0	-	-	440	-	4,0	4,0	74,0	
288,91	1100	1300		240	268,0	280,0	-	-	440	-	4,0	4,0	120	
67,01	1600	1900	240	254	260,0	275,0	-	-	346	-	2,5	2,5	20,0	
108,13	1300	1600		258	293,0	298,0	316	-	422	-	3,0	3,0	50,5	4,68
108,13	1300	1600		258	293,0	298,0	316	-	422	-	3,0	3,0	50,5	4,68
199.37	1270	1500		257	284.0	299.0	-	-	423	-	3,0	3,0	84,0	
199,37	1270	1500		257	284.0	299.0	-	-	423	-	3,0	3,0	84,0	
164,72	1120	1300		260	302,0	339,0	337	-	480	-	4,0	4,0	99,0	8,90
164,72	1120	1300		260	302,0	339,0	337	-	480	-	4,0	4,0	99,0	8,90
296,50	1010	1200		260	293,0	305,0	-	-	480	-	4,0	4,0	155	,
84,90	1400	1700	260	278	280,0	300,0	-	-	382	-	3,0	3,0	29,0	
84,90	1400	1700		278	280,0	300,0	-	-	382	-	3,0	3,0	29,0	
84,90	1400	1700		278	280,0	300,0	-	-	382	-	3,0	3,0	29,0	
140,01	1190	1400		280	313,0	344,0	-	-	460	-	4,0	4,0	70,0	6,20
140,01	1190	1400		280	313,0	344,0	-	-	460	-	4,0	4,0	70,0	6,20
238,85	1100	1400		280	309,0	324,0	-	-	460	-	4,0	4,0	90,0	
238,85	1100	1400		280	309,0	324,0	-	-	460	-	4,0	4,0	90,0	
215,63	920	1100		286	330,0	341,0	-	-	514	-	5,0	5,0	125	
354,01	920	1100		286	310,0	323,0	-	-	514	-	5,0	5,0	190	
85,42	1300	1600	280	296	311,0	320,0	-	-	404	-	3,0	3,0	32,5	
135,39	1190	1400		300	333,0	364,0	-	-	480	-	4,0	4,0	73,0	
135,39	1190	1400		300	333,0	364,0	-	-	480	-	4,0	4,0	73,0	
276,45	950	1200		300	322,0	334,0	-	-	480	-	4,0	4,0	120	
338,54	850	1000		306	347,0	366,0	-	-	554	-	5,0	5,0	230	
114,39	1200	1400	300	318	325,0	344,0	360	-	442	-	3,0	3,0	43,6	
114,39	1200	1400		318	325,0	344,0	360	-	442	-	3,0	3,0	43,6	
170,47	1100	1300		320	358,0	368,0	-	-	520	-	4,0	4,0	90,0	
275,13	1020	1200		320	352,0	368,0	-	-	520	-	4,0	4,0	147	
447,49	800	950		332	365,0	375,0	-	-	588	-	6,0	6,0	270	

• • • 323 • • •



Single row cylindrical roller bearings


d = 320 to 460 mm





				Ма	in dime	nsions	5				Bearing designation	Other cages	Angle ring designation	Basic ratir	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C,	C _{or}
Ţ.			min	min			max								
12.4.1					mm									kN	
320	480	74,00	4,0	4,0	360		376,0	.,.	36,00	5,0	NU1064MA		HJ1064	909,0	1390,0
	480	74,00	4,0	4,0	360		376,0	19,0	36,00	5,0	NJ1064MA		HJ1064	909,0	1390,0
	580	92,00	5,0	5,0	390					5,3	NU264MA			1600,0	2450,0
		150,00	5,0	5,0	380					5,9	NU2264EMA			3200,0	5000,0
	580	150,00	5,0	5,0	380					5,9	NJ2264EMA			3200,0	5000,0
340	460	72,00	3,0	3,0	373					8.5	NU2968M			820,0	1700,0
340	460	72,00	3,0	3,0	367					3.8	NJ2968EMA			1020,0	2020,0
	520	82,00	5,0	5,0	385		403,0	21 0	39,50	6,5	NU1068MA		HJ1068	1100,0	1780,0
	520	82,00	5,0	5,0	385		403,0	,	39,50	6,5	NJ1068MA		HJ1068	1100,0	1780,0
	620		6,0	6,0	416		400,0	21,0	00,00	8.0	NU2268MA		1101000	2600,0	4500.0
	020	100,00	0,0	0,0	410					0,0	NOZZODIVIA			2000,0	4000,0
360	540	82,00	6.0	6.0	480		423.0	21.0	39,50	5.0	NU1072MA		HJ1072	1076,0	1753,0
	540	82,00	6,0	6,0	480		423,0	,	39,50	5,0	NJ1072MA		HJ1072	1076,0	1753,0
	650		6,0	6,0	437		,		,	16,7	NU2272MA			2920,0	4900,0
	750	224,00	7,5	7,5	465					10,0	NU2372EMA			5000,0	8100,0
380	560	82,00	5,0	5,0	425					6,0	NU1076MA			1166,0	1982,0
	560	82,00	5,0	5,0	425					6,0	NJ1076MA			1166,0	1982,0
	680	175,00	6,0	6,0	451					8,3	NU2276EMA			3900,0	6400,0
400	540	82,00	4,0	4,0	438					7,6	NU2980MA**			1150,0	2450,0
	600	90,00	5,0	5,0	450		470,0	,	42,60	5,0	NU1080MA**		HJ1080	1470,0	2330,0
	600	90,00	5,0	5,0	450		470,0	19,6	42,60	5,0	NJ1080MA**		HJ1080	1470,0	2330,0
	600	-,	5,0	5,0	450					5,0	NU3080MA**			2255,0	4900,0
	720	185,00	6,0	6,0	480					16,0	NU2280MA**			3410,0	5960,0
400	500	00.00	4.0	4.0	450					0.4	AULIO 0 0 484 4 4 4			4000.0	0550.0
420	560 620	82,00 90,00	4,0	4,0	458 470		490.0	22.0	42.00	2,4	NU2984MA**		HJ1084	1200,0	2550,0
		150,00	5,0 5,0	5,0 5,0	458,2		490,0	23,0	43,00	14,0 13,0	NU1084MA** NU3084EMA**		HJ 1084	1420,0 2900,0	2450,0 5400,0
	020	150,00	5,0	5,0	400,2					13,0	NU3U04EWIA			2900,0	5400,0
440	600	95.00	4.0	4.0	481.5					3.5	NU2988EM**			1720,0	3600.0
440	650	94.00	6.0	6,0	493		512.0	24 0	45.00	14.7	NU1088MA**		HJ1088	1500,0	2600,0
	000	54,00	0,0	0,0	400		012,0	24,0	70,00	17,1	NO TOOONIA		1101000	1000,0	2000,0
460	620	95.00	4.0	4,0	495					4.0	NU2992EMA**			1700,0	3600.0
		100,00	6,0	6,0	516		537,0	25.0	48,00	15,9	NU1092MA**		HJ1092	1650,0	2850,0
		163,00	6,0	6,0	499					7,2	NU3092EMA**			3400,0	
	830	212,00	7,5	7,5	554					16,5	NU2292MA**			5100,0	8600,0

. . . 374










Fatique load limit	Limiting s lubricati				Ab	utment	and fil	let din	nensio	าร			Weigl	ht
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹						mr	n					kg	
111,84	1100	1300	320	336	355,0	364,0	-	-	464	-	3,0	3,0	48,5	5,65
111,84	1100	1300		336	355,0	364,0	-	-	464	-	3,0	3,0	48,5	5,65
190,28	1020	1200		340	383,0	394,0	-	-	560	-	4,0	4,0	115	
388,32	850	1000		340	377,0	410,0	-	-	560	-	4,0	4,0	190	
388,32	850	1000		340	377,0	410,0	-	-	560	-	4,0	4,0	190	
136,78	1190	1400	340	353	369,0	377,0	-	-	447	-	2,5	2,5	36,0	
162,52	1190	1400		353	363,0	381,0	-	-	447	-	2,5	2,5	37,0	
140,14	1090	1300		358	380,0	408,0	-	-	502	-	4,0	4,0	68,0	7,40
140,14	1090	1300		358	380,0	408,0	-	-	502	-	4,0	4,0	68,0	7,40
342,79	850	1000		366	401,0	421,0	-	-	594	-	5,0	5,0	220	
136,15	950	1100	360	382	390,0	410,0	427	-	518	-	4,0	4,0	67,5	10,00
136,15	950	1100		382	390,0	410,0	427	-	518	-	4,0	4,0	67,5	10,00
367,62	800	950		386	428,0	442,0	-	-	624	-	5,0	5,0	250	
590,72	720	850		392	453,0	470,0	-	-	718	-	6,0	6,0	510	
151.94	850	1000	380	400	420.0	430.0		-	540	-	4,0	4,0	71.0	
151,94	850	1000		400	420,0	430,0	-	-	540	-	4,0	4,0	71,0	
473,24	720	850		406	445,0	457,0	-	-	654	-	5,0	5,0	275	
187,81	1020	1200	400	415	434,0	442,0	-	-	525	-	3,0	3,0	54,5	
175,33	840	1000		422	435,0	455,0	-	-	578	-	4,0	4,0	89,0	10,5
175,33	840	1000		422	435,0	455,0	-	-	578	-	4,0	4,0	89,0	10,5
368,72	760	910		422	435,0	455,0	-	-	578	-	4,0	4,0	151	
433,49	710	840		426	460,0	485,0	-	-	694	-	5,0	5,0	350	
193.05	930	1100	420	435	452.0	463.0		-	545	-	3.0	3.0	59.0	
182,20	930	1100	0	438	466,0	475,0		-		-	4,0	4,0	96,0	10,00
401,59	760	900		438	450,0	478,0	-	-	602	-	4,0	4,0	160	,
267,72	930	1100	440	455	477,0	500,0	-	-	585	-	3,0	3,0	84,0	
190,65	840	1000		463	488,0	498,0	-	-		-		5,0	105	11,5
264,71	850	1000	460	475	490,0	515,0	-	-	605	-	3,0	3,0	89,0	
206,19	800	950		483	511,0	521,0		-	657	-	5,0	5,0	115	14,0
455,79	680	800		483	491,0	504,0	-	-		-	5,0	5,0	210	,0
599,54	600	700		492	542,0	559,0	-	-	798	-	6,0	6,0	530	

• • 325 • • •




Single row cylindrical roller bearings


d = 480 to 750 mm




				Ма	in dime	nsions	5				Bearing designation	Other cages	Angle ring designation	Basic I ratir	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C,	C _{or}
12.4.1			min	min			max								
					mm									kN	
480	700	100,00	6,0	6,0	536		557,0	25,0	48,00	15,9	NU1096MA**		HJ1096	1680,0	3000,0
500	700	100,00	6,0	6,0	556		577,0	25.0	48,00	11,2	NU10/500MA**		HJ10/500	1720,0	3100,0
300		167,00	6,0	6,0	540,8		577,0	20,0	40,00	8,6	NU30/500EMA**	FA	113 10/ 500	4000,0	8000,0
		185,00	7,5	7,5	603,1					13,9	NU12/500MA**	IA		5300,0	8500,0
	020	100,00	.,0	.,.	000,1					.0,0	110 12, 000 1111			0000,0	0000,0
530	710	106,00	5,0	5,0	573					3,3	NU29/530EMA**			2380,0	5000,0
	780	112,00	6,0	6,0	593					10,4	NU10/530MA**			2290,0	4050,0
560		112,00	5,0	5,0	608					4,5	NU29/560EMA**			2460,0	5400,0
		115,00	6,0	6,0	625		648,0		53,00	12,3	NU10/560MA**		HJ10/560	2300,0	4200,0
		115,00	6,0	6,0	625		648,0	27,5	53,00	12,3	NJ10/560MA**		HJ10/560	2300,0	
	1030	206,00	9,5	9,5	668					10,3	NU12/560MA**			7200,0	11200,0
600	000	110.00	5.0	F 0	650					10.0	NU29/600MA**			0000 0	4853.0
600		118,00 118,00	5,0	5,0 5,0	650					12,0 12,0	NUP29/600MA**			2230,0 2230,0	4853,0
		150,00	4,7	4,7	659					7,0	NU39/600MA**			2860,0	6200,0
		118,00	6,0		667		695,0	31.0	55,00	14,0	NU10/600MA**		HJ10/600	2750,0	5100,0
		155,00	9,5	9,5	749		000,0	01,0	00,00	3.0	NU2/600EMA**		11010,000	5600,0	9800,0
		,	-,-	-,-						-,-	,				
630	850	128,00	6,0	6,0	683					7,1	NU29/630EMA**			3300,0	7200,0
	850	128,00	6,0	6,0	683					7,1	NJ29/630EMA**			3300,0	7200,0
		128,00	6,0	6,0	683					7,1	NUP29/630EMA**			3300,0	7200,0
		128,00	7,5	7,5	702					6,2	NU10/630MA**			3400,0	6200,0
		128,00	7,5	7,5	702					6,2	NUP10/630MA**			3400,0	6200,0
	1150	230,00	12,0	12,0	751					13,5	NU12/630EMA**			8500,0	13600,0
670	000	100.00	7 5	7 5	747					7.0	NULTO (CZOENIA++			0700.0	0000 0
670	980	136,00	7,5	7,5	141					7,9	NU10/670EMA**			3700,0	6800,0
710	950	140,00	6.0	6,0	766					10.0	NU29/710EMA**			3740.0	8250,0
710		140,00	6.0	6,0	766					10.0	NUP29/710EMA**			3740,0	8250,0
		140,00	7,5		778					17,0	NU10/710EMA**				8500,0
		.,	, .	, .						, -	,			, .	, .
750	1090	150,00	7,5	7,5	830					12,8	NU10/750EMA**			4700,0	8800,0
	1090	195,00	7,5	7,5	832					12,8	NU20/750EMA**			7000,0	14500,0










Fatique load limit	Limiting s lubricati		Abutment and fillet dimensions									Weig	ht	
P _u	grease	oil	d	d _a	d _a	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.r.
kN	min ⁻¹	000	400	500	504.0	E 44 0	mr		077				kg	44.5
214,81	750	900	480	503	531,0	541,0	-	-	677	-	5,0	5,0	130	14,5
010.70	750	900	500	523	550.0	F01.0	-	-	007		F 0	F 0	105	15.0
219,76			500		550,0	561,0	-			-	5,0	5,0	135	15,0
567,12	640	750		523	532,0	546,0					5,0	5,0		
575,74	570	670		532	593,0	610,0	-	-	888	-	6,0	6,0	585	
050.70	700	050	500	F 40	F00 0	F70.0			000		4.0	4.0	100	
352,73	720	850	530	548	566,0	578,0	-		692	-	4,0	4,0	120	
281,04	670	800		553	585,0	598,0	-	-	757	-	5,0	5,0	190	
374,72	680	800	560	578	600,0	613,0	-	-	732	-	4,0	4,0	145	
286,93	630	750		583	617,0	655.0	-	-	797	-	5,0	5.0	210	21,0
286,93	630	750		583	617,0	655,0	-	-	797	-	5,0	5,0	210	21,0
733,32	470	560		600	657,0	674,0	-	-	990	-	8,0	8,0	805	, -
												.,.		
330,12	560	700	600	614	644,0	654,0	675	-	750	-	4,0	4,0	173	
330,12	560	700		614	644,0	654,0	675	-	750	-	4,0	4,0		
419,07	500	600		614	645.0	660.0	680	-	790	-	4,7	4.7	262	
341,88	590	700		623	658,0	672,0	-	-	847	_	5,0	5,0		27,5
630,02	410	480		640	743,0	755,0	-			-	8,0	8,0	710	2.,0
						, .					-,-	-,-		
481,67	590	700	630	653	678,0	709.0	-	-	827	-	5,0	5,0	230	
481,67	590	700		653	678,0	709,0	-	-		-	5,0	5,0		
481,67	590	700		653	678,0	709,0	-	-	827	-	5,0	5,0	230	
409,06	530	630		658	691,0	707,0	-	-	892	-	6,0	6,0	285	
409,06	530	630		658	691,0	707,0	-	-	892	-	6,0	6,0	285	
860,81	380	450		678	735,0	757,0	-	-	1102	-	10,0	10,0	1100	
, .					, .	, ,					.,.	-,-		
440,31	500	600	670	698	737,0	753,0	-	-	952	-	6,0	6,0	350	
					, ,						,,	.,.		
533,23	510	600	710	733	760,0	796,0	-	-	927	-	5,0	5,0	300	
533,23	510	600		733	760,0	796,0	-	-	927	-	5,0	5,0	300	
541,69	470	560		738	769,0		-	-	1002	-	6,0	6,0	415	
						, .								
551,48	360	430	750	778	823,0	840,0	-	-	1062	-	6,0	6,0	490	
908,69	360	430		778	823,0	838,0	-	-	1062	-	6,0	6,0	635	




Single row cylindrical roller bearings


d = 800 to 1180 mm




				Ма	in dime	nsion	S				Bearing designation	Other cages	Angle ring designation	Basic I ratin	
														dynamic	static
d	D	В	r _s	r _{1s}	F	E	d ₂	b	b ₁	S ₁₎				C,	C _{or}
12.4.1			min	min			max								
	1150	155.00			mm					40.0	NULL			kN	
800		155,00 200,00	7,5	7,5	883 882					13,0 12,0	NU10/800EMA** NU20/800EMA**				10500,0
	1100	200,00	7,5	7,5	002					12,0	NU2U/OUUEIVIA			7000,0	14500,0
850	1120	155,00	8,0	8,0	925					15,0	NU29/850MA**			3760,0	8740,0
	1120	155,00	8,0	8,0	925					15,0	NUP29/850MA**			3760,0	8740,0
900		165,00	8,0	8,0	982					17,0	NU29/900MA**			4220,0	9810,0
	1180	165,00	8,0	8,0	982					17,0	NUP29/900MA**			4220,0	9810,0
950	1250	175,00	10.0	10.0	1032					17,0	NU29/950MA**			4577 0	11452,0
000		175,00			1032					17,0	NUP29/950MA**				11452,0
1000		185,00			1090					17,0	NU29/1000MA**				11600,0
	1320	185,00	10,0	10,0	1090					17,0	NUP29/1000MA**			4920,0	11600,0
1060	1400	195,00	10.0	10.0	1155					20,0	NU29/1060MA**			5.410 O	12800,0
1000		195,00			1155					20,0	NUP29/1060MA**				12800,0
		250,00			1146					17,5	NU39/1060EMA**				23900,0
		,	,	,										,	,
1180		206,00			1280					21,0	NU29/1180MA**				15300,0
	1540	206,00	10,0	10,0	1280					21,0	NUP29/1180MA**			6310,0	15300,0

(ZKI)







Fatique load limit	Limiting s lubrication				Ab	utment	and fil	let dim	nensior	ıs			Weig	ht
P _u	grease	oil	d	d _a	da	d _b	d _c	d _d	D _a	D _b	r _a	r _b	~	
				min	max	min	min	max	max	min	max	max	of bearing	Ang.ı
kN	min ⁻¹		,			·	mn	n	·				kg	
646,66	400	480	800	828	869,0	889,0	-	-	1122	-	6,0	6,0	560	
893,00	340	400		828	868,0	888,0	-	-	1122	-	6,0	6,0	715	
536.62	380	450	850	878	920.0	930.0	952	-	1092	-	5,0	5,0	430	
536,62	380	450		878	920,0	930,0	952	-		-		5,0	430	
592,58	300	400	900	928	977,0	987,0	1011	-	1152	-	5,0	5,0	500	
592,58	300	400		928	977,0	987,0	1011	-	1152	-	5,0	5,0	500	
680,22	300	370	950	078	1027,0	10/11 0	1066	-	1220	-	5,0	5,0	597	
680,22	300	370	330		1027,0	,	1066	-	1220	_	5,0	5,0	597	
000,22	000	0/0		010	1021,0	1041,0	1000		1220		0,0	0,0	001	
678,12	300	350	1000	1036	1085,0	1095,0	1122	-	1284	-	6,0	6,0	720	
678,12	300	350		1036	1085,0	1095,0	1122	-	1284	-	6,0	6,0	720	
705.00	000	000	1000	1000	4450.0	4400.0	4400	-	1001		0.0	0.0	050	
735,23 735,23	280 280	330 330	1060	1096 1096	, .	1160,0 1160.0	1189 1189	-	1364 1364	-	-,-	6,0	850 850	
1 372,82	220	260			1140.0	, .	1109	-	1372	-		6,0	1080	
1 37 2,02	220	200		1090	1140,0	1100,0	-	-	13/2	-	0,0	0,0	1000	
852,74	250	300	1180	1216	1275,0	1285,0	1316	-	1504	-	6,0	6,0	1050	
852,74	250	300		1216	1275,0	1285,0	1316	-	1504	-	6,0	6,0	1050	
002,14	230	300		1210	1210,0	1200,0	1010	_	1004	_	0,0	0,0	1000	





















• • • • 329 • • •



DOUBLE ROW ROLLER BEARINGS

Design

Double row cylindrical roller bearings are suitable for applications with very high radial load and high revolution frequencies. As standard, double row cylindrical roller bearings are made in two versions (NN, NNU). These bearings are separable and are manufactured in designs with lubrication groove or without it.

Double row cylindrical roller bearings feature high rigidity and are used mostly in locations of service spindles of machine tools and similar equipment.

NN design

Double row cylindrical roller bearings of NN version have two rows of rollers guided by three flanges on inner ring. The outer ring is without flanges, and therefore these flanges cannot transfer axial forces. Double row cylindrical roller bearings of NN3OK version are commonly used with cylindrical bore 1:12; if pre-agreed so, they can be supplied also with cylindrical bore.




Fig. 12.4.12 (a, b)

NNU design

Double row cylindrical roller bearings of NNU49 version have three guide flanges on outer ring and smooth inner ring. Bearings can transfer radial load only. NNU4920 and NNU4924 type bearings are also supplied in tandems in compliance with technical conditions of TPF 11322. A pair coupled in this manner in location has the function of four-row cylindrical roller bearings, and suits location of rollers of rolling mills, levellers, etc. If you need tandem of different bearing dimensions, please contact the technical and consultancy services of ZKL. Double row cylindrical roller bearings in NNU design can be supplied with cylindrical or tapered bore.






Fig. 12.4.13 (a, b)

General information

Main dimensions

The main dimensions of double row cylindrical roller bearing stated in the dimension tables comply with international dimensional plan ISO 15.

Tolerances

Double row cylindrical roller bearings are usually made in normal accuracy level PO which is not presented. Delivery of bearings in higher accuracy levels P6, P5 and P4 has to be consulted in advance with the supplier. Tapered bore cylindrical roller bearings are only produced in high accuracy levels P5 and P4. The limit values of bearing dimension and run accuracy deviations comply with the standard ISO 492 (see chapter 7).

Radial clearance

Double row cylindrical roller bearings with cylindrical bore are made with normal radial clearance. Delivery of bearings with bigger clearance C3, C4 or C5, alternatively with smaller clearance C2, has to be consulted with the supplier. Values of radial clearances comply with the standard ISO 5753 and apply for bearings in non-assembled state. The values comply with the clearances of single row cylindrical roller bearings stated in chart 7.19.

Tapered bore cylindrical roller bearings are only produced with reduced radial clearance with mutually non-interchangeable rings C1NA and C2NA. The C1NA and C2NA symbols are combined with characters for the P5 and P4 accuracy level, e.g. P5 + C1NA is designated P51NA. Values of radial clearances comply with the standard ISO 5753 and are stated in chart 7.20.



Sliding axial movement

Double row cylindrical roller bearings are to certain extent capable of alignment of the shaft axial displacement against the body without reducing the service life of the bearing, same as single row cylindrical roller bearings (fig. 12.4.11). The values of maximum axial slide "s" are stated in the table section.

Misalignment

Misalignment of inner ring in double row cylindrical roller bearings with cylindrical bore against outer ring produces torque load in the bearing which leads to increased load and shortened service life of the bearing.

Cylindrical roller bearings with tapered bore are not suitable for applications in locations where mutual alignment of inner and outer bearing rings is not ensured.

Running temperatures

As standard, rings of double row cylindrical roller bearings are made for operation to 120 °C.

Upon request, roller bearings with stabilisation for operation to temperatures 200°C can be supplied. In other cases please contact the technical and consultancy services.

Cages

Roller bearings are usually manufactured with massive brass cage guided on rolling elements which is usually not designated. Exception is NNU49 bearing with massive brass case M the design of which forms a part of the designation.

Special applications utilise massive steel cage guided on rolling elements; delivery of bearings with steel cages has to be discussed with the supplier.

Lubrication groove and holes on outer ring

All sizes of double row cylindrical roller bearings can be supplied with a groove and lubrication holes on outer ring (W33). This design allows supply of lubricant directly in the bearing between two rows of rollers which will ensure better lubrication of bearings and higher service reliability.

Minimum load

Minimum radial load recommended for double row ZKL cylindrical roller bearings is such that equals to 2% of the dynamic load bearing capacity of the bearing.

Equivalent dynamic load of bearing

$$P = F_r$$





Equivalent static load of bearing

$$P_0 = F_r$$

Additional designations

C1NA ... Radial clearance of double row cylindrical roller bearings with tapered bore

C2NA ... Radial clearance higher than C1NA of double row cylindrical roller bearings with tapered bore

W33 Lubrication groove and holes on outer ring



























Double row cylindrical roller bearings d = 25 to 1000 mm

d = 25 to 90 mm










				Main di	nensions				Basic loa	ad rating	Fatique load limit
									dynamic	static	
	d	D	В	r _s	r _{1s}	E	F	s ¹⁾	C,	C _{or}	P _u
ς.				min	min						
12.4.	mm								kN		kN
	25	47	16	1,0	1,0	41,3		1,0	21,5	23,8	2,90
		47	16	1,0	1,0	41,3		1,0	21,5	23,8	2,90
	00		10	1.0	1.0	40.5		1.0	00.7	20.5	0.00
	30	55 55	19 19	1,0 1,0	1,0 1,0	48,5 48,5		1,0 1,0	28,7 28,7	32,5 32,5	3,96 3,96
		55	19	1,0	1,0	40,0		1,0	20,1	02,0	3,90
	35	62	20	1,0	1,0	55,0		1,0	36,9	43,8	5,34
		62	20	1,0	1,0	55,0		1,0	36,9	43,8	5,34
	40	68	21	1,0	1,0	61,0		1,0	38,3	44,7	5,45
		68	21	1,0	1,0	61,0		1,0	38,3	44,7	5,45
	45	75	23	1,0	1,0	67,5		1,0	44,7	53,1	6,48
	40	75	23	1,0	1,0	67,5		1,0	44,7	53,1	6,48
		70	20	1,0	1,0	07,0		1,0	-1-1,1	00,1	0,40
	50	80	23	1,0	1,0	72,5		1,0	48,2	59,6	7,27
		80	23	1,0	1,0	72,5		1,0	48,2	59,6	7,27
	55	90	26	1,1	1,1	81,0		1,2	64,3	81,0	9,88
		90	26	1,1	1,1	81,0		1,2	64,3	81,0	9,88
	60	95	26	1,1	1,1	86,1		1,2	68,1	89,1	10,87
	00	95	26	1,1	1,1	86,1		1,2	68,1	89,1	10,87
				,	,	,		,	,	,	.,-
	65	100	26	1,1	1,1	91,0		1,2	70,8	98,1	11,96
		100	26	1,1	1,1	91,0		1,2	70,8	98,1	11,96
	70	440	00		4.4	100.0		1.0	00.0	100.0	45.04
	70	110 110	30 30	1,1 1,1	1,1 1,1	100,0		1,2 1,2	90,9 90,9	128,0 128,0	15,61 15,61
		110	30	1,1	1,1	100,0		1,∠	90,9	120,0	15,01
	75	115	30	1,1	1,1	105,0		1,2	90,9	128,0	15,61
		115	30	1,1	1,1	105,0		1,2	90,9	128,0	15,61
	80	125	34	1,1	1,1	113,0		1,4	114,0	162,0	19,76
		125	34	1,1	1,1	113,0		1,4	114,0	162,0	19,76
	85	130	34	11	11	110 0		1.4	110.0	170 0	21 71
	65	130	34	1,1 1,1	1,1 1,1	118,0 118,0		1,4 1,4	119,0 119,0	178,0 178,0	21,71 21,71
		100	04	1,1	1,1	110,0		1,44	110,0	170,0	21,11
	90	140	37	1,5	1,5	127,0		1,4	131,0	192,0	23,41
		140	37	1,5	1,5	127,0		1,4	131,0	192,0	23,41

. . . 334

(ZKL)



1) Admissible axial movement

	speed for ion with	Bearing designation		Abutn	nent an	d fillet (dimens	nsions Lubrication groove and holes				
grease	oil		d	d _a	d _a	D _a	D _a	r _a	r _{1a}	а	b	~
				min	max	min	max	max	max			
mi						mm						kg
19000	22000	NN3005	25	29	-	42	43	1,0	1,0	3,2	4,8	0,12
19000	22000	NN3005K		29	-	42	43	1,0	1,0	3,2	4,8	0,12
16000	18000	NN3006	30	35	-	49	50	1,0	1,0	3,2	4,8	0,19
16000	18000	NN3006K		35	-	49	50	1,0	1,0	3,2	4,8	0,19
14000	16000	NN3007	35	40	-	56	57	1,0	1,0	3,2	4,8	0,25
14000	16000	NN3007K		40	-	56	57	1,0	1,0	3,2	4,8	0,25
12600	14000	NN3008	40	45	_	62	63	1,0	1,0	3,2	4,8	0,30
12600	14000	NN3008K	40	45	-	62	63	1,0	1,0	3,2	4,8	0,30
11000	12600	NN3009	45	50	-	69	70	1,0	1,0	3,2	4,8	0,38
11000	12600	NN3009K		50	-	69	70	1,0	1,0	3,2	4,8	0,38
10600	12000	NN3010	50	55	-	74	75	1,0	1,0	3,2	4,8	0,42
10600	12000	NN3010K		55	-	74	75	1,0	1,0	3,2	4,8	0,42
9400	11000	NN3011	55	62	-	82	84	1,0	1,0	3,2	4,8	0,62
9400	11000	NN3011K		62	-	82	84	1,0	1,0	3,2	4,8	0,62
8900	10000	NN3012	60	67	-	87	88	1,0	1,0	3,2	4,8	0,66
8900	10000	NN3012K		67	-	87	88	1,0	1,0	3,2	4,8	0,66
8400	9400	NN3013	65	72	-	92	93	1,0	1,0	3,2	4,8	0,71
8400	9400	NN3013K		72	-	92	93	1,0	1,0	3,2	4,8	0,71
7500	9400	NN3014	70	77	_	100	100	1.0	1.0	2.0	6.5	1.00
7500 7500	8400 8400	NN3014 NN3014K	70	77 77	-	102	103	1,0	1,0	3,2 3,2	6,5 6,5	1,00 1,00
								1,0	1,0	ĺ	0,5	1,00
7100	7900	NN3015	75	82	-	107	108	1,0	1,0	3,2	6,5	1,10
7100	7900	NN3015K		82	-	107	108	1,0	1,0	3,2	6,5	1,10
6700	7500	NN3016	80	87	-	115	118	1,0	1,0	3,2	6,5	1,50
6700	7500	NN3016K		87	-	115	118	1,0	1,0	3,2	6,5	1,50
6300	7100	NN3017	85	92	-	120	123	1,0	1,0	3,2	6,5	1,60
6300	7100	NN3017K		92	-	120	123	1,0	1,0	3,2	6,5	1,60
6000	6700	NN3018	90	98	_	129	132	1,5	1,5	3,2	6,5	2,00
6000	6700	NN3018K	90	98	-	129	132	1,5	1,5	3,2	6,5	2,00


W


• • • • • • 335 • • •




Double row cylindrical roller bearings

d = 95 to 160 mm








	Main dimensions							d rating	Fatique load limit	
								dynamic	static	
d	D	В	r _s	r _{1s}	E	F	s ¹⁾	C _r	C _{or}	P _u
			min	min						
mm								kN		kN
95	145	37	1,5	1,5	132,0		1,4	139,0	207,0	25,24
	145	37	1,5	1,5	132,0		1,4	139,0	207,0	25,24
100	140	40	1,1	1,1		113,0	1,7	119,0	215,0	26,22
	140	40	1,1	1,1		113,0	1,7	119,0	215,0	26,22
	150	37	1,5	1,5	137,0		1,5	144,0	224,0	27,32
	150	37	1,5	1,5	137,0		1,5	144,0	224,0	27,32
105	145	40	1,1	1,1		117,0	1,7	161,0	315,0	23,70
	145	40	1,1	1,1		117,0	1,7	161,0	315,0	23,70
	160	41	2,0	2,0	146,0		1,5	188,0	282,0	20,85
	160	41	2,0	2,0	146,0		1,5	188,0	282,0	20,85
110	150	40	1,1	1,1		122,0	2,0	167,0	335,0	24,91
	150	40	1,1	1,1		122,0	2,0	167,0	335,0	24,91
	170	45	2,0	2,0	155,0		1,8	220,0	329,0	23,93
	170	45	2,0	2,0	155,0		1,8	220,0	329,0	23,93
120	165	40	1,1	1,1		134,5	2,2	168,0	304,0	21,99
	165	40	1,1	1,1		134,5	2,2	168,0	304,0	21,99
	180	46	2,0	2,0	165,0		2,1	228,0	355,0	25,29
	180	46	2,0	2,0	165,0		2,1	228,0	355,0	25,29
130	180	50	1,5	1,5		144,0	2,5	274,0	545,0	38,45
	180	50	1,5	1,5		144,0	2,5	274,0	545,0	38,45
	200	52	2,0	2,0	182,0		2,4	282,0	447,0	30,95
	200	52	2,0	2,0	182,0		2,4	282,0	447,0	30,95
140	190	50	1,5	1,5		154,0	2,7	283,0	585,0	40,50
140	190	50	1,5	1,5		154,0	2,7	283,0	585,0	40,50
	210	53	2,0	2,0	192,0	104,0	2,7	299,0	482,0	32,79
	210	53	2,0	2,0	192,0		2,8	299,0	482,0	32,79
	210	00	2,0	2,0	102,0		2,0	200,0	402,0	02,70
150	210	60	2,0	2,0		167,0	2,8	350,0	715,0	48,23
	210	60	2,0	2,0		167,0	2,8	350,0	715,0	48,23
	225	56	2,1	2,1	206,0	, .	3,0	322,0	521,0	34,71
	225	56	2,1	2,1	206,0		3,0	322,0	521,0	34,71
160	220	60	2,0	2,0		177,0	3,3	365,0	760,0	50,44
	220	60	2,0	2,0		177,0	3,3	365,0	760,0	50,44
	240	60	2,1	2,1	219,0		3,5	375,0	660,0	43,13
	240	60	2,1	2,1	219,0		3,5	375,0	660,0	43,13

(ZKL)




1) Admissible axial movement

Limiting s lubricati		Bearing designation		Abutn	nent an	d fillet (dimensi	ions		Lubrio groove a		Weight
grease	oil		d	d _a	d _a	D _a	D _a	r _a	r _{1a}	а	b	~
				min	max	min	max	max	max			
mi	n ⁻¹					mm						kg
5600	6300	NN3019	95	103	-	134	137	1,5	1,5	3,2	6,5	2,10
5600	6300	NN3019K		103	-	134	137	1,5	1,5	3,2	6,5	2,10
0000	4700		100	400						2.0	0.5	4.00
3800 3800	4700 4700	NNU4920M NNU4920KM	100	106 106	112 112	-	134 134	1,0	1,0	3,2	6,5	1,92
5300	6000	NN3020		108	112	139	142	1,0 1,5	1,0 1,5	3,2 3,2	6,5 6,5	1,92 2,20
5300	6000	NN3020K		108	_	139	142	1,5	1,5	3,2	6,5	2,20
3300	0000	MINOUZUK		100	-	108	142	1,0	1,0	3,2	0,3	2,20
3800	4800	NNU4921M	105	111,5	116	-	138,5	1,0	1,0	3,2	6,5	1,99
3800	4800	NNU4921KM		111,5	116	-	138,5	1,0	1,0	3,2	6,5	1,99
5000	5600	NN3021		114	-	148	151	2,0	2,0	3,2	6,5	2,80
5000	5600	NN3021K		114	-	148	151	2,0	2,0	3,2	6,5	2,80
3600	4500	NNU4922M	110	116,5	121	-	, -	1,0	1,0	3,2	6,5	2,07
3600	4500	NNU4922KM		116,5	121		143,5	1,0	1,0	3,2	6,5	2,07
4700	5300	NN3022		119	-	157	161	2,0	2,0	3,2	6,5	3,55
4700	5300	NN3022K		119	-	157	161	2,0	2,0	3,2	6,5	3,55
3200	4000	NNU4924M	120	126	134	-	159	1.0	1.0	3,2	6,5	2,81
3200	4000	NNU4924KM		126	134	-	159	1,0	1,0	3,2	6,5	2,81
4500	5000	NN3024		129	-	167	171	2,0	2,0	3,2	6,5	3,85
4500	5000	NN3024K		129	-	167	171	2,0	2,0	3,2	6,5	3,85
3000	3800	NNU4926M	130	138	143	-	172	1,5	1,5	3,2	6,5	3,85
3000	3800	NNU4926KM		138	143	-	172	1,5	1,5	3,2	6,5	3,85
4000	4500	NN3026		139	-	184	191	2,0	2,0	4,8	9,5	5,75
4000	4500	NN3026K		139	-	184	191	2,0	2,0	4,8	9,5	5,75
2800	3600	NNU4928M	140	148	153	-	182	1,5	1.5	3,2	6,5	4.08
2800	3600	NNU4928KM	1-10	148	153	-	182	1,5	1,5	3,2	6,5	4,08
3800	4200	NN3028		150	-	194	200	2,0	2,0	4,8	9,5	6,20
3800	4200	NN3028K		150	-	194	200	2,0	2,0	4,8	9,5	6,20
2600	3200	NNU4930M	150	159	166	-	201	2,0	2,0	3,2	6,5	6,39
2600	3200	NNU4930KM		159	166	-	201	2,0	2,0	3,2	6,5	6,39
3500	4000	NN3030		162		208	213	2,0	2,0	4,8	9,5	7,50
3500	4000	NN3030K		162	-	208	213	2,0	2,0	4,8	9,5	7,50
0400	2000	NNULAGOOM	100	100	170		011	0.0	0.0	0.0	0.5	0.70
2400 2400	3000 3000	NNU4932M NNU4932KM	160	169 169	176 176	-	211 211	2,0	2,0	3,2	6,5	6,76
2400	2800	NN3032		171	1/6	222	229	2,0	2,0	3,2 4,8	6,5 9,5	6,76 9,41
2400	2800	NN3032K		171	_	222	229	2,0	2,0	4,8	9,5	9,41
2400	2000	111000210		171		222	223	2,0	2,0	7,0	5,5	5,71



Double row cylindrical roller bearings


d = 170 to 280 mm



Main dimensions Basic load rating							Fatique load limit			
								dynamic	static	
d	D	В	r _s	r _{1s}	E	F	s ¹⁾	C,	C _{or}	P _u
			min	min						
mm								kN		kN
170	230	60	2,0	2,0		187,0	3,9	375,0	805,0	52,61
	230	60	2,0	2,0		187,0	3,9	375,0	805,0	52,61
	260	67	2,1	2,1	236,0		4,1	450,0	805,0	51,48
	260	67	2,1	2,1	236,0		4,1	450,0	805,0	51,48
180	250	69	2,0	2,0		200,0	4,5	480,0	1020,0	65,23
	250	69	2,0	2,0		200,0	4,5	480,0	1020,0	65,23
	280	74	2,1	2,1	255,0		4,5	565,0	995,0	62,36
	280	74	2,1	2,1	255,0		4,5	565,0	995,0	62,36
190	260	69	2,0	2,0		211,5	4,5	485,0	1060,0	66,87
130	260	69	2,0	2,0		211,5	4,5	485,0	1060,0	66,87
	290	75	2,1	2,1	265,0	211,0	4.6	595,0	1080,0	66,82
	290	75	2,1	2,1	265,0		4,6	595,0	1080,0	66,82
200	280	80	2,1	2,1		223,0	5,0	570,0	1220,0	75,49
	280	80	2,1	2,1		223,0	5,0	570,0	1220,0	75,49
	310	82	2,1	2,1	282,0		5,2	655,0	1170,0	71,09
	310	82	2,1	2,1	282,0		5,2	655,0	1170,0	71,09
220	300	60	3,5	3,5	278,0		2,0	299,0	668,0	40,35
	300	80	2,1	2,1		243,0	5,0	600,0	1330,0	80,34
	300	80	2,1	2,1		243,0	5,0	600,0	1330,0	80,34
	340	90	3,0	3,0	310,0		5,4	815,0	1480,0	87,43
	340	90	3,0	3,0	310,0		5,4	815,0	1480,0	87,43
240	320	60	3,5	3,5	298,0		2,0	316,0	750,0	44,31
	320	80	2,1	2,1		263,0	5,4	625,0	1450,0	85,66
	320	80	2,1	2,1		263,0	5,4	625,0	1450,0	85,66
	360	92	3,0	3,0	330,0		5,7	855,0	1600,0	92,59
	360	92	3,0	3,0	330,0		5,7	855,0	1600,0	92,59
260	360	100	2,1	2,1		289,0	6,0	935,0	2100,0	120,33
	360	100	2,1	2,1		289,0	6,0	935,0	2100,0	120,33
	400	104	4,0	4,0	364,0		6,2	1030,0	1920,0	107,97
	400	104	4,0	4,0	364,0		6,2	1030,0	1920,0	107,97
280	380	100	2,1	2,1		309.0	6,0	960,0	2230,0	125,41
	380	100	2,1	2,1		309,0	6,0	960,0	2230.0	125,41
	420	106	4,0	4,0	384,0	300,0	6,7	1100,0	2000,0	110,50
	420	106	4,0	4,0	384,0		6,7	1100,0	2000,0	110,50

. . 338





1) Admissible axial movement

W


Limiting s lubricati		Bearing designation		Abutn	nent an	d fillet (dimens	ions		Lubric groove ar		Weight
grease	oil		d	d	da	D _a	D _a	ra	r _{1a}	а	b	~
3			+	min	max	min	max	max	max	-		
mi	n-1				IIIax	mm	IIIax	IIIax	IIIax			kg
2400	2800	NNU4934M	170	179	186	-	221	2,0	2,0	3,2	6,5	7,12
2400	2800	NNU4934KM	170	179	186	_	221	2,0	2,0	3,2	6,5	7,12
2200	2600	NN3034		181	-	239	249	2,0	2,0	4,8	9,5	12,8
2200	2600	NN3034K		181	-	239	249	2,0	2,0	4,8	9,5	12,8
2200	2600	NNU4936M	180	189	199	-	241	2,0	2,0	4,8	9,5	10,4
2200	2600	NNU4936KM		189	199	-	241	2,0	2,0	4,8	9,5	10,4
2000	2400	NN3036		191	-	258	269	2,0	2,0	6,0	11,1	16,8
2000	2400	NN3036K		191	-	258	269	2,0	2,0	6,0	11,1	16,8
2000	2600	NNU4938M	190	199	211	_	251	2,0	2,0	4,8	9,5	10,9
2000	2600	NNU4938KM	100	199	211	_	251	2.0	2.0	4.8	9.5	10,9
2000	2400	NN3038		201	-	268	279	2,0	2,0	6,0	11,1	17,8
2000	2400	NN3038K		201	-	268	279	2,0	2,0	6,0	11,1	17,8
2000	2100	miososit		20.		200	2.0	2,0	2,0	0,0	,.	,0
1900	2400	NNU4940M	200	211	222	-	269	2,0	2,0	6,0	11,1	15,3
1900	2400	NNU4940KM		211	222	-	269	2,0	2,0	6,0	11,1	15,3
1800	2200	NN3040		211	-	285	299	2,0	2,0	6,0	11,1	22,7
1800	2200	NN3040K		211		285	299	2,0	2,0	6,0	11,1	22,7
1000	0000	NN3944	000	_	_			4.0	4.0	_		10.0
1800 1700	2200 2200	NNU4944M	220	231	242	-	289	4,0 2,0	4,0	6,0		12,0 16,6
1700	2200	NNU4944KM		231	242	-	289	2,0	2,0	6,0	11,1 11,1	16,6
1700	2000	NN3044		233	-	313	327	2,5	2,5	7,5	13,9	29,6
1700	2000	NN3044K		233	_	313	327	2.5	2,5	7,5	13,9	29,6
1700	2000	1111004411		200		010	OLI	2,0	2,0	7,0	10,0	20,0
1600	2000	NN3948	240	-	-	-	-	2,0	2,0	-	-	13,0
1600	2000	NNU4948M		251	262	-	309	2,0	2,0	6,0	11,1	18,0
1600	2000	NNU4948KM		251	262	-	309	2,0	2,0	6,0	11,1	18,0
1500	1800	NN3048		253	-	334	347	2,5	2,5	7,5	13,9	32,7
1500	1800	NN3048K		253		334	347	2,5	2,5	7,5	13,9	32,7
1400	1800	NNU4952M	260	271	288	-	349	2,0	2,0	7,5	13,9	31,1
1400	1800	NNU4952KM		271	288	-	349	2,0	2,0	7,5	13,9	31,1
1400	1700	NN3052		276	-	368	384	3,0	3,0	7,5	13,9	47,7
1400	1700	NN3052K		276	-	368	384	3,0	3,0	7,5	13,9	47,7
1300	1700	NNU4956M	280	291	308	-	369	2,0	2,0	7,5	13,9	33,0
1300	1700	NNU4956KM		291	308	-	369	2,0	2,0	7,5	13,9	33,0
1300	1600	NN3056		298	-	388	402	3,0	3,0	7,5	13,9	49,6
1300	1600	NN3056K		298	-	388	402	3,0	3,0	7,5	13,9	49,6

• • • • • • • • • • 339 • • •




Double row cylindrical roller bearings

d = 300 to 400 mm



	Main dimension			mensions 			Basic load rating		Fatique loa limit	
								dynamic	static	
d	D	В	r _s	r _{1s}	E	F	s ¹⁾	C _r	C _{or}	P _u
			min	min						
mm								kN		kN
300	420	118	3,0	3,0		336,0	6,0	1230,0	2870,0	157,2
	420	118	3,0	3,0		336,0	6,0	1230,0	2870,0	157,2
	460	118	4,0	4,0	418,0	,	7,0	1290,0	2460,0	132,6
	460	118	4,0	4,0	418,0		7,0	1290,0	2460,0	132,6
320	440	118	3,0	3,0		356,0	7,0	1260,0	3050,0	164,4
	440	118	3,0	3,0		356,0	7,0	1260,0	3050,0	164,4
	480	121	5,0	5,0	438,0		8,0	1360,0	2510,0	133,2
	480	121	5,0	5,0	438,0		8,0	1360,0	2510,0	133,2
340	460	118	3,0	3,0		379,0	5,0	1050,0	2600,0	138,0
	460	118	3,0	3,0		379,0	5,0	1050,0	2600,0	138,0
	520	133	6,0	6,0	473,0		9,0	1680,0	3100,0	161,0
	520	133	6,0	6,0	473,0		9,0	1680,0	3100,0	161,0
	580	243	5,0	5,0		402,0	10,0	4000,0	7400,0	376,6
	580	243	5,0	5,0		402,0	10,0	4000,0	7400,0	376,6
360	480	118	3,0	3,0		399,0	5,0	1100,0	2700,0	141,2
300	480	118	3,0	3,0		399,0	5,0	1100,0	2700,0	141,2
	540	134	6,0	6,0	493,0	000,0	9,0	1740,0	3350,0	171,6
	540	134	6,0	6,0	493,0		9,0	1740.0	3350.0	171,6
	600	243	5,0	5,0	400,0	422,0	5,9	4250,0	8300,0	417,1
	600	243	5,0	5,0		422,0	5,9	4250,0	8300,0	417,1
			-,-	-,-		,	-,-	,		,
380	520	140	4,0	4,0		426.0	5,5	1350.0	3500.0	179.3
	520	140	4,0	4,0		426,0	5,5	1350,0	3500,0	179,3
	560	180	5,0	5,0		425,0	7,3	2800,0	5800,0	293,3
	560	180	5,0	5,0		425,0	7,3	2800,0	5800,0	293,3
	620	243	5,0	5,0		442,0	7,4	4200,0	8500,0	421,9
	620	243	5,0	5,0		442,0	7,4	4200,0	8500,0	421,9
400	5.40	110	4.0	4.0		440.0		1100.0	0050.0	104.0
400	540	140	4,0	4,0		446,0	5,5	1400,0	3650,0	184,6
	540	140 200	4,0	4,0		446,0	5,5	1400,0	3650,0	184,6
	600		5,0	5,0		449,0	7,9	3400,0	7100,0	352,4
	600	200	5,0	5,0		449,0	7,9	3400,0	7100,0	352,4
	650 650	250 250	6,0 6,0	6,0 6,0		463,0 463,0	7,5 7,5	4600,0 4600,0	9500,0 9500,0	464,7 464,7
	000	250	0,0	0,0		400,0	7,5	4000,0	9500,0	404,7

ZKL)



1) Admissible axial movement

Limiting s		Bearing designation		Abutn	nent an	d fillet	dimens	ions		Lubric groove a		Weight
grease	oil		d	d _a	d _a	D _a	D _a	r _a	r _{1a}	а	b	~
				min	max	min	max	max	max			
mi	n ⁻¹		1			mm						kg
1200	1500	NNU4960M	300	313	335	_	407	2,5	2,5	9,0	16,7	51,9
1200	1500	NNU4960KM		313	335	-	407	2,5	2,5	9,0	16,7	51,9
1200	1400	NN3060		316	-	422	444	3,0	3,0	9,0	16,7	70,7
1200	1400	NN3060K		316	-	422	444	3,0	3,0	9,0	16,7	70,7
1100	1400	NNU4964M	320	333	355	-	427	2,5	2,5	9,0	16,7	54,9
1100	1400	NNU4964KM	020	333	355	-	427	2.5	2,5	9.0	16.7	54,9
1200	1400	NN3064		338	-	442	462	3.0	3,0	9,0	16,7	74,2
1200	1400	NN3064K		338	-	442	462	3,0	3,0	9,0	16,7	74,2
1500	1800	NNU4968M	340	352	378	-	448	2,5	2,5	9,0	16,7	55,6
1500	1800	NNU4968KM		352	378	-	448	2,5	2,5	9,0	16,7	55,6
1100	1300	NN3068		362		477	498	4,0	4,0	9,0	16,7	99,0
1100	1300	NN3068K		362	-	477	498	4,0	4,0	9,0	16,7	99,0
800	950	NNU4168M		360	392	-	560	4,0	4,0	9,0	16,7	260
800	950	NNU4168KM		360	392	-	560	4,0	4,0	9,0	16,7	260
1500	1800	NNU4972M	360	372	398	-	468	2,5	2,5	9,0	16,7	57,5
1500	1800	NNU4972KM		372	398	-	468	2,5	2,5	9,0	16,7	57,5
1000	1200	NN3072		382	-	497	518	4,0	4,0	9,0	16,7	105
1000	1200	NN3072K		382	-	497	518	4.0	4.0	9,0	16,7	105
750	900	NNU4172M		380	414	-	580	4,0	4,0	9,0	16,7	275
750	900	NNU4172KM		380	414	-	580	4,0	4,0	9,0	16,7	275
1400	1700	NNU4976M	380	395	425	-	505	3,0	3,0	9,0	16,7	86,0
1400	1700	NNU4976KM		395	425	-		3,0	3,0	9,0	16,7	86,0
850	1000	NNU4076M		400	417	-	540	4,0	4,0	9,0	16,7	150
850	1000	NNU4076KM		400	417	-		4,0	4,0	9,0	16,7	150
720	850	NNU4176M		400	434	-	600	4,0	4,0	9,0	16,7	285
720	850	NNU4176KM		400	434	-	600	4,0	4,0	9,0	16,7	285
1300	1600	NNU4980M**	400	415	445	-	525	3,0	3,0	9,0	16,7	91,0
1300	1600	NNU4980KM**		415	445	-	525	3,0	3,0	9,0	16,7	91,0
800	950	NNU4080M**		420	440	-		4,0	4,0	9,0	16,7	205
800	950	NNU4080KM**		420	440	-	580	4,0	4,0	9,0	16,7	205
680	800	NNU4180M**		426	456	-	624	5,0	5,0	9,0	16,7	325
680	800	NNU4180KM**		426	456	-	624	5,0	5,0	9,0	16,7	325




















•••••• 341 •••



Double row cylindrical roller bearings

d = 420 to 530 mm




Main dimensions								Basic loa	ad rating	Fatique Ioad limit
								dynamic	static	
d	D	В	r _s	r _{1s}	E	F	s ¹⁾	C,	C _{or}	P _u
į			min	min						
mm								kN		kN
420	560	140	4,0	4,0		466,0	5,5	1460,0	3800,0	189,80
	560	140	4,0	4,0		466,0	5,5	1460,0	3800,0	189,80
	620	200	5,0	5,0		469,0	7,8	3500,0	7500,0	367,98
	620	200	5,0	5,0		469,0	7,8	3500,0	7500,0	367,98
	700	280	6,0	6,0		497,0	12,2	5300,0	11300,0	542,24
	700	280	6,0	6,0		497,0	12,2	5300,0	11300,0	542,24
440	600	160	4,0	4,0		490,0	5,8	1950,0	5000,0	245,32
	600	160	4,0	4,0		490,0	5,8	1950,0	5000,0	245,32
	650	157	8,0	8,0	596,0		13,0	2460,0	4920,0	238,02
	650	157	8,0	8,0	596,0		13,0	2460,0	4920,0	238,02
	650	212	6,0	6,0		487,0	9,6	3800,0	8200,0	396,70
	650	212	6,0	6,0		487,0	9,6	3800,0	8200,0	396,70
	720	280	6,0	6,0		511,0	10,8	5600,0	11800,0	560,30
	720	280	6,0	6,0		511,0	10,8	5600,0	11800,0	560,30
460	620	160	4,0	4,0		510,0	5,8	2000,0	5350,0	259,54
	620	160	4,0	4,0		510,0	5,8	2000,0	5350,0	259,54
	680	218	6,0	6,0		513,0	7,7	4100,0	9300,0	443,90
	680	218	6,0	6,0		513,0	7,7	4100,0	9300,0	443,90
	760	300	7,5	7,5		537,0	12,8	6200,0	12300,0	575,27
	760	300	7,5	7,5		537,0	12,8	6200,0	12300,0	575,27
480	650	170	5,0	5,0		534,0	6,0	2200,0	6000,0	287,15
	650	170	5,0	5,0		534,0	6,0	2200,0	6,000	287,15
	700	218	6,0	6,0		533,0	7,5	4200,0	9600,0	453,51
	700	218	6,0	6,0		533,0	7,5	4200,0	9600,0	453,51
	790	308	7,5	7,5		557,0	12,0	6500,0	12700,0	586,87
	790	308	7,5	7,5		557,0	12,0	6500,0	12700,0	586,87
500	670	170	5,0	5,0		554,0	6,0	2200,0	6000,0	284,17
300	670	170	5,0	5,0		554,0	6,0	2200,0	6000,0	284,17
	720	218	6,0	6,0		553.0	7,5	4300.0	9800.0	458,35
	720	218	6,0	6,0		553,0	7,5	4300,0	9800,0	458,35
	830	325	7,5	7,5		582,0	14,0	7200,0	14500,0	660,83
	830	325	7,5	7,5		582,0	14,0	7200,0	14500,0	660,83
530	780	250	6,0	6,0		591,0	10,0	5200,0	11900,0	544,81
550	780	250	6,0	6,0		591,0	10,0	5200,0	11900,0	544,81
	870	335	6,0 7,5			618,0	10,0	7500,0	15500,0	695,62
	870	335	7,5	7,5 7,5		618,0	17,0	7500,0	15500,0	695,62

. . . 342

ZKL)





1) Admissible axial movement


Limiting s		Bearing designation		Abutn	nent an	d fillet o	dimens	ions	Lubrication groove and holes			Weight
grease	oil		d	d _a	d _a	D _a	D _a	r _a	r _{1a}	а	b	~
				min	max	min	max	max	max			
mi	n ⁻¹					mm						kg
1300	1600	NNU4984M**	420	435	465	-	545	3,0	3,0	9,0	16,7	94,0
1300	1600	NNU4984KM**		435	465	-	545	3,0	3,0	9,0	16,7	94,0
750	900	NNU4084M**		440	460	-	600	4,0	4,0	9,0	16,7	185
750	900	NNU4084KM**		440	460	-	600	4,0	4,0	9,0	16,7	185
630	750	NNU4184M**		446	480	-	674	5,0	5,0	9,0	16,7	440
630	750	NNU4184KM**		446	480	-	674	5,0	5,0	9,0	16,7	440
1200	1500	NNU4988M**	440	455	489	-	585	3,0	3,0	9,0	16,7	131
1200	1500	NNU4988KM**	440	455	489	_	585	3,0	3,0	9,0	16,7	131
750	890	NN3088**		468	-	602	622	5,0	5,0	12,0	22,3	169
750	890	NN3088K**		468	-	602	622	5,0	5,0	12,0	22,3	169
720	850	NNU4088M**		466	477	-	624	5,0	5,0	9,0	16,7	215
720	850	NNU4088KM**		466	477	_	624	5,0	5,0	9,0	16,7	215
590	700	NNU4188M**		466	500	-	694	5,0	5,0	12,0	22,3	450
590	700	NNU4188KM**		466	500	_	694	5,0	5,0	12,0	22,3	450
000								0,0	0,0	, .	22,0	
1100	1400	NNU4992M**	460	475	509	-	605	3,0	3,0	9,0	16,7	134
1100	1400	NNU4992KM**		475	509	-	605	3,0	3,0	9,0	16,7	134
680	800	NNU4092M**		486	503	-	654	5,0	5,0	12,0	22,3	240
680	800	NNU4092KM**		486	503	-	654	5,0	5,0	12,0	22,3	240
570	670	NNU4192M**		493	526	-	727	6,0	6,0	12,0	22,3	535
570	670	NNU4192KM**		493	526	-	727	6,0	6,0	12,0	22,3	535
								,	,	,	,	
1100	1400	NNU4996M**	480	497	533	-	633	4,0	4,0	9,0	16,7	160
1100	1400	NNU4996KM**		497	533	-	633	4,0	4,0	9,0	16,7	160
630	750	NNU4096M**		506	523	-	674	5,0	5,0	12,0	22,3	275
630	750	NNU4096KM**		506	523	-	674	5,0	5,0	12,0	22,3	275
530	630	NNU4196M**		513	545	-	757	6,0	6,0	12,0	22,3	590
530	630	NNU4196KM**		513	545	-	757	6,0	6,0	12,0	22,3	590
1000	1300	NNU49/500M**	500	517	553	-	653	4,0	4,0	9,0	16,7	162
1000	1300	NNU49/500M**		517	553	-	653	4,0	4,0	9,0	16,7	162
630	750	NNU40/500M**		526	543	-	694	5,0	5,0	12,0	22,3	285
630	750	NNU40/500KM**		526	543	-	694	5,0	5,0	12,0	22,3	285
510	600	NNU41/500M**		533	568	-	797	6,0	6,0	12,0	22,3	710
510	600	NNU41/500KM**		533	568	-	797	6,0	6,0	12,0	22,3	710
570	670	NNU40/530M**	530	556	580	-	754	5,0	5,0	12,0	22,3	420
570	670	NNU40/530KM**		556	580	-	754	5,0	5,0	12,0	22,3	420
470	560	NNU41/530M**		563	604	-	837	6,0	6,0	12,0	22,3	790
470	560	NNU41/530KM**		563	604	-	837	6,0	6,0	12,0	22,3	790

• • • • • • • • • • • • • 343 • • •



Double row cylindrical roller bearings


d = 560 to 850 mm



			Main di	nensions				Basic lo	ad rating	Fatique load limit
								dynamic	static	
d	D	В	r _s	r _{1s}	E	F	s ¹⁾	C,	C _{or}	P _u
2			min	min						
12.4.2 mm								kN		kN
560	820	258	6,0	6,0		626,0	12,5	5600,0	12500,0	563,41
	820	258	6,0	6,0		626,0	12,5	5600,0	12500,0	563,41
	920	355	7,5	7,5		653,0	16,5	8500,0	18000,0	794,46
	920	355	7,5	7,5		653,0	16,5	8500,0	18000,0	794,46
600	870	272	6,0	6,0		664,0	9,2	6400,0	15100,0	667,82
	870	272	6,0	6,0		664,0	9,2	6400,0	15100,0	667,82
	980	375	7,5	7,5		699,0	18,0	9500,0	20500,0	887,23
	980	375	7,5	7,5		699,0	18,0	9500,0	20500,0	887,23
630	850	218	8,0	8,0		704,0	5,0	3910,0	10200,0	450,19
	850	218	8,0	8,0		704,0	5,0	3910,0	10200,0	450,19
	920	290	7,5	7,5		699,0	10,0	7400,0	17200,0	748,70
	920	290	7,5	7,5		699,0	10,0	7400,0	17200,0	748,70
	1030	400	7,5	7,5		734,0	19,5	10400,0	23300,0	993,57
	1030	400	7,5	7,5		734,0	19,5	10400,0	23300,0	993,57
670	980	308	7,5	7,5		744,0	11,5	8100,0	19100,0	815,95
	980	308	7,5	7,5		744,0	11,5	8100,0	19100,0	815,95
	1090	412	7,5	7,5		774,0	19,0	11900,0	25000,0	1 047,52
	1090	412	7,5	7,5		774,0	19,0	11900,0	25000,0	1 047,52
740	1000	045	7.5	7.5		7040	40.5	00000	04000.0	000.04
710	1030	315	7,5	7,5		784,0	10,5	9000,0	21000,0	882,94
	1030	315	7,5	7,5		784,0	10,5	9000,0	21000,0	882,94
	1150 1150	438 438	9,5 9,5	9,5		820,0	20,0	13000,0 13000,0	28000,0 28000,0	1 153,93 1 153,93
	1150	438	9,5	9,5		820,0	20,0	13000,0	28000,0	1 153,93
750	1090	335	7,5	7,5		830,0	13,5	9900,0	23500,0	971,63
730	1090	335	7,5	7,5		830,0	13,5	9900,0	23500,0	971,63
	1220	475	9,5	9,5		871,0	19,0	15500,0	34900,0	1 413,72
	1220	475	9,5	9,5		871,0	19,0	15500,0	34900,0	1 413,72
			5,5	0,0		3,0	.0,0	.5555,5	3.000,0	,. 2
800	1150	345	7,5	7,5		885,0	16,0	10300,0	25500.0	1 036,11
000	1150	345	7,5	7,5		885,0	16,0	10300,0	25500,0	1 036,11
	1280	475	9,5	9,5		921,0	18,5	15900.0	36000,0	1 434,70
	1280	475	9,5	9,5		921,0	18,5	15900,0	36000,0	1 434,70
			,	,		, ,	, .			,
850	1220	365	7,5	7,5		940,0	18,0	11200,0	28000,0	1 117,49
	1220	365	7,5	7,5		940,0	18,0	11200,0	28000,0	1 117,49
	1360	500	12,0	6,0		976,0	21,5	19000,0	44000,0	1 721,92
	1360	500	12,0	12,0		976,0	21,5	19000,0	44000,0	1 721,92

[z





1) Admissible axial movement


Limiting s lubricati		Bearing designation		Abutn	nent an	d fillet (dimens	ions		Lubric groove ar		Weight
grease	oil		d	d _a	d _a	D _a	D _a	r _a	r _{1a}	а	b	~
				min	max	min	max	max	max			
mi	n ⁻¹					mm						kg
530	630	NNU40/560M**	560	586	615	-	794	5,0	5,0	12,0	22,3	475
530	630	NNU40/560KM**		586	615	-	794	5,0	5,0	12,0	22,3	475
450	530	NNU41/560M**		593	638	-	887	6,0	6,0	12,0	22,3	930
450	530	NNU41/560KM**		593	638	-	887	6,0	6,0	12,0	22,3	930
510	600	NNU40/600M**	600	626	653	-	844	5.0	5.0	12,0	22.3	530
510	600	NNU40/600KM**	000	626	653	-	844	5,0	5,0	12,0	22,3	530
400	480	NNU41/600M**		634	682	-	946	6,0	6,0	12,0	22,3	1100
400	480	NNU41/600KM**		634	682	-	946	6,0	6,0	12,0	22,3	1100
400	100	THIO 4 I/ GOOTHIN		001	002		040	0,0	0,0	12,0	22,0	1100
470	600	NNU49/630M**	630	664	694	-	818	6,0	6,0	12,0	22,3	363
470	600	NNU49/630KM**		664	694	-	818	6,0	6,0	12,0	22,3	363
470	560	NNU40/630M**		664	688	-	886	6,0	6,0	12,0	22,3	635
470	560	NNU40/630KM**		664	688	-	886	6,0	6,0	12,0	22,3	635
380	450	NNU41/630M**		664	716	-	996	6,0	6,0	12,0	22,3	1330
380	450	NNU41/630KM**		664	716	-	996	6,0	6,0	12,0	22,3	1330
400	500	NNII 40 (070144	070	704	700		0.40	0.0	0.0	40.0	00.0	705
420	500	NNU40/670M**	670	704	733	-		6,0	6,0	12,0	22,3	765
420	500	NNU40/670KM**		704	733	-	946	6,0	6,0	12,0	22,3	765
360	430	NNU41/670M**		704	756	-	1056	6,0	6,0	12,0	22,3	1500
360	430	NNU41/670KM**		704	756	-	1056	6,0	6,0	12,0	22,3	1500
400	480	NNU40/710M**	710	744	772	-	996	6.0	6.0	12,0	22,3	850
400	480	NNU40/710KM**		744	772	-	996	6,0	6,0	12,0	22,3	850
320	380	NNU41/710M**		750	800	-	1110	8.0	8,0	12,0	22.3	1790
320	380	NNU41/710KM**		750	800	-	1110	8,0	8,0	12,0	22,3	1790
000	400	NAUL 40 /75084+	750	704	040		1050	0.0	0.0	10.0	00.0	000
360	430	NNU40/750M**	750	784	816	-	1056	6,0	6,0	12,0	22,3	930
360 320	430 380	NNU40/750KM** NNU41/750M**		784 790	816 850	-	1056 1180	6,0 8,0	6,0 8,0	12,0 12,0	22,3 22,3	930 2230
320	380	NNU41/750M**		790	850	-	1180	8,0	8,0	12,0	22,3	2230
320	360	NNO41/150KW		790	830	_	1100	0,0	0,0	12,0	22,3	2230
340	400	NNU40/800M**	800	833	871	-	1117	6,0	6,0	12,0	22,3	1140
340	400	NNU40/800KM**		833	871	-	1117	6,0	6,0	12,0	22,3	1140
270	320	NNU41/800M**		840	900	-	1240	8,0	8,0	12,0	22,3	2390
270	320	NNU41/800KM**		840	900	-	1240	8,0	8,0	12,0	22,3	2390
222	225	NNUL 40 (0 501-::	0.55	00-	0.05		440=	0.5	0.5	10 -	00.5	10.15
300	360	NNU40/850M**	850	883	923	-	1187	6,0	6,0	12,0	22,3	1340
300	360	NNU40/850KM**		883	923	-	1187	6,0	6,0	12,0	22,3	1340
250	300	NNU41/850M**		897	935	-	1334		5,0	12,0	22,3	2900
250	300	NNU41/850KM**		897	935	-	1334	10,0	10,0	12,0	22,3	2900


• • • • • • • • • • • • 345 • • •





Double row cylindrical roller bearings

d = 900 to 1000 mm










				Main diı		Basic loa	ad rating	Fatique load limit			
									dynamic	static	
Ī	d	D	В	r _s	r _{1s}	Е	F	s ¹⁾	C,	C _{or}	P _u
0,				min	min						
12.4.	mm								kN		kN
	900	1280	375	7,5	7,5		990,0	17,0	12000,0	30800,0	1 210,29
		1280	375	7,5	7,5		990,0	17,0	12000,0	30800,0	1 210,29
		1420	515	12,0	6,0		1032,0	27,5	21400,0	47000,0	1 812,71
		1420	515	12,0	12,0		1032,0	27,5	21400,0	47000,0	1 812,71
	950	1360	412	7,5	7,5		1050,0	20,0	13700,0	34800,0	1 343,92
		1360	412	7,5	7,5		1050,0	20,0	13700,0	34800,0	1 343,92
		1500	545	12,0	6,0		1092,0	22,5	24800,0	56000,0	2 124,79
		1500	545	12,0	12,0		1092,0	22,5	24800,0	56000,0	2 124,79
	1000	1320	315	7,5	7,5	1238,0		9,5	8200,0	25000,0	964,21
		1320	315	7,5	7,5	1238,0		9,5	8200,0	25000,0	964,21
		1420	412	7,5	7,5		1101,0	19,5	15000,0	37100,0	1 412,88
		1420	412	7,5	7,5		1101,0	19,5	15000,0	37100,0	1 412,88
		1580	580	12,0	6,0		1154,0	28,0	26900,0	60800,0	2 271,41
		1580	580	12,0	12,0		1154,0	28,0	26900,0	60800,0	2 271,41

ZKI)



1) Admissible axial movement

Limiting speed for lubrication with		Bearing designation	Abutment and fillet dimensions							Lubrication groove and holes		Weight
grease	oil		d	d _a	d _a	D _a	D _a	r _a	r _{1a}	а	b	~
				min	max	min	max	max	max			
min ⁻¹			mm								kg	
280	340	NNU40/900M**	900	933	963	_	1257	6,0	6,0	12,0	22,3	1500
280	340	NNU40/900KM**		933	963	-	1257	6,0	6,0	12,0	22,3	1500
230	280	NNU41/900M**		947	1008	-	1394	10,0	5,0	12,0	22,3	3180
230	280	NNU41/900KM**		947	1008	-	1394	10,0	10,0	12,0	22,3	3180
270	320	NNU40/950M**	950	983	1033	-	1327	6,0	6,0	12,0	22,3	1900
270	320	NNU40/950KM**		983	1033	-	1327	6,0	6,0	12,0	22,3	1900
220	260	NNU41/950M**		997	1068	-	1474	10,0	5,0	12,0	22,3	3830
220	260	NNU41/950KM**		997	1068	-	1474	10,0	10,0	12,0	22,3	3830
280	340	NN49/1000M**	1000	1033	-	1249	1287	6,0	6,0	12,0	22,3	1200
280	340	NN49/1000KM**		1033	-	1249	1287	6,0	6,0	12,0	22,3	1200
250	300	NNU40/1000M**		1033	1084	-	1387	6,0	6,0	12,0	22,3	2000
250	300	NNU40/1000KM**		1033	1084	-	1387	6,0	6,0	12,0	22,3	2000
200	240	NNU41/1000M**		1047	1128	-	1474	10,0	5,0	12,0	22,3	4270
200	240	NNU41/1000KM**		1047	1128	-	1474	10,0	10,0	12,0	22,3	4270





















• • • • • • • • • 347 • • •



SINGLE ROW FULL COMPLEMENT CYLINDRICAL ROLLER BEARINGS

Design

Single row full complement cylindrical roller bearings suit locations with high radial load and lower revolution frequencies, comparing to roller bearings with cage. Full complement cylindrical roller bearings have the highest possible number of rollers, and are cageless; they are manufactured in two versions.

NSF design

Inner bearing ring has guide flanges on both sides; the outer ring has one guide flange (fig. 12.4.14). NSF design bearing is axially guiding in one direction; in one direction the bearing captures axial load whilst in other direction it allows axial displacement of shaft against the body. Outer ring is on the side without guide flange provided with snap ring that ensures components in assembled state. The NSF design complies with SKF bearings in NCF version, and with FAG bearings in SL1818, SL1829, SL1830 and SL1822 version.

NJB design

Outer bearing ring has guide flanges on both sides; the inner ring has one guide flange (fig. 12.4.15). NJB design bearing is axially guiding in one direction; in one direction the bearing captures axial load whilst in other direction it allows axial displacement of shaft against body. NJB bearing is a separable type bearing; when inner ring is dismantled, rollers are held together by outer ring which is given by optimum adjustment of the outer ring raceway diameter, diameter and number of rollers. NJB bearing is in the heavy dimension series 23. The NJB design complies with SKF bearings in NJG design, and with FAG bearings in SL1923 design.




Fig. 12.4.14 Fig. 12.4.15

. . . 348





General information

Main dimensions

The main dimensions of single row full complement cylindrical roller bearings stated in the dimension tables comply with international dimensional plan ISO 15.

Tolerances

Single row full complement cylindrical roller bearings are usually made in normal accuracy level PO which is not presented. The limit values of bearing dimension and run accuracy deviations comply with the standard ISO 492.

Radial clearance

Single row full complement cylindrical roller are usually made with normal radial clearance that is not designated on the bearing. Bearings are made also with increased radial clearance C3; the availability must be consulted with the supplier. Values of radial clearances comply with the standard ISO 5753 and apply for bearings in non-assembled state (see Tab. 7.19).

Misalignment

The same conditions as for usual single row roller bearings with cage apply to misalignment of single row full complement cylindrical roller bearings. (See the chapter Single row roller bearings.)

Service temperatures

Rings of single row full complement cylindrical roller bearings are usually made with dimension stabilisation "SO"; service temperature of these bearings is therefore within 150 °C. Upon request, roller bearings with "S1" dimension stabilisation for operation at temperatures up to 200 °C can be supplied.

Minimum load

Minimum radial load recommended for single row full complement cylindrical roller bearings is such that equals to 4% of the basic dynamic load bearing capacity of the bearing.

Axial dynamic load rating

Single row full complement cylindrical roller bearings can besides radial load transfer also single direction axial load. In usual service conditions when the temperature difference between the bearing and ambient area does not exceed 60 °C at specific heat passage of 0.5 mWmm⁻² °C⁻¹, at minimum value of viscosity rate 2, the maximum admissible axial load can be calculated with sufficient accuracy from the below equation:

for lubrication with oil

$$F_{a \text{ max}} = \frac{C_{or} \cdot 10^4}{n (d + D)} - 0.3 F_r$$
 [kN]



























for lubrication with grease

$$F_{a \text{ max}} = \frac{0.5 C_{or} \cdot 10^4}{n (d + D)} - 0.15 F_{r}$$
 [kN]

$$F_{a \text{ max}} \dots$$
 maximum admissible axial load [kN]

$$\mathsf{C}_{\mathsf{or}} \ldots$$
 basic radial static load rating `[kN]`

$$\mathsf{F_r} \ldots \ldots$$
 radial load of bearings [kN]

The $F_{a,max}$ values calculated according to the above stated equations apply on condition of acting of constant axial force. In case of interrupted load or impact load the admissible axial load can grow by two or three times towards the calculated value. At acting axial load roller bearings operate reliably only if the bearings are loaded radially at the same time. The relation $F_a/F_r \le 0.5$ has to be maintained.

Equivalent dynamic load of bearing

Axially guiding bearings are capable of transferring both radial and axial load; the following applies to these bearings:

$$P = F_1$$
 for $F_2/F_2 \le e$

$$P = 0.92 F_r + Y F_a$$
 for $F_a/F_r > e$

where the arithmetic coefficient e = 0.2 for bearings of series 18

...... = 0.3 for bearings of other series 22, 23, 28, 29 and 30

and axial load coefficient Y = 0.6 for bearings of series 18

..... = 0.4 for bearings of other series 22, 23, 28, 29 and 30

Equivalent static load of bearing

$$P_0 = F_r$$

••• 350 ••••••••••••••••••••••



Additional designations

CV modified internal designation, full complement

V full complement (without cage)

VH..... full complement, rolling elements form non-separable unit with at least one ring

DOUBLE ROW FULL COMPLEMENT CYLINDRICAL ROLLER BEARINGS

Design


Double row full complement cylindrical roller bearings transfer big radial loads but at lower rpm than usual bearings with cage. These bearings have as many rolling elements as possible, and are in cageless version. ZKL manufacture these bearings in three versions that are non-separable and uncovered.

NNSL design

Inner bearing ring has three guide flanges; outer bearing ring does not have any flange; outer ring is provided with snap ring located between the rollers which secures components in assembled state (fig. 12.4.16). NNSL bearing version is axially free; it allows axial displacement of shaft against body. The NNSL design complies with SKF bearings in NNCL version, and with FAG bearings in SL0248 and SL0249 version.

NNSF design

Inner bearing ring has three guide flanges; outer bearing ring has one guide flange and snap ring on the other side which secures components in assembled state (fig. 12.4.17). NNSF bearing is axially guiding in one direction; it can capture axial load on the guide flange side. The NNSF design complies with SKF bearings in NNCF version, and with FAG bearings in SL1850 version.






Fig. 12.4.16 Fig. 12.4.17























NNS design

Inner bearing ring has three guide flanges; outer bearing ring is split and has two guide flanges; outer ring is connected with snap rings that should not be axially stressed. NNS bearing version is axially guiding in both directions. The NNS design complies with SKF bearings in NNC version, and with FAG bearings in SLO148 a SLO149 version.




Fig. 12.4.18

General information

Main dimensions

Main dimensions of double row full complement cylindrical roller bearings stated in the dimensional tables comply with the international dimensional plan ISO 15.

Tolerances

Double row full complement cylindrical roller bearings are usually made in normal accuracy level PO which is not presented. Bearings can be also made in increased accuracy class P6; the availability of these bearings must be consulted with the supplier. The limit values of bearing dimension and run accuracy deviations comply with the standard ISO 492.

Radial clearance

Single row full complement cylindrical roller bearings are usually made with normal radial clearance that is not designated on the bearing. Bearings are made also with increased radial clearance C3 and reduced radial clearance C2; the availability must be consulted with the supplier. Values of radial clearances comply with the standard ISO 5753 and apply for bearings in non-assembled state (see Tab. 7.19).

... 352

(ZKI)

Axial clearance

NNC bearing version that is axially guided in both directions must have certain axial clearance that ranges within 0.1 do 0.2 mm for all bearing sizes.

Sliding axial movement

Double row full complement cylindrical roller bearings in NNSL and NNSF version are to certain extent capable of alignment of the shaft axial displacement against the body without reducing the service life of the bearing. The values of maximum axial slide "s" (fig. 12.4.19) are stated in the table section.




Fig. 12.4.19

Misalignment

Misalignment of inner ring in double row full complement cylindrical roller bearings against outer ring produces torque load in the bearing which leads to increased load and shortened service life of the bearing.

Running temperatures

Rings of double row full complement cylindrical roller bearings are usually made with dimension stabilisation "SO"; service temperature of these bearings is therefore within 150°C.

Upon request, roller bearings with "S1" dimension stabilisation for operation at temperatures up to 200 °C can be supplied.



























Lubrication groove and bores on outer ring

All sizes of double row full complement cylindrical roller bearings are manufactured with a slot and lubrication bores on outer ring (W33). This design allows supply of lubricant directly in the bearing between two rows of rollers which will ensure better lubrication of bearings and higher service reliability.

Minimum Inad

Minimum radial load recommended for double row full complement cylindrical roller bearings is such that equals to 4% of the basic dynamic load bearing capacity of the bearing.

Axial dynamic load capacity

Double row full complement cylindrical roller bearings can besides radial load transfer also axial load in one direction. In usual service conditions when the temperature difference between the bearing and ambient area does not exceed 60 °C at specific heat passage of 0.5 mWmm⁻² °C⁻¹, at minimum value of viscosity rate 2, the maximum admissible axial load can be calculated with sufficient accuracy from the below equation:

for lubrication with oil

$$F_{a \text{ max}} = \frac{0.35 \text{ C}_{or} \cdot 10^4}{\text{n (d + D)}} - 0.1 \text{ F}_{r}$$
 [kN]

for lubrication with grease

$$F_{a \text{ max}} = \frac{0.2 C_{or} \cdot 10^4}{n (d + D)} - 0.06 F_{r}$$
 [kN]

F _{a max} maximum admissible axial load	[kN]

$$\mathsf{C}_{\mathsf{or}} \ldots$$
 basic radial static load rating [kN]

$$F_r \dots radial$$
 load of bearings [kN]

The $F_{a,max}$ values calculated according to the above stated equations apply on condition of acting of constant axial force. In case of interrupted load or impact load the admissible axial load can grow by two or three times towards the calculated value.

... 354



At acting axial load cylindrical roller bearings operate reliably only if the bearings are loaded radially at the same time. The relation $F_{\nu}/F_{\nu} \leq 0.25$ has to be maintained.

Equivalent dynamic load of bearing

Axially free NNSL type bearings are capable of transferring radial load only; the following applies to these bearings:

$$P = F_{r}$$

Axially guiding bearings in NNCF and NNC version are capable of transferring both radial and axial load; the following applies to these bearings:

$$P = F_{r}$$

for
$$F_a/F_r \leq e$$

$$P = 0.92 F_r + Y F_a$$

for
$$F_a/F_r > e$$

where the arithmetic coefficient e = 0.15 for double row full complement bearing

and axial load coefficient Y = 0.4 for double row full complement bearing

Equivalent static load of bearing

$$P_0 = F_r$$

Additional designations

CV modified internal design, full complement

V full complement (without cage)
























Single row full complement cylindrical roller bearings d = 20 to $1000 \, mm$




				Main dim	ensions	;			Bearing designation	Basic loa	nd rating
ĺ										dynamic	static
	d	D	В	r _s	r _{1s}	F	E	S ¹⁾		C,	C _{or}
Θ.				min	min						
12.4.				mr	n					kl	N
	20	42	16,00	0,6	0,6		36,80	1,5	NSF3004CV	26,0	28,0
	25	47	16,00	0,6	0,6		42,50	1,5	NSF3005CV	30,0	34,0
		62	24,00	1,1	,	31,74	,	1,7	NJB2305VH	64,0	65,0
	30	55	19,00	1,0	1,0	00.00	49,60	2,0	NSF3006CV	37,0	41,0
		72	27,00	1,1		38,36		1,8	NJB2306VH	80,0	82,0
	35	62	20,00	1,0	1.0		55,50	2,0	NSF3007CV	46.0	53,0
		80	31,00	1,5	.,-	44,75	,	2,0	NJB2307VH	103,0	108,0
	40	68	21,00	1,0	1,0		61,70	2,0	NSF3008CV	53,0	65,0
		90	33,00	1,5		51,15		2,4	NJB2308VH	138,0	149,0
	45	75	23,00	1,0	1.0		66.90	2,0	NSF3009CV	55,0	71,0
	40	100	36,00	1,5	1,0	56,14	00,90	2,0	NJB2309VH	167,0	188,0
			00,00	.,0		00,11		_, .		101,0	100,0
	50	80	23,00	1,0	1,0		72,30	2,0	NSF3010CV	70,0	93,0
	55	90	26,00	1,1	1,1		83,50	2,0	NSF3011CV	100,0	136,0
		120	43,00	2,0		67,14		2,6	NJB2311VH	225,0	250,0
	60	85	16,00	1,0	1,0		78,65	1,0	NSF2912CV	51,0	75,0
		95	26,00	1,1	1,1		86,70	1,6	NSF3012CV	101,0	137,0
	65	90	16,00	1,0	1,0		85,35	1,0	NSF2913CV	54,0	82,0
		100	26,00	1,1	1,1		93,10	2,0	NSF3013CV	106,0	155,0
		140	48,00	2,1		80,71		3,0	NJB2313VH	291,0	345,0
	70	100	19,00	1,0	1,0		92,50	1,0	NSF2914CV	72,0	108,0
		110 150	30,00 51,00	1,1 2,1	1,1	84,22	100,30	3,0	NSF3014CV NJB2314VH	119,0 324,0	164,0 389,0
		130	51,00	۷,۱		04,22		3,0	NJDZJI4VH	324,0	309,0
	75	105	19,00	1,0	1,0		97,60	1,0	NSF2915CV	73,0	112,0
		115	30,00	1,1	1,1		107,90	3,0	NSF3015CV	124,0	181,0
		160	55,00	2,1		91,24		3,0	NJB2315VH	379,0	463,0
	25		40.00				400 75		NOFOCIONI	70 -	100 -
	80	110 125	19,00 34,00	1,0 1,1	1,0 1,1		102,70 117,00	1,0 4,0	NSF2916CV NSF3016CV	76,0 151,0	123,0 219,0
		170	58,00	2,1	1,1	98,26	117,00	4,0	NJB2316VH	437,0	552,0
		170	55,50	٠,١		50,20		7,0	11002010111	-U, 10F	002,0

. . 356



d = 20 to 80 mm



- Admissible axial loadRecommended diameter of fitting for axially loaded bearings

W


P _u 9 kN 3,41 4,15 7,93 5,00 10,00 6,46 13,17 7,93 18,17 8,66	rease min ⁻¹ 6900 5700 3600	oil	d	d _a	d _{as} ²⁾	d _b	D				
3,41 4,15 7,93 5,00 10,00 6,46 13,17 7,93 18,17	6900 5700					ъ	D _a	D _b	r _a	r _b	
3,41 4,15 7,93 5,00 10,00 6,46 13,17 7,93 18,17	6900 5700			min		max	max	max	max	max	
4,15 7,93 5,00 10,00 6,46 13,17 7,93 18,17	5700					mn	m				kg
7,93 5,00 10,00 6,46 13,17 7,93 18,17		8200	20	24	26,9	-	38	40	0,6	0,6	0,11
7,93 5,00 10,00 6,46 13,17 7,93 18,17		6800	25	29	32,3	-	43	45	0,6	0,6	0,12
10,00 6,46 13,17 7,93 18,17		4300	20	32	33,9	30,0	55	-	1,0	0,0	0,12
10,00 6,46 13,17 7,93 18,17											
6,46 13,17 7,93 18,17	4800	5700	30	35	37,8	-	50	52	1,0	1,0	0,20
13,17 7,93 18,17	3315	3900		37	40,8	36,0	65	-	1,0		0,56
13,17 7,93 18,17	4300	5100	35	40	42,8	-	57	59	1,0	1,0	0,26
18,17	2800	3300	00	44	47,6	42,0	71	-	1,5	.,0	0,75
18,17											
	3900	4600	40	45	47,9	-	63	65	1,0	1,0	0,3
8 66	2400	2900		49	54,4	49,0	81	-	1,5		1,00
0,00	3400	4100	45	50	53,0	-	70	72	1,0	1,0	0,40
22,93	2200	2700		54	59,3	54,0	91	-	1,5		1,45
11,34	3200	3800	50	55	56,7	_	75	77	1,0	1,0	0,43
11,04	0200	0000	00	00	50,1		75	- ''	1,0	1,0	0,40
16,59	2700	3200	55	61	65,8	-	84	86	1,0	1,0	0,64
30,49	1780	2100		66	71,3	66,0	109	-	2,0		2,30
9,15	2900	3500	60	65	66,8	-	80	80	1,0	1,0	0,29
16,71	2800	3300		66	68,9	-	89	91	1,0	1,0	0,69
10,00	2600	3100	65	70	73,4	-	85	85	1,0	1,0	0,3
18,90	2400	2900		71	75,6	-	94	96	1,0	1,0	0,73
42,07	1500	1800		77	85,3	78,0	128	-	2,0		3,58
13,17	2400	2900	70	75	78,5		95	95	1,0	1,0	0,49
20,00	2200	2700	70	76	78,7	-	104	106	1,0	1,0	1,02
47,44	1400	1700		82	89,0	81,0	138	-	2,0	.,0	4,40
14,10	2200	2700	75	80	83,8	-	100	100	1,0	1,0	0,52
22,42	2100	2500		81	86,5	-	109	111	1,0	1,0	1,06
53,80	1200	1500		87	96,1	88,0	148	-	2,0		5,35
15,23											
26,51	2100	2500	80	85	88,6	-	105	105	1,0	1,0	0,5
62,96	2100 1900	2500 2300	80	85 86	88,6 92,0	-	105 119	105 121	1,0 1,0	1,0 1,0	0,55 1,43

••••• 357 •••




Single row full complement cylindrical roller bearings

d = 85 to 160 mm



		ı	Main dim	ensions				Bearing designation	Basic loa	d rating
									dynamic	static
d	D	В	r _s	r _{1s}	F	E	S ¹⁾		C,	C_{or}
			min	min						
			mn	n .		,			k!	1
85	120	22,00	1,1	1,1		109,70	1,0	NSF2917CV	94,0	156,
	130	34,00	1,1	1,1		121,40	4,0	NSF3017CV	160,0	225,
	180	60,00	3,0	,	107	,	4,0	NJB2317VH	455,0	605
90	125	22,00	1,1	1,1		115,60	1,0	NSF2918CV	98,0	165,
	140	37,00	1,5	1,5		130,10	4,0	NSF3018CV	185,0	260,
	190	64,00	3,0		105,3		4,0	NJB2318VH	505,0	650,
100	140	24,00	1,1	1,1		130,60	1,5	NSF2920CV	110,0	185,
	150	37,00	1,5	1,5		139,70	4,0	NSF3020CV	195,0	295,
	215	73,00	3,0		119,3		4,0	NJB2320VH	665,0	850,
110	150	24,00	1,1	1,1		141,10	1,5	NSF2922CV	120,0	205,
	170	45,00	2,0	2,0		156,10	5,5	NSF3022CV	260,0	375,
	240	80,00	3,0		134,3		5,0	NJB2322VH	840,0	1030,
120	165	27,00	1,1	1,1		154,30	1,5	NSF2924CV	160,0	275,
	180	46,00	2,0	2,0		167,60	5,5	NSF3024CV	275,0	420,
	215	58,00	2,1	2,1		192,32	4,0	NSF2224V	500,0	720,
	260	86,00	3,0		147,4		5,0	NJB2324VH	925,0	1200,
130	180	30,00	1,5	1,5		167,10	2,0	NSF2926CV	190,0	340
	200	52,00	2,0	1,0		183,00	5,5	NSF3026CV	395,0	600
	280	93,00	4,0		157,9		6,0	NJB2326VH	1040,0	1400
140	190	30,00	1,5	1,5		180,00	2,0	NSF2928CV	205,0	375,
	210	53,00	2,0	1,0		197,00	5,5	NSF3028CV	420,0	660,
	250	68,00	3,0	3,0		221,90	5,0	NSF2228V	680,0	1000
	300	102,00	4,0		168,5		6,5	NJB2328VH	1150,0	1560
150	210	36,00	2,0	2,0		196,40	2,5	NSF2930CV	275,0	475
	225	56,00	2,1	1,1		206,00	7,0	NSF3030CV	440,0	695
	270	73,00	3,0	3,0		236,70	6,0	NSF2230V	770,0	1130
	320	108,00	4,0		182,5		6,5	NJB2330VH	1390,0	1870
160	220	36,00	2,0	2,0		207,20	2,5	NSF2932CV	290,0	510,
	240	60,00	2,1	1,1		224,00	7,0	NSF3032CV	490,0	780,
	290	80,00	3,0	3,0		266,40	6,0	NSF2232V	970,0	1470,





- Admissible axial loadRecommended diameter of fitting for axially loaded bearings

W


Fatique load limit	Limiting sp	eed for n with			Abutme	ent and fi	llet dimer	nsions			Weight
P _u	grease	oil	d	d _a	d _{as} ²⁾	d _b	D _a	D _b	r _a	r _b	~
				min		max	max	max	max	max	
kN	min-1					mi	m				kg
18.88	2100	2500	85	91	93.9	-	114	114	1.0	1,0	0,81
26,85	1900	2300		91	96,2	-	124	126	1,0	1,0	1,51
67,81	1100	1300		99	113,0	104,0	166	-	2,5		7,40
19,69	1900	2300	90	96	99,8	-	119	119	1,0	1,0	0,84
30,41	1700	2100		97	103,0	-	133	135	1,5	1,5	1,97
71,66	1100	1300		104	111,0	105,0	176	-	2,5		8,75
21,36	1700	2100	100	106	111,0	-	134	134	1,0	1,0	1,14
33,65	1600	1900		107	112,0	-	143	145	1,5	1,5	2,15
90,45	900	1100		114	126,0	119,0	201	-	2,5		13,0
20.44	4500	4000			100.0						
23,11	1500	1800	110	116	122,0	-	144	144	1,0	1,0	1,23
41,34	1400	1700		120	124,0	-	160	165	2,0	2,0	3,50
106,20	850	1000		124	143,0	130,0	226	-	2,5		17,5
30,16	1400	1700	120	126	133,0	-	159	159	1,0	1,0	1,73
45,35	1300	1600	120	130	135,0	-	170	175	2,0	2,0	3,80
75.22	1100	1300		131	145.0	-	204	204	2,0	2,0	9,05
120,71	850	1000		134	156,0	142,0	246	-	2,5	2,0	22,5
120,11	000	1000		101	100,0	, .	2.0		2,0		22,0
36,36	1200	1500	130	137	143.0	-	173	173	1,5	1,5	2,33
62,96	1100	1400		140	148,0	-	190	195	2,0	1,0	5,80
137,65	800	950		147	166,0	153,0	263	-	3,0		28,0
39,35	1100	1400	140	147	155,0	-	183	183	1,5	1,5	2,42
68,05	1100	1300		150	159,0	-	200	205	2,0	1,0	6,10
99,81	900	1100		143	167,0	-	127	127	2,5	2,5	14,5
150,17	720	850		157	178,0	163,0	283	-	3,0		35,5
48,56	1100	1300	150	159	166,0	-	201	201	2,0	2,0	3,77
70,19	1000	1200		161	167,0	-	214	234	2,0	1,0	7,50
110,31	850	1000		153	178,0	470.0	137	137	2,5	2,5	18,4
176,48	680	800		167	192,0	178,0	303	-	3,0		42,5
51,30	1000	1200	160	169	177,0	-	211	211	2,0	2,0	4,00
77,26	900	1100		171	180,0	-	229	304	2,0	1,0	9,10
140,56	800	950		163	201,0	-	147	147,0	2,5	2,5	23,0

• • • • • • • • 359 • • •




Single row full complement cylindrical roller bearings







				Main dim	ensions	5			Bearing designation	Basic loa	nd rating
ĺ										dynamic	static
	d	D	В	r _s	r _{1s}	F	Е	S ¹⁾		C _r	C _{or}
Θ,				min	min						
12.4.				mr	n					kl	V
	170	230	36,00	2,0	2,0		218,00	2,5	NSF2934CV	300,0	545,0
		260	67,00	2,1	1,1		242,00	7,0	NSF3034CV	640,0	1030,0
		310	86,00	4,0	4,0		281,10	7,0	NSF2234V	1050,0	1670,0
		360	120,00	4,0		203,55		7,0	NJB2334VH	1690,0	2410,0
	180	250	42,00	2,0	2,0		232,00	2,5	NSF2936CV	375,0	680,0
		280	74,00	2,1	2,1		260,00	7,0	NSF3036CV	740,0	1210,0
		380	126,00	4,0		221,7		8,0	NJB2336VH	1800,0	2620,0
	190	260	42.00	2,0	2,0		244.00	2,5	NSF2938CV	415,0	765,0
	100	290	75,00	2.1	2.1		269.00	9.0	NSF3038CV	765.0	1275,0
		340	92,00	4,0	4,0		311,00	7,0	NSF2238V	1200,0	1880,0
		400	132,00	5,0	.,-	224,5	,	8,0	NJB2338VH	2090,0	2970,0
			,	.,.		, .		.,.		,	,.
	200	250	24,00	1,5	1,1		237,50	1,8	NSF1840V	170,0	330,0
		280	48,00	2,1	2,1		262,00	3,0	NSF2940CV	515,0	950,0
		310	82,00	2,1	2,1		287,00	9,0	NSF3040CV	880,0	1500,0
		420	138,00	5,0		238,6		9,0	NJB2340VH	2200,0	3150,0
	220	270	24,00	1,5	1,1		258,00	1,8	NSF1844V	180,0	360,0
		300	48,00	2,1	2,1		283,00	3,0	NSF2944CV	525,0	1030,0
		340	90,00	3,0	3,0		312,00	9,0	NSF3044CV	1030,0	1770,0
		400 460	108,00 145,00	4,0	4,0	266,7	366,00	8,0	NSF2244V NJB2344VH	1800,0 2450,0	2700,0
		400	145,00	5,0		200,7		10,0	NJD2344VII	2450,0	3510,0
	240	300	28.00	2,0	1,1		287.00	1.8	NSF1848V	250.0	510,0
	240	320	48,00	2,1	2,1		303,00	3,0	NSF2948CV	545,0	1110,0
		360	92,00	3,0	3,0		335,00	11,0	NSF3048CV	1080,0	1940,0
		500	155,00	5,0	-,-	280,6	,	10,0	NJB2348VH	2710,0	3860,0
			,	,		,		,		,	,
	260	320	28,00	2,0	1,1		307,20	1,8	NSF1852V	260,0	550,0
		360	60,00	2,1	2,1		333,00	3,5	NSF2952CV	715,0	1400,0
		400	104,00	4,0	4,0		376,00	11,0	NSF3052CV	1450,0	2520,0
		540	165,00	6,0		615,6		11,0	NJB2352VH	3300,0	4770,0
		0.50	20.00				224.22		110510501	222.2	200.0
	280	350	33,00	2,0	1,1		334,00	2,5	NSF1856V	330,0	690,0
		380	60,00	2,1	2,1		359,10	3,5		840,0	1710,0
		420	106,00	4,0	4,0		391,00	11,0	NSF3056CV	1690,0	2630,0









- Admissible axial loadRecommended diameter of fitting for axially loaded bearings

Fatique load limit	Limiting sp lubricatio	eed for n with			Abutme	ent and fi	llet dimer	nsions			Weight
P _u	grease	oil	d	d _a	d _{as} ²⁾	d _b	D _a	D _b	ra	r _b	~
				min		max	max	max	max	max	
kN	min ⁻	1		<u> </u>		mı	m				kg
53,99	900	1100	170	179	188,0	-	221	221,0	2,0	2,0	4,30
99,84	850	1000		181	192,0	-	249	274,0	2,0	1,0	12,5
156,62	760	900		185	212,0	-	295	295,0	3,0	3,0	28,7
219,40	590	700		187	214,0	200,0	343	-	3,0		59,5
65,91	850	1000	180	189	199,0	-	241	241,0	2,0	2,0	6,20
114,94	850	1000		191	206,0	-	269	269,0	2,0	2,0	16,5
234,61	570	670		197	232,0	216,0	363	-	3,0		69,5
73,15	850	1000	190	199	208,0	-	251	251,0	2,0	2,0	6,50
119,57	850	1000		201	216,0	-	279	279,0	2,0	2,0	17,0
171,15	680	800		205	235,0	-	325	325,0	3,0	3,0	35,7
261,82	530	630		210	237,0	222,0	380	-	4,0		80,0
31,55	850	1000	200	207	215,0	-	243	245,0	1,5	1,0	2,60
89,09	830	980		211	222,0	-	269	269,0	2,0	2,0	9,10
138,14	800	950		211	230,0	-	299	299,0	2,0	2,0	22,5
273,58	630	750		220	252,0	232,0	400	-	4,0		92,0
33,55	800	950	220	227	235,0	-	263	265,0	1,5	1,0	2,85
94,30	800	950		231	242,0	-	289	289,0	2,0	2,0	9,90
158,49	720	850		233	248.0	-	327	327,0	2,5	2,5	29,5
234,50	590	700		235	260,0	-	385	385,0	3,0	3,0	58,0
296,52	570	670		240	281,0	260,0	440	-	4,0	-,-	111
46,17	760	900	240	249	259.0	_	291	295,0	2,0	1,0	4,40
99,39	720	850	240	251	263,0	-	309	309,0	2,0	2,0	10,6
170,16	680	800		253	271,0	_	347	347,0	2,5	2,5	32,0
317,92	530	630		260	295,0	282,0	480	-	4,0	2,0	147
48,73	680	800	260	270	279,0	-	310	315,0	2,0	1,0	4,75
121,59	630	750		271	286,0	-	349	349,0	2,0	2,0	18,5
214,80	590	700		275	295,0	-	385	385,0	3,0	3,0	46,5
383,78	360	430		286	332,0	309,0	514	-	5,0		177
59,64	630	750	280	289	303,0	-	341	344,0	2,0	1,0	7,10
145,76	590	700		291	309,0	-	369	369,0	2,0	2,0	19,7
220,25	570	670		295	310,0	-	405	405,0	3,0	3,0	50,0






















• • • • • • • • 361 • • •



Single row full complement cylindrical roller bearings


d = 300 to 460 mm



									dynamic	static
d	D	В	r _s	r _{1s}	F	E	s ¹⁾		C _r	C _{or}
			min	min						
			mr	n					k١	1
300	380	38,00	2,1	1,5		363,00	3,0	NSF1860V	410,0	850,0
	420	72,00	3,0	3,0		390,50	5,0	NSF2960CV	1050,0	2180,0
	460	118,00	4,0	4,0		433,00	14,0	NSF3060CV	1810,0	3230,
000	400	00.00	0.4	4.5		000.00	0.0	NOTACOAN	400.0	000
320	400	38,00	2,1	1,5		383,00	3,0	NSF1864V	430,0	900,
	440	72,00	3,0	3,0		411,00	5,0	NSF2964CV	1070,0	2340,
	480	121,00	4,0	4,0		449,00	14,0	NSF3064CV	1900,0	3440,
340	420	38,00	2,1	1,5		403.00	3,0	NSF1868V	440.0	950,
	460	72,00	3,0	3,0		431,00	5,0	NSF2968CV	1100,0	2490,
	520	133,00	5,0	5,0		485,00	14,0	NSF3068CV	2300,0	4140,
360	440	38,00	2,1	1,5		418,90	4,5	NSF1872V	400,0	900,
	480	72,00	3,0	3,0		451,50	5,0	NSF2972CV	1150,0	2590,
	540	134,00	5,0	5,0		503,00	14,0	NSF3072CV	2340,0	4290,
380	480	46,00	2,1	1,5		458,00	3,5	NSF1876V	620,0	1290,
300	520	82,00	4.0	4.0		488,00	5,0	NSF2976CV	1460,0	3230
	560	135,00	5,0	5,0		521,00	14,0	NSF3076CV	2430,0	4540,
		100,00	0,0	0,0		021,00	,0		2100,0	1010,
400	500	46,00	2,1	1,5		475,00	3,5	NSF1880V**	620,0	1340,
	540	82,00	4,0	4,0		511,00	5,0	NSF2980CV**	1550,0	3450,
	600	148,00	5,0	5,0		558,00	14,0	NSF3080CV**	2850,0	5500,
420	520	46,00	2,1	1,5		499.00	3,5	NSF1884V**	660,0	1430
420	560	82,00	4.0	4.0		524,00	5,0	NSF2984CV**	1550,0	3600,
	620	150,00	5,0	5,0		577,00	15,0	NSF3084CV**	2930,0	5700,
	020	100,00	0,0	0,0		0.1,00	.0,0		2000,0	0.00,
440	540	46,00	2,1	1,5		516,00	3,5	NSF1888V**	670,0	1460,
	540	60,00	2,1	1,5		516,00	3,5	NSF2888V**	1050,0	2700,
	600	95,00	4,0	4,0		565,50	6,0	NSF2988V**	2010,0	4400
	650	157,00	6,0	6,0		611,00	16,0	NSF3088CV**	3430,0	6550,
460	580	56,00	3.0	3.0		EE2 00	5,0	NSF1892V**	910,0	1000
400	580	72,00	3,0	3,0		553,00 553,00	5,0	NSF1892V**	1300,0	1960, 3050,
	620	95,00	4,0	4,0		553,00	6,0	NSF2892V**	2050,0	4500,
	680	163,00	6,0	6,0		635,00	16,0	NSF3092CV**	3570,0	4500, 6950,
	000	100,00	0,0	0,0		000,00	10,0	1431 309204	3370,0	0330,

. . 362





- Admissible axial loadRecommended diameter of fitting for axially loaded bearings

Fatique load limit	Limiting sp lubricatio				Abutme	ent and fi	llet dimer	nsions			Weight
P _u	grease	oil	d	d	d _{as} ²⁾	d _b	D _a	D _b	r _a	r _b	~
				min		max	max	max	max	max	
kN	min ⁻	1				mi	m .				kg
71,81	570	670	300	311	326,0	-	369	373,0	2,0	1,5	10,00
181,03	570	670		313	334,0	-	407	407,0	2,5	2,5	31,2
263,91	510	600		315	344,0	-	445	445,0	3,0	3,0	69,0
7.7.	500	200	200	201	2422			200			
74,74	530	630 600	320	331	346,0	-	389 427	393,0	2,0	1,5	10,5
191,19 276,77	510 470	560		333 335	353,0 359,0	-	465	427,0 465,0	2,5	2,5	32,9
210,11	470	360		333	359,0	-	400	400,0	3,0	3,0	74,5
77,62	510	600	340	351	366,0	-	409	413,0	2,0	1,5	11,0
200,34	470	560		353	373,0	-	447	447,0	2,5	2,5	35,0
325,95	450	530		358	384,0	-	502	502,0	4,0	4,0	100,0
72,41	470	560	360	371	384,0	-	429	433,0	2,0	1,5	11,5
205,36	450	530		373	396,0	-	467	467,0	2,5	2,5	36,5
333,18	420	500		378	402,0	-	522	522,0	4,0	4,0	105
101,56	450	530	380	391	411,0		469	473,0	2,0	1,5	19,5
250,86	420	500		395	420,0	-	505	505,0	3,0	3,0	52,5
348,03	400	480		398	420,0	-	542	542,0	4,0	4,0	110
104,07	420	500	400	411	428,0	-	489	493,0	2,0	1,5	20,5
264,47	400	480		415	442,0	-	525	525,0	3,0	3,0	54,5
413,86	380	450		418	449,0	-	582	582,0	4,0	4,0	145
109.62	400	480	420	431	452.0	-	509	513,0	2,0	1,5	21,0
272,54	380	450		435	455,0	-	545	545,0	3,0	3,0	57,0
423,90	360	430		438	469,0	-	602	602,0	4,0	4,0	150
110,53	380	450	440	451	469,0	-	529	533,0	2,0	1,5	22,0
204,40	380	450		451	469,0	-	529	533,0	2,0	1,5	29,0
327,22	360	430		455	492,0	-	585	585,0	3,0	3,0	80,5
480,30	340	400		463	488,0	-	627	627,0	5,0	5,0	175
145,76	360	430	460	473	495,0	-	567	567,0	2,5	2,5	34,0
226,82	360	430		473	495,0	-	567	567,0	2,5	2,5	44,0
330,89	340	400		475	506,0	-	605	605,0	3,0	3,0	83,5
502,82	320	380		483	511,0	-	657	657,0	5,0	5,0	195






















• • • • • • • • • 363 • • •



Single row full complement cylindrical roller bearings


d = 480 to 750 mm




				Main dim	ensions	6			Bearing designation	Basic loa	nd rating
										dynamic	static
	d	D	В	r _s	r _{1s}	F	E	S ¹⁾		C _r	C _{or}
e .				min	min						
12.4.				mr	n					kl	N
	480	600	56,00	3,0	3,0		573,50	5,0	NSF1896V**	930,0	2040,0
		600	72,00	3,0	3,0		573,50	5,0	NSF2896V**	1320,0	3150,0
		650	100,00	5,0	5,0		600,00	7,0	NSF2996V**	2280,0	4900,0
		700	165,00	6,0	6,0		654,00	16,0	NSF3096CV**	3600,0	7200,0
	500	620	56,00	3,0	3,0		594,00	5,0	NSF18/500V**	950,0	2120,0
	300	620	72,00	3,0	3,0		594,00	2,4	NSF28/500V**	1340,0	3350,0
		670	100,00	5,0	5,0		630,90	7,0	NSF29/500V**	2300.0	5000,0
		720	167,00	6,0	6,0		676,00	16,0	NSF30/500CV**	3700,0	7500,0
			101,00	0,0	0,0		0.0,00	,.	110. 00, 00001	0.00,0	. 000,0
	530	650	56,00	3.0	3.0		624.50	5.0	NSF18/530V**	990.0	2230.0
		650	72,00	3,0	3,0		624,50	5,0	NSF28/530V**	1400,0	3450,0
		710	106,00	5,0	5,0		676,00	7,0	NSF29/530V**	2600,0	6100,0
		780	185,00	6,0	6,0		732,30	16,0	NSF30/530V**	5200,0	10600,0
	560	680	56,00	3,0	3,0		655,00	5,0	NSF18/560V**	1020,0	2350,0
		680	72,00	3,0	3,0		655,00	4,3	NSF28/560V**	1400,0	3650,0
		750	112,00	5,0	5,0		718,00	7,0	NSF29/560V**	3050,0	6700,0
		820	195,00	6,0	6,0		770,00	16,0	NSF30/560V**	5800,0	11800,0
	600	730	60.00	3,0	3,0		696.00	7,0	NSF18/600V**	1050.0	2550.0
	000	730	78,00	3,0	3,0		696,00	6,0	NSF28/600V**	1550,0	4300,0
		800	118,00	5,0	5,0		754,00	7,0	NSF29/600V**	3150,0	7100,0
			,	-,-	-,-		,	.,-		,.	, .
	630	780	69,00	4,0	4,0		739,00	8,0	NSF18/630V**	1250,0	2900,0
		780	88,00	4,0	4,0		739,00	8,0	NSF28/630V**	1850,0	5000,0
		850	128,00	6,0	6,0		807,00	8,0	NSF29/630V**	3750,0	8650,0
	670	820	69,00	4,0	4,0		783,00	8,0	NSF18/670V**	1300,0	3150,0
		820	88,00	4,0	4,0		783,00	8,0	NSF28/670V**	1950,0	5300,0
		900	136,00	6,0	6,0		846,00	10,0	NSF29/670V**	3900,0	9000,0
	710	870	74,00	4,0	4,0		831,00	8,0	NSF18/710V**	1550,0	3750,0
		870	95,00	4,0	4,0		831,00	8,0	NSF28/710V**	2330,0	6300,0
		950	140,00	6,0	6,0		896,00	10,0	NSF29/710V**	4300,0	10000,0
	750	920	78,00	5,0	5,0		882,00	8,0	NSF18/750V**	1850,0	4500,0
		920	100,00	5,0	5,0		878,00	8,0	NSF28/750V**	2650,0	6950,0
		1000	145,00	6,0	6,0		937,00	11,0	NSF29/750V**	4450,0	10600,0

-- 764







- Admissible axial loadRecommended diameter of fitting for axially loaded bearings

W


Fatique load limit	Limiting s _i				Abutm	ent and f	illet dime	nsions			Weight
P _u	grease	oil	d	d _a	d _{as} ²⁾	d _b	D _a	D _b	r _a	r _b	~
				min		max	max	max	max	max	
kN	min	r ¹				m	m				kg
150,00	340	400	480	493	516,0	-	587	587,0	2,5	2,5	35,5
231,62	340	400		493	516,0	-	587	587,0	2,5	2,5	46,0
355,44	320	380		498	527,0	-		632,0	4,0	4,0	98,0
515,54	300	360		503	532,0	-	677	677,0	5,0	5,0	205
154,19	320	380	500	513	536,0	-		607,0	2,5	2,5	36,5
243,65	320	380		513	536,0	-		607,0	2,5	2,5	48,0
358,93	320	380		518	544,0	-		652,0	4,0	4,0	100,0
531,68	300	360		523	553,0	-	697	697,0	5,0	5,0	215
450.07	222	000	500	F 10	507.0		007	007.0			00.5
159,67	300	360	530	543	567,0	-		637,0	2,5	2,5	38,5
247,03 430,33	300 290	360 340		543 548	566,0	-		637,0	2,5	2,5	49,5
	290	340		553	589,0 595.0	-		692,0	4,0	4,0	120 300
735,56	2/0	320		553	595,0	-	101	757,0	5,0	5,0	300
165,78	290	340	560	573	597,0	-	667	667,0	2,5	2,5	40,5
257,49	290	340	300	573	599.0		667	667,0	2,5	2,5	54,0
464.93	270	320		578	617.0	-		732.0	4,0	4,0	140
806,15	250	300		583	626,0	-		797,0	5,0	5,0	345
555,15	200				020,0			, .	0,0	0,0	0.0
176.15	340	400	600	613	638.0		717	717,0	2,5	2,5	51,5
297,04	340	400		613	638,0	-	717	717,0	2,5	2,5	67,5
482,96	320	380		618	652,0	-	782	782,0	4,0	4,0	170
196,85	250	300	630	645	674,0	-		765,0	3,0	3,0	72,5
339,39	250	300		645	674,0	-	765	765,0	3,0	3,0	92,5
578,67	240	280		653	698,0	-	827	827,0	5,0	5,0	205
210,31	240	280	670	685	718,0	-		805,0	3,0	3,0	76,5
353,85	240	280		685	718,0	-		805,0	3,0	3,0	97,5
591,52	220	260		693	737,0	-	877	877,0	5,0	5,0	245
246,00	220	260	710	725	759,0	-		855,0	3,0	3,0	92,5
413,27	220	260		725	759,0	-		855,0	3,0	3,0	115
646,34	200	240		733	761,0	-	927	927,0	5,0	5,0	275
000.00	000	040	750	700	0000		000	000.0	4.0	4.0	440
290,33 448,40	200 200	240 240	750	768 768	802,0 799,0	-	902 902	902,0 902,0	4,0 4,0	4,0 4,0	110 140
674,36	185	240		768	799,0 820,0	-	902	902,0	5,0	5,0	315
074,36	100	220		113	020,0	-	90/	951,0	5,0	5,0	315

• • • • • • 365 • • •




Single row full complement cylindrical roller bearings

d = 800 to 1000 mm



		ľ	Main dim	ensions				Bearing designation	Basic loa	d rating
									dynamic	static
d	D	В	r _s	r _{1s}	F	E	s ¹⁾		C _r	C _{or}
			min	min						
			mn						kN	
800	980	82,00	5,0	5,0		936,00	9,0	NSF18/800V**	1950,0	4800
	980	106,00	5,0	5,0		936,00	10,0	NSF28/800V**	2750,0	7500
	1060	150,00	6,0	6,0		1002,00	11,0	NSF29/800V**	4950,0	12200
850	1030	82,00	5,0	5,0		985,00	9,0	NSF18/850V**	2000,0	5100
	1030	106,00	5,0	5,0		986,00	10,0	NSF28/850V**	2850,0	8000
	1120	155,00	6,0	6,0		1061,00	13,0	NSF29/850V**	5200,0	12700
000	1000	05.00	5.0	5.0		1044.00	0.0	NSF18/900V**	0050.0	0000
900	1090	85,00	5,0	5,0		1044,00	9,0		2350,0	6000
	1090	112,00	5,0	5,0		1044,00	10,0	NSF28/900V**	3200,0	9150
	1180	165,00	6,0	6,0		1120,00	13,0	NSF29/900V**	5900,0	14600
950	1150	90,00	5,0	5,0		1103,00	10,0	NSF18/950V**	2400,0	6300
	1150	118,00	5,0	5,0		1103,00	12,0	NSF28/950V**	3400,0	9800
	1250	175,00	7,5	7,5		1179,00	14,0	NSF29/950V**	6600,0	16300
1000	1220	100,00	6,0	6,0		1165,00	12,0	NSF18/1000V**	2900,0	7500
1000	1220	128,00	6,0	6,0		1165,00	12,0	NSF28/1000V**	4100,0	11600
	1320	185,00	7,5	7,5		1252,00	14,0	NSF29/1000V**	7450,0	18600

. . 366



- Admissible axial loadRecommended diameter of fitting for axially loaded bearings

Fatique load limit	Limiting sp lubrication				Abutm	ent and f	illet dime	nsions			Weight
P _u	grease	oil	d	da	d _{as} ²⁾	d _b	D _a	D _b	r _a	r _b	~
				min		max	max	max	max	max	
kN	min	-1			· ·	m	m				kg
303,82	185	220	800	818	855,0	-	962	962,0	4,0	4,0	130
474,71	185	220		818	855,0	-	962	962,0	4,0	4,0	165
762,08	170	200		823	860,0	-	977	977,0	5,0	5,0	360
317,55	170	200	850	868	902,0	-	1012	1012,0	4,0	4,0	135
498,12	170	200		868	903,0	-	1012	1012,0	4,0	4,0	175
779,76	160	190		873	914,0	-	1097	1097,0	5,0	5,0	405
367,27	160	190	900	918	957,0	-	1072	1072,0	4,0	4,0	160
560,09	160	190		918	957,0	-	7072	1072,0	4,0	4,0	208
881,92	145	170		923	982,0	-	1127	1127,0	5,0	5,0	472
379,46	145	170	950	968	1012,0	-	1132	1132,0	4,0	4,0	185
590,28	145	170		968	1012,0	-	1132	1132,0	4,0	4,0	240
968,18	135	160		978	1033,0	-	1222	1222,0	6,0	6,0	565
444,27	135	160	1000	1023	1063,0	-	1197	1197,0	5,0	5,0	230
687,14	135	160		1023	1063,0	-	1197	1197,0	5,0	5,0	310
1 087,33	125	150		1028	1091,0	-	1292	1292,0	6,0	6,0	680
























Double row full complement cylindrical roller bearings d = 20 to 400 mm




			Main dim	ensions			Basic loa	d rating	Fatique load limit
							dynamic	static	
	d	D	В	r.	Е	S ¹⁾	C,	C _{or}	P _u
4				min				<u> </u>	<u> </u>
12.4.4			m	m			kl	1	kN
_	20	42	30	0,6	36,81	1,0	47,0	56,0	6,83
	25	47	30	0,6	42,51	1,0	54,0	70,0	8,54
	30	55	34	1,0	49,60	1,5	69,0	88,0	10,73
	35	62	36	1,0	55,52	1,5	83,0	112,0	13,66
	40	68	38	1,0	61,74	1,5	101,0	139,0	16,95
	45	75	40	1,0	66,85	1,5	107,0	156,0	19,02
	50	80	40	1,0	72,23	1,5	137,0	197,0	24,02
	55	90	46	1,1	83,54	1,5	184,0	280,0	34,15
	60	85	25	1,0	77,51	1,0	74,0	136,0	16,59
		85	25	1,0	77,51	-	74,0	136,0	16,59
		85	25	1,0	77,51	1,0	74,0	136,0	16,59
		95	46	1,1	86,74	1,5	192,0	300,0	36,59
	65	100	46	1,1	93,09	1,5	203,0	325,0	39,63
				.,.		., -		,-	22,22
	70	100	30	1,0	91,87	1,0	109,0	193,0	23,54
		100	30	1,0	91,87	-	109,0	193,0	23,54
		100	30	1,0	91,87	1,0	109,0	193,0	23,54
		110	54	1,1	100,28	3,0	231,0	345,0	42,07
	75	115	54	1,1	107,90	3,0	245.0	380,0	31,05
	70	110	04	1,1	107,00	0,0	240,0	000,0	01,00
	80	110	30	1,0	100,78	1,0	115,0	215,0	17,57
		110	30	1,0	100,78	-	115,0	215,0	17,57
		110	30	1,0	100,78	1,0	115,0	215,0	17,57
L		125	60	1,1	116,99	3,5	300,0	455,0	36,34
	85	130	60	1,1	121,44	3,5	305,0	475,0	37,40
	90	125	35	1,1	115,20	1,5	155,0	300,0	23,62
		125	35	1,1	115,20	-	155,0	300,0	23,62
		125	35	1,1	115,20	1,5	155,0	300,0	23,62
		140	67	1,5	130,11	4,0	360,0	560,0	43,21
		,	Ű.	.,0	,	.,0	200,0	200,0	.5,21

. . 368



d = 20 to 90 mm



1) Admissible axial load 2) Recommended diameter of fitting for axially loaded bearings

Min	Limiting s lubrication		Bearing designation	A	butment	and fillet	dimensio	ns		cation d holes	Weight
min	grease	oil		d	d _a	d _{as} ²⁾	D _a	r _a	а	b	~
7000 8300 NNSF5004CV 20 23,2 26,6 38,8 0,6 3,0 4,5 0,20 5700 6800 NNSF5005CV 25 28,2 28,2 43,8 0,6 3,0 4,5 0,23 6200 7300 NNSF5006CV 30 34,6 34,6 50,4 1,0 3,0 4,5 0,35 4300 5100 NNSF5007CV 35 39,6 39,6 57,4 1,0 3,0 4,5 0,46 3900 4600 NNSF5008CV 40 44,6 44,6 63,4 1,0 3,0 4,5 0,56 3400 4100 NNSF500CV 45 49,6 49,6 70,4 1,0 3,0 4,5 0,71 3200 3800 NNSF501CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,48 2800 3400 NNSF501CV 55 61 61 84 1,0 3,5 <t< th=""><th></th><th></th><th></th><th></th><th>min</th><th>max</th><th>max</th><th>max</th><th></th><th></th><th></th></t<>					min	max	max	max			
5700 6800 NNSF5005CV 25 28,2 28,2 28,2 43,8 0,6 3,0 4,5 0,23 6200 7300 NNSF5006CV 30 34,6 34,6 50,4 1,0 3,0 4,5 0,35 4300 5100 NNSF5007CV 35 39,6 39,6 57,4 1,0 3,0 4,5 0,46 3900 4600 NNSF5008CV 40 44,6 44,6 63,4 1,0 3,0 4,5 0,56 3400 4100 NNSF5009CV 45 49,6 49,6 70,4 1,0 3,0 4,5 0,71 3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0	mir	r¹					mm				kg
6200 7300 NNSF5006CV 30 34,6 34,6 50,4 1,0 3,0 4,5 0,35 4300 5100 NNSF5007CV 35 39,6 57,4 1,0 3,0 4,5 0,46 3900 4600 NNSF5008CV 40 44,6 44,6 63,4 1,0 3,0 4,5 0,56 3400 4100 NNSF5009CV 45 49,6 49,6 70,4 1,0 3,0 4,5 0,71 3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,24 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF5016CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 1,85 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 86 91 91 124 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 96 101 119 1,0 3,5 5,0 1,33	7000	8300	NNSF5004CV	20	23,2	26,6	38,8	0,6	3,0	4,5	0,20
6200 7300 NNSF5006CV 30 34,6 34,6 50,4 1,0 3,0 4,5 0,35 4300 5100 NNSF5007CV 35 39,6 57,4 1,0 3,0 4,5 0,46 3900 4600 NNSF5008CV 40 44,6 44,6 63,4 1,0 3,0 4,5 0,56 3400 4100 NNSF5009CV 45 49,6 49,6 70,4 1,0 3,0 4,5 0,71 3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,24 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF5016CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 1,85 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 86 91 91 124 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 96 101 119 1,0 3,5 5,0 1,33	5700	6800	NNSF5005CV	25	28.2	28.2	43.8	0.6	3.0	4.5	0.23
4300 5100 NNSF5007CV 35 39,6 39,6 57,4 1,0 3,0 4,5 0,46 3900 4600 NNSF5008CV 40 44,6 44,6 63,4 1,0 3,0 4,5 0,56 3400 4100 NNSF5009CV 45 49,6 49,6 70,4 1,0 3,0 4,5 0,71 3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 66,6 69,2 89 1,0 3,5 4,5 0,48 2700 3200 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF5013CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,93 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 81,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 81,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 81,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 81,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 81,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 81,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 80 81,6 89,4 105,4 1,0 3,5 5,0 0,8	0700	0000	111101 000001	20	20,2	20,2	40,0	0,0	0,0	4,0	0,20
3900 4600 NNSF5008CV 40 44,6 44,6 63,4 1,0 3,0 4,5 0,56 3400 4100 NNSF5009CV 45 49,6 49,6 70,4 1,0 3,0 4,5 0,71 3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSF5012CV 66,6 69,2 89 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,24 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 5,0 1,33 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5015CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 250	6200	7300	NNSF5006CV	30	34,6	34,6	50,4	1,0	3,0	4,5	0,35
3900 4600 NNSF5008CV 40 44,6 44,6 63,4 1,0 3,0 4,5 0,56 3400 4100 NNSF5009CV 45 49,6 49,6 70,4 1,0 3,0 4,5 0,71 3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSF5012CV 66,6 69,2 89 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,24 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 5,0 1,33 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5015CV 86 89,4 105,4 1,0 3,5 5,0 0,87 2100 250	4200	5100	NNSEE007CV	25	20.6	20.6	57 A	1.0	2.0	15	0.46
3400 4100 NNSF5009CV 45 49,6 49,6 70,4 1,0 3,0 4,5 0,71 3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 68,5 80,4 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,24 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 2,59 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 99 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 99 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	4300	5100	NNSF5007CV	33	39,6	39,6	57,4	1,0	3,0	4,5	0,46
3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 - 80,4 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 85 91 91 124 1,0 3,5 5,0 1,33 2100 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 1,33 2100 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 2105 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 2105 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33	3900	4600	NNSF5008CV	40	44,6	44,6	63,4	1,0	3,0	4,5	0,56
3200 3800 NNSF5010CV 50 54,6 54,6 75,4 1,0 3,0 4,5 0,76 2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 - 80,4 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 85 91 91 124 1,0 3,5 5,0 1,33 2100 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 1,33 2100 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 2105 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 2105 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33	0.400	4100	NNCEFOOOOV	4.5	40.0	40.0	70.4	1.0	0.0	4.5	0.71
2700 3200 NNSF5011CV 55 61 61 84 1,0 3,5 4,5 1,16 2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 - 80,4 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 <td< td=""><td>3400</td><td>4100</td><td>NNSF5009CV</td><td>45</td><td>49,0</td><td>49,0</td><td>70,4</td><td>1,0</td><td>3,0</td><td>4,5</td><td>0,71</td></td<>	3400	4100	NNSF5009CV	45	49,0	49,0	70,4	1,0	3,0	4,5	0,71
2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 - 80,4 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,32 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSH4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 86 99 119 1,0 3,5 5,0 0,87 2190 2300 NNSF5016CV 87 86 92 119 1,0 3,5 5,0 2,59 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33	3200	3800	NNSF5010CV	50	54,6	54,6	75,4	1,0	3,0	4,5	0,76
2800 3400 NNSF4912CV 60 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 - 80,4 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,32 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSH4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF5016CV 86 99 119 1,0 3,5 5,0 0,87 2190 2300 NNSF5016CV 87 86 92 119 1,0 3,5 5,0 2,59 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33											
2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 - 80,4 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,24 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF5014CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF5014CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NN	2700	3200	NNSF5011CV	55	61	61	84	1,0	3,5	4,5	1,16
2800 3400 NNS4912CV 64,6 68,5 80,4 1,0 3,5 4,5 0,48 2800 3400 NNSL4912CV 64,6 - 80,4 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,24 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF5014CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF5014CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NN	2800	3400	NNSF4912CV	60	64.6	68.5	80.4	1.0	3.5	4.5	0.48
2800 3400 NNSL4912CV 64,6 - 80,4 1,0 3,5 4,5 0,48 2700 3200 NNSF5012CV 66 69,2 89 1,0 3,5 4,5 1,24 2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,32 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,85 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500<								,		,	,
2400 2900 NNSF5013CV 65 71 71 94 1,0 3,5 4,5 1,32 2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNS4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,83 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 1950 2	2800	3400	NNSL4912CV		64,6	-	80,4				
2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNS4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF4916CV 75 81 81 109 1,0 3,5 5,0 1,93 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 1950 2300	2700	3200	NNSF5012CV		66	69,2	89	1,0	3,5	4,5	1,24
2400 2900 NNSF4914CV 70 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNS4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF4916CV 75 81 81 109 1,0 3,5 5,0 1,93 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 1950 2300	2422	0000	NINOTTO 10011	0.5			0.4	4.0	0.5		4.00
2400 2900 NNS4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,93 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 2,72 1950 2300	2400	2900	NNSF5013CV	65	/1	/1	94	1,0	3,5	4,5	1,32
2400 2900 NNS4914CV 74,6 80,4 95,4 1,0 3,5 4,5 0,77 2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,93 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSF4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 2,72 1950 2300	2400	2900	NNSF4914CV	70	74.6	80.4	95.4	1.0	3.5	4.5	0.77
2400 2900 NNSL4914CV 74,6 - 95,4 1,0 3,5 4,5 0,77 2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,93 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNS4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 2,72 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 </td <td></td> <td></td> <td></td> <td>, ,</td> <td>, ,</td> <td>,</td> <td> ,</td> <td></td> <td></td> <td></td> <td></td>				, ,	, ,	,	,				
2200 2700 NNSF5014CV 76 78,9 104 1,0 3,5 5,0 1,85 2100 2500 NNSF5015CV 75 81 81 109 1,0 3,5 5,0 1,93 2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNS4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5016CV 86 92 119 1,0 3,5 5,0 2,72 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS491						,	,			,	,
2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNS4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5016CV 86 92 119 1,0 3,5 5,0 2,59 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 2,72 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 - 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV						78,9	/				
2100 2500 NNSF4916CV 80 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNS4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5016CV 86 92 119 1,0 3,5 5,0 2,59 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 2,72 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 - 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV											
2100 2500 NNS4916CV 84,6 89,4 105,4 1,0 3,5 5,0 0,87 2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5016CV 86 92 119 1,0 3,5 5,0 2,59 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	2100	2500	NNSF5015CV	75	81	81	109	1,0	3,5	5,0	1,93
2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5016CV 86 92 119 1,0 3,5 5,0 2,59 1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 2,72 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	2100	2500	NNSF4916CV	80	84,6	89,4	105,4	1,0	3,5	5,0	0,87
2100 2500 NNSL4916CV 84,6 - 105,4 1,0 3,5 5,0 0,87 1950 2300 NNSF5016CV 86 92 119 1,0 3,5 5,0 2,59 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 2,72 1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	2100	2500	NNS4916CV		84.6	89.4	105.4	1.0	3.5	5.0	0.87
1950 2300 NNSF5017CV 85 91 91 124 1,0 3,5 5,0 2,72 1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	2100	2500	NNSL4916CV		84,6	-	105,4	1,0	3,5	5,0	0,87
1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	1950	2300	NNSF5016CV		86	92	119	1,0	3,5	5,0	2,59
1950 2300 NNSF4918CV 90 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	1050	2200	NNCEE01701	0.5	01	01	104	1.0	2.5	F 0	0.70
1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	1950	2300	NNSF5U1/CV	85	91	91	124	1,0	3,5	5,0	2,72
1950 2300 NNS4918CV 96 101 119 1,0 3,5 5,0 1,33 1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33	1950	2300	NNSF4918CV	90	96	101	119	1,0	3,5	5,0	1,33
1950 2300 NNSL4918CV 96 - 119 1,0 3,5 5,0 1,33											
						-				,	,
						103					




















• • • • • • • • • 369 • • •




Double row full complement cylindrical roller bearings





		Main dim	ensions			Basic Ioa	d rating	Fatique load limit
						dynamic	static	
d	D	В	r.	Е	s ¹⁾	C,	C _{or}	P _u
			min	İ		· 1		
		mı	n	'		kN		kN
100	140	40	1,1	129,60	2,0	200,0	400,0	30,47
	140	40	1,1	129,60	-	200,0	400,0	30,47
	140	40	1,1	129,60	2,0	200,0	400,0	30,47
	150	67	1,5	139,65	4,0	380,0	620,0	46,65
110	150	40	1,1	138,20	2,0	210,0	430,0	31,98
	150	40	1,1	138,20	-	210,0	430,0	31,98
	150	40	1,1	138,20	2,0	210,0	430,0	31,98
	170	80	2,0	156,13	5,0	500,0	800,0	58,19
120	165	45	1,1	153,55	3,0	230,0	480,0	34,73
	165	45	1,1	153,55	-	230,0	480,0	34,73
	165	45	1,1	153,55	3,0	230,0	480,0	34,73
	180	80	2,0	167,58	5,0	530,0	880,0	62,69
130	180	50	1,5	165,40	4,0	265,0	530,0	37,39
	180	50	1,5	165,40	-	265,0	530,0	37,39
	180	50	1,5	165,40	4,0	265,0	530,0	37,39
	200	95	2,0	183,81	5,0	750,0	1250,0	86,54
140	190	50	1,5	175,90	4,0	275,0	570,0	39,46
	190	50	1,5	175,90	-	275,0	570,0	39,46
	190	50	1,5	175,90	4,0	275,0	570,0	39,46
	210	95	2,0	197,82	5,0	800,0	1370,0	93,19
150	400			470.00	2.0	245.0	505.0	10.11
150	190	40	1,1	178,30	2,0	245,0	585,0	40,14
	190 190	40 40	1,1 1,1	178,30 178,30	2,0	245,0 245,0	585,0 585,0	40,14 40,14
	210	60	2,0	192,77	4,0	420,0	830,0	55,98
	210	60	2,0	192,77	4,0	420,0	830,0	55,98
	210	60	2,0	192,77	4,0	420,0	830,0	55,98
	225	100	2,0	206,80	6,0	830,0	1430,0	95,28
160	200	40	1,1	186,90	2,0	245,0	610,0	41,14
	200	40	1,1	186,90	-	245,0	610,0	41,14
	200	40	1,1	186,90	2,0	245,0	610,0	41,14
	220	60	2,0	206,16	4,0	435,0	910,0	60,39
	220	60	2,0	206,16	-	435,0	910,0	60,39
	220	60	2,0	206,16	4,0	435,0	910,0	60,39
	240	109	2,1	224,80	6,0	940,0	1600,0	104,56

(ZKI)



1) Admissible axial load 2) Recommended diameter of fitting for axially loaded bearings


	Limiting speed for Bearing lubrication with designation			butment	and fillet	dimensio	ns		cation d holes	Weight
grease	oil		d	d _a	d _{as} ²⁾	D _a	r _a	а	b	~
				min	max	max	max			
mir	r¹					mm				kg
1600	1900	NNSF4920CV	100	106	114	134	1,0	3,5	5,0	1,93
1600	1900	NNS4920CV		106	114	134	1,0	3,5	5,0	1,93
1600	1900	NNSL4920CV		106	-	134	1,0	3,5	5,0	1,93
1600	1900	NNSF5020CV		107	112	143	1,5	3,5	6,0	3,94
1500	1800	NNSF4922CV	110	116	122	144	1.0	3.5	6.0	2,13
1500	1800	NNS4922CV		116	122	144	1,0	3,5	6,0	2,13
1500	1800	NNSL4922CV		116	-	144	1,0	3,5	6,0	2,13
1450	1700	NNSF5022CV		120	124	160	2,0	3,5	6,0	6,32
1350	1600	NNSF4924CV	120	126	136	159	1,0	3,5	6,0	2,90
1350	1600	NNS4924CV	120	126	136	159	1,0	3,5	6,0	2,90
1350	1600	NNSL4924CV		126	-	159	1,0	3,5	6,0	2,90
1350	1600	NNSF5024CV		130	135	170	2,0	3,5	6,0	6,77
1000	1000	111101 002401		100	100	170	2,0	0,0	0,0	0,11
1270	1500	NNSF4926CV	130	137	146	173	1,5	3,5	6,0	3,90
1270	1500	NNS4926CV		137	146	173	1,5	3,5	6,0	3,90
1270	1500	NNSL4926CV		137	-	173	1,5	3,5	6,0	3,90
1190	1400	NNSF5026CV		140	140	190	2,0	4,0	7,0	10,2
1190	1400	NNSF4928CV	140	147	156	183	1,5	3,5	6,0	4,15
1190	1400	NNS4928CV	140	147	156	183	1,5	3,5	6,0	4,13
1190	1400	NNSL4928CV		147	-	183	1,5	3,5	6,0	4,10
1100	1300	NNSF5028CV		150	150	200	2,0	4,0	7,0	11,1
							_,-	.,-	.,-	,.
1190	1400	NNSF4830CV	150	156	163	184	1,0	4,0	7,0	2,80
1190	1400	NNS4830CV		156	163	184	1,0	4,0	7,0	2,90
1190	1400	NNSL4830CV		156	-	184	1,0	4,0	7,0	2,70
1100	1300	NNSF4930CV		160	167	200	2,0	4,0	7,0	6,55
1100	1300	NNS4930CV		160	167	200	2,0	4,0	7,0	6,65
1100	1300	NNSL4930CV		160		200	2,0	4,0	7,0	6,45
1020	1200	NNSF5030CV		160	160	215	2,0	4,0	7,0	13,3
1100	1300	NNSF4832CV	160	166	171	194	1,0	4,0	7,0	3,00
1100	1300	NNS4832CV		166	171	194	1,0	4,0	7,0	3,10
1100	1300	NNSL4832CV		166	-	194	1,0	4,0	7,0	2,90
1020	1200	NNSF4932CV		170	181	210	2,0	4,0	7,0	6,90
1020	1200	NNS4932CV		170	181	210	2,0	4,0	7,0	7,00
1020	1200	NNSL4932CV		170	-	210	2,0	4,0	7,0	6,80
930	1100	NNSF5032CV		171	171	229	2,0	4,0	7,0	16,2

••••• 371 •••



Double row full complement cylindrical roller bearings






		Main dim	ensions			Basic Ioa	d rating	Fatique load limit
						dynamic	static	
d	D	В	r.	Е	S ¹⁾	C,	C _{or}	P.,
*			min				<u> </u>	
4.4.4		mı	m	·		kl	1	kN
170	215	45	1,1	201,30	3,0	270,0	650,0	42,97
	215	45	1,1	201,30	-	270,0	650,0	42,97
	215	45	1,1	201,30	3,0	270,0	650,0	42,97
	230	60	2,0	215,08	4,0	450,0	950,0	62,08
	230	60	2,0	215,08	_	450,0	950,0	62,08
	230	60	2,0	215,08	4,0	450,0	950,0	62,08
	260	122	2,1	243,00	6,0	1200,0	2100,0	134,29
			,					
180	225	45	1,1	214,10	3,0	290,0	695,0	45,25
	225	45	1,1	214,10	-	290,0	695,0	45,25
	225	45	1,1	214,10	3,0	485,0	695,0	45,25
	250	69	2,0	230,50	4,0	580,0	1220,0	78,02
	250	69	2,0	230,50	-	580,0	1220,0	78,02
	250	69	2,0	230,50	4,0	580,0	1220,0	78,02
	280	136	2,1	260,50	8,0	1400,0	2500,0	156,67
190	240	50	1,5	225,00	4,0	320,0	750,0	47,96
	240	50	1,5	225,00	-	320,0	750,0	47,96
	240	50	1,5	225,00	4,0	320,0	750,0	47,96
	260	69	2,0	240,70	4,0	590,0	1290,0	81,38
	260	69	2,0	240,70	-	590,0	1290,0	81,38
	260	69	2,0	240,70	4,0	590,0	1290,0	81,38
	290	136	2,1	270,00	8,0	1450,0	2600,0	160,87
200	250	50	1,5	235,50	4,0	325,0	0,008	50,47
	250	50	1,5	235,50	-	325,0	800,0	50,47
	250	50	1,5	235,50	4,0	325,0	800,0	50,47
	280	80	2,1	259,34	5,0	690,0	1500,0	92,81
	280	80	2,1	259,34	-	690,0	1500,0	92,81
	280	80	2,1	259,34	5,0	690,0	1500,0	92,81
	310	150	2,1	288,00	9,0	1650,0	3050,0	185,31
							,	
220	270	50	1,5	256,50	4,0	340,0	860,0	52,88
	270	50	1,5	256,50	-	340,0	860,0	52,88
	270	50	1,5	256,50	4,0	340,0	860,0	52,88
	300	80	2,1	276,52	5,0	725,0	1600,0	96,65
	300	80	2,1	276,52	-,-	725,0	1600,0	96,65
	300	80	2,1	276,52	5,0	725,0	1600,0	96,65
	340	160	3,0	312,20	9,0	2000,0	3600,0	212,68
			-,5	,	-,-		,0	_ :=,00

. . . 372

(ZKI)



1) Admissible axial load 2) Recommended diameter of fitting for axially loaded bearings

Limiting s lubrication		Bearing designation	A	butment a	and fillet	dimensio	ns		cation d holes	Weight
~~~~	oil		d		d ₂₀ 2)				b	~
grease	OII		l a	d _a min	max	D _a max	r _a max	a	В	
min	   ⁻¹		1			mm			<u> </u>	kg
1120	1200	NNSF4834CV	170	176	184	209	1,0	4,0	7,0	4,00
1020	1200	NNS4834CV		176	184	209	1,0	4,0	7,0	4,10
1020	1200	NNSL4834CV		176	-	209	1,0	4,0	7,0	3,90
930	1100	NNSF4934CV		180	190	220	2,0	4,0	7,0	7,20
930	1100	NNS4934CV		180	190	220	2,0	4,0	7,0	7,35
930	1100	NNSL4934CV		180	-	220	2,0	4,0	7,0	7,10
850	1000	NNSF5034CV		181	181	249	2,0	4,0	7,0	23,0
930	1100	NNSF4836CV	180	186	197	219	1,0	4,0	7,0	4,20
930	1100	NNS4836CV		186	197	219	1,0	4,0	7,0	4,30
930	1100	NNSL4836CV		186	-	219	1,0	4,0	7,0	4,10
850	1000	NNSF4936CV		190	202	240	2,0	4,0	7,0	10,7
850	1000	NNS4936CV		190	202	240	2,0	4,0	7,0	10,8
850	1000	NNSL4936CV		190	-	240	2,0	4,0	7,0	10,5
850	1000	NNSF5036CV		191	206	269	2,0	4,0	8,0	30,5
850	1000	NNSF4838CV	190	197	206	233	1,5	4,0	7,0	5,50
850	1000	NNS4838CV		197	206	233	1,5	4,0	7,0	5,65
850	1000	NNSL4838CV		197	-	233	1,5	4,0	7,0	5,30
850	1000	NNSF4938CV		200	212	250	2,0	4,0	7,0	11,1
850	1000	NNS4938CV		200	212	250	2,0	4,0	7,0	11,2
850	1000	NNSL4938CV		200	-	250	2,0	4,0	7,0	10,9
800	950	NNSF5038CV		201	201	279	2,0	4,0	8,0	31,5
850	1000	NNSF4840CV	200	207	217	243	1,5	4,0	7,0	5,80
850	1000	NNS4840CV		207	217	243	1,5	4,0	7,0	5,90
850	1000	NNSL4840CV		207	-	243	1,5	4,0	7,0	5,70
800	950	NNSF4940CV		211	227	269	2,0	4,0	8,0	15,6
800	950	NNS4940CV		211	227	269	2,0	4,0	8,0	15,8
800	950	NNSL4940CV		211	-	269	2,0	4,0	8,0	15,3
800	950	NNSF5040CV		211	230	299	2,0	4,0	8,0	41,0
800	950	NNSF4844CV	220	227	238	263	1,5	4,0	7,0	6,30
800	950	NNS4844CV		227	238	263	1,5	4,0	7,0	6,40
800	950	NNSL4844CV		227	-	263	1,5	4,0	7,0	6,20
800	950	NNSF4944CV		231	244	289	2,0	4,0	8,0	17,0
800	950	NNS4944CV		231	244	289	2,0	4,0	8,0	17,2
800	950	NNSL4944CV		231	-	289	2,0	4,0	8,0	16,8
720	850	NNSF5044CV		235	248	325	2,5	6,0	8,0	52,5




















••••• 373 •••



### Double row full complement cylindrical roller bearings






		Main din	nensions			Basic Ioa	d rating	Fatique load limit
						dynamic	static	
d	D	В	r _s	E	S ¹⁾	C,	C _{or}	P
4			min					
4.4.4		m	m			kl	1	kN
240	300	60	2,0	281,90	4,0	530,0	1290,0	77,05
	300	60	2,0	281,90	-	530,0	1290,0	77,05
	300	60	2,0	281,90	4,0	530,0	1290,0	77,05
	320	80	2,1	299,46	5,0	770,0	1750,0	103,39
	320	80	2,1	299,46	-	770,0	1750,0	103,39
	320	80	2,1	299,46	5,0	770,0	1750,0	103,39
	360	160	3,0	335,60	9,0	2100,0	3900,0	225,68
260	320	60	2,0	304,20	4,0	550,0	1400,0	81,84
	320	60	2,0	304,20	-	550,0	1400,0	81,84
	320	60	2,0	304,20	4,0	550,0	1400,0	81,84
	360	100	2,1	331,33	6,0	1150,0	2550,0	146,12
	360	100	2,1	331,33	-	1150,0	2550,0	146,12
	360	100	2,1	331,33	6,0	1150,0	2550,0	146,12
	400	190	4,0	373,50	10,0	2850,0	5100,0	286,80
280	350	69	2,0	332,40	4,0	720,0	1850,0	105,50
	350	69	2,0	332,40	-	720,0	1850,0	105,50
	350	69	2,0	332,40	4,0	720,0	1850,0	105,50
	380	100	2,1	353,34	6,0	1200,0	2700,0	151,84
	380	100	2,1	353,34	-	1200,0	2700,0	151,84
	380	100	2,1	353,34	6,0	1200,0	2700,0	151,84
	420	190	4,0	389,00	10,0	2900,0	5300,0	292,84
300	380	80	2,1	356,70	6,0	850,0	2100,0	117,04
	380	80	2,1	356,70	-	850,0	2100,0	117,04
	380	80	2,1	356,70	6,0	850,0	2100,0	117,04
	420	118	3,0	385,51	6,0	1650,0	3750,0	205,45
	420	118	3,0	385,51	-	1650,0	3750,0	205,45
	420	118	3,0	385,51	6,0	1650,0	3750,0	205,45
	460	218	4,0	433,00	9,0	3250,0	6550,0	353,08
320	400	80	2,1	379,70	6,0	890,0	2280,0	124,91
	400	80	2,1	379,70	-	890,0	2280,0	124,91
	400	80	2,1	379,70	6,0	890,0	2280,0	124,91
	440	118	3,0	412,27	6,0	1750,0	4050,0	218,32
	440	118	3,0	412,27	-	1750,0	4050,0	218,32
	440	118	3,0	412,27	6,0	1750,0	4050,0	218,32
	480	218	4,0	449,00	9,0	3650,0	6950,0	368,92

. . 374

ZKI)




1) Admissible axial load 2) Recommended diameter of fitting for axially loaded bearings


grease min ⁻¹ 760 760	oil		1			1			d holes	
min ⁻¹ 760 760			d	d _a	d _{as} ²⁾	D _a	r,	а	b	~
760 760				min	max	max	max			
760						mm		·		kg
	900	NNSF4848CV	240	250	257	290	2,0	4,0	8,0	9,90
	900	NNS4848CV		250	257	290	2,0	4,0	8,0	10,00
760	900	NNSL4848CV		250	-	290	2,0	4,0	8,0	9,80
720	850	NNSF4948CV		251	267	309	2,0	4,0	8,0	18,3
720	850	NNS4948CV		251	267	309	2,0	4,0	8,0	18,5
720	850	NNSL4948CV		251	-	309	2,0	4,0	8,0	17,9
680	800	NNSF5048CV		255	271	345	2,5	5,0	9,4	56,0
680	800	NNSF4852CV	260	270	280	310	2,0	4,0	8,0	10,8
680	800	NNS4852CV		270	280	310	2,0	4,0	8,0	11,0
680	800	NNSL4852CV		270	-	310	2,0	4,0	8,0	10,6
630	750	NNSF4952CV		271	290	349	2,0	5,0	9,4	31,6
630	750	NNS4952CV		271	290	349	2,0	5,0	9,4	32,0
630	750	NNSL4952CV		271	-	349	2,0	5,0	9,4	31,2
590	700	NNSF5052CV		278	297	382	3,0	5,0	9,4	85,5
000	750	NINOT 40 FOOM	000	000	005	0.40	0.0	4.0	0.0	45.0
630	750	NNSF4856CV	280	290	305	340	2,0	4,0	8,0	15,8
630	750	NNS4856CV		290	305	340	2,0	4,0	8,0	16,0
630	750 700	NNSL4856CV		290	-	340	2,0	4,0	8,0	15,6
590		NNSF4956CV		291	312	369	2,0	5,0	9,4	33,5
590	700	NNS4956CV		291	312	369	2,0	5,0	9,4	34,0
590	700	NNSL4956CV		291	- 014	369	2,0	5,0	9,4	33,0
570	670	NNSF5056CV		298	314	402	3,0	5,0	9,4	90,5
590	700	NNSF4860CV	300	311	325	369	2,0	5,0	9,4	22,5
590	700	NNS4860CV		311	325	369	2,0	5,0	9,4	23,0
590	700	NNSL4860CV		311	-	369	2,0	5,0	9,4	22,0
570	670	NNSF4960CV		315	335	405	2,5	5,0	9,4	52,5
570	670	NNS4960CV		315	335	405	2,5	5,0	9,4	53,0
570	670	NNSL4960CV		315	-	405	2,5	5,0	9,4	52,0
510	600	NNSF5060CV		318	343	442	3,0	5,0	9,4	130
530	630	NNSF4864CV	320	331	348	389	2.0	5,0	9,4	23,5
530	630	NNS4864CV	320	331	348	389	2,0	5,0	9,4	24,0
530	630	NNSL4864CV		331	340	389	2.0	5,0	9,4	23,0
510	600	NNSF4964CV		335	362	425	2,5	5,0	9,4	23,0 55,5
510	600	NNS4964CV		335	362	425	2,5	5,0	9,4	56,0
510	600	NNSL4964CV		335	302	425	2,5	5,0	9,4	55,0
470	560	NNSF5064CV		338	360	462	3,0	5,0	9,4	135
410	300	14143F3004CV		330	300	402	3,0	5,0	3,4	135

••••• 375 •••



### Double row full complement cylindrical roller bearings






kN  000,0 200,0 200,0 280,0 480,0 480,0 480,0 4850,0 25,0 225,0 225,0 225,0 225,0 2320,0 48320,0 4850,0 88	2400,0 2400,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0	
KN	kN 2400,0 2400,0 2400,0 4250,0 4250,0 3300,0 2550,0 2550,0 2550,0 4500,0 4500,0 4500,0	129,37 129,37 129,37 129,37 225,60 225,60 431,13 135,36 135,36 135,36 235,40 235,40
900,0 2 900,0 2 900,0 2 780,0 4 780,0 4 9350,0 8 925,0 2 925,0 2 925,0 2 925,0 2 925,0 4 9320,0 4 9320,0 4	2400,0 2400,0 2400,0 4250,0 4250,0 4250,0 3300,0 2550,0 2550,0 4500,0 4500,0 4500,0 3650,0	129,37 129,37 129,37 225,60 225,60 225,60 431,13 135,36 135,36 135,36 235,40 235,40 235,40
900,0 2 900,0 2 900,0 2 780,0 4 780,0 4 9350,0 8 925,0 2 925,0 2 925,0 2 925,0 2 925,0 4 9320,0 4 9320,0 4	2400,0 2400,0 2400,0 4250,0 4250,0 4250,0 3300,0 2550,0 2550,0 4500,0 4500,0 4500,0 3650,0	129,37 129,37 129,37 225,60 225,60 225,60 431,13 135,36 135,36 135,36 235,40 235,40 235,40
900,0 2 900,0 2 780,0 4 780,0 4 9350,0 8 925,0 2 925,0 2 925,0 2 925,0 2 925,0 4 9320,0 4 9320,0 4 9320,0 8	2400,0 2400,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0 1250,0	129,37 129,37 225,60 225,60 225,60 431,13 135,36 135,36 135,36 235,40 235,40 235,40
200,0 2780,0 4780,0 4780,0 4850,0 4850,0 225,0 225,0 225,0 225,0 225,0 225,0 2320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320,0 48320	2400,0 4250,0 4250,0 4250,0 3300,0 2550,0 2550,0 2550,0 4500,0 4500,0 4500,0	129,37 225,60 225,60 225,60 431,13 135,36 135,36 135,36 235,40 235,40 235,40
780,0 4 780,0 4 780,0 4 850,0 8 925,0 2 925,0 2 925,0 2 925,0 2 925,0 2 925,0 4 920,0 4 930,0 4 950,0 8	4250,0 4250,0 4250,0 8300,0 8550,0 82550,0 8550,0 4500,0 4500,0 4500,0	225,60 225,60 225,60 431,13 135,36 135,36 135,36 235,40 235,40 235,40
780,0 4 780,0 4 350,0 8 325,0 2 325,0 2 325,0 2 325,0 2 320,0 4 320,0 4 450,0 8	4250,0 4250,0 3300,0 2550,0 2550,0 2550,0 4500,0 4500,0 4500,0	225,60 225,60 431,13 135,36 135,36 135,36 235,40 235,40 235,40
780,0 4 350,0 8 925,0 2 925,0 2 925,0 2 925,0 2 925,0 4 920,0 4 450,0 8	4250,0 3300,0 2550,0 2550,0 2550,0 4500,0 4500,0 4500,0	225,60 431,13 135,36 135,36 135,36 235,40 235,40 235,40
850,0 8 925,0 2 925,0 2 925,0 2 925,0 2 925,0 4 920,0 4 9320,0 4 9320,0 4	2550,0 2550,0 2550,0 2550,0 4500,0 4500,0 4500,0	431,13 135,36 135,36 135,36 235,40 235,40 235,40
925,0 2 925,0 2 925,0 2 925,0 2 820,0 4 9320,0 4 9320,0 4	2550,0 2550,0 2550,0 4500,0 4500,0 4500,0 3650,0	135,36 135,36 135,36 235,40 235,40 235,40
925,0 2 925,0 2 925,0 4 320,0 4 320,0 4 450,0 8	2550,0 2550,0 4500,0 4500,0 4500,0 3650,0	135,36 135,36 235,40 235,40 235,40
925,0 2 320,0 4 320,0 4 320,0 4 450,0 8	2550,0 4500,0 4500,0 4500,0 8650,0	135,36 235,40 235,40 235,40
320,0 4 320,0 4 320,0 4 450,0 8	4500,0 4500,0 4500,0 8650,0	235,40 235,40 235,40
320,0 4 320,0 4 450,0 8	4500,0 4500,0 3650,0	235,40 235,40
320,0 4 320,0 4 450,0 8	4500,0 4500,0 3650,0	235,40 235,40
150,0 8	3650,0	,
150,0 8	3650,0	,
100,0		
	3650,0	189,59
100,0	3650,0	189,59
100,0	3650,0	189,59
350,0 5	5700,0	292,06
350,0 5	5700,0	292,06
350,0 5	5700,0	292,06
350,0	9150,0	462,76
120.0 3	3750.0	192,15
		192,15
,		192,15
		303,45
		303,45
		303,45
		546,10
2	420,0 3 420,0 3 4400,0 6 4400,0 6	420,0 3750,0 420,0 3750,0 4400,0 6000,0 4400,0 6000,0 4400,0 6000,0

. . . 376

(ZKI)



 $^{1)}\,\mathrm{Admissible}$  axial load  $^{2)}\,\mathrm{Recommended}$  diameter of fitting for axially loaded bearings

Limiting speed for lubrication with		Bearing designation	Abutment and fillet dimensions						cation d holes		
grease	oil		d	d _a	d_2)	D _a	r	а	b	~	
-				min	max	max	max				
min	-1					mm			'	kg	
510	600	NNSF4868CV	340	351	365	409	2,0	5,0	9,4	25,0	
510	600	NNS4868CV		351	365	409	2,0	5,0	9,4	25,5	
510	600	NNSL4868CV		351	-	409	2,0	5,0	9,4	24,5	
470	560	NNSF4968CV		355	380	445	2,5	5,0	9,4	58,5	
470	560	NNS4968CV		355	380	445	2,5	5,0	9,4	59,0	
470	560	NNSL4968CV		355	-	445	2,5	5,0	9,4	57,8	
450	530	NNSF5068CV		361	384	497	4,0	5,0	9,4	185	
470	560	NNSF4872CV	360	371	388	429	2,0	5,0	9,4	26,5	
470	560	NNS4872CV		371	388	429	2,0	5,0	9,4	27,0	
470	560	NNSL4872CV		371	-	429	2,0	5,0	9,4	26,0	
450	530	NNSF4972CV		375	398	465	2,5	5,0	9,4	61,5	
450	530	NNS4972CV		375	398	465	2,5	5,0	9,4	62,0	
450	530	NNSL4972CV		375	-	465	2,5	5,0	9,4	60,8	
420	500	NNSF5072CV		383	402	517	4,0	5,0	9,4	195	
450	530	NNSF4876CV	380	391	415	469	2,0	5,0	9,4	44,8	
450	530	NNS4876CV		391	415	469	2,0	5,0	9,4	45,5	
450	530	NNSL4876CV		391	-	469	2,0	5,0	9,4	44,0	
420	500	NNSF4976CV		398	424	502	3,0	5,0	9,4	91,5	
420	500	NNS4976CV		398	424	502	3,0	5,0	9,4	92,5	
420	500	NNSL4976CV		398	-	502	3,0	5,0	9,4	90,5	
400	480	NNSF5076CV		403	420	537	4,0	5,0	9,4	200	
400	500	NNSF4880CV	400	444	400	400	0.0	5,0	0.4	40.0	
420 420	500	NNS4880CV	400	411 411	430 430	489 489	2,0	5,0	9,4 9,4	46,2 46,5	
420									,	45,9	
420	500	NNSL4880CV		411	444	489 522	2,0	5,0	9,4	45,9 95,5	
400	480 480	NNSF4980CV NNS4980CV		418 418	444	522	3,0	5,0 5,0	9,4	95,5 96,5	
400	480	NNS4980CV		418	444	522	3,0	5,0	9,4 9,4	96,5	
380	480	NNSF5080CV		418	449	577	4,0	5,0	9,4	94,5 270	
300	450	MACCOCCA		423	449	5//	4,0	5,0	9,4	270	





























## 12.5 SPHERICAL ROLLER BEARINGS

Double row spherical roller bearings have two rows of spherical rollers with common spherical track in outer ring. This structure allows mutual tipping of rings. They can simultaneously transfer considerable radial and axial loads in both directions. Bearings are made with cylindrical and tapered bore. These bearings are suitable for locations where big loads act, and tipability has to be ensured bearings can thus eliminate movement and misalignment of shaft. Bearings that are manufactured in the NEW FORCE standard are marked with ** in the table section of the catalogue.

#### Construction design

In the standard assortment, ZKL offer spherical roller bearings in several versions that differ in the structure of the inner ring, cage and cage guidance.

**EMH** . . . . bearings with optimised design with symmetrical spherical rollers that brings higher load bearing capacity. Single piece crest massive brass cage led on the internal ring (fig. 12.5.1), in series 222 for bore diameter d ≤ 160 mm, and in series 223 for bore diameter d ≤ 130 mm the cage is led on spherical rollers (fig. 12.5.2).




Fig. 12.5.1




Fig. 12.5.2

- CJ ..... bearings with optimised design with symmetrical spherical rollers that brings higher load bearing capacity. Bearings have two cages pressed of steel plate with hardened surface that are guided by floating guide ring between both rows of spherical rollers centred on the inner ring (fig. 12.5.3).
- EJ ..... bearings with optimised structure with symmetrical spherical rollers that brings higher load bearing capacity. Bearings have two cages pressed of steel plate with hardened surface. Bearing do not have a quide ring (fig. 12.5.4).

W



























Fig. 12.5.3 Fig. 12.5.4

Bearings in M and CM design are successively upgraded and replaced with types featuring optimised inner structure EMH, alternatively with bearings provided with EJ and CJ sheet metal cage.

- **M** ..... bearings have asymmetrical spherical rollers and two massive brass cages guided on fixed central flange of the inner ring.
- **CM**..... bearings with optimised inner design featuring higher load bearing capacity and symmetrical spherical rollers. Bearings have two massive brass cages guided on fixed central flange of the inner ring (fig. 12.5.5).




Fig. 12.5.5

#### Tapered hole

Bearings with tapered bore have taper size 1:12 (additional designation **K**); the size of taper in series 240, 241, 248 and 249 is 1:30 (additional designation **K30**). Bearings with tapered bore are mounted on roller shafts by adapter sleeve (fig. 10.8) or withdrawal sleeve (fig. 10.9). The system of designating the sleeves to individual bearing types is stated in the table section of the publication.

... 382





Fig. 12.5.6 Fig. 12.5.7

#### Lubrication groove and holes on outer ring

In order to achieve better lubrication and higher reliability, double row spherical roller bearings are usually manufactured with a groove on the circumference of the outer ring, and three lubrication holes, except for the 238 and 248 series. This version has additional designation **W33** (fig. 12.5.6). Bearings of series have only three lubrication bores in the outer ring without a groove, additional designation **W20** (fig. 12.5.7).

Upon customer's request bearings can be supplied in a design without the groove and lubrication holes in the outer ring, alternatively bearings can be modified for lubrication through the inner ring. These modifications have to be discussed with the supplier.

#### Bearings for vibrating machines and equipment

To enhance reliability in environment with increased vibration level and strokes, double row spherical roller bearings of series 223 or 233 are manufactured under designation **EMHD2** (fig. 12.5.8). These bearings feature higher load bearing capacity and symmetrical spherical rollers, single piece massive brass cage is guided on the outer ring. As standard, the bearings have radial clearance within C4 and narrowed connecting dimension tolerances of the bore (in bearings with cylindrical bore) and outer diameter (see Table 12.5.1). As standard, outer rings have circumferential groove with three lubrication bores. Increased radial clearance, as well as the way of cage guidance and groove with lubrication bores, is not specially identified in these bearings; it is contained in the combined designation D2.

The bearings are designed for heavy service conditions, specifically:

- vibrating machines
- shake-out sieves and grates
- traction machines

We recommend the selection and way of locating them in are discussed with the technical  $\alpha$  consulting services workers of the ZKL's Technical  $\alpha$  Consultancy service.






















Fig. 12.5.8

Tab. 12.5.1

		Inner ring	ı		
Bore diameter [mm]	přes	30	50	80	120
	do	50	80	120	180
Tolerance ΔDmp [μm]		0	0	0	0
		-7	-9	-12	-15
		Outer ring	9		
Bore diameter [mm]	přes	80	150	180	315
	do	150	180	315	400
Tolerance ΔDmp [μm]		-5	-5	-10	-13
		-13	-18	-23	-28

### **NEW FORCE** bearings

Bearings in the NEW FORCE standard are marked with two stars** in the table section of the catalogue.

#### General information

#### Main dimensions

Main dimensions of bearings comply with the standard ISO 15 and for individual bearings are stated in the table section of the publication.

#### Accuracy

Double row spherical roller bearings are usually made in normal accuracy level PO which is not presented. Supply of bearings with higher accuracy class has to be consulted with the supplier.

... 384 .........



#### Radial clearance

Commonly produced bearings feature normal axial clearance that is not identified. Special locations require bearings with reduced C2 clearance, or with increased radial clearance C3, C4 and C5. The radial clearance values comply with the standard ISO 5753 for bearings with cylindrical and tapered bore, and are stated in charts 7.2 and 7.23.

#### Admissible misalignment

Bearings can be misaligned from central position without disturbing their proper function. Table 12.5.2 states allowed misalignment values by the type bearing series.

Tab. 12.5.2

Bearing series	Admissible misalignment
222, 230, 231, 238, 239, 248	1°30′
213, 223, 240	2°
232, 241, 249	2°30′

#### Effect of running temperature to bearing material

All ZKL spherical roller bearings are subjected to special heat treatment that allows their use in service temperature to 200 °C without inadmissible dimensional changes. Corresponding additional designation S1 is not stated. Exception is bearing in CJ design with sheet metal cages and polyamide guide ring, applicability of which is limited b properties of polyamide – see article Materials of roller bearings in chapter 7. More detailed information on specific bearing type is available at the Technical & Consultancy service of ZKL.

#### Running temperature and axial load

Double row spherical roller bearings can besides radial load transfer also considerable axial load. If the axial and radial load rate  $F_a/F_r > e$  (coefficient stated in the table section), we recommend that the intervals for additional lubrication with grease are shortened. Running temperature may represent a limiting factor in terms of axial load. If this is the case, we recommend that you contact the Technical & Consultancy service of ZKL which will evaluate the suitability of selected bearing for particular location and service conditions.

#### Admissible axial load of bearings mounted on adapter sleeves

In the assembly of spherical roller bearings on smooth shafts (without fitting or another support surface) by means of adapter sleeves, it is possible to define the admissible axial load of the bearing based on the below relation, on condition of proper assembly.

$$F_{an} = 3 \cdot B \cdot d$$

 $\mathsf{F}_{_{\!\mathsf{ap}}}\dots$  is the maximum admissible axial load [N]

B . . . . . is the bearing width [mm]

d ...... is the bearing bore diameter [mm]

385 ...



#### Minimum load

Bearings must be exposed to certain minimum service load in order to ensure their smooth operation. This applies also to spherical roller bearings, mainly for operation at high revolutions at which inertia forces of spherical rollers, of cage and friction in lubricant may have negative impact on rolling, and may cause damage to spherical rollers and raceways. Minimum radial bearings can be in these cases approximately determined based on the below relation.

$$F_{rm} = 0.02 \cdot C_{r}$$

$$F_m$$
 . . . . . is the minimum radial load [kN]

The weight of components loading the bearing, along with external acting forces, often exceeds the minimum load required. If this is not the case, the bearing has to be loaded with an additional force, e.g. by increasing the tension of the belt, increasing the torque at idle run, etc.

#### Equivalent dynamic load P,

In order to carry out the calculation based on the basic durability equation, the actually acting load has to be converted to equivalent, i.e. implied distributed load which complies with the conditions applicable to the basic dynamic load bearing capacity, and has the same effect on the durability of the bearing as the actual load. To ensure correct calculation of this load we need to know as accurately as possible the outer forces acting on the bearing.

$$P_r = F_r + Y_1 \cdot F_2$$
 for  $F_2/F_r \le e$  [kN]

$$P_r = 0.67 \cdot F_r + Y_2 \cdot F_a$$
 for  $F_a/F_r > e$  [kN]

The values of coefficients e, Y1 and Y2 for individual types of bearings are stated in the table section of the publication.

### Equivalent static load $P_{or}$

The continuity of equivalent static load and the actual, as well the definition of it, is similar to that of the equivalent dynamic load.

$$P_{or} = F_r + Y_o \cdot F_a$$

The values of coefficient YO are for individual types of bearings stated in the table section of the publication.

... 386 .........



#### Supplementary characters behind the basic bearing designation

The designation of bearing design and cage design is stated in the previous text of the chapter.

**C2** ..... radial clearance smaller than normal

C3 . . . . . radial clearance bigger than normal

**C4** . . . . . radial clearance bigger than C3

C5 . . . . . radial clearance bigger than C4

**K**..... inner ring with tapered bore, taper ratio 1:12

**K30**.... inner ring with tapered bore, taper ratio 01:30

**P6** . . . . . higher than normal accuracy

**P63**.... example of combined designation (P6 + C3)

W20 . . . . outer ring with three lubrication bores

W33 . . . . outer ring with circumferential groove and three lubrication bores

#### Assembly of bearings with tapered bore

Bearings with tapered bore are mounted on relevant shaft always with certain overlap. This overlap has to be put in line with reduction of radial clearance of mounted bearing, or the inner ring on the tapered journal has to be shifted. In double row spherical roller bearings it is recommended to measure reduction of radial clearance of mounted bearing. Only in small bearings, or where limited spatial conditions are, axial movement is checked which however requires certain experience in determination of the initial position. Feeler gauges are used prior, during and after the assembly to measure radial clearance. Clearance has to be measured always between the outer ring raceway and the unloaded spherical roller. Prior to measuring, always spin the bearing several times to get the spherical rollers to proper position. Measured radial clearance must be identical for both rows of spherical rollers. The recommended reduced radial clearance and axial movement values are stated in chart 12.5.3. The minimum values of radial clearance stated in the chart are used for bearings with normal radial clearance close to the bottom limit of the defined clearance range. For C3 and C4 clearance bearings, such value of radial clearance reduction should be selected that lies in the proximity of the maximum value recommended.






















Tab. 12.5.3

		Asser	nbly of do	uble row s	mm         μm           0,35         0,4         0,35         0,45         15         20         40           0,4         0,45         0,5         20         30         50           0,45         0,6         0,5         0,7         25         35         55           0,6         0,75         0,7         0,85         25         40         70							
Bore di	ameter	Radial clearance reduction		Axial c	lisplaceme	ent on tape	er 1:12					
d				on s	shaft	on bushing						
over	to	min	max	min	max	min	max	normal	C3	C4		
mm		μm			m	m			μm			
30	40	20	25	0,35	0,4	0,35	0,45	15	20	40		
40	50	25	30	0,4	0,45	0,45	0,5	20	30	50		
50	65	30	40	0,45	0,6	0,5	0,7	25	35	55		
65	80	40	50	0,6	0,75	0,7	0,85	25	40	70		
80	100	45	60	0,7	0,9	0,75	1	35	50	80		
100	120	50	70	0,75	1,1	0,8	1,2	50	65	100		
120	140	65	90	1,1	1,4	1,2	1,5	55	80	110		
140	160	75	100	1,2	1,6	1,3	1,7	55	90	130		
160	180	80	110	1,3	1,7	1,4	1,9	60	100	150		
180	200	90	130	1,4	2	1,5	2,2	70	100	160		
200	225	100	140	1,6	2,2	1,7	2,4	80	120	180		
225	250	110	150	1,7	2,4	1,8	2,6	90	130	200		
250	280	120	170	1,9	2,7	2	2,9	100	140	220		
280	315	130	190	2	3	2,2	3,2	110	150	240		
315	355	150	210	2,4	3,3	2,6	3,6	120	170	260		
355	400	170	230	2,6	3,6	2,9	3,9	130	190	290		
400	450	200	260	3,1	4,1	3,4	4,4	130	200	310		
450	500	210	280	3,3	4,4	3,6	4,8	160	230	350		
500	560	240	320	3,7	5	4,1	5,4	170	250	360		
560	630	260	350	4	5,4	4,4	5,9	200	290	410		
630	710	300	400	4,6	6,2	5,1	6,8	210	310	450		
710	800	340	450	5,3	7	5,8	7,6	230	350	510		
800	900	370	500	5,7	7,8	6,3	8,5	270	390	570		







Fig. 12.5.9


--- 388 -----






## Double row spherical roller bearings d = 25 to 1120 mm

d = 25 to 60 mm






	Ma	in dim	ensior	ıs		Basic load rating		Fatique load limit	Limiting speed for lubrication with		Bearing designation		
d	D	В	r _s	а	b	dynamic	static	P _u	grease	oil	with cylindrical bore	with tapered bore	
			min			C _r	C _{or}						
	mm		kN		kN	min ⁻¹							
25	52	18	1	2	3,7	52	50,2	6,1	8500	11000	22205EW33J**	22205EKW33J	
	62	17	1,1	-	-	48,8	44,3	5,4	6700	8500	21305CJ**	21305CKJ	
30	62	20	1	2	3,7	68	66,4	8,1	7500	9500	22206EW33J**	22206EKW33J	
	72	19	1,1	-	-	60,2	56,5	6,9	6000	7500	21306CJ**	21306CJ	
0.5	7.0	0.0		0	0.7	0.0	00.5		2222	0000		0000751/11/001	
35	72	23	1,1	2	3,7	90	93,5	11	6300	8000	22207EW33J**	22207EKW33J	
	80	21	1,5	-	-	77	77,8	9,5	5300	6700	21307CJ**	21307CKJ	
40	80	23	1,1	3	5,5	98	99,7	12	6000	7500	22208EW33J**	22208EKW33J	
40	90	23	1,1	3	5,5	97,3	102	12	4500	5600	21308CW33J**	21308CKW33J	
	90	33	1,5	3	5,5	154	160	20	4100	5100	22308EW33J**	22308EKW33J	
	90	33	1.5	3	5,5	154	160	20	4100	5100	22308EW33MH**	22308EKW33MH	
	00	00	1,0	0	0,0	104	100	20	4100	0100	ELOCOL WOOM	LEGOOLITIOOIIII	
45	85	23	1,1	3	5,5	105	110	13	5300	6700	22209EW33J**	22209EKW33J	
	100	25	1,5	3	5,5	118	125	15	4300	5300	21309CW33J**	21309CKW33J	
	100	36	1,5	3	5,5	183	194	24	3700	4500	22309EW33J**	22309EKW33J	
	100	36	1,5	3	5,5	183	194	24	3700	4500	22309EW33MH**	22309EKW33MH	
50	90	23	1,1	3	5,5	112	120	15	5000	6300	22210EW33J**	22210EKW33J	
	110	27	2	3	5,5	152	151	18	3600	4800	21310CW33J**	21310CKW33J	
	110	40	2	3	5,5	220	238	29	3300	4000	22310EW33J**	22310EKW33J	
	110	40	2	3	5,5	220	238	29	3300	4000	22310EW33MH**	22310EKW33MH	
55	100	25	1,5	3	5,5	137	147	18	4500	5600	22211EW33J**	22211EKW33J	
	100	25	1,5	3	5,5	137	147	18	4500	5600	22211EW33MH**	22211EKW33MH	
	120 120	29 43	2	3	5,5 5.5	163 253	176 279	21 34	3400 3000	4300 3800	21311CW33J** 22311EW33J**	21311CKW33J 22311EKW33J	
	120	43	2	3	5,5	253	279	34	3000	3800	22311EW33MH**	22311EKW33J	
	120	43		3	0,0	200	219	- 34	3000	3000	ZZ3 I I EW 3 SWIFT	ZZJIIERWOJWIT	
60	110	28	1.5	3	5,5	168	183	22	4000	5000	22212EW33J**	22212EKW33J	
00	110	28	1,5	3	5.5	168	183	22	4000	5000	22212EW33MH**	22212EKW33MH	
	130	31	2.1	3	5,5	186	215	26	3000	3800	21312CW33J**	21312CKW33J	
	130	46	2,1	3	5,5	304	315	38	2800	3600	22312EW33J**	22312EKW33J	
	130	46	2,1	3	5,5	304	315	38	2800	3600	22312EW33MH**	22312EKW33MH	
	130	46	2,1	3	5,5	304	315	38	2800	3600	22312EMHD2**	22312EKMHD2	

. . . 390







	nent and mensior		Wei	ght	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Fact	ors	
d _a	D _a	r _a	~	K				е	Υ,	Y ₂	Y _o
min	max	max									
	mm		kç	3							
31	46	1	0,180	0,176	H305	-	-	0,34	2,0	3,0	2,0
32	55	1	0,270	0,265	H305	-	-	0,30	2,3	3,4	2,2
36	56	1	0,285	0,279	H306		-	0,31	2,2	3,2	2,1
37	65	1	0,400	0,390	H306	-	-	0,27	2,5	3,7	2,5
40	٥٢	1	0.445	0.400	11007	-	-	0.04	0.0	0.0	0.0
42 44	65 71	1,5	0,445 0,540	0,436 0,530	H307 H307	-		0,31	2,2	3,3 3,6	2,2
44	/ 1	1,5	0,540	0,550	пои	-	-	0,28	2,4	3,0	2,5
47	73	1	0,534	0,523	H308	AH308	KM9	0,27	2,5	3,7	2,4
49	81	1,5	0,744	0,733	H308	AH308	KM9	0,26	2,6	3,9	2,6
49	81	1,5	1,05	1,03	H2308	AH2308	KM9	0,36	1,8	2,6	1,8
49	81	1,5	1,07	1,05	H2308	AH2308	KM9	0,36	1,8	2,6	1,8
		, .	, -	,				.,	, -	, .	, -
52	78	1	0,576	0,563	H309	AH309	KM10	0,25	2,7	4,0	2,6
54	91	1,5	0,990	0,975	H309	AH309	KM10	0,24	2,8	4,2	2,8
54	91	1,5	1,40	1,37	H2309	AH2309	KM10	0,36	1,9	2,8	1,9
54	91	1,5	1,43	1,40	H2309	AH2309	KM10	0,36	1,9	2,8	1,9
57	83	1	0,623	0,610	H310	AH310X	KM11	0,24	2,8	4,2	2,8
60	100	2	1,25	1,23	H310	AH310X	KM11	0,24	2,8	4,2	2,8
60	100	2	1,87	1,83	H2310	AH2310X	KM11	0,36	1,9	2,7	1,8
60	100	2	1,92	1,88	H2310	AH2310X	KM11	0,36	1,9	2,7	1,8
64	91	1,5	0,830	0,820	H311	AH311X	KM12	0,23	2,9	4,4	2,9
64	91	1,5	0,840	0,822	H311	AH311X	KM12	0,23	2,9	4,4	2,9
65	110	2	1,65	1,63	H311	AH311X	KM12	0,24	2,8	4,2	2,8
65	110	2	2,36	2,31	H2311	AH2311X	KM12	0,35	1,9	2,8	1,9
65	110	2	2,44	2,39	H2311	AH2311X	KM12	0,35	1,9	2,8	1,9
69	101	1,5	1,14	1,12	H312	AH312X	KM13	0,24	2,8	4,2	2,8
69	101	1,5	1,15	1,12	H312	AH312X	KM13	0,24	2,8	4,2	2,8
72	118	2	2,01	1,98	H312	AH312X	KM13	0,22	3,0	4,6	2,8
72	118	2	2,91	2,84	H2312	AH2312X	KM13	0,35	1,9	2,9	1,9
72	118	2	2,95	2,88	H2312	AH2312X	KM13	0,35	1,9	2,9	1,9
72	118	2	3,03	2,97	H2312	AH2312X	KM13	0,35	1,9	2,9	1,9

••••• 391 •••










	Mai	in dim	ensior	ıs		Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	Bearing d	lesignation
d	D	В	r _s	а	b	dynamic C,	static	P _u	grease	oil	with cylindrical bore	with tapered bore
							C _{or}					
		mr				kN		kN	min			
65	120	31	1,5	3	5,5	200	224	27	3800	4800	22213EW33J**	22213EKW33J
	120	31	1,5	3	5,5	200	224	27	3800	4800	22213EW33MH**	22213EKW33MH
	140	33	2,1	3	5,5	217	250	30	2800	3600	21313CW33J**	21313CKW33J
	140	48	2,1	3	5,5	329	351	42	2600	3400	22313EW33J**	22313EKW33J
	140	48	2,1	3	5,5	329	351	42	2600	3400	22313EW33MH**	22313EKW33MH
	140	48	2,1	3	5,5	329	351	42	2600	3400	22313EMHD2**	22313EKMHD2
70	125	31	1,5	3	5,5	208	239	29	3600	4500	22214EW33J**	22214EKW33J
	125	31	1,5	3	5,5	208	239	29	3600	4500	22214EW33MH**	22214EKW33MH
	150	35	2,1	3	5,5	246	284	34	2600	3400	21314CW33J**	21314CKW33J
	150	51	2,1	3	5,5	376	402	48	2400	3100	22314EW33J**	22314EKW33J
	150	51	2,1	3	5,5	376	402	48	2400	3100	22314EW33MH**	22314EKW33MH
	150	51	2,1	3	5,5	376	402	48	2400	3100	22314EMHD2**	22314EMHD2
75	130	31	1,5	3	5,5	216	255	31	3400	4300	22215EW33J**	22215EKW33J
	130	31	1,5	3	5,5	216	255	31	3400	4300	22215EW33MH**	22215EKW33MH
	160	37	2,1	3	5,5	266	308	36	2400	3200	21315CW33J**	21315CKW33J
	160	55	2,1	4,5	8,3	436	489	57	2300	3000	22315EW33J**	22315EKW33J
	160	55	2,1	4,5	8,3	436	489	57	2300	3000	22315EW33MH**	22315EKW33MH
	160	55	2,1	4,5	8,3	436	489	57	2300	3000	22315EMHD2**	22315EMHD2
80	140	33	2	3	5,5	246	295	35	3200	4000	22216EW33J**	22216EKW33J
	140	33	2	3	5,5	246	295	35	3200	4000	22216EW33MH**	22216EKW33MH
	170	39	2,1	3	5,5	299	349	40	2200	3000	21316CW33J**	21316CKW33J
	170	58	2,1	4,5	8,3	487	551	63	2200	2800	22316EW33J**	22316EKW33J
	170	58	2,1	4,5	8,3	487	551	63	2200	2800	22316EW33MH**	22316EKW33MH
	170	58	2,1	4,5	8,3	487	551	63	2200	2800	22316EMHD2**	22316EKMHD2
85	150	36	2	3	5,5	286	337	39	3000	3800	22217EW33J**	22217EKW33J
	150	36	2	3	5,5	286	337	39	3000	3800	22217EW33MH**	22217EKW33MH
	180	41	3	3	5,5	327	382	43	2000	2800	21317CW33J**	21317CKW33J
	180	60	3	4,5	8,3	530	603	68	2000	2600	22317EW33J**	22317EKW33J
	180	60	3	4,5	8,3	530	603	68	2000	2600	22317EW33MH**	22317EKW33MH
	180	60	3	4,5	8,3	530	603	68	2000	2600	22317EMHD2**	22317EKMHD2







	nent and mensior		Weig	ht	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Fact	ors	
d _a	D _a	r _a	~	K				е	Υ,	Y ₂	Y _o
min	max	max									
	mm		kg								
74	111	1,5	1,51	1,48	H313	AH313	KM15	0,24	2,9	4,2	2,8
74	111	1,5	1,53	1,50	H313	AH313	KM15	0,24	2,9	4,2	2,8
77	128	2	2,55	2,52	H313	AH313	KM15	0,23	2,9	4,3	2,8
77	128	2	3,46	3,38	H2313	AH2313	KM15	0,34	2	3	2
77	128	2	3,54	3,46	H2313	AH2313	KM15	0,34	2	3	2
77	128	2	3,64	3,56	H2313	AH2313	KM15	0,34	2	3	2
79	116	1,5	1,61	1,57	H314	AH314	KM16	0,23	2,9	4,2	2,8
79	116	1,5	1,62	1,58	H314	AH314	KM16	0,23	2,9	4,2	2,8
82	138	2	3,11	3,07	H314	AH314	KM16	0,23	2,9	4,3	2,9
82	138	2	4,19	4,10	H2314	AH2314X	KM16	0,34	2	3	2
82	138	2	4,38	4,29	H2314	AH2314X	KM16	0,34	2	3	2
82	138	2	4,40	4,31	H2314	AH2314X	KM16	0,34	2	3	2
84	121	1,5	1,70	1,66	H315	AH315	KM17	0,22	3,1	4,5	2,9
84	121	1,5	1,71	1,67	H315	AH315	KM17	0,22	3,1	4,5	2,9
87	148	2	3,74	3,69	H315	AH315	KM17	0,23	2,9	4,4	2,9
87	148	2	5,27	5,15	H2315	AH2315X	KM17	0,33	2	3	2
87	148	2	1,71	1,67	H2315	AH2315X	KM17	0,33	2	3	2
87	148	2	5,48	5,36	H2315	AH2315X	KM17	0,33	2	3	2
90	130	2	2,11	2,07	H316	AH316	KM18	0,22	3,1	4,5	3
90	130	2	2,13	2,09	H316	AH316	KM18	0,22	3,1	4,5	3
92	158	2	4,46	4,40	H316	AH316	KM18	0,23	3	4,4	2,9
92	158	2	6,25	6,11	H2316	AH2316X	KM18	0,33	2	3	2
92	158	2	6,34	6,20	H2316	AH2316X	KM18	0,33	2	3	2
92	158	2	6,51	6,37	H2316	AH2316X	KM18	0,33	2	3	2
95	140	2	2,66	2,61	H317	AH317X	KM19	0,22	3	4,4	2,9
95	140	2	2,67	2,62	H317	AH317X	KM19	0,22	3	4,4	2,9
99	166	2,5	5,31	5,24	H317	AH317X	KM19	0,24	2,8	4,2	2,8
99	166	2,5	7,16	7,01	H2317	AH2317X	KM19	0,32	2,1	3,1	2
99	166	2,5	7,30	7,15	H2317	AH2317X	KM19	0,32	2,1	3,1	2
99	166	2,5	7,48	7,34	H2317	AH2317X	KM19	0,32	2,1	3,1	2

• • • • • • 393 • • •



d = 90 to 110 mm






		Ма	in dim	ensior	ıs		Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	Bearing d	esignation
	d	D	В	r _s	а	b	dynamic	static	P _u	grease	oil	with cylindrical bore	with tapered bore
<del>-</del> -				min			C _r	C _{or}					
12.5.1			mr	n			kN		kN	mir	1 ⁻¹		
	90	160	40	2	4,5	8,3	339	406	46	2600	3400	22218EW33J**	22218EKW33J
		160	40	2	4,5	8,3	339	406	46	2600	3400	22218EW33MH**	22218EKW33MH
		160	52,4	2	3	5,5	407	522	60	1900	2600	23218CW33J**	23218CKW33J
		160	52,4	2	3	5,5	407	522	60	1900	2600	23218EW33MH**	23218EKW33MH
		190	43	3	4,5	8,3	361	425	47	1900	2600	21318CW33J**	21318CKW33J
		190	64	3	4,5	8,3	590	673	74	1900	2400	22318EW33J**	22318EKW33J
		190	64	3	4,5	8,3	590	673	74	1900	2400	22318EW33MH**	22318EKW33MH
		190	64	3	4,5	8,3	590	673	74	1900	2400	22318EMHD2**	22318EKMHD2
	95	170	43	2,1	4,5	8,3	381	464	52	2400	3200	22219EW33J**	22219EKW33J
		170	43	2,1	4,5	8,3	381	464	52	2400	3200	22219EW33MH**	22219EKW33MH
		200	45	3	4.5	8,3	398	473	51	1800	2400	21319CW33J**	21319CKW33J
		200	67	3	4,5	8,3	665	744	81	1800	2300	22319EW33J**	22319EKW33J
		200	67	3	4,5	8,3	665	744	81	1800	2300	22319EW33MH**	22319EKW33MH
		200	67	3	4,5	8,3	665	744	81	1800	2300	22319EMHD2**	22319EKMHD2
	100	150	50	1,5	3	5,5	327	528	60	1800	2400	24020CW33J**	24020CK30W33J
		165	52	2	3	5,5	410	587	66	2000	2800	23120CW33J**	23120CKW33J
		165	52	2	3	5,5	410	587	66	2000	2800	23120EW33MH**	23120EKW33M
		180	46	2,1	4,5	8,3	417	510	56	2200	3000	22220EW33J**	22220EKW33J
		180	46	2,1	4,5	8,3	417	510	56	2200	3000	22220EW33MH**	22220EKW33MH
		180	60,3	2,1	4,5	8,3	512	667	74	1700	2200	23220CW33J**	23220CKW33J
		180	60,3	2,1	4,5	8,3	512	667	74	1700	2200	23220EW33MH**	23220EKW33MH
		215	47	3	4,5	8,3	439	522	56	1700	2200	21320CW33J**	21320CKW33J
		215	73	3	4,5	8,3	750	842	90	1700	2200	22320EW33J**	22320EKW33J
		215	73	3	4,5	8,3	750	842	90	1700	2200	22320EW33MH**	22320EKW33MH
		215	73	3	4,5	8,3	750	842	90	1700	2200	22320EMHD2**	22320EKMHD2
	110	170	45	2	3	5,5	362	516	57	2200	3000	23022CW33J**	23022CKW33J
	110	170	45	2	3	5,5	362	516	57	2200	3000	23022EW33MH**	23022EKW33MH
		170	60	2	3	5,5	442	717	79	1700	2200	24022CW33J**	24022CK30W33J
		180	56	2	4,5	8,3	410	585	64	1900	2600	23122CW33J**	23122CKW33J
		180	56	2	4,5	8,3	410	585	64	1900	2600	23122EW33MH**	23122EKW33MH
		180	69	2	3	5,5	550	849	93	1600	2000	24122CW33J**	24122CK30W33J
		200	53	2,1	4,5	8,3	537	653	70	2000	2800	2222EW33J**	22222EKW33J
		200	53	2.1	4,5	8,3	537	653	70	2000	2800	22222EW33MH**	22222EKW33MH
		200	69,8	2,1	4,5	8,3	645	867	93	1600	2000	23222CW33J**	23222CKW33J
		200	69.8	2,1	4,5	8,3	645	867	93	1600	2000	23222EW33MH**	23222EKW33MH
		240	80	3	6	11.1	868	1000	103	1500	1900	22322EW33J**	22322EKW33J
		240	80	3	6	11,1	868	1000	103	1500	1900	22322EW33MH**	22322EKW33MH
		240	80	3	6	11,1	868	1000	103	1500	1900	22322EMHD2**	22322EKMHD2
		240	92.1	3	6	11,1	900	1160	120	1400	1800	23322EMHD2**	-
			,.			,,			.20				

. . 394







	nent and mension		Weig	jht	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Fact	ors	
d _a	D _a	r _a	~	K				е	Y,	Y ₂	Y _o
min	max	max									
	mm		kg								
100	150	2	3,40	3,33	H318	AH318X	KM20	0,23	2,9	4,2	2,8
100	150	2	3,42	3,35	H318	AH318X	KM20	0,23	2,9	4,2	2,8
100	150	2	4,52	4,40	H2318	AH3218X	KM20	0,31	2,2	3,3	2,2
100	150	2	4,61	4,49	H2318	AH3218X	KM20	0,31	2,2	3,3	2,2
104	176	2,5	6,00	5,92	H318	AH318X	KM20	0,23	3	4,5	2,9
104	176	2,5	8,54	8,35	H2318	AH2318X	KM20	0,33	2,1	3,1	2
104	176	2,5	8,68	8,49	H2318	AH2318X	KM20	0,33	2,1	3,1	2
104	176	2,5	8,89	8,70	H2318	AH2318X	KM20	0,33	2,1	3,1	2
107	158	2	4,17	4,08	H319	AH319X	KM21	0,23	2,9	4,2	2,7
107	158	2	4,20	4,11	H319	AH319X	KM21	0,23	2,9	4,2	2,7
109	186	2,5	6,99	6,90	H319	AH319X	KM21	0,22	3	4,5	3
109	186	2,5	9,86	9,64	H2319	AH2319X	KM21	0,33	2,1	3,1	2
109	186	2,5	10,00	9,81	H2319	AH2319X	KM21	0,33	2,1	3,1	2
109	186	2,5	10,30	10,00	H2319	AH2319X	KM21	0,33	2,1	3,1	2
109	141	1,5	3,15	3,10		-	-	0,3	2,3	3,4	2,3
110	155	2	4,40	4,26	H3120	AH3120X	KM22	0,29	2,4	3,5	2,3
110	155	2	4,45	4,31	H3120	AH3120X	KM22	0,29	2,4	3,5	2,3
112	168	2	5,01	4,90	H320	AH320X	KM22	0,24	2,9	4,1	2,7
112	168	2	5,03	4,92	H320	AH320X	KM22	0,24	2,9	4,1	2,7
112	168	2	6,55	6,37	H2320	AH3220X	KM22	0,31	2,2	3,2	2,1
112	168	2	6,67	6,49	H2320	AH3220X	KM22	0,31	2,2	3,2	2,1
114	201	2,5	8,57	8,46	H320	AH320X	KM22	0,22	3,1	4,6	3
114	201	2,5	12,3	12,1	H2320	AH2320X	KM22	0,33	2	3	2
114	201	2,5	12,5	12,3	H2320	AH2320X	KM22	0,33	2	3	2
114	201	2,5	12,8	12,6	H2320	AH2320X	KM22	0,33	2	3	2
120	160	2	3,68	3,56	H322	AH322X	KM24	0,24	2,9	4,3	2,8
120	160	2	3,73	3,61	H322	AH322X	KM24	0,24	2,9	4,3	2,8
120	160	2	5,04	4,95	-	_	-	0,32	2,1	3,2	2,1
120	170	2	5,36	5,19	H3122	AH3122X	KM24	0,3	2,3	3,4	2,2
120	170	2	5,45	5,28	H3122	AH3122X	KM24	0,3	2,3	3,4	2,2
120	170	2	6.94	6.83	-	AH24122	KM23	0.35	1.9	2,8	1,9
122	188	2	7,09	6,94	H322	AH3122X	KM24	0,25	2,7	4	2,6
122	188	2	7,16	7,01	H322	AH3122X	KM24	0,25	2,7	4	2,6
122	188	2	9,65	9,38	H2322	AH3222X	KM25	0,33	2,1	3,1	2
122	188	2	9,67	9,40	H2322	AH3222X	KM25	0,33	2,1	3,1	2
124	226	2,5	17,2	16,8	H2322	AH2322X	KM25	0,33	2,1	3,1	2
124	226	2,5	17,5	17,1	H2322	AH2322X	KM25	0,33	2,1	3,1	2
124	226	2,5	17,9	17,5	H2322	AH2322X	KM25	0,33	2,1	3,1	2
124	226	2,5	20,5	-	-	-	-	0,38	1,8	2,6	1,7
											,

• • • • 395 • • •




d = 120 to 140 mm





	Ma	in dim	ensior	ıs		Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	Bearing d	lesignation
d	D	В	r _s	а	b	dynamic C,	static	P _u	grease	oil	with cylindrical bore	with tapered bore
12.5.1		mr				, kN	or	kN	mir	v-1		
120	180	46	2	3	5,5	380	572	62	2000	2800	23024CW33J**	23024CKW33J
120	180	46	2	3	5,5	380	572	62	2000	2800	23024EW33MH**	23024CKW33J 23024EKW33MH
	180	60	2	3	5,5	454	770	83	1600	2000	24024CW33J**	24024CK30W33J
	200	62	2	4,5	8,3	575	798	85	1800	2400	23124CW33J**	23124CKW33J
	200	62	2	4,5	8,3	575	798	85	1800	2400	23124EW33MH**	23124EKW33MH
	200	80	2	4,5	5,5	702	1080	114	1400	1800	24124CW33J**	24124CK30W33J
	215	58	2.1	4,5	8,3	608	775	81	1900	2600	22224EW33J**	24124CK30W33J
	215	58	2,1	4,5	8,3	608	775	81	1900	2600	22224EW33MH**	22224EKW33MH
	215	76	2,1	4,5	8.3	746	1020	107	1500	1900	23224CW33J**	23224CKW33J
	215	76	2,1	4,5	8,3	746	1020	107	1500	1900	23224EW33MH**	23224CKW33J 23224EKW33MH
	260	86	3	4,5	11,1	1020	1180	119	1400	1800	2324EW33J**	22324EKW33J
	260	86	3	6	11,1	1020	1180	119	1400	1800	22324EW33MH**	22324EKW33MH
	260	86	3	6	11,1	1020	1180	119	1400	1800	22324EW33WH 22324EMHD2**	22324EKWHD2
	260	86	3	О	11,1	1020	1180	119	1400	1800	22324EMHD2**	22324ERMHD2
130	200	52	2	4,5	8,3	488	711	75	1900	2600	23026CW33J**	23026CKW33J
	200	52	2	4,5	8,3	488	711	75	1900	2600	23026EW33MH**	23026EKW33MH
	200	69	2	4,5	8,3	592	978	103	1500	1900	24026CW33J**	24026CK30W33J
	210	64	2	4,5	8,3	620	913	95	1700	2200	23126CW33J**	23126CKW33J
	210	64	2	4,5	8,3	620	913	95	1700	2200	23126EW33MH**	23126EKW33MH
	210	80	2	3	5,5	722	1160	121	1300	1700	24126CW33J**	24126CK30W33J
	230	64	3	6	11,1	708	948	97	1800	2400	22226EW33J**	22226EKW33J
	230	64	3	6	11,1	708	948	97	1800	2400	22226EW33MH**	22226EKW33MH
	230	80	3	4,5	8,3	828	1180	121	1300	1700	232226CW33J**	23226CKW33J
	230	80	3	4,5	8,3	828	1180	121	1300	1700	23226EW33MH**	23226EKW33MH
	280	93	4	7,5	13,9	1180	1380	136	1300	1700	22326EW33J**	22326EKW33J
	280	93	4	7,5	13,9	1180	1380	136	1300	1700	22326EW33MH**	22326EKW33MH
	280	93	4	7,5	13,9	1180	1380	136	1300	1700	22326EMHD2**	22326EKMHD2
140	210	53	2	4,5	8,3	511	781	81	1800	2400	23028CW33J**	23028CKW33J
	210	53	2	4,5	8,3	511	781	81	1800	2400	23028EW33MH**	23028EKW33MH
	210	69	2	4,5	8,3	603	1040	107	1400	1800	24028CW33J**	24028CK30W33J
	225	68	2,1	4,5	8,3	690	1030	105	1600	2000	23128CW33J**	23128CKW33J
	225	85	2,1	4,5	8,3	814	1330	135	1100	1500	24128CW33J**	24128CK30W33J
	250	68	3	6	11,1	822	1080	108	1700	2200	22228EW33J	22228EKW33J
	250	68	3	6	11,1	822	1080	108	1700	2200	22228EW33MH**	22228EKW33MH
	250	88	3	6	11,1	985	1370	137	1200	1600	23228CW33J**	23228CKW33J
	250	88	3	6	11,1	985	1370	137	1200	1600	23228EW33MH**	23228EKW33MH
	300	102	4	7,5	13,9	1320	1560	150	1200	1500	22328CW33J**	22328CKW33J
	300	102	4	7,5	13,9	1320	1560	150	1200	1500	22328EW33MH**	22328EKW33MH
	300	102	4	7,5	13,9	1320	1560	150	1200	1500	22328EMHD2	22328EKMHD2







	nent and mension		Weigh	ıt	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Fact	ors	
d _a	D _a	r _a	~	K				е	Y,	Y ₂	Y _o
min	max	max									
	mm		kg								
130	170	2	4,04	3,91	H3024	AH3024X	KM26	0,23	3	4,5	2,9
130	170	2	4,09	3,96	H3024	AH3024X	KM26	0,23	3	4,5	2,9
130	170	2	5,35	5,26	-	AH24024	KM25	0,3	2,3	3,4	2,2
130	190	2	7,69	7,45	H3124	AH3124X	KM26	0,28	2,4	3,5	2,3
130	190	2	7,82	7,58	H3124	AH3124X	KM26	0,28	2,4	3,5	2,3
130	190	2	10,1	9,9	-	AH24124	KM26	0,37	1,8	2,7	1,8
132	203	2	8,96	8,76	H3124	AH3124X	KM26	0,25	2,7	3,9	2,5
132	203	2	9,07	8,87	H3124	AH3124X	KM26	0,25	2,7	3,9	2,5
132	203	2	11,8	11,5	H2324	AH3224X	KM27	0,33	2	3	2
132	203	2	12,1	11,8	H2324	AH3224X	KM27	0,33	2	3	2
134	246	2,5	21,5	21,1	H2324	AH2324X	KM27	0,33	2,1	3,1	2
134	246	2,5	22,0	21,6	H2324	AH2324X	KM27	0,33	2,1	3,1	2
134	246	2,5	22,9	22,5	H2324	AH2324X	KM27	0,33	2,1	3,1	2
140	190	2	5,85	5,67	H3026	AH3026X	KM28	0,23	2,9	4,3	2,9
140	190	2	5,90	5,72	H3026	AH3026X	KM28	0,23	2,9	4,3	2,9
140	190	2	7,92	7,79	-	AH24026	KM27	0,31	2,2	3,2	2,1
140	200	2	8,47	8,20	H3126	AH3126X	KM28	0,28	2,4	3,6	2,4
140	200	2	8,63	8,36	H3126	AH3126X	KM28	0,28	2,4	3,6	2,4
140	200	2	10,9	10,7	-	AH24126	KM28	0,35	1,9	2,9	1,9
144	216	2,5	11,2	11,0	H3126	AH3126X	KM28	0,26	2,6	3,8	2,5
144	216	2,5	11,6	11,3	H3126	AH3126X	KM28	0,26	2,6	3,8	2,5
144	216	2,5	13,9	13,5	H2326	AH3226X	KM29	0,33	2,1	3,1	2
144	216	2,5	14,2	13,7	H2326	AH3226X	KM29	0,33	2,1	3,1	2
148	262	3	26,8	26,2	H2326	AH2326X	KM29	0,33	2,1	3,1	2
148	262	3	27,4	26,8	H2326	AH2326X	KM29	0,33	2,1	3,1	2
148	262	3	28,0	27,4	H2326	AH2326X	KM29	0,33	2,1	3,1	2
150	200	2	6,36	6,16	H3028	AH3028X	KM30	0,22	3	4,5	3
150	200	2	6,58	6,38	H3028	AH3028X	KM30	0,22	3	4,5	3
150	200	2	8,52	8,38	П3020	AH24028	KM29	0,22	2,3	3,4	2,3
152	213	2	10,3	10,0	H3128	AH3128X	KM30	0,29	2,5	3,7	2,3
152	213	2	13,1	12,9	ПО120	AH24128	KM30	0,27	1,9	2,9	1,9
154	236	2,5	14,1	13,8	H3128	AH3128X	KM30	0,35	2,7	3,9	2,5
154	236	2,5	14,1	14,0	H3128	AH3128X	KM30	0,25	2,7	3,9	2,5
154	236	2,5	18,4	17,8	H2328	AH3228X	KM31	0,23	2,1	3,9	2,3
154	236	2,5	18,7	18,1	H2328	AH3228X	KM31	0,33	2	3	2
158	282	2,5	33,3	32,6	H2328	AH2328X	KM31	0,33	2	3	2
158	282	3	33,9	33,2	H2328	AH2328X	KM31	0,34	2	3	2
158	282	3	34,9	34,2	H2328	AH2328X	KM31	0,34	2	3	2
100	202	- 5	07,0	07,2	112020	AI IZOZOX	TUVIOT	0,04		0	




d = 150 to 170 mm





	Main dimensions						Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	Bearing d	esignation
	d	D	В	r _s	а	b	dynamic	static	P _u	grease	oil	with cylindrical bore	with tapered bore
5.1				min			C,	C _{or}					
12.5			mr	n			kN		kN	mir	r¹		
	150	225	56	2,1	4,5	8,3	517	881	89	1700	2200	23030CW33J**	23030CKW33J
		225	56	2,1	4,5	8,3	573	881	89	1700	2200	23030EW33MH**	23030EKW33MH
		225	75	2,1	3	5,5	698	1220	123	1300	1700	24030CW33J**	24030CK30W33J
		250	80	2,1	6	11,1	905	1310	130	1400	1800	23130CW33J**	23130CKW33J
		250	100	2,1	4,5	8,3	1060	1690	167	1000	1400	24130CW33J**	24130CK30W33J
		270	73	3	7,5	13,9	949	1260	123	1600	2000	22230EW33J**	22230EKW33J
		270	73	3	7,5	13,9	949	1260	123	1600	2000	22230EW33MH**	22230EKW33MH
		270	96	3	6	11,1	1140	1620	158	1100	1500	23230CW33J**	23230CKW33J
		270	96	3	6	11.1	1140	1620	158	1100	1500	23230EW33MH**	23230EKW33MH
		320	108	4	9	16.7	1520	1850	175	1000	1400	22330CW33J**	22330CKW33J
		320	108	4	9	16,7	1520	1850	175	1000	1400	22330EW33MH**	22330EKW33MH
		320	108	4	9	16,7	1520	1850	175	1000	1400	22330EMHD2**	22330EKMHD2
						,.							
	160	240	60	2.1	6	11.1	646	1010	100	1700	2200	23032CW33J**	23032CKW33J
		240	60	2.1	6	11,1	646	1010	100	1700	2200	23032EW33MH**	23032EKW33MH
		240	80	2.1	4,5	8,3	790	1400	139	1100	1500	24032CW33J**	24032CK30W33J
		270	86	2,1	6	11,1	1040	1480	143	1300	1700	23132CW33J**	23132CKW33J
		270	109	2,1	4,5	8,3	1120	1980	192	950	1300	24132CW33J	24132CK30W33J
		290	80	3	7,5	13,9	1080	1440	138	1500	1900	22232EW33J**	22232EKW33J
		290	80	3	7.5	13,9	1080	1440	138	1500	1900	22232EW33MH**	22232EKW33MH
		290	104	3	7,5	13,9	1260	1840	176	1000	1400	23232CW33J**	23232CKW33J
		290	104	3	7,5	13,9	1260	1840	176	1000	1400	23232EW33MH**	23232EKW33MH
		340	114	4	9	16,7	1690	2090	194	1000	1300	22332CW33J**	22332CKW33J
		340	114	4	9	16,7	1690	2090	194	1000	1300	22332EW33MH**	22332EKW33MH
		340	114	4	9	16,7	1690	2090	194	1000	1300	22332EMHD2**	22332EKMHD2
		040	11-7	-	0	10,1	1000	2000	104	1000	1000	LLOOLLIMIBL	LEGGLERAMIDE
	170	260	67	2,1	6	11,1	770	1190	97	1600	2000	23034CW33J**	23034CKW33J
		260	67	2,1	6	11,1	770	1190	97	1600	2000	23034EW33MH**	23034EKW33MH
		260	90	2,1	4.5	8,3	962	1660	136	1000	1400	24034CW33J**	24034CK30W33J
		280	88	2,1	6	11,1	1070	1620	131	1200	1600	23134CW33J**	23134CKW33J
		280	109	2,1	4,5	8,3	1260	2090	169	900	1200	24134CW33J**	24134CK30W33J
		310	86	4	7,5	13,9	1190	1600	128	1300	1700	22234CW33J**	22234CKW33J
		310	86	4	7,5	13,9	1190	1600	128	1300	1700	22234EW33MH**	22234EKW33MH
		310	110	4	7,5	13,9	1470	2040	163	950	1300	23234CW33J**	23234CKW33J
		310	110	4	7,5	13,9	1470	2040	163	950	1300	23234EW33MH**	23234EKW33MH
		360	120	4	9	16,7	1780	2280	179	950	1250	22334CW33J**	22334CKW33J
		360	120	4	9	16,7	1780	2280	179	950	1250	22334EW33MH**	22334EKW33MH
		360	120	4	9	16.7	1780	2280	179	950	1250	22334EMHD2**	22334EKMHD2
		500	120	_		10,7	1100	2200	11.0	550	1200		







	nent and mensior		Weigl	nt	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Fact	ors	
d _a	D _a	r _a	~	к				е	Υ,	Y ₂	Y _o
min	max	max									
	mm		kg								
162	213	2	7,74	7,50	H3030	AH3030X	KM32	0,22	3,1	4,6	3
162	213	2	7,99	7,75	H3030	AH3030X	KM32	0,22	3,1	4,6	3
162	213	2	10,7	10,5	-	AH24030	KM31	0,3	2,3	3,4	2,2
162	238	2	15,5	15,0	H3130	AH3130X	KM33	0,29	2,3	3,4	2,3
162	238	2	19,9	19,6	-	AH24130	KM32	0,37	1,8	2,7	1,8
164	256	2,5	17,9	17,5	H3130	AH3130X	KM33	0,25	2,7	3,9	2,5
164	256	2,5	18,0	17,6	H3130	AH3130X	KM33	0,25	2,7	3,9	2,5
164	256	2,5	23,3	22,6	H2330	AH3230X	KM33	0,33	2	3	2
164	256	2,5	23,8	23,1	H2330	AH3230X	KM33	0,33	2	3	2
168	302	3	40,3	39,5	H2330	AH2330X	KM33	0,33	2	3	2
168	302	3	41,1	40,3	H2330	AH2330X	KM33	0,33	2	3	2
168	302	3	42,3	41,5	H2330	AH2330X	KM33	0,33	2	3	2
172	228	2	9,4	9,1	H3032	AH3032	KM34	0,22	3,1	4,6	3
172	228	2	9,7	9,4	H3032	AH3032	KM34	0,22	3,1	4,6	3
172	228	2	12,9	12,7	-	AH24032	KM34	0,3	2,3	3,4	2,2
172	258	2	19,4	18,8	H3132	AH3132	KM36	0,32	2,1	3	2
172	258	2	25,7	25,3		AH24132	KM34	0,38	1,8	2,7	1,8
174	276	2,5	22,7	22,2	H3132	AH3132	KM36	0,26	2,6	3,8	2,5
174	276	2,5	23,0	22,5	H3132	AH3132	KM36	0,26	2,6	3,8	2,5
174	276	2,5	30,3	29,4	H2332	AH3232	KM36	0,34	2	2,9	1,9
174	276	2,5	25,0	24,1	H2332	AH3232	KM36	0,34	2	2,9	1,9
178	322	3	49,5	48,5	H2332	AH2332	KM36	0,33	2	3	2
178	322	3	50,5	49,5	H2332	AH2332	KM36	0,33	2	3	2
178	322	3	52,0	51,0	H2332	AH2332	KM36	0,33	2	3	2
182	248	2	12,6	12,2	H3034	AH3034	KM36	0,23	2,9	4,4	2,9
182	248	2	12,7	12,3	H3034	AH3034	KM36	0,23	2,9	4,4	2,9
182	248	2	17,3	17,1	-	AH24034	KM36	0,31	2,2	3,2	2,1
182	268	2	21,0	20,4	H3134	AH3134	KM38	0,29	2,4	3,5	2,3
182	268	2	27,0	26,6	-	AH24134	KM36	0,36	1,9	2,8	1,8
188	292	3	27,6	27,0	H3134	AH3134	KM38	0,26	2,6	3,9	2,6
188	292	3	28,1	27,5	H3134	AH3134	KM38	0,26	2,6	3,9	2,6
188	292	3	35,3	34,3	H2334	AH3234	KM38	0,34	2	3	2
188	292	3	36,0	35,0	H2334	AH3234	KM38	0,34	2	3	2
188	342	3	56,8	55,5	H2334	AH2334	KM38	0,34	2	3	2
188	342	3	57,7	58,7	H2334	AH2334	KM38	0,34	2	3	2
188	342	3	59,1	57,8	H2334	AH2334	KM38	0,34	2	3	2



d = 180 to 200 mm






	Ma	in dim	ensior	ıs		Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	Bearing d	esignation
d	D	В	r _s	а	b	dynamic	static	P _u	grease	oil	with cylindrical bore	with tapered bore
<u> </u>			min			C _r	C _{or}					
4		mr				kN		kN	mir			
180	250	52	2	3	5,5	515	919	89	1700	2200	23936CW33J**	23936CKW33J
	250	52	2	3	5,5	515	919	89	1700	2200	23936EW33MH**	23936EKW33MH
	280	74	2,1	7,5	13,9	920	1410	134	1400	1800	23036CW33J**	23036CKW33J
	280	74	2,1	7,5	13,9	920	1410	134	1400	1800	23036EW33MH**	23036EKW33MH
	280	100	2,1	4,5	8,3	1170	1980	188	950	1300	24036CW33J**	24036CKW33J
	280	100	2,1	4,5	8,3	1170	1980	188	950	1300	24036EW33MH**	24036EK30W33MH
	300	96	3	7,5	13,9	1260	1890	177	1100	1500	23136CW33J**	23136CKW33J
	300	118	3	6	11,1	1370	2400	225	850	1100	24136CW33J**	24136CK30W33J
	320	86	4	9	16,7	1230	1700	157	1300	1700	22236CW33J**	22236CKW33J
	320	86	4	9	16,7	1230	1700	157	1300	1700	22236EW33MH**	22236EKW33MH
	320	112	4	7,5	13,9	1540	2210	205	900	1200	23236CW33J**	23236CKW33J
	380	126	4	12	22,3	1950	2530	227	900	1200	22336CW33J**	22336CKW33J
	380	126	4	12	22,3	1950	2530	227	900	1200	22336EW33MH**	22336EKW33MH
	380	126	4	12	22,3	1950	2530	227	900	1200	22336EMHD2**	22336EKMHD2
190	260	52	2	3	5,5	520	966	92	1700	2200	23938EW33MH**	23938EKW33MH
100	290	75	2.1	7,5	13,9	962	1510	142	1300	1700	23038CW33J**	23038CKW33J
	290	75	2,1	7,5	13,9	962	1510	142	1300	1700	23038EW33MH**	23038EKW33MH
	290	100	2.1	4.5	8,3	1190	2070	194	920	1250	24038CW33J**	24038CKW33J
	290	100	2.1	4,5	8,3	1190	2070	194	920	1250	24038EW33MH**	24038EK30W33MH
	320	104	3	7.5	13.9	1440	2180	201	1000	1400	23138CW33J**	23138CKW33J
	320	104	3	7,5	13,9	1440	2180	201	1000	1400	23138EW33MH**	23138EKW33MH
	340	92	4	9	16,7	1400	1900	173	1200	1600	22238CW33J**	22238CKW33J
	340	92	4	9	16,7	1400	1900	173	1200	1600	22238EW33MH**	22238EKW33MH
	340	120	4	9	16,7	1730	2530	230	850	1100	23238CW33J**	23238CKW33J
	400	132	5	12	22,3	2140	2810	248	850	1100	22338CW33J**	22338CKW33J
	400	132	5	12	22,3	2140	2810	248	850	1100	22338EW33MH**	22338EKW33MH
200	280	60	2,1	4,5	8,3	650	1160	109	1600	2000	23940EW33MH**	23940EKW33MH
	310	82	2,1	7,5	13,9	1120	1730	159	1200	1600	23040CW33J**	23040CKW33J
	310	82	2,1	7,5	13,9	1120	1730	159	1200	1600	23040EW33MH**	23040EK30W33MH
	310	109	2,1	6	11,1	1390	2370	218	900	1200	24040CW33J**	24040CK30W33J
	310	109	2,1	6	11,1	1390	2370	218	900	1200	24040EW33MH**	24040EK30W33MH
	340	112	3	9	16,7	1630	2410	218	950	1300	23140CW33J**	23140CKW33J
	340	112	3	9	16,7	1630	2410	218	950	1300	23140EW33MH**	23140EKW33MH
	340	140	3	6	11,1	1920	3160	286	800	1000	24140EW33MH**	24140EK30W33MH
	360	98	4	9	16,7	1560	2140	192	1100	1500	22240CW33J**	22240CKW33J
	360	98	4	9	16,7	1560	2140	192	1100	1500	22240EW33MH**	22240EW33MH**
	360	128	4	9	16,7	1930	2850	255	800	1000	23240CW33J**	23240CKW33J
	420	138	5	12	22,3	2340	3110	270	800	1000	22340CW33J**	22340CKW33J
	420	138	5	12	22,3	2340	3110	270	800	1000	22340EW33MH**	22340EKW33MH

• • 4nn

ZKL)





	nent and mension		Weig	ıht	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Fact	ors	
d _a	D _a	r _a	~	к				е	Y, .	Y ₂	Y _o
min	max	max									
	mm		kg								
190	240	2	7,7	7,5	H3936	-	-	0,18	3,7	5,5	3,7
190	240	2	7,7	7,4	H3936	-	-	0,18	3,7	5,5	3,7
192	268	2	16,3	15,8	H3036	AH3036	KM38	0,24	2,9	4,2	2,8
192	268	2	16,5	16,0	H3036	AH3036	KM38	0,24	2,9	4,2	2,8
192	268	2	22,9	22,6	-	AH24036	KM38	0,32	2,1	3,1	2
192	268	2	23,2	22,9	-	AH24036	KM38	0,32	2,1	3,1	2
194	286	2,5	26,6	25,8	H3136	AH3136	KM40	0,29	2,3	3,4	2,3
194	286	2,5	32,9	32,4	-	AH24136	KM38	0,37	1,8	2,7	1,8
198	302	3	29,1	28,4	H3136	AH2236	KM40	0,25	2,7	4	2,7
198	302	3	29,6	28,9	H3136	AH2236	KM40	0,25	2,7	4	2,7
198	302	3	37,5	36,3	H2336	AH3236	KM40	0,33	2,1	3,1	2
198	362	3	65,8	64,3	H2336	AH2336	KM40	0,33	2,1	3,1	2
198	362	3	67,1	65,6	H2336	AH2336	KM40	0,33	2,1	3,1	2
198	362	3	68,7	67,2	H2336	AH2336	KM40	0,33	2,1	3,1	2
200	250	2	8,1	7,8	H3938	-	-	0,17	3,9	5,8	3,8
202	278	2	17,4	16,9	H3038	AH3038	HML41T	0,23	2,9	4,4	2,9
202	278	2	17,6	17,1	H3038	AH3038	HML41T	0,23	2,9	4,4	2,9
202	278	2	23,7	23,3	-	AH24038	KM40	0,31	2,2	3,2	2,1
202	278	2	24,0	23,6	-	AH24038	KM40	0,31	2,2	3,2	2,1
204	306	2,5	33,6	32,6	H3138	AH3138	HM42T	0,3	2,3	3,4	2,2
204	306	2,5	34,5	33,4	H3138	AH3138	HM42T	0,3	2,3	3,4	2,2
208	322	3	35,1	34,3	H3138	AH2238	HM42T	0,25	2,7	4	2,6
208	322	3	35,6	34,8	H3138	AH2238	HM42T	0,25	2,7	4	2,6
208	322	3	45,8	44,4	H2338	AH3238	HM42T	0,33	2	3	2
212	378	4	76,3	74,6	H2338	AH2338	HM42T	0,32	2,1	3,1	2
212	378	4	77,7	76,0	H2338	AH2338	HM42T	0,32	2,1	3,1	2
212	268	2	11,3	11,0	H3940	-	-	0,19	3,6	5,4	3,5
212	298	2	22,2	21,5	H3040	AH3040	HML43T	0,24	2,9	4,3	2,8
212	298	2	22,5	21,8	H3040	AH3040	HML43T	0,24	2,9	4,3	2,8
212	298	2	30,1	29,6	-	AH24040	HM42T	0,32	2,1	3,1	2,1
212	298	2	30,8	30,3	-	AH24040	HM42T	0,32	2,1	3,1	2,1
214	326	2,5	40,5	39,2	H3140	AH3140	HM44T	0,3	2,2	3,3	2,2
214	326	2,5	41,5	40,2	H3140	AH3140	HM44T	0,3	2,2	3,3	2,2
214	326	2,5	53,4	52,6	-	AH24140	HM42T	0,39	1,9	2,6	1,7
218	342	3	43,0	42,0	H3140	AH2240	HM44T	0,25	2,6	3,9	2,6
218	342	3	42,7	41,7	H3140	AH2240	HM44T	0,25	2,6	3,9	2,6
218	342	3	55,1	53,5	H2340	AH3240	HM44T	0,33	2	3	2
222	398	4	89,2	87,2	H2340	AH2340	HM44T	0,32	2,1	3,1	2
222	398	4	90,7	88,7	H2340	AH2340	HM44T	0,32	2,1	3,1	2

••••• 401 •••




d = 220 to 260 mm





	Ma	in dim	ensior	ıs		Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	Bearing d	esignation
d	D	В	r _s	а	b	dynamic	static	P _u	grease	oil	with cylindrical bore	with tapered bore
1.5			min			C _r	C _{or}					
72		mr				kN		kN	mir			
220	300	60	2,1	4,5	8,3	680	1330	122	1500	1900	23944CW33J**	23944CKW33J
	300	60	2,1	4,5	8,3	680	1330	122	1500	1900	23944EW33MH**	23944EKW33MH
	340	90	3	7,5	13,9	1320	2090	187	1100	1500	23044CW33J**	23044CKW33J
	340	90	3	7,5	13,9	1320	2090	187	1100	1500	23044EW33MH**	23044EKW33MH
	340	118	3	6	11,1	1650	2830	253	850	1100	24044CW33J**	24044CKW33J
	340	118	3	6	11,1	1650	2830	253	850	1100	24044EW33MH**	24044EK30W33MH
	370	120	4	9	16,7	1880	2890	255	900	1200	23144CW33J**	23144CKW33J
	370	120	4	9	16,7	1880	2890	255	900	1200	23144EW33MH**	23144EKW33MH
	370	150	4	6	11,1	2200	3690	325	750	950	24144EW33MH**	24144EK30W33MH
	400	108	4	9	16,7	1900	2630	228	950	1300	22244CW33J**	22244CKW33J
	400	108	4	9	16,7	1900	2630	228	950	1300	22244EW33MH**	22244EKW33MH
	400	144	4	9	16,7	2400	3610	314	750	950	23244CW33J**	23244CKW33J
	460	145	5	12	22,3	2660	3570	302	750	950	22344CW33J**	22344CKW33J
	460	145	5	12	22,3	2660	3570	302	750	950	22344EW33MH**	22344EKW33MH
240	320	60	2,1	4,5	8,3	695	1450	130	1300	1700	23948EW33MH**	23948EKW33MH
	360	92	3	7,5	13,9	1390	2310	203	1000	1400	23048CW33J**	23048CKW33J
	360	92	3	7,5	13,9	1390	2310	203	1000	1400	23048EW33MH**	23048EKW33MH
	360	118	3	6	11,1	1690	3060	268	800	1000	24048EW33MH**	24048EK30W33MH
	400	128	4	9	16,7	2160	3340	287	850	1100	23148CW33J**	23148CKW33J
	400	128	4	9	16,7	2160	3340	287	850	1100	23148EW33MH**	23148EKW33MH
	400	160	4	6	11,1	2510	4260	366	670	850	24148EW33MH**	24148EK30W33MH
	440	120	4	12	22,3	2050	3070	259	900	1200	22248CW33J**	22248CKW33J
	440	160	4	12	22,3	2870	4150	351	670	850	23248EW33MH**	23248EKW33MH
	500	155	5	12	22,3	2980	4020	331	670	850	22348CW33J**	22348CKW33J
	500	155	5	12	22,3	2980	4020	331	670	850	22348EW33MH**	22348EKW33MH
260	360	75	2,1	4,5	8,3	970	1930	168	1100	1500	23952CW33J**	23952CKW33J
	360	75	2,1	4,5	8,3	970	1930	168	1100	1500	23952EW33MH**	23952EKW33MH
	400	104	4	9	16,7	1650	2790	238	900	1200	23052CW33J**	23052CKW33J
	400	104	4	9	16,7	1650	2790	238	900	1200	23052EW33MH**	23052EKW33MH
	400	140	4	6	11,1	2190	4020	343	700	900	24052EW33MH**	24052EK30W33MH
	440	144	4	9	16,7	2560	4130	346	800	1000	23152CW33J**	23152CKW33J
	440	144	4	9	16,7	2560	4130	346	800	1000	23152EW33MH**	23152EKW33MH
	440	180	4	7,5	13,9	3100	5320	446	600	750	24152EW33MH**	24152EK30W33MH
	480	130	5	12	22,3	2650	3600	290	850	1100	22252EW33MH**	22252EKW33MH
	480	174	5	12	22,3	3250	4850	399	630	800	23252EW33MH**	23252EKW33MH
	540	165	6	12	22,3	3400	4670	376	630	800	22352CW33J**	22352CKW33J
	540	165	6	12	22,3	3400	4670	376	630	800	22352EW33MH**	22352EKW33MH







	nent and imensior		Weig	ıht	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Factors Y ₁ Y ₂ Y ₀		
d _a	D _a	r _a	~	К				е	Y,	Y ₂	Y _o
min	max	max									
	mm		kg								
232	288	2	12,7	12,3	H3944	-	-	0,16	4,2	6,3	4
232	288	2	12,4	12,1	H3944	-	-	0,16	4,2	6,3	4
234	326	2,5	29,2	28,3	H3044	AH3044	HML47T	0,24	2,9	4,3	2,8
234	326	2,5	29,6	28,7	H3044	AH3044	HML47T	0,24	2,9	4,3	2,8
234	326	2,5	39,0	38,3	-	AOH24044	HM46T	0,32	2,3	3,1	2,1
234	326	2,5	39,7	39,0	-	AOH24044	HM46T	0,32	2,3	3,1	2,1
238	352	3	50,8	49,2	H3144	AH3144	HM48T	0,3	2,3	3,4	2,2
238	352	3	52,3	50,7	H3144	AH3144	HM48T	0,3	2,3	3,4	2,2
238	352	3	67,1	66,1	-	AOH24144	HM46T	0,38	1,8	2,6	1,7
238	382	3	58,8	57,5	H3144	AH2244	HM48T	0,25	2,7	4	2,6
238	382	3	58,6	57,3	H3144	AH2244	HM48T	0,25	2,7	4	2,6
238	382	3	77,9	75,5	H2344	AH2344	HM48T	0,34	2	3	2
242	438	4	111	109	H2344	AH2344	HM48T	0,31	2,2	3,2	2,1
242	438	4	112	110	H2344	AH2344	HM48T	0,31	2,2	3,2	2,1
252	308	2	13,3	13,0	H3948	-	-	0,15	4,5	6,7	4,5
254	346	2,5	32,0	31,0	H3048	AH3048	HM52T	0,23	3	4,5	2,9
254	346	2,5	32,4	31,4	H3048	AH3048	HM52T	0,23	3	4,5	2,9
254	346	2,5	42,8	42,1	-	AOH24048	HM50T	0,3	2,3	3,4	2,2
258	382	3	63,0	61,0	H3148	AH3148	HM52T	0,29	2,3	3,4	2,3
258	382	3	64,5	62,5	H3148	AH3148	HM52T	0,29	2,3	3,4	2,3
258	382	3	82,5	81,3	-	AOH24148	HM52T	0,38	1,8	2,7	1,8
258	422	3	80,0	78,2	H3148	AH2248	HM52T	0,26	2,6	3,9	2,6
258	422	3	107	104	H2348	AH2348	HM52T	0,35	1,9	2,9	1,8
262	478	4	140	137	H2348	AH2348	HM52T	0,3	2,2	3,3	2,2
262	478	4	142	139	H2348	AH2348	HM52T	0,3	2,2	3,3	2,2
272	348	2	23,4	22,6	H3952	-	-	0,18	3,7	5,5	3,7
272	348	2	22,9	22,0	H3952	-	-	0,18	3,7	5,5	3,7
278	382	3	45,8	44,4	H3052	AH3052	HM56T	0,18	2,9	4,3	2,9
278	382	3	46,4	44,9	H3052	AH3052	HM56T	0,23	2,9	4,3	2,9
278	382	3	65,0	63,9	-	AOH24052	HM56T	0,32	2,1	3,1	2,1
278	422	3	87,8	85,0	H3152	AH3152	HM58T	0,32	2	3,1	2
278	422	3	90,3	87,5	H3152	AH3152	HM58T	0,32	2	3,1	2
278	422	3	115	113	110102		HM56T	0,32	1,8	2.6	1,7
282	458	4	108	106	H3152	AH2252	HM58T	0,29	2,3	3,4	2,2
282	458	4	138	133	H2352	AH2352	HM58T	0,23	1,8	2,6	1,7
288	512	5	173	170	H2352	AH2352	HM58T	0,3	2,3	3,4	2,2
288	512	5	175	172	H2352	AH2352	HM58T	0,3	2,3	3,4	2,2
200	SIL					7.1.2502	561	3,0	_,0	٥, ٦	_,_

W










		Ma	in dim	ensior	ıs		Basic l ratir		Fatique load limit	Limiting for lubri wit	cation	Bearing designation  with with	
	d	D	В	r _s	а	b	dynamic	static	P _u	grease	oil	with cylindrical bore	with tapered bore
5				min			C _r	C _{or}					
12.5.1			mr	n			kN		kN	mir	r¹		
	280	380	75	2,1	4,5	8,3	1000	2100	179	1000	1400	23956EW33MH**	23956EKW33MH
		420	106	4	9	16,7	1740	3060	256	850	1100	23056CW33J**	23056CKW33J
		420	106	4	9	16,7	1740	3060	256	850	1100	23056EW33MH**	23056EKW33MH
		420	140	4	6	11,1	2240	4280	358	670	850	24056EW33MH**	24056EK30W33MH
		460	146	5	9	16,7	2650	4470	368	750	950	23156CW33J**	23156CKW33J
		460	146	5	9	16,7	2650	4470	368	750	950	23156EW33MH**	23156EKW33MH
		460	180	5	7,5	13,9	3220	5630	464	560	700	24156EW33MH**	24156EK30W33MH
		500	130	5	12	22,3	2700	3850	312	800	1000	22256EW33MH**	22256EKW33MH
		500	176	5	12	22,3	3340	5240	425	600	750	23256EW33MH**	23256EKW33MH
		580	175	6	12	22,3	3840	5340	420	600	750	22356CW33J**	22356CKW33J
		580	175	6	12	22,3	3840	5340	420	600	750	22356EW33MH**	22356EKW33MH
	300	420	90	3	6	11,1	1360	2690	223	950	1300	23960EW33MH**	23960EKW33MH
		460	118	4	9	16,7	2100	3720	304	800	1000	23060CW33J**	23060CKW33J
		460	118	4	9	16,7	2100	3720	304	800	1000	23060EW33MH**	23060EKW33MH
		460	160	4	7,5	13,9	2670	5230	427	600	750	24060CW33J**	24060CK30W33J
		460	160	4	7,5	13,9	2670	5230	427	600	750	24060EW33MH**	24060EK30W33MH
		500	160	5	9	16,7	3050	5160	415	670	850	23160CW33J**	23160CKW33J
		500	160	5	9	16,7	3050	5160	415	670	850	23160EW33MH**	23160EKW33MH
		500	200	5	7,5	13,9	3590	6790	546	530	670	24160EW33MH**	24160EK30W33MH
		540	140	5	12	22,3	3150	4350	345	750	950	22260EW33MH**	22260EKW33MH
		540	192	5	12	22,3	3750	6150	488	530	670	23260EW33MH**	23260EKW33MH
	320	440	90	3	6	11,1	1380	2830	231	900	1200	23964EW33MH**	23964EKW33MH
		480	121	4	9	16,7	2180	4090	329	750	950	23064CW33J**	23064CKW33J
		480	121	4	9	16,7	2180	4090	329	750	950	23064EW33MH**	23064EKW33MH
		480	160	4	7,5	13,9	2750	5500	443	560	700	24064CW33J**	24064CK30W33J
		480	160	4	7,5	13,9	2750	5500	443	560	700	24064EW33MH**	24064EK30W33MH
		540	176	5	12	22,3	3560	6150	484	630	800	23164CW33J**	23164CKW33J
		540	176	5	12	22,3	3560	6150	484	630	800	23164EW33MH**	23164EKW33MH
		540	218	5	9	16,7	4120	7870	620	480	600	24164EW33MH**	24164EK30W33MH
		580	150	5	12	22,3	3600	5000	388	670	850	22264EW33MH**	22264EKW33MH
		580	208	5	12	22,3	4160	7070	549	500	630	23264EW33MH**	23264EKW33MH
	340	460	90	3	6	11,1	1410	3020	243	880	1150	23968EW33MH**	23968EKW33MH
	3.0	520	133	5	12	22,3	2680	4750	374	700	900	23068EW33MH**	23068EKW33MH
		520	180	5	9	16,7	3280	6710	528	530	670	24068EW33MH**	24068EK30W33MH
		580	190	5	12	22,3	4240	7080	546	600	750	23168CW33J**	23168CKW33J
		580	190	5	12	22.3	4240	7080	546	600	750	23168EW33MH**	23168EKW33MH
		580	243	5	9	16,7	4800	9490	732	450	560	24168EW33MH**	24168EK30W33MH
		620	224	6	12	22,3	4840	8200	625	450	560	23268EW33MH**	23268EKW33MH

• • 4N4

ZKI)




	nent and mensior		Weig	ıht	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Fact	ors	
d _a	D _a	r _a	~	к				е	Υ,	Y ₂	Y _o
min	max	max									
	mm		kg								
292	368	2	25,0	24,2	H3956	-	-	0,16	4,2	6,3	4
298	402	3	50,0	48,4	H3056	AH3056	HM3060	0,22	3	4,5	3
298	402	3	51,5	49,9	H3056	AH3056	HM3060	0,22	3	4,5	3
298	402	3	69,7	68,6	-	AOH24056	HM58T	0,3	2,2	3,3	2,2
302	438	4	93,9	90,8	H3156	AH3156	HM62T	0,29	2,3	3,5	2,3
302	438	4	96,5	93,4	H3156	AH3156	HM62T	0,29	2,3	3,5	2,3
302	438	4	121	119	-	AOH24156	HM3160	0,37	1,8	2,7	1,8
302	478	4	113	110	H3156	AH2256	HM62T	0,28	2,4	3,5	2,3
302	478	4	148	143	H2356	AH2356	HM62T	0,36	1,9	2,7	1,8
308	552	5	211	207	H2356	AH2356	HM62T	0,3	2,3	3,4	2,2
308	552	5	214	209	H2356	AH2356	HM62T	0,3	2,3	3,4	2,2
314	406	2,5	38,3	37,0	H3960	-	-	0,19	3,6	5,4	3,5
318	442	3	69,6	67,5	H3060	AH3060	HM3064	0,23	3	4,4	2,9
318	442	3	71,5	69,4	H3060	AH3060	HM3064	0,23	3	4,4	2,9
318	442	3	98,1	96,6	-	AOH24060	HM62T	0,32	2,1	3,2	2,1
318	442	3	97,7	96,2	-	AOH24060	HM62T	0,32	2,1	3,2	2,1
322	478	4	123	119	H3160	AH3160	HM66T	0,29	2,3	3,4	2,3
322	478	4	127	123	H3160	AH3160	HM66T	0,29	2,3	3,4	2,3
322	478	4	163	160	-	AOH24160	HM3164	0,37	1,8	2,7	1,8
322	518	4	143	140	H3160	AH2260	HM66T	0,27	2,5	3,6	2,4
422	518		188	183	H3260	AH3260	HM66T	0,36	1,8	2,7	1,8
334	426	2,5	40,4	39,1	H3964	-	-	0,18	3,8	5,7	3,7
338	462	3	76,1	73,7	H3064	AH3064	HML69T	0,22	3	4,5	3
338	462	3	76,8	74,4	H3064	AH3064	HML69T	0,22	3	4,5	3
338	462	3	103	101	-	AOH24064	HM66T	0,3	2,2	3,3	2,2
338	462	3	103	101	-	AOH24064	HM66T	0,3	2,2	3,3	2,2
342	518	4	160	155	H3164	AH3164	HM70T	0,3	2,2	3,3	2,2
342	518	4	162	157	H3164	AH3164	HM70T	0,3	2,2	3,3	2,2
342	518	4	208	205	110404	AOH24164	HM3168	0,38	1,8	2,6	1,7
342	558	4	172	166	H3164	AH2264	HM70T	0,27	2,5	3,6	2,3
342	558	4	238	231	H3264	AH3246	HM70T	0,37	1,8	2,6	1,7
354	446	2,5	43,3	41,9	H3968	-	-	0,17	4	6	3,9
362	498	4	100	97,4	H3068	AH3068	HML73T	0,23	2,9	4,4	2,9
362	498	4	141	139	-	AOH24068	HM3072	0,33	2	3	2
362	558	4	201	195	H3168	AH3168	HM74T	0,3	2,2	3,3	2,2
362	558	4	206	199	H3168	AH3168	HM74T	0,3	2,2	3,3	2,2
362	558	4	271	267	-	AOH24168	HM3172	0,4	1,7	2,5	1,7
368	592	5	295	286	H3268	AH3268	HM74T	0,37	1,8	2,6	1,7


405

W










m 480 90 540 134 540 180 650 243 650 232 194 6520 243 680 243 680 243 650 250 180 650 180 650 243 680 240 106	r _s min m 3 5 5 5 6 6 4 5 5 5 6 6	6 12 9 12 9 12 7,5 12 9 12	11,1 22,3 16,7 22,3 16,7 22,3 13,9 22,3 16,7 22,3 16,7	dynamic C _r kN 1430 2740 3330 4250 4870 5200 1850 2810 3420 4380	3210 5080 7110 7500 9970 8800 4030 5370 7420	P _u kN  255 395 552 571 759 660  313 412	min 850 670 500 560 430 430	1100 850 630 700 530 530	with cylindrical bore  23972EW33MH** 23072EW33MH** 24072EW33MH** 24172EW33MH** 24172EW33MH** 23272EW33MH**	with tapered bore 23972EKW33MH 23072EKW33MH 24072EK30W33MH 24172EK30W33MH 23272EKW33MH
480 90 540 134 540 180 600 192 600 243 650 232 520 106 560 135 560 180 620 194 632 243 680 240	3 5 5 5 6 4 5 5 5 5 5 5	12 9 12 9 12 7,5 12 9 12	22,3 16,7 22,3 16,7 22,3 13,9 22,3 16,7 22,3	1430 2740 3330 4250 4870 5200 1850 2810 3420	3210 5080 7110 7500 9970 8800 4030 5370 7420	255 395 552 571 759 660 313 412	850 670 500 560 430 430	1100 850 630 700 530 530	23072EW33MH** 24072EW33MH** 23172EW33MH** 24172EW33MH** 23272EW33MH**	23072EKW33MH 24072EK30W33MH 23172EKW33MH 24172EK30W33MH 23272EKW33MH
480 90 540 134 540 180 600 192 600 243 650 232 520 106 560 135 560 180 620 194 632 243 680 240	3 5 5 5 5 6 4 5 5 5 5	12 9 12 9 12 7,5 12 9 12	22,3 16,7 22,3 16,7 22,3 13,9 22,3 16,7 22,3	1430 2740 3330 4250 4870 5200 1850 2810 3420	3210 5080 7110 7500 9970 8800 4030 5370 7420	255 395 552 571 759 660 313 412	850 670 500 560 430 430	1100 850 630 700 530 530	23072EW33MH** 24072EW33MH** 23172EW33MH** 24172EW33MH** 23272EW33MH**	23072EKW33MH 24072EK30W33MH 23172EKW33MH 24172EK30W33MH 23272EKW33MH
540 134 540 180 600 192 600 243 650 232 5520 106 566 135 566 180 6320 194 6320 243 6380 240	5 5 5 5 6 4 5 5 5 5	12 9 12 9 12 7,5 12 9 12	22,3 16,7 22,3 16,7 22,3 13,9 22,3 16,7 22,3	2740 3330 4250 4870 5200 1850 2810 3420	5080 7110 7500 9970 8800 4030 5370 7420	395 552 571 759 660 313 412	670 500 560 430 430	850 630 700 530 530	23072EW33MH** 24072EW33MH** 23172EW33MH** 24172EW33MH** 23272EW33MH**	23072EKW33MH 24072EK30W33MH 23172EKW33MH 24172EK30W33MH 23272EKW33MH
540 180 600 192 600 243 650 232 520 106 560 135 560 180 620 194 620 243 680 240	5 5 5 6 4 5 5 5 5	9 12 9 12 7,5 12 9 12	16,7 22,3 16,7 22,3 13,9 22,3 16,7 22,3	3330 4250 4870 5200 1850 2810 3420	7110 7500 9970 8800 4030 5370 7420	552 571 759 660 313 412	500 560 430 430	630 700 530 530	24072EW33MH** 23172EW33MH** 24172EW33MH** 23272EW33MH**	24072EK30W33MH 23172EKW33MH 24172EK30W33MH 23272EKW33MH
600 192 600 243 650 232 520 106 560 135 560 180 620 194 620 243 680 240	5 5 6 4 5 5 5	12 9 12 7,5 12 9 12 9	22,3 16,7 22,3 13,9 22,3 16,7 22,3	4250 4870 5200 1850 2810 3420	7500 9970 8800 4030 5370 7420	571 759 660 313 412	560 430 430	700 530 530	23172EW33MH** 24172EW33MH** 23272EW33MH**	23172EKW33MH 24172EK30W33MH 23272EKW33MH 23976EKW33MH
600 243 650 232 520 106 560 135 560 180 620 194 620 243 680 240 540 106	5 6 4 5 5 5 5	9 12 7,5 12 9 12 9	16,7 22,3 13,9 22,3 16,7 22,3	4870 5200 1850 2810 3420	9970 8800 4030 5370 7420	759 660 313 412	430 430 800	530 530	24172EW33MH** 23272EW33MH** 23976EW33MH**	24172EK30W33MH 23272EKW33MH 23976EKW33MH
650 232 520 106 560 135 560 180 620 194 620 243 680 240 540 106	6 4 5 5 5 5	7,5 12 9 12 9	22,3 13,9 22,3 16,7 22,3	5200 1850 2810 3420	8800 4030 5370 7420	660 313 412	430 800	530 1000	23272EW33MH** 23976EW33MH**	23272EKW33MH 23976EKW33MH
520 106 560 135 560 180 620 194 620 243 680 240	4 5 5 5 5	7,5 12 9 12 9	13,9 22,3 16,7 22,3	1850 2810 3420	4030 5370 7420	313 412	800	1000	23976EW33MH**	23976EKW33MH
560 135 560 180 620 194 620 243 680 240	5 5 5 5	12 9 12 9	22,3 16,7 22,3	2810 3420	5370 7420	412				
560 180 620 194 620 243 680 240 540 106	5 5 5	9 12 9	16,7 22,3	3420	7420		630	200		0007651/14/004411
620 194 620 243 680 240 540 106	5 5	12 9	22,3					800	23076EW33MH**	23076EKW33MH
620 243 680 240 540 106	5	9		4380		569	480	600	24076EW33MH**	24076EK30W33MH
540 240 540 106		-	16.7		7960	599	530	670	23176EW33MH**	23176EKW33MH
540 106	6	12		5000	10490	789	400	500	24176EW33MH**	24176EK30W33MH
			22,3	5600	9550	706	400	500	23276EW33MH**	23276EKW33MH
	4	7,5	13,9	1900	4260	327	750	950	23980EW33MH**	23980EKW33MH
600 148	5	12	22,3	3120	6080	458	560	700	23080EW33MH**	23080EKW33MH
600 200	5	12	22,3	4050	8660	652	450	560	24080EW33MH**	24080EK30W33MH
650 200	6	12	22,3	4550	8750	649	500	630	23180EW33MH**	23180EKW33MH
650 250	6	12	22,3	5410	11150	827	380	480	24180EW33MH**	24180EK30W33MH
720 256	6	12	22,3	6300	10900	793	360	450	23280EW33MH**	23280EKW33MH
820 243	7,5	12	22,3	7060	11010	781	400	500	22380EW33MH**	22380EKW33MH
560 106	4	7.5	13.9	1980	4490	340	700	900	23984EW33MH**	23984EKW33MH
620 150	5	12	22,3	3200	6520	485	530	670	23084EW33MH**	23084EKW33MH
620 200	5	12	22,3	4070	8820	656	400	500	24084EW33MH**	24084EK30W33MH
700 224	6	12	22,3	5420	10030	730	450	560	23184EW33MH**	23184EKW33MH
700 280	6	12	22,3	6440	13480	980	340	430	24184EW33MH**	24184EK30W33MH
760 272	7,5	12	22,3	6870	11800	845	340	430	23284EW33MH**	23284EKW33MH
600 118	4	9	16,7	2290	5050	376	670	850	23988EW33MH**	23988EKW33MH
650 157	6	12	22,3	3500	7170	526	500	630	23088EW33MH**	23088EKW33MH
650 212	6	12	22,3	4390	9990	733	380	480	24088EW33MH**	24088EK30W33MH
720 226	6	12	22,3	5600	10640	766	430	530	23188EW33MH**	23188EKW33MH
720 280	6	12	22,3	6530	14000	1000	320	400	24188EW33MH**	24188EK30W33MH
790 280	7,5	12	22,3	7570	13200	933	320	400	23288EW33MH**	23288EKW33MH
82 62 70 70 68 68 72 72	20 243  60 106 20 150 20 200 200 200 224 200 280 60 272  00 118 60 157 60 212 20 226 20 280	20 243 7,5  30 106 4  20 150 5  20 220 200 5  30 224 6  30 280 6  30 272 7,5  30 118 4  450 157 6  50 212 6  20 226 6  20 226 6  20 280 6	20 243 7,5 12 30 106 4 7,5 20 150 5 12 20 200 0 5 12 200 224 6 12 30 280 6 12 30 272 7,5 12 30 118 4 9 50 157 6 12 50 212 6 12 50 216 6 12 20 226 6 12 20 280 6 12	20 243 7,5 12 22,3 30 106 4 7,5 13,9 20 150 5 12 22,3 20 200 5 12 22,3 20 224 6 12 22,3 20 280 6 12 22,3 20 272 7,5 12 22,3 20 118 4 9 16,7 20 157 6 12 22,3 20 256 6 12 22,3 20 226 6 12 22,3 20 226 6 12 22,3 20 226 6 12 22,3 20 280 6 12 22,3	20 243 7,5 12 22,3 7060 30 106 4 7,5 13,9 1980 20 150 5 12 22,3 3200 20 200 5 12 22,3 3200 00 224 6 12 22,3 6440 00 280 6 12 22,3 6440 00 272 7,5 12 22,3 6870 00 118 4 9 16,7 2290 00 118 4 9 16,7 2290 00 118 4 9 16,7 2490 00 118 4 9 22,3 3500 00 118 4 9 22,3 3500 00 122 6 12 22,3 3500 00 266 212 6 12 22,3 3500 00 266 12 22,3 3500 00 266 12 22,3 3500	20 243 7,5 12 22,3 7060 11010  30 106 4 7,5 13,9 1980 4490  20 150 5 12 22,3 3200 6520  20 200 5 12 22,3 4070 8820  30 224 6 12 22,3 5420 10030  30 280 6 12 22,3 6440 13480  30 272 7,5 12 22,3 6870 11800  30 118 4 9 16,7 2290 5050  30 157 6 12 22,3 3500 7170  30 118 4 9 16,7 2290 5050  30 157 6 12 22,3 4390 9990  20 226 6 12 22,3 5600 10640  20 280 6 12 22,3 5600 10640	20 243 7,5 12 22,3 7060 11010 781  30 106 4 7,5 13,9 1980 4490 340  20 150 5 12 22,3 3200 6520 485  20 200 5 12 22,3 4070 8820 656  30 224 6 12 22,3 5420 10030 730  30 280 6 12 22,3 6440 13480 980  30 272 7,5 12 22,3 6870 11800 845  30 118 4 9 16,7 2290 5050 376  50 157 6 12 22,3 3500 7170 526  50 212 6 12 22,3 4390 9990 733  20 226 6 12 22,3 5600 10640 766  20 280 6 12 22,3 5600 10640 766  20 280 6 12 22,3 6530 14000 1000	20 243 7,5 12 22,3 7060 11010 781 400  30 106 4 7,5 13,9 1980 4490 340 700  20 150 5 12 22,3 3200 6520 485 530  20 20 0 5 12 22,3 4070 8820 656 400  20 224 6 12 22,3 5420 10030 730 450  20 280 6 12 22,3 6440 13480 980 340  30 272 7,5 12 22,3 6870 11800 845 340  30 118 4 9 16,7 2290 5050 376 670  50 157 6 12 22,3 3500 7170 526 500  50 212 6 12 22,3 4390 9990 733 380  20 226 6 12 22,3 5600 10640 766 430  20 280 6 12 22,3 6630 14000 1000 320	20 243 7,5 12 22,3 7060 11010 781 400 500  30 106 4 7,5 13,9 1980 4490 340 700 900  20 150 5 12 22,3 3200 6520 485 530 670  20 20 200 5 12 22,3 4070 8820 656 400 500  00 224 6 12 22,3 5420 10030 730 450 560  00 280 6 12 22,3 6440 13480 980 340 430  30 272 7,5 12 22,3 6870 11800 845 340 430  00 118 4 9 16,7 2290 5050 376 670 850  50 157 6 12 22,3 3500 7170 526 500 630  50 212 6 12 22,3 4390 9990 733 380 480  20 226 6 12 22,3 5600 10640 766 430 530  20 280 6 12 22,3 6630 14000 1000 320 400	20 243 7,5 12 22,3 7060 11010 781 400 500 22380EW33MH**  50 106 4 7,5 13,9 1980 4490 340 700 900 23984EW33MH**  20 150 5 12 22,3 3200 6520 485 530 670 23084EW33MH**  20 20 00 5 12 22,3 4070 8820 656 400 500 24084EW33MH**  50 224 6 12 22,3 5420 10030 730 450 560 23184EW33MH**  50 280 6 12 22,3 6440 13480 980 340 430 24184EW33MH**  50 272 7,5 12 22,3 6870 11800 845 340 430 23284EW33MH**  50 118 4 9 16,7 2290 5050 376 670 850 2398EW33MH**  50 157 6 12 22,3 3500 7170 526 500 630 2308EW33MH**  50 272 6 6 12 22,3 4390 9990 733 380 480 2408EW33MH**  20 280 6 12 22,3 5600 10640 766 430 530 2318EW33MH**  20 280 6 12 22,3 6630 14000 1000 320 400 2418EW33MH**

. . 406





	nent and mensior	-	Weig	ht	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Factors  e Y ₁ Y ₂ Y ₀		
d _a	D _a	r _a	~	К				е	Υ,	Y ₂	Y _o
min	max	max									
	mm		kg								
374	466	2,5	45,3	43,9	H3972	-	-	0,16	4,2	6,2	4,1
382	518	4	107	104	H3072	AH3072	HML77T	0,22	3,1	4,6	3
382	518	4	148	145	-	AOH24072	HM3076	0,3	2,2	3,3	2,2
382	578	4	217	210	H3172	AH3172	HM3180	0,3	2,3	3,4	2,2
382	578	4	284	279	-	AH24172	HM3176	0,38	1,8	2,6	1,7
388	622	5	332	322	H3272	AH3272	HM3180	0,35	1,9	2,9	1,8
398	502	3	66,1	63,9	H3976	-	-	0,18	3,8	5,7	3,8
402	538	4	112	109	H3076	AH3076	HML82T	0,21	3,2	4,7	3,1
402	538	4	154	152	-	AOH24076	HM3080	0,29	2,3	3,5	2,3
402	598	4	231	224	H3176	AH3176	HM3184	0,29	2,3	3,5	2,3
402	598	4	296	291	-	AOH24176	HM3180	0,36	1,9	2,8	1,8
408	652	5	372	360	H3276	AH3276	HM3184	0,36	1,9	2,7	1,8
418	522	3	69,4	67,1	H3980	-	-	0,17	4	5,9	3,9
422	578	4	145	140	H3080	AH3080	HML86T	0,22	3,1	4,6	3
422	578	4	200	197	-	AOH24080	HM3084	0,3	2,2	3,3	2,2
428	622	5	263	255	H3180	AH3180	HM3188	0,28	2,4	3,8	2,4
428	622	5	428	622	-	AOH24180	HM3184	0,35	1,9	2,8	1,9
428	692	5	450	437	H3280	AH3280	HM3188	0,36	1,8	2,7	1,8
436	784	6	603	591	H3280	AH3280	HM3188	0,29	2,3	3,5	2,3
438	542	3	72,3	69,9	H3984	-	-	0,16	4,2	6,3	4
442	598	4	154	149	H3084	AH3084	HML90T	0,21	3,1	4,7	3,1
442	598	4	206	203	-	AOH24084	HM3088	0,3	2,3	3,4	2,2
448	672	5	343	333	H3184	AH3184	HM3192	0,3	2,3	3,4	2,2
448	672	5	445	438	-	AOH24184	HM3188	0,37	1,8	2,7	1,8
456	724	6	535	520	H3284	AH3284	HM3192	0,36	1,7	2,7	1,8
458	582	3	96,0	92,8	H3988	-	-	0,16	4,2	6,3	4
468	622	5	178	172	H3088	AH3088X	HML94T	0,21	3,2	4,7	3,1
468	622	5	240	236	-	AOH24088	HML92T	0,3	2,3	3,4	2,2
468	692	5	361	349	H3188	AH3188X	HM3196	0,29	2,3	3,5	2,3
468	692	5	465	458	-	AOH24188	HM3192	0,37	1,8	2,7	1,8
476	754	6	590	572	H3288	AH3288X	HM3196	0,36	1,8	2,7	1,8












• • • • • • 407 • • •










		Ma	in dim	ension	s		Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	Bearing d			
d	۱	D	В	r _s	а	b	dynamic	static	P _u	grease	oil	with cylindrical bore	with tapered bore		
2.1				min			C,	C _{or}							
5			mr				kN		kN	mir					
46	60	620	118	4	9	16,7	2310	5190	382	600	750	23992EW33MH**	23992EKW33MH		
		680	163	6	12	22,3	3800	7830	566	480	600	23092EW33MH**	23092EKW33MH		
		680	218	6	12	22,3	4650	10600	767	360	450	24092EW33MH**	24092EK30W33MH		
		760	240	7,5	12	22,3	6220	11950	847	400	500	23192EW33MH**	23192EKW33MH		
		760	300	7,5	12	22,3	7370	15530	1100	300	380	24192EW33MH**	24192EK30W33MH		
		830	296	7,5	12	22,3	8150	14100	983	300	380	23292EW33MH**	23292EKW33MH		
48	80	650	128	5	9	16,7	2680	6070	440	560	700	23996EW33MH**	23996EKW33MH		
		700	165	6	12	22,3	3910	8240	590	450	560	23096EW33MH**	23096EKW33MH		
		700	218	6	12	22,3	4870	11200	802	340	430	24096EW33MH**	24096EKW33MH		
		790	248	7,5	12	22,3	6660	12860	901	380	480	23196EW33MH**	23196EKW33MH		
		790	308	7,5	12	22,3	7690	16300	1140	280	360	24196EW33MH**	24196EKW33MH		
		870	310	7,5	12	22,3	9200	16500	1130	280	360	23296EW33MH**	23296EKW33MH		
50	00	670	128	5	9	16,7	2760	6220	447	530	670	239/500EW33MH**	239/500EKW33MH		
		720	167	6	12	22,3	4000	8300	588	430	530	230/500EW33MH**	230/500EKW33MH**		
		720	218	6	12	22,3	4930	11500	815	320	400	240/500EW33MH**	240/500EK30W33MH		
		830	264	7,5	12	22,3	7300	14200	981	360	450	231/500EW33MH**	231/500KW33M		
		830	325	7,5	12	22,3	8540	17700	1220	260	340	241/500EW33MH**	241/500KW33MH		
		920	336	7,5	12	22,3	10380	18770	1270	260	340	232/500EW33MH**	232/500EKW33MH		
5.	30	710	136	5	12	22,3	2970	6940	490	500	630	239/530EW33MH**	239/530EKW33MH		
		780	185	6	12	22,3	4780	9940	690	400	500	230/530EW33MH**	230/530EKW33MH		
		780	250	6	12	22.3	6050	14100	978	280	360	240/530EW33MH**	240/530EK30W33MH		
		870	272	7,5	12	22,3	7920	15500	1050	340	430	231/530EW33MH**	231/530EKW33MH		
		870	335	7,5	12	22,3	9240	19800	1340	240	320	241/530EW33MH**	241/530EK30W33MH		
		980	355	9,5	12	22,3	11600	20400	1360	240	320	232/530EW33MH**	232/530EKW33MH		
56	60	750	140	5	12	22,3	3180	7360	511	480	600	239/560EW33MH**	239/560EKW33MH		
		820	195	6	12	22,3	5280	11000	751	380	480	230/560EW33MH**	230/560EKW33MH		
		820	258	6	12	22,3	6430	15500	1060	260	340	240/560EW33MH**	240/560EK30W33MH		
		920	280	7,5	12	22,3	8580	16800	1120	320	400	231/560EW33MH**	231/560EKW33MH		
		920	355	7,5	12	22,3	10300	22100	1700	220	300	241/560EW33MH**	241/560EK30W33MH		
		1030	365	9,5	12	22,3	12370	22520	1680	240	320	232/560EW33MH**	232/560EKW33MH		
60	00	800	150	5	12	22,3	3650	9030	614	450	560	239/600EW33MH**	239/600EKW33MH		
		870	200	6	12	22,3	5580	11900	798	340	430	230/600EW33MH**	230/600EKW33MH		
		870	272	6	12	22,3	7500	17640	1180	240	320	240/600EW33MH**	240/600EK30W33MH\		
		980	300	7,5	12	22,3	9750	19300	1270	300	380	231/600EW33MH**	231/600EKW33MH		
		980	375	7,5	12	22,3	11300	24500	1600	200	280	241/600EW33MH**	241/600EK30W33MH		
		1090	388	9,5	12	22,3	14000	25900	1670	220	300	232/600EW33MH**	232/600EKW33MH		

• • 4NB







	nent and mension		Weig	ht	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Fact	ors	
d _a	D _a	r _a	~	K				е	Y,	Y ₂	Y _o
min	max	max									
	mm		kg								
478	602	3	101	98	H3992	-	-	0,16	4,1	6,1	4
488	652	5	202	196	H3092	AH3092X	HML98T	0,21	3,2	4,7	3,1
488	652	5	269	264	-	AOH24092	HML96T	0,28	2,4	3,6	2,4
496	724	6	436	423	H3192	AH3192X	HM102T	0,29	2,3	3,5	2,3
496	724	6	556	547	-	AOH24192	HM3196	0,37	1,8	2,7	1,8
496	794	6	690	669	H3292	AH3292X	HM102T	0,35	1,9	2,9	1,8
502	628	4	122	118	H3996	-	-	0,17	4	5,9	3,9
508	672	5	212	206	H3096	AH3096X	HML104T	0,21	3,2	4,8	3,2
508	672	5	279	274	-	AOH24096	HML100T	0,28	2,4	3,6	2,4
516	754	6	485	470	H3196	AH3196X	HM31/530	0,29	2,3	3,5	2,3
516	754	6	613	604	-	AOH24196	HM31/500	0,37	1,8	2,7	1,8
516	834	6	795	771	H3296	AH3296X	HM31/530	0,35	1,9	2,9	1,8
522	648	4	130	126	H39/500	_	_	0,17	4	5,9	4
528	692	5	221	213	H30/500	AH30/500X	HML108T	0,22	3	4,3	2,9
528	692	5	288	283	1130/300	AOH240/500	HML106T	0,22	2,6	3,9	2,5
536	794	6	572	552	H31/500	AH31/500X	HM110T	0,20	2,1	3	2,3
536	794	6	720	709	1101/000	AOH241/500	HM31/530	0,37	1,8	2,7	1,8
536	884	6	976	946	H32/500	AH32/500X	HM110T	0,35	1,9	2,9	1,9
000	001		0,0	0.0	1102/000	7111027 0007	11111101	0,00	,	2,0	,
552	668	4	156	151	H39/530	-	-	0,17	4	5,9	4
558	752	5	300	291	H30/530	AH30/530	HM30/560	0,22	3	4,3	2,9
558	752	5	402	396	-	AOH240/530	HML110T	0,28	2,4	3,6	2,4
566	834	6	640	620	H31/530	AH31/530	HM31/560	0,3	2,3	3,4	2,2
566	834	6	805	793	-	AOH241/530	HM110T	0,37	1,8	2,7	1,8
574	936	8	1180	1150	H32/530	AH32/530	HM116T	0,35	1,9	2,9	1,8
582	728	4	181	175	H39/560			0,16	4,2	6,3	4
588	792	5	345	334	H30/560	AH30/560X	HM30/600	0,16	3,1	4,6	3
588	792	5	472	464	H3U/30U	AOH240/560	HML116T	0,22	2,4	3,5	2,3
596	884	6	736	713	H31/560	AH31/560	HM31/600	0,20	2,4	3,4	2,2
596	884	6	955	940	1101/000	AOH241/560	HM116T	0,35	1,9	2,9	1,8
604	986	8	1330	1290	H32/560	AH32/560X	HM31/600	0,34	2	3	2
	000					74102/0007	1111017000				
622	778	4	211	204	H39/600	-	-	0,16	4,2	6,2	4,1
628	842	5	392	380	H30/600	AH30/600X	HM30/630	0,22	3	4,6	2,8
628	842	5	551	542	-	AOH240/600X	HM31/630	0,28	2,4	3,6	2,4
636	944	6	890	861	H31/600	AH31/600X	HM31/630	0,3	2,3	3,4	2,2
636	944	6	1130	1110	-	AH241/600X	HM31/630	0,37	1,8	2,7	1,8
644	1046	8	1570	1520	H32/600	AH32/600X	HM130T	0,35	1,9	2,9	1,8

W



d = 630 to 850 mm






	Ma	in dim	ension	ıs		Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	ion Bearing designation	
d	D	В	r _s	а	b	dynamic C _r	static	P _u	grease	oil	with cylindrical bore	with tapered bore
5.						, kN		I-NI	mir	1		
5.	850	m: 165	6	12	00.0			kN	400	500	239/630EW33MH**	239/630EKW33MH
630					22,3	4300	10200	682 904		400		
	920 920	212 290	7,5 7,5	12 12	22,3 22,3	6430 8060	13700 19740	1300	320 220	300	230/630EW33MH** 240/630EW33MH**	230/630EKW33MH 240/630EK30W33MH
	1030	315	7,5	12	22,3	10800	21700	1400	280	360	231/630EW33MH**	231/630EKW33MH
	1030	400	7,5	12	22,3	12700	27900	1800	190	260	241/630EW33MH**	241/630EK30W33MH
	1150	412	12	12	22,3	15400	28700	1820	200	280	232/630EW33MH**	232/630EKW33MH
	1100	412	12	12	22,3	10400	20100	1020	200	200	232/030EW33WIFI	232/030ERW33WIFI
670	900	170	6	12	22,3	4620	11200	736	380	480	239/670EW33MH**	239/670EKW33MH
	980	230	7,5	12	22,3	7300	16100	1040	300	380	230/670EW33MH**	230/670EKW33MH**
	980	308	7,5	12	22,3	9100	22500	1450	200	280	240/670EW33MH**	240/670EK30W33MH
	1090	336	7,5	12	22,3	11910	24010	1520	260	340	231/670EW33MH**	231/670EKW33MH
	1090	412	7,5	12	22,3	13800	30200	1920	180	240	241/670EW33MH**	241/670EK30W33MH
	1220	438	12	12	22,3	17200	32300	2000	190	260	232/670EW33MH**	232/670EKW33MH
71/	050	100		10	00.0	5050	10500	000	000	450	000/7405W00MU##	000/7405////004/1
710		180	6	12	22,3	5050	12500	808	360	450	239/710EW33MH**	239/710EKW33MH
	1030	236 315	7,5 7,5	12 12	22,3	7750 9540	17000	1080	280 190	360 260	230/710EW33MH**	230/710EKW33MH
	1030 1150	345	9,5	12	22,3 22,3	12700	23580 26400	1500 1650	240	320	240/710EW33MH** 231/710EW33MH**	240/710EK30W33MH 231/710EKW33MH
	1150	438	9,5	12	22,3	15210	34670	2170	170	220	241/710EW33MH**	241/710EK30W33MH
	1280	450	12	12	22,3	18700	35300	2160	180	240	232/710EW33MH**	232/710EKW33MH
	1200	400	12	12	22,3	10700	35300	2100	100	240	232/1 IOEW33WIF	232/1 IOERWSSWIII
750	920	170	5	12	-	4160	12930	834	190	260	248/750EW20MH**	248/750EK30W20MH
	1000	185	6	12	22,3	5380	13500	859	340	430	239/750EW33MH**	239/750EKW33MH
	1090	250	7,5	12	22,3	8640	19200	1200	260	340	230/750EW33MH**	230/750EKW33MH
	1090	335	7,5	12	22,3	10650	26600	1660	180	240	240/750EW33MH**	240/750EK30W33MH
	1220	365	9,5	12	22,3	14500	29400	1800	220	300	231/750EW33MH**	231/750EKW33MH
	1220	475	9,5	12	22,3	17400	39200	2400	160	200	241/750EW33MH**	241/750EK30W33MH
	1360	475	15	12	22,3	18990	36950	2220	150	190	232/750CW33M	232/750CKW33M
	1360	475	15	12	22,3	18990	36950	2220	150	190	232/750CW33F	232/750CKW33F
800		195	6	12	22,3	5920	15200	949	300	380	239/800EW33MH**	239/800EKW33MH
	1150	258	7,5	12	22,3	9020	20500	1260	240	320	230/800EW33MH**	230/800EKW33MH
	1150	345	7,5	12	22,3	11400	29100	1790	170	220	240/800EW33MH**	240/800EK30W33MH
	1280	375	9,5	12	22,3	15300	32200	1940	200	280	231/800EW33MH**	231/800EKW33MH
	1280	475	9,5	12	22,3	18200	41900	2530	150	190	241/800EW33FH**	241/800EK30W33FH
850	1120	200	6	12	22,3	6380	16400	1020	280	360	239/850EW33MH**	239/850EKW33MH
300	1220	272	7,5	12	22,3	10300	23500	1420	220	300	230/850EW33MH**	230/850EKW33MH
	1220	365	7,5	12	22,3	12600	31800	1920	160	200	240/850EW33MH**	240/850EK30W33MH
	1360	400	12	12	22,3	17200	36600	2170	190	260	231/850EW33MH**	231/850EKW33MH
	1360	500	12	12	22,3	20200	46300	2740	140	180	241/850EW33MH**	241/850EK30W33MH

. . . 410







	nent and mension		Weigl	nt	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Facto	ors	
d _a	D _a	r _a	~	К				е	Y, .	Y ₂	Y _o
min	max	max									
	mm		kg								
658	822	5	274	265	H39/630	-	-	0,17	4	5,9	4
666	884	6	470	455	H30/630	AH30/630	HM30/670	0,21	3,1	4,5	2,9
666	884	6	665	654		AOH240/630	HML130T	0,28	2,4	3,5	2,3
666	994	6	1030	1020	H31/630	AH31/630	HM31/670	0,3	2,2	3,3	2,2
666	994	6	1340	1320	-	AOH241/630	HM130T	0,37	1,8	2,7	1,8
678	1102	10	1860	1800	H32/630	AH32/630	HM136T	0,35	1,9	2,9	1,8
698	872	5	313	304	H39/670	-	-	0,17	4	5,9	4
706	944	6	580	562	H30/670	AH30/670	HM30/710	0,23	3	4,4	2,9
706	944	6	803	790	-	AOH240/670	HML138T	0,28	2,4	3,6	2,4
706	1054	6	1220	1200	H31/670	AH31/670X	HM31/710	0,28	2,4	3,6	2,3
706	1054	6	1540	1520	-	AOH241/670	HM142T	0,37	1,8	2,7	1,8
718	1172	10	2220	2160	H32/670	AH32/670	HM144T	0,35	1,9	2,9	1,8
738	922	5	361	349	H39/710	-	-	0,17	4	5,9	4
746	994	6	648	624	H30/710	AH30/710X	HM30/750	0,21	3,2	4,8	3,2
746	994	6	886	872	-	AOH240710	HML146T	0,27	2,5	3,7	2,4
754	1106	8	1390	1350	H31/710	AH31/710X	HM31/750	0,28	2,4	3,6	2,5
754	1106	8	1810	1780	-	AOH241/710	HM150T	0,35	1,9	2,8	1,9
758	1232	10	2500	2430	H32/710	AH32/710	HM31/750	0,35	1,9	2,9	1,8
768	902	4	247	243	-	-	-	0,15	4,4	6,6	4,3
778	972	5	405	391	H39/750	-	-	0,16	4,2	6,3	4
786	1054	6	770	742	H30/750	AH30/750	HM30/800	0,21	3,2	4,8	3,2
786	1054	6	1060	1040	-	AOH240/750	HML155T	0,28	2,4	3,6	2,4
794	1176	8	1670	1620	H31/750	AH31/750	HM31/800	0,28	2,4	3,6	2,4
794	1176	8	2000	1970	-	AOH241/750	HM155T	0,37	1,8	2,7	1,8
815	1295	12	3070	2990	H32/750	AH32/750	HM31/800	0,34	2	2,9	1,9
815	1295	12	3020	2940	H32/750	AH32/750	HM31/800	0,34	2	2,9	1,9
828	1032	5	474	458	H39/800	_	_	0,16	4,2	6,3	4
836	1114	6	870	842	H30/800	AH30/800	HM30/850	0,10	3,1	4,5	3
836	1114	6	1190	1170	1100/000	AOH240/800	HML165T	0,27	2,5	3,7	2,5
844	1236	8	1800	1740	H31/800	AH31/800	HM31/850	0,28	2,4	3,6	2,4
844	1236	8	2220	2190	-	AOH241/800	HM165T	0,35	1,9	2,9	1,8
070	1000	_	F00	500	1100/050			0.10	4.0	0.0	4
878 886	1092 1184	5 6	539 1030	522 1000	H39/850 H30/850	AH30/850	HM30/900	0,16 0,21	4,2 3,1	6,3 4,5	4
886	1184	6	1410	1390	H3U/85U	AOH240/850	HML175T	0,21	,	3,7	2,5
904	1306	10	2220	2150	H31/850	AUH240/850 AH31/850	HM31/900	0,27	2,5 2,4	3,7	2,5
904	1306	10	2580	2530	П31/000	AOH241/850	HM31/900	0,26	1,9	2,9	1,9
504	1000	10	2000	2000		7.011241/000	1 IIVIO 1 / 300	0,00	1,0	2,0	1,0

••••• 411 •••



d = 900 to 1120 mm






	М	ain dim	ensior	ıs		Basic I ratin		Fatique load limit	Limiting for lubri wit	cation	Bearing d	esignation
d	D	В	r _s	а	b	dynamic	static	P _u	grease	oil	with cylindrical bore	with tapered bore
-			min			C,	C _{or}					
12.5.1		m	m			kN		kN	mir	Y ¹		
90	0 1180	206	6	12	22,3	6900	18300	1100	260	340	239/900EW33MH**	239/900EKW33MH
	1280	280	7,5	12	22,3	11200	26100	1550	200	280	230/900EW33MH**	230/900EKW33MH
	1280	375	7,5	12	22,3	13500	34400	2050	150	190	240/900EW33MH**	240/900EK30W33MH
	1420	515	12	12	22,3	21200	51000	2980	130	170	241/900EW33FH**	241/900EK30W33FH
95	0 1250	224	7,5	12	22,3	7830	21190	1260	240	320	239/950EW33MH**	239/950EKW33MH
	1360	300	7,5	12	22,3	12500	29200	1710	190	260	230/950EW33MH**	230/950EKW33MH
	1360	412	7,5	12	22,3	15500	41300	2410	130	170	240/950EW33FH**	240/950EKW33FH
	1500	545	12	12	22,3	23600	57100	3280	120	160	241/950EW33FH**	241/950EK30W33FH
100	0 1320	315	7,5	12	22,3	11200	32180	1880	130	170	249/1000EW33MH**	249/1000EK30W33MH
	1420	308	7,5	12	22,3	13500	32400	1870	180	240	230/1000EW33FH**	230/1000EKW33FH
	1420	412	7,5	12	22,3	16200	42900	2470	120	160	240/1000EW33FH**	240/1000EK30W33FH
	1580	580	12	12	22,3	26300	64400	3640	110	150	241/1000EW33FH**	241/1000EK30W33FH
106	0 1500	325	9,5	12	22,3	14900	36100	2050	170	220	230/1060EW33FH**	230/1060EKW33FH
	1500	438	9,5	12	22,3	18200	48200	2730	110	150	240/1060EW33FH**	240/1060EK30W33FH
112	0 1580	462	9,5	12	22,3	19600	53000	2960	100	130	240/1120EW33FH**	240/1120EK30W33FH

. . . 412





	nent and mension		Weigh	nt	Corresp. adapter sleeve	Corresp. withdrawal sleeve	Corresp. nut		Factors		
d _a	D _a	r _a	~	к				е	Υ,	Y ₂	Y _o
min	max	max									
	mm		kg								
928	1152	5	603	583	H39/900	-	-	0,15	4,5	6,7	4,5
936	1244	6	1140	1100	H30/900	AH30/900	HM30/950	0,2	3,4	5	3,2
936	1244	6	1570	1550	-	AOH240/900	HM31/950	0,26	2,6	3,9	2,5
954	1366	10	3190	3150	-	AOH241/900	HM31/950	0,35	1,9	2,9	1,8
986	1214	6	746	721	H39/950	-	-	0,15	4,4	6,6	4,3
986	1324	6	1400	1350	H30/950	AH30/950	HM30/1000	0,2	3,4	5	3,2
986	1324	6	1970	1940	-	AOH240/950	HM31/1000	0,27	2,5	3,7	2,5
1004	1446	10	3370	3330		AOH241/950	HM31/1000	0,35	1,9	2,9	1,8
1036	1284	6	1180	1160	-	-	-	0,2	3,3	4,9	3,2
1036	1384	6	1540	1490	H30/1000	AH30/1000	HM30/1060	0,19	3,6	5,3	3,6
1036	1384	6	2120	2090		-	-	0,26	2,6	3,9	2,5
1054	1526	10	4100	4060	-	-	-	0,35	1,9	2,9	1,8
1104	1456	8	1800	1750	H30/1060	AH30/1060	HM30/1120	0,19	3,6	5,3	3,6
1104	1456	8	2490	2450	-			0,26	2,6	3,9	2,5
1164	1536	8	2900	2860	-			0,26	2,6	3,9	2,5




















• • • • • • • 413 • • •









# 12.6 TAPERED ROLLER BEARINGS

Single row tapered roller bearings are detachable. The inner ring with tapered rolls and cage forms one assembly unit: the outer ring a second. The structure with a large number of tapered rolls in a single row allows these bearings to achieve a high radial and axial load capacity. Raceway contact surface areas lie on straight lines, which intersect in the bearing axis. Modifying the contact surfaces of raceways or tapered rolls, resp., limits the formation of edge stress. Axial loading may only occur in one direction and its magnitude depends on the size of the contact angle, which is characterized by the coefficient e. Bearings with a larger contact angle (type 313 and 3238) and thus with a larger coefficient e are more suitable for greater axial forces. A loading with single row tapered roller bearings usually comprises a pair of bearings due to capturing of axial loads in both directions. Bearings are structurally designed to higher utility parameters with the designation A. Bearings are manufactured both in metric and imperial dimensions.




Fig. 12.6.1

#### Main dimensions

The main dimensions of metric single row tapered roller bearings conform to standard ISO 355. Main dimensions of single row tapered roller bearings in inches meet AFBMA Standard 19 (USA) from 1974.

### Labelling

Labelling of standard bearings is specified in the tables of the publication. Divergence from the standard design is marked by the additional characters provided in chapter 7.6 of the catalogue. The current labelling, defined prior to 1977, as well as the new labelling according to ISO 355 is left as a guide in the tables of the publication for customers and manufacturers.

The original labelling is derived from the system described in chapter 7.6 of the catalogue.

44.7



In line with dimensional plan ISO 355, the labelling of metric single row tapered roller bearings is expressed using the alphanumeric characters as follows:

T bearing type
<b>2, 3, 4, 5, 7</b> angle series of bearing
B, C, D, E, F, G diameter series of bearing
B, C, D, E width series of bearing
000 bore diameter in mm

Imperial labelling of bearings corresponds to the common method used by most manufacturers of these bearings. The number before the fraction line designates the inner race with tapered rolls and cage. The number after the fraction line designates the outer bearing race.

### Cage

Single row tapered roller bearings have a pressed steel plate cage, which is unmarked. The additional symbol J2 designates a new cage design.

### Precision

Bearings are currently manufactured to a normal degree of precision – PO. The marking is not specified. Greater precision bearings P6, P6X, and P5 are supplied for loadings with high precision demands or high operating speeds. Delivery of bearings with precisions P6X and P5 should be negotiated in advance.

#### Inner clearance

Single row tapered roller bearings are usually installed in pairs, in which the required clearance or pre-load, as necessary, are set during installation. The clearance size or pre-load are determined according to the loading requirements.

### Running-in and setting

When installing a pair of tapered roller bearings opposite each other, the bearings must turn to enable correct setting of tapered rolls by functional ball ends in the support flange. Bearings may exhibit somewhat greater friction and thus greater operating temperatures following installation. This will decrease and stabilize after several hours of controlled run-in.

## Self-alignment ability

The seating surfaces for these bearings must be aligned with very small deviations, since the permissible self-alignment ability of rings is very small. The self-alignment ability under standard operating conditions

- under large loads (Fr > 0.1Cor) . . . . . . . . . . . . . 2' to 4'

••• 418



### Minimal load

Minimal load is necessary to ensure reliable bearing operation, especially in loadings with high speeds, large angular acceleration, and rapid changes in the direction of loading forces. If the minimal load is not secured, then damage may occur to functional surfaces through slippage of rolling elements. Slippage is caused by the inertial mass of tapered rolls and the cage, partially also by friction of the lubricant. Recommended minimal load:

$$F_{r,min} = 0.02C$$
 [kN]

If the assembly cannot secure this minimal load, then assistance is provided by setting the controlled pre-load in the loading.

### Loading of bearings in inch dimensiones

Loading tolerances of these bearings can be selected according to metric bearing tolerances. Due to different tolerances of connecting diameters (deviations in both the bore and surface are positive), however, corrected values from the tables, specified below, must be used. The clearances and overlaps will then correspond to metric values.

Table 12.6.1

Corrected shaft tolerances for bearings in inch dimensiones													
Bore		g6		h6		j5		j6		js6		k5	
over up to		max	min	max	min	max	min	max	min	max	min	max	min
m	m						μ	m					
10	18	+2	-4	+8	+2	+13	+10	+16	+10	+14	+7	+17	+14
18	30	+3	-7	+10	0	+15	+9	+19	+9	+17	+6	+21	+15
30	50	+3	-12	+12	-3	+18	+8	+23	+8	+20	+5	+25	+15
50	76,2	+5	-16	+15	-6	+21	+6	+27	+6	+25	+3	+30	+15
76,2	80	+5	-4	+15	+6	+21	+18	+27	+18	+25	+15	+30	+27
80	120	+8	-9	+20	+3	+26	+16	+33	+16	+31	+14	+38	+28
120	180	+11	-14	+25	0	+32	+14	+39	+14	+38	+12	+46	+28
180	250	+15	-19	+30	-4	+37	+12	+46	+12	+45	+10	+54	+29
250	304,8	+18	-24	+35	-7	+42	+9	+51	+9	+51	+9	+62	+29
304,8	315	+18	+2	+35	+19	+42	+35	+51	+35	+51	+35	+62	+55
315	400	+22	-3	+40	+15	+47	+33	+58	+33	+58	+33	+69	+55
400	500	+25	-9	+45	+11	+52	+31	+65	+31	+65	+31	+77	+56
500	609,6	+28	-15	+50	+7	-	-	+72	+29	+72	+29	+78	+51
609,6	630	+28	+10	+50	+32	-	-	+72	+54	+72	+54	+78	+76
630	800	+51	+2	+75	+26	-	-	+100	+51	+100	+51	-107	+76
800	914,4	+74	-6	+100	+20	-	-	+128	+48	+128	+48	+136	+76



















*Table 12.6.2* 

	Corrected shaft tolerances for bearings in inch dimensiones													
Во	ore	k	6	n	15	m	16	n	6	р6				
over	up to	max	max min		max min		max min		min	max	min			
m	ım					μ	m							
10	18	+20	+14	+23	+20	+26	+20	+31	+25	+37	+31			
18	30	+25	+15	+27	+21	+31	+21	+38	+28	+45	+35			
30	50	+30	+15	+32	+22	+37	+22	+45	+30	+54	+39			
50	76,2	+36	+15	+39	+24	+45	+24	+54	+33	+66	+45			
76,2	80	+36	+27	+39	+36	+45	+36	+54	+45	+66	+57			
80	120	+45	+28	+48	+38	+55	+38	+65	+48	+79	+62			
120	180	+53	+28	+58	+40	+65	+40	+77	+52	+93	+68			
180	250	+63	+29	+67	+42	+76	+42	+90	+56	+109	+75			
250	304,8	+71	+29	+78	+45	+87	+45	+101	+59	+123	+81			
304,8	315	+71	+55	+78	+71	+87	+71	+101	+85	+123	+107			
315	400	+80	+55	+86	+72	+97	+72	+113	+88	+138	+113			
400	500	+90	+56	+95	+74	+108	+74	+125	+91	+153	+119			
500	609,6	+94	+51	+104	+77	+120	+77	+138	+95	+172	+129			
609,6	630	+94	+76	+104	+102	+120	+102	+138	+120	+172	+154			
630	800	+125	+76	+137	+106	+155	+106	+175	+126	+213	+164			
800	914,4	+156	+76	+170	+110	+190	+110	+212	+132	+256	+176			

Table 12.6.3

	Corrected shaft tolerances for bearings in inch dimensiones													
Вс	ore	Н	7	J:	7	J	6	K	6	К7				
over	up to	max	min	max min		max	min	max	min	max	min			
m	m					μι	m							
30	50	+36	+25	+25	+14	+21	+19	+14	+12	+18	+7			
50	80	+43	+25	+31	+13	+26	+19	+17	+10	+22	+4			
80	120	+50	+25	+37	+12	+31	+19	+19	+7	+25	0			
120	150	+58	+25	+44	+11	+36	+18	+22	+4	+30	-3			
150	180	+65	+25	+51	+11	+43	+18	+29	+4	+37	-3			
180	250	+76	+25	+60	+9	+52	+18	+35	+1	+43	-8			
250	304,8	+87	+25	+71	+9	+60	+18	+40	-2	+51	-11			
304,8	315	+87	+51	+71	+35	+60	+44	+40	+24	+51	+15			
315	400	+97	+51	+79	+33	+69	+44	+47	+22	+57	+11			
400	500	+108	+51	+88	+31	+78	+44	+53	+19	+63	+6			
500	609,6	+120	+51	-	-	-	-	+50	+7	+50	-19			
609,6	630	+120	+76	-	-	-	-	+50	+32	+50	+6			
630	800	+155	+76	-	-	-	-	+75	+26	+75	-4			
800	914,4	+190	+76	-	-	-	-	+100	+20	+100	-14			
914,4	1000	+190	+102	-	-	-	-	+100	+46	+100	+12			
1000	1219,2	+230	+102	-	-	-	-	+125	+36	+125	-3			

470 ••••••••••••••••••••••





Table 12.6.4

	Corrected bore tolerances for bearings in inch dimensiones													
Вс	ore	М	6	М	7	N	7	P7						
over	up to	max	min	max	min	max	min	max	min					
m	m				μι	m								
30	50	+7	+5	+11	0	+3	-8	-6	-17					
50	80	+8	+1	+13	-5	+4	-14	-8	-26					
80	120	+9	-3	+15	-10	+5	-20	-9	-34					
120	150	+10	-8	+18	-15	+6	-27	-10	-43					
150	180	+17	-8	+25	-15	+13	+27	-3	-43					
180	250	+22	-12	+30	-21	+16	-35	-3	-54					
250	304,8	+26	-16	+35	-27	-21	-41	-1	-37					
304,8	315	+26	+10	+35	-1	+21	-15	-1	-37					
315	400	+30	+5	+40	-6	+24	-22	-1	-47					
400	500	+35	+1	+45	-12	+28	-29	0	-57					
500	609,6	+24	-19	+24	-45	+6	-63	-28	-97					
609,6	630	+24	+6	+24	-20	+6	-38	-28	-72					
630	800	+45	-4	+45	-34	+25	-54	-13	-92					
800	914,4	+66	-14	+66	-48	+44	-70	0	-114					
914,4	1000	+66	+12	+66	-22	+44	-44	0	-88					
1000	1219,2	+85	-4	+85	-43	+59	-69	+5	-123					

### Radial equivalent dynamic load

$$P_r = F_r$$
 for  $F_a / F_r \le e$  [kN]

$$P_r = 0.4F_r + YF_a$$
 for  $F_a/F_r > e$  [kN]

The values of coefficients e and Y for individual bearings are listed in the tables of the publication. If the shaft is set in two single row tapered roller bearings, an inner auxiliary force is created during radial loading. The load magnitude of a single bearing is proportional to the load and the contact angle of the second bearing. Auxiliary internal forces in the loading must be factored into the calculation. Table 12.6.5 lists relationships for various bearing arrangements when subject to an external axial force  $K_a$ , radial force  $F_{tx}$ ,  $F_{t\theta}$  acting on bearing A and B. Radial forces act at the intersection of the line with the bearing axis (dimensions "a", "s" are provided in the tables) and are considered to have a positive value, even when their direction differs from that depicted on the figure. The calculated force  $F_{t\theta}$  is substituted into the calculation of the radial equivalent dynamic load.

## Radial equivalent static load

$$P_{nr} = 0.5F_r + Y_nF_a \qquad (P_{nr} \ge F_r) \qquad [kN]$$

The values of coefficients YO for individual bearings are listed in the tables of the publication.



















*Table 12.6.5* 

Bearing		Force ratios	Axial loading	g of bearings
arrangement		Force ratios	Bearing A	Bearing B
Fig. 12.6.2 a 12.6.3	$F_{rA}/Y_A \le F_{rB}/Y_B$	K _a ≥ 0	$F_{aB} = 0.5F_{rB}/Y_{B}$	$F_{aA} = F_{aB} + K_a$
Fig. 12.6.2 a 12.6.3	$F_{rA}/Y_A > F_{rB}/Y_B$	$Ka \ge 0.5 (F_{rA}/Y_A - F_{rB}/Y_B)$	$F_{aA} = F_{aB} + K_a$	$F_{aA} = 0.5F_{rA}/Y_A$
Fig. 12.6.2 a 12.6.3	$F_{rA}/Y_A > F_{rB}/Y_B$	$K_{a} \ge 0.5 (F_{rB}/Y_{B} - F_{rA}/Y_{A})$	$F_{aA} = 0.5F_{rA}/Y_A$	$F_{aB} = F_{aA} - K_a$
Fig. 12.6.4 a 12.6.5	$F_{rA}/Y_A \ge F_{rB}/Y_B$	$K_a \ge 0$	$F_{aA} = 0.5F_{rA}/Y_A$	$F_{aB} = F_{aA} + K_a$
Fig. 12.6.4 a 12.6.5	$F_{rA}/Y_A < F_{rB}/Y_B$	$K_{a} \ge 0.5 (F_{rB}/Y_{B} - F_{rA}/Y_{A})$	$F_{aA} = 0.5F_{rA}/Y_A$	$F_{aB} = F_{aA} + K_a$
Fig. 12.6.4 a 12.6.5	$F_{rA}/Y_A < F_{rB}/Y_B$	$K_a < 0.5 (F_{rB}/Y_B - F_{rA}/Y_A)^{11}$	$F_{aA} = F_{aB} - K_a$	$F_{aB} = 0.5F_{rB}/Y_{B}$
1) Applies also for K _a =	= O			




Fig. 12.6.2




Fig. 12.6.3

• • • 427






Fig. 12.6.4




Fig. 12.6.5



• • • • • • • • 423 • • •




# Single row tapered roller bearings in metric dimensions d = 15 to 320 mm

d = 15 to 35 mm

				Main	dimen	sions				Basic Ioa	d rating	Fatique load limit					
										dynamic	static						
	d	D	В	С	Т	r _{1s}	r _{2s}	r _{ss}	а	C _r	C _{or}	P _u	grease	oil			
_						min	min	min									
12.6.1					mm					kN	ı	kN	min ⁻¹				
	15	35	11	10	11,75	0,6	0,6	0,3	10	15,2	14,6	1,8	11000	15000			
		42	13	11,0	14,25	1,0	1,0	0,3	9,6	22,9	21,6	2,6	10000	14000			
	17	40	12	11	13,25	1	1	0,3	10	22,2	21,8	2,7	9500	13000			
		47	14	12,0	15,25	1,0	1,0	0,3	11	25,1	22,8	2,8	10000	13000			
		47	19	16	20,25	1	1	0,3	12	35,4	34,3	3,9	8500	11000			
	00	40	4.5	10.0	15.00	0.0	0.0	0.0	10	00.0	00	0.5	0000	10000			
	20	42 47	15 14	12,0 12,0	15,00 15,25	0,6	0,6	0,3	10 11	22,8 25,1	29 26,1	3,5 3,2	9000 8900	13000 12000			
		52	15	13,0	16,25	1,0	1,0	0,3	11	30,4	29,9	3,6	8400	11000			
		52	21		22,25	1,5	1,5	0,6	13	43,8	45,5	5,5	8400	11000			
		02	21	10,0	22,20	1,0	1,0	0,0	10	40,0	40,0	0,0	0400	11000			
	25	47	15	11,5	15,00	0,6	0,6	0,3	12	24,2	28,7	3,5	8400	11000			
		52	15	13,0	16,25	1,0	1,0	0,3	12	29,9	33,5	4,1	7500	10000			
		52	18	16,0	19,25	1,0	1,0	0,3	13,5	36,4	43,2	5,3	7900	11000			
		52	22	18,0	22,00	1,0	1,0	0,3	14,1	48,9	58,5	7,1	7900	10000			
		62	17	15,0	18,25	1,5	1,5	0,6	13	43,8	42,1	5,1	6900	9200			
		62	17	15,0	18,25	1,5	1,5	0,6	13	39,8	38,3	4,7	7100	9400			
		62	17	13,0	18,25	1,5	1,5	0,6	20	36,2	39,1	4,8	6700	8900			
		62	24	20,0	25,25	1,5	1,5	0,6	15	57,3	60,7	7,4	6700	8900			
	30	55	17	13,0	17,00	1,0	1,0	0,3	13	35,5	43,8	5,3	7100	9400			
		62	16	14,0	17,25	1,0	1,0	0,3	14	39,3	42,8	5,2	6500	8700			
		62	16	14,0	17,25	1,0	1,0	0,3	14	40,6	44,7	5,5	6700	8900			
		62	20	17,0	21,25	1,0	1,0	0,3	15	50,1	59,6	7,3	6700	8900			
		62	25	19,5	25	1	1	0,3	16	68	82	9,9	6000	8000			
		72	19	16,0	20,75	1,5	1,5	0,6	15	53,1	53,1	6,5	5600	7500			
		72	19	14,0	20,75	1,5	1,5	0,6	23	46,4	50,1	6,1	5300	7100			
		72	27	23,0	28,75	1,5	1,5	0,6	20	76,4	85,8	10	5600	7500			
	32	58	17	13,0	17,00	1,0	1,0	0,3	14	39,8	48,2	5,9	7100	9400			
	35	62	18	14,0	18,00	1,0	1,0	0,3	15	43	53,1	6,5	6300	8400			
		72	17	15,0	18,25	1,5	1,5	0,6	15	46,4	51,1	6,2	5300	7100			
		72	23	19,0	24,25	1,5	1,5	0,6	17	64,3	76,4	9,3	5300	7100			
		72	28	22	28	1,5	1,5	0,6	18	83	102	12	5300	7100			
		80	21	18,0	22,75	2,0	1,5	0,6	16	65,6	69,4	8,5	5000	6700			
		80 80	21 31	15,0 25,0		2,0	1,5 1,5	0,6	26 20	57,3 94,4	63,1 110	7,7 13	4700 4700	6300 6300			
		00	SI	20,0	32,13	2,0	1,0	0,0	20	94,4	110	13	4700	0300			

. . 474

ZKI)




Bearing d	esignation			Abutm	nent ar	nd fillet	dimer	nsions			Weight	Factors		
čovi	100										~		· ·	
ČSN	ISO	d	d _a	d _b	D _a	D _a	D _b	a _a	a _b	r _a		е	Y	YO
			max	min	min	max	min	min	min	max				
30202		15	21	21	29	<b>mm</b> 30	32	2	2	0,6	<b>kg</b> 0,06	0,24	2,53	1,39
30302A	T2FB015	10	22	21	35.0	36	38,0	2	3.0	1,0	0,00	0,24	2,10	1,1
					,-			_	-,-	.,-	-,	-,	_,	.,.
30203	T2DB017	17	23	23	34	34	37	2	2	1	0,08	0,34	1,74	0,96
30303AJ2	T2FB017		25	23	39,0	41	42,0	2	3,0	1,0	0,14	0,29	2,10	1,2
32303	T2FD017		24	23	39	41	43	3	4	1	0,18	0,18	3,26	1,79
32004AX	T3CC020	20	25	25	36.0	37	39,0	3	3,0	0,6	0,1	0,37	1.60	0,9
30204A	T2DB020		26	26	39,0	41	43,0	2	3,0	1,0	0,14	0,35	1,70	1,0
30304A	T2FB020		27	27	43,0	45	47,0	2	3,0	1,0	0,18	0,30	2,00	1,1
32304A	T2FD020		27	27	43,0	45	47,0	2	4,0	1,0	0,27	0,30	2,00	1,1
32005AX	T4CC025	25	30	31	40.5	42	44.0	3	3.5	0.0	0.12	0.40	1 10	0.0
32005AX 30205A	T3CC025	25	31	31	40,5	42	44,0	2	3,0	0,6 1,0	0,12	0,43	1,40 1,60	0,8
32205F	1000020		31	31	43,0	46	48,0	2	3,0	1,0	0,17	0,36	1,03	0,8
33205F			30	31	43,0	46	49,0	4	4,0	1,0	0,23	0,35	1,71	0,9
30305A	T2FB025		33	32	53,0	55	57,0	2	3,0	1,0	0,29	0,30	2,00	1,1
30305AJ2	T2FB025		33	32	53,0	55	57,0	2	3,0	1,0	0,27	0,30	2,00	1,1
31305A	T7FB025		33	32	46,0	55	59,0	2	5,0	1,0	0,27	0,83	0,70	0,4
32305A	T2FD025		33	32	53,0	55	57,0	2	5,0	1,0	0,4	0,30	2,00	1,1
32006AX	T4CC030	30	35	36	47,5	49	52,0	3	4,0	1,0	0,18	0,43	1,40	0,8
30206A	T3DB030		37	36	52,0	56	57,0	2	3,0	1,0	0,25	0,37	1,60	0,9
30206AJ2	T3DB030		37	36	52,0	56	57,0	2	3,0	1,0	0,25	0,37	1,60	0,9
32206A	T3DC030		37	36	52,0	56	58,5	2	4,0	1,0	0,32	0,37	1,60	0,9
33206	T2DE030		36	36	53	56	59	5	5,5	0,5	0,35	0,24	2,53	1,39
30306A 31306AJ2	T2FB030 T7FB030		38 39	37 37	61,0 55,0	65 65	66,0 68,0	2	4,5 6,5	1,0 1,0	0,42	0,32	1,90 0,70	1,1 0,4
32306A	T2FD030		38	37	61,0	65	66,0	2	5,5	1,0	0,63	0,83	1,90	1,1
0200011	12.2000		00	0.	0.,0	00	00,0	_	0,0	1,0	0,00	0,02	1,00	.,.
320/32AX	T4CC032	32	38	38	50,0	52	55,0	3	4,0	1,0	0,2	0,45	1,30	0,7
32007AX	T4CC035	35	40	41	54,0	56	59,0	4	4,0	1,0	0,24	0,45	1,30	0,7
30207A	T3DB035		43	42	61,0	65	67,0	3	3,0	1,0	0,36	0,37	1,60	0,9
32207A	T3DC035		43	42	61,0	65	68,5	3	5,0	1,0	0,48	0,37	1,60	0,9
33207	T2DE035		42	42	61	63	68	5	6	1	0,59	0,37	1,62	0,89
30307A	T2FB035		43	44	68,0	71	74,0	3	4,5	1,5	0,55	0,32	1,90	1,1
31307AJ2 32307A	T7FB035 T2FE035		43 43	44	61,0 68.0	71 71	76,0 74,0	3	7,5 7,5	1,5 1,5	0,52 0.83	0,83	0,70 1,90	0,4
3230/A	12FEU33		43	44	00,0	7.1	14,0	3	7,5	1,5	0,03	0,32	1,90	1,1



Single row tapered roller bearings in metric dimensions


d = 40 to 50 mm



			Main	dimen	sions				Basic load	d rating	Fatique Ioad limit	Limiting speed for lubrication with		
	T							ĺ	dynamic	static				
d	D	В	С	Т	r _{1s}	r _{2s}	r _{3s}	а	C,	C _{or}	P _u	grease	oil	
					min	min	min							
2				mm					kN		kN	min ⁻¹		
	0 68	19	14,5	19,00	1,0	1,0	0,3	15	48,2	64,3	7,8	5300	7100	
	75	26	20,5	26	1,5	1,5	0,6	18	82	107	13	4800	6700	
	80	18	16,0	19,75	1,5	1,5	0,6	17	55,2	60,7	7,4	4700	6300	
	80	23	19,0	24,75	1,5	1,5	0,6	18	70,8	85,5	10	4700	6300	
	80	32	25	32	1,5	1,5	0,6	21	114	142	17	4800	6300	
	90	23	20,0	25,25	2,0	1,5	0,6	18	84,3	93,2	11	4500	6000	
	90	23	20,0	25,25	2,0	1,5	0,6	19	82,5	94,4	12	4500	6000	
	90	23	17,0	25,25	2,0	1,5	0,6	29	76,4	85,8	10	4000	5300	
	90	33	27,0	35,25	2,0	1,5	0,6	22	114	141	17	4200	5600	
	90	33	27,0	35,25	2,0	1,5	0,6	27	104,2	136,6	17	4100	5400	
	90	33	27,0	35,25	2,0	1,5	0,6	27	104	144	18	4200	5600	
4	5 75	20	15,5	20,00	1,0	1,0	0,3	17	57,3	79,4	9,7	4700	6300	
	75	24	19	24	1	1	0,6	16	76	106	13	4800	6300	
	80	26	20.5	26	1,5	1,5	0.6	19	89	122	15	4500	6000	
	85	19	16,0	20,75	1,5	1,5	0,6	18	61,9	70,8	8,6	4500	6000	
	85	23	19,0		1,5	1,5	0,6	20	73,6	90,9	11	4500	6000	
	85	32	25	32	1,5	1,5	0,6	22	118	153	19	4300	6000	
	100	25	22,0	27,25	2,0	1,5	0,6	21	107	118	14	4000	5300	
	100	25	22,0	27,25	2,0	1,5	0,6	21	104	117	14	4000	5300	
	100	25	18,0	27,25	2,0	1,5	0,6	32	92,6	104	13	3800	5000	
	100	36	30,0	38,25	2,0	1,5	0,6	25	144	181	22	3800	5000	
	100	36	30,0	38,25	2,0	1,5	0,6	31	131	174	21	3800	5000	
5	0 80	20	15,5	20,00	1,0	1,0	0,3	18	59,6	87,4	11	4500	6000	
	80	24	19	24	1	1	0,6	17	81	115	14	4300	6000	
	85	26	20	26	1,5	1,5	0.6	20	92	110	13	4300	5600	
	90	20	17,0	21,75	1,5	1,5	0,6	20	70,8	87,4	11	4200	5600	
	90	23	19,0	24,75	1,5	1,5	0,6	21	81	102	12	4200	5600	
	90	32	24,5	32	1,5	1,5	0,6	23	122	163	20	4000	5300	
	110	27		29,25	2,5	2,0	0,6	23	121	141	17	3800	5000	
	110	27	19,0	29,25	2,5	2,0	0,6	35	102	114	14	3300	4500	
	110	40	33,0	42,25	2,5	2,0	0,6	27	174	224	27	3300	4500	
	110	40	33,0	42,25	2,5	2,0	0,6	33	156	212	26	3200	4400	

• • 426






searing de	signation			Abutm	ent an	d fillet	dimer	nsions			Weight		Factors	
ČSN	ISO	d	d _a	d _b	D _a	D _a	D _b	a _a	a _b	r _a	~	е	Y	YO
			max	min	min	max	min	min	min	max				
						mm					kg			
2008AX	T3CD040	40	45	46	60,0	62	65,0	4	4,5	1,0	0,29	0,38	1,60	0,9
3108	T2CE040		47	47	65	66	71	4	5,5	1	0,52	0,26	2,27	1,25
0208A	T3DB040		48	47	68,0	73	75,5	3	3,5	1,0	0,45	0,37	1,60	0,9
2208A	T3DC040		48	47	68,0	73	75,0	3	5,5	1,0	0,55	0,37	1,60	0,9
3208	T2DE040		47	47	67	71	76	5	7	1	0,74	0,36	1,68	0,92
0308A	T2FB040		50	49	76,0	81	82,0	3	5,0	1,5	0,77	0,35	1,70	1,0
0308AJ2	T2FB040		50	49	76,0	81	82,0	3	5,0	1,5	0,77	0,35	1,70	1,0
1308A	T7FB040		50	49	70,0	81	86,0	3	8,0	1,5	0,78	0,83	0,70	0,4
2308A	T2FD040		50	49	76,0	81	82,0	3	8,0	1,5	1,12	0,35	1,70	1,0
2308BA	T5FD040		50	49	70,0	81	85,0	4	8,0	1,5	1,11	0,54	1,10	0,6
2308BAJ2	T5FD040		50	49	70,0	81	85,0	4	8,0	1,5	0,99	0,54	1,10	0,6
2009AX	T3CC045	45	50	51	66,0	69	72,0	4	4,5	1,0	0,36	0,39	1,50	3,0
3009	T2CE045		52	52	67	69	78	5	7	0,5	0,43	0,29	2,04	1,12
3109	T3CE045		52	52	69	71	77	4	5,5	1	0,53	0,29	2,06	1,13
0209A	T3DB045		53	52	73,0	78	80,0	3	4,5	1,0	0,53	0,41	1,50	0,8
2209A	T3DC045		53	52	73,0	78	81,5	3	5,5	1,0	0,64	0,41	1,50	0,8
3209	T3DE045		52	52	72	76	81	5	7	1	0,79	0,39	1,56	0,86
0309A	T2FB045		56	54	85,0	91	92,0	3	5,0	1,5	1,04	0,35	1,70	1,0
0309AJ2	T2FB045		56	54	85,0	91	92,0	3	5,0	1,5	1,04	0,35	1,70	1,0
1309A	T7FB045		55	54	78,0	91	95,0	3	9,0	1,5	1,03	0,83	0,70	0,4
2309A	T2FD045		56	54	85,0	91	93,0	3	8,0	1,5	1,53	0,35	1,70	1,0
2309BAJ2	T5FD045		55	54	76,0	91	94,0	5	8,0	1,5	1,54	0,54	1,10	0,6
2010AX	T3CC050	50	55	56	71,0	74	77,0	4	4,5	1,0	0,4	0,42	1,40	0,8
3010	T2CE050		56	56	72	74	76	4	5	0,5	0,42	0,32	1,9	1,04
3110	T3CE050		56	57	74	76	82	4	6	1	0,6	0,32	1,88	1,04
0210A	T3DB050		58	57	78,0	83	86,5	3	4,5	1,0	0,6	0,42	1,40	0,8
2210A	T3DC050		58	57	78,0	83	85,0	3	5,5	1,0	0,67	0,42	1,40	0,8
3210	T3DE050		57	57	77	81	87	5	7,5	1	0,85	0,42	1,43	0,79
0310A	T2FB050		62	60	94,0	100	102,0	3	6,0	2,0	1,32	0,35	1,70	1,0
1310A	T7FB050		61	60	85,0	100	104,0	3	10,0	2,0	1,29	0,83	0,70	0,4
2310A	T2FD050		62	60	94,0	100	102,0	3	9,0	2,0	2,01	0,35	1,70	1,0
2310BA	T5FD050		62	60	83,0	100	103,0	5	9,0	2,0	1,99	0,54	1,10	0,6
LOTOBA	131 2000		02	00	00,0	100	100,0		5,0	2,0	1,00	0,04		1,10



Single row tapered roller bearings in metric dimensions


d = 55 to 70 mm



				Main	dimen	sions				Basic loa	d rating	Fatique load limit	Limiting s _i	
ĺ										dynamic	static			
j	d	D	В	С	Т	r _{1s}	r _{2s}	r _{3s}	а	C _r	C _{or}	P _u	grease	oil
İ						min	min	min				<u> </u>		
12.6.1					mm					kl	1	kN	min ⁻¹	
_	55	90	23	17,5	23,00	1,5	1,5	0,6	20	76,4	108	13	4000	5300
		90	27	21	27	1,5	1,5	0,6	19	100	150	18	3800	5300
		95	30	23	30	1,5	1.5	0.6	22	114	160	20	3800	5000
		100	21	18,0	22,75	2,0	1,5	0,6	21	81	96,2	12	3800	5000
		100	25	21,0	26,75	2,0	1,5	0,6	22	102	128	16	3800	5000
		100	35	27	35	2	1,5	0,6	26	154	207	25	3600	5000
		120	29	25,0	31,50	2,5	2.0	0.6	25	136	162	20	3300	4500
		120	29	21,0	31,50	2,5	2,0	0,6	38	117	136	17	3000	4000
		120	43	35,0	45,50	2,5	2,0	0,6	29	200	256	31	3300	4500
	60	95	23	17,5	23,00	1,5	1,5	0,6	21	81	119	15	3800	5000
	00	95	27	21	27	1,5	1,5	1	20	102	157	19	3600	5000
		100	30	23	30	1,5	1,5	1	23	110	174	21	3400	4800
		110	22	19,0	23,75	2,0	1,5	0,6	22	94,4	117	14	3300	4500
		110	28	24,0	29,75	2,0	1,5	0,6	25	126	162	20	3300	4500
		110	38	29	38	2	1,5	1	28	178	242	30	3400	4500
		130	31	26,0	33,50	3,0	2,5	1,0	26	162	188	23	3000	4000
		130	31	22,0	33,50	3,0	2,5	1,0	41	136	158	19	2800	3800
		130	46	37,0	48,50	3,0	2,5	1,0	31	228	299	36	2800	3800
		130	46	37,0	48,50	3,0	2,5	1,0	39	200	293	36	2500	3300
		100	40	01,0	40,00	0,0	2,0	1,0	00	200	200	00	2000	0000
	65	100	23	17,5	23,00	1,5	1,5	0,6	23	81	123	15	3300	4500
		100	27	21	27	1,5	1,5	1	21	103	163	20	3400	4500
		110	34	26,5	34,00	1,5	1,5	0,6	26	136	207	25	3800	5300
		120	23	20,0	24,75	2,0	1,5	0,6	24	112	136	17	3000	4000
		120	31	27,0	32,75	2,0	1,5	0,6	28	150	200	24	3000	4000
		120	41	32,0	41,00	2,0	1,5	0,6	30	191	267	33	3000	4000
		140	33	28,0	36,00	3,0	2,5	1,0	28	185	220	27	2800	3800
		140	33	23,0	36,00	3,0	2,5	1,0	44	150	178	22	2800	3800
		140	48	39,0	51,00	3,0	2,5	1,0	33	261	331	40	2800	3800
	70	110	25	19,0	25,00	1,5	1,5	0,6	24	98,1	147	18	3300	4500
		110	31	25,5	31	1,5	1,5	1	22	140	225	28	3000	4300
		120	37	29	37	2	1,5	1	28	184	279	34	3000	4000
		125	24	21,0	26,25	2,0	1,5	0,6	26	121	153	19	3000	4000
		125	31	27,0	33,25	2,0	1,5	0,6	29	155	203	25	2800	3800
		125	41	32	41	2	1,5	1	31	224	312	38	2800	4000
		150	35	30,0	38,00	3,0	2,5	1,0	30	211	251	30	2700	3500
		150	35	25,0	38,00	3,0	2,5	1,0	47	178	211	25	2700	3500
		150	51	42,0	54,00	3,0	2,5	1,0	36	293	398	47	2700	3500

• 428

ZKL)




	signation			Abutm	ent an	d fillet	dimer	nsions			Weight		Factors	
ČSN	ISO	d	a	a							~	е	Y	YO
CON	130	u	d _a	d _b	D _a	D _a	D _b	a	a _b	r _a		-		10
			max	min	min	max mm	min	min	min	max	kg			
32011AX	T3CC055	55	61	62	80,0	83	86,0	4	5,5	1,0	0,59	0,41	1,50	0,8
33011	T2CE055	00	63	62	80	81	86	5	6	1,0	0,67	0,31	1,92	1,06
33111	T3CE055		63	62	83	86	91	5	7	1	0,89	0,29	2,06	1,13
30211A	T3DB055		63	64	87,0	91	94.0	4	4,5	1,5	0,76	0,41	1,50	0,8
32211A	T3DC055		63	64	87,0	91	95,0	4	5,5	1,5	0,92	0,41	1,50	0,8
33211	T3DE055		63	64	85	91	96	6	8	1,5	1,21	0.4	1,5	0,83
30311A	T2FB055		67	65	103,0	110	111,0	4	6,5	2,0	1,71	0,35	1,70	1,0
31311A	T7FB055		67	65	92,0	110	113,0	4	10,5	2,0	1,63	0,83	0,70	0,4
32311A	T2FD055		67	65	103,0	110	111,0	4	10,5	2,0	2,5	0,35	1,70	1,0
32012AX	T4CC060	60	66	67	85,0	88	91,0	4	5,5	1,0	0,63	0,43	1,40	0,8
33012	T2CE060		67	67	85	86	90	5	6	1	0,73	0,33	1,83	1,01
33112	T3CE060		67	67	88	91	96	5	7	1	0,89	0,4	1,51	0,83
30212A	T3EB060		69	69	95,0	101	105,5	4	4,5	1,5	0,97	0,41	1,50	0,8
32212A	T3EC060		69	69	95,0	101	104,0	4	5,5	1,5	1,27	0,41	1,50	0,8
33212	T3EE060		69	68	93	101	105	6	9	1,5	1,5	0,4	1,48	0,81
30312A 31312A	T2FB060 T7FB060		73 72	72	112,0	118	120,0	4	7,5	2,0	2,09	0,35	1,70	1,0
31312A 32312A	T2FD060		73	72 72	103,0	118 118	123,0	4	11,5	2,0	2,03	0,83	0,70	0,4
32312A 32312B	T5FD060		73	72	112,0		120,0	6	11,5	2,0	3,07	0,35	1,70	1,0
323125	1350000		13	12	99,0	118	122,0	О	11,5	2,0	3,16	0,54	1,10	0,6
32013AX	T4CC065	65	71	72	90,0	93	97,0	4	5,5	1,0	0,68	0,46	1,30	0,7
33013	T2CE065		72	72	89	91	96	5	6	1	0,78	0,35	1,72	0,95
33113A	T3DE065		74	72	96,0	103	106,0	6	7,5	1,0	1,3	0,39	1,50	0,8
30213A	T3EB065		75	74	105,0	111	113,0	4	4,5	1,5	1,23	0,41	1,50	0,8
32213A	T3EC065		75	74	105,0	111	115,0	4	5,5	1,5	1,66	0,41	1,50	0,8
33213A	T3EE065		75	74	102,0	111	115,0	6	9,0	1,5	2,06	0,39	1,50	0,9
30313A	T2GB065		80	77	121,0	128	130,0	4	8,0	2,0	2,55	0,35	1,70	1,0
31313A	T7GB065		78	77	109,0	128	132,0	4	13,0	2,0	2,45	0,83	0,70	0,4
32313A	T2GD065		80	77	121,0	128	130,0	4	12,0	2,0	3,77	0,35	1,70	1,0
32014AX	T4CC070	70	77	77	98.0	103	105.0	5	6.0	1.5	0,89	0,44	1.40	0,8
33014 33014	T2CE070	10	78	77	100	103	105,0	5	5,5	1,5	1,14	0,44	2,11	1,16
33114	T3DE070		80	79	104	111	115	6	8	1,5	1,75	0,28	1,58	0,87
30214A	T3EB070		80	79	108,0	116	118,0	4	5,0	1,5	1,73	0,30	1,40	0,87
32214A	T3EC070		80	79	108,0	116	119.0	4	6.0	1,5	1,73	0,42	1,40	0,8
33214	T3EE070		79	78	100,0	116	120	7	9	1,5	2,06	0,42	1,47	0,81
30314A	T2GB070		85	82	129.0	138	140.0	4	8.0	2,0	3,07	0,35	1,70	1,0
31314A	T7GB070		83	82	118.0	138	141.0	4	13.0	2,0	3.01	0,83	0,70	0,4
32314A	T2GD070		85	82	129,0	138	140.0	4	12.0	2,0	4.55	0.35	1,70	1,0

420




## Single row tapered roller bearings in metric dimensions





				Main	dimen	sions				Basic Ioa	d rating	Fatique load limit	Limiting sp lubrication	
Ī										dynamic	static			
	d	D	В	С	Т	r _{1s}	r _{2s}	r _{as}	а	C _r	C _{or}	P _u	grease	oil
_						min	min	min						
12.6.1					mm					k١	1	kN	min ⁻¹	
	75	115	25	19,0	25,00	1,5	1,5	0,6	25	104	158	19	3000	4000
		115	31	25,5	31	1,5	1,5	1	23	139	226	28	3000	4000
		125	37	29	37	2	1,5	1	30	189	293	36	2800	3800
		130	25	22,0	27,25	2,0	1,5	0,6	28	128	165	20	2800	3800
		130	31	27,0	33,25	2,0	1,5	0,6	30	162	220	27	2800	3800
		130	41	31,0	41,00	2,0	1,5	0,6	32	196	299	36	2800	3800
		160	37	31,0	40,00	3,0	2,5	1,0	32	242	287	33	2500	3300
		160	37	26	40	3	2,5	1	50	206	241	28	2200	3000
		160	55	45,0	58,00	3,0	2,5	1,0	38	341	464	54	2400	3200
		160	55	45,0	58,00	3,0	2,5	1,0	47	304	464	54	2000	2700
	80	125	29	22,0	29,00	1,5	1,5	0,6	27	131	207	25	2800	3800
		125	36	29,5	36	1,5	1,5	1	26	189	315	38	2800	3600
		130	37	29,0	37,00	2,0	1,5	0,6	31	190	300	36	3200	4200
		140	26	22,0	28,25	2,5	2,0	0,6	29	144	178	21	2800	3800
		140	33	28,0	35,25	2,5	2,0	0,6	32	181	251	30	2800	3800
		140	46	35	46	2,5	2	1	35	256	394	47	2600	3400
		170	39	33	42,5	3	2,5	1	34	280	335	39	2200	3000
		170	39	27	42,5	3	2,5	1	53	224	268	31	2000	2800
		170	58	48	61,5	3	2,5	1	49	393	520	61	2200	3000
	85	130	29	22,0	29,00	1,5	1,5	0,6	28	136	215	26	2800	3800
		130	36	29.5	36,00	1,5	1,5	0.6	26	195	319	38	3000	4000
		140	41	32	41	2,5	2	1	33	230	368	43	2400	3400
		150	28	24,0	30,50	2,5	2,0	0,6	30	181	207	24	2700	3500
		150	36	30,0	38,50	2,5	2,0	0,6	34	212,4	290,2	34	2400	3300
		150	36	30.0	38,50	2,5	2,0	0.6	34	237	293	34	2700	3500
		150	49	37,0	49,00	2,5	2,0	0,6	37	278	418	49	2200	3200
		180	41	34	44,5	4	3	1	36	309	373	41	2000	2800
		180	41	28	44.5	4	3	1	55	247	293	34	1900	2600
		180	60	49	63,5	4	3	1,5	51	413	570	65	2000	2800
					,-			.,-						
	90	140	32	24,0	32,00	2,0	1,5	0,6	30	150	228	27	2700	3500
		140	39	32,5	39,00	2,0	1,5	0,6	28	223	370	43	2800	3800
		150	45	35,0	45,00	2,5	2,0	0,6	36	265	420	48	2800	3800
		160	30	26,0	32,50	2,5	2,0	0,6	31	185	242	28	2400	3200
		160	40	34,0	42,50	2,5	2,0	0,6	37	251	355	40	2400	3200
		190	43	36	46,5	4	3	1,5	37	333	403	44	1900	2600
		190	43	30	46,5	4	3	1,5	58	270	320	36	1800	2400
		190	64	53,0	67,50	4,0	3,0	0,8	44	478	683	75	2000	2700
				,0	,	.,0	-,0	-,0			300			00

ZKI)




Bearing d	esignation			Abutm	ent an	d fillet	dimer	nsions			Weight		Factors	
ČSN	ISO	d	d	Ч	D	D _a	D _b	3	3	r	~	е	Υ	Y0
CON	130	u		d _b	D _a			a _a	a _b	r _a		-		10
			max	min	min	max	min	min	min	max				
						mm					kg			
32015AX	T4CC075	75	82	82	103,0	108	110,0	5	6,0	1,0	0,96	0,46	1,30	0,7
33015	T2CE075		84	82	104	106	110	6	5,5	1	1,12	0,3	2,01	1,11
33115	T3DE075		84	84	109	115	120	6	8	1,5	1,74	0,4	1,51	0,83
30215A	T4DB075		85	84	113,0	121	124,0	4	5,0	1,5	1,47	0,44	1,40	0,8
32215A	T4DC075		85	84	113,0	121	121,0	4	6,0	1,5	1,82	0,44	1,40	0,8
33215A	T3EE075		85	84	111,0	121	125,0	6	10,0	1,5	2,3	0,43	1,40	0,8
30315A	T2GB075		91	87	138,0	148	149,0	4	9,0	2,0	3,72	0,35	1,70	1,0
31315	T7GB075		91	87	129	148	151	6	14	2,5	3,4	0,83	0,73	0,4
32315A	T2GD075		91	87	138,0	148	149,0	4	13,0	2,0	5,62	0,35	1,70	1,0
32315B	T5GD075		90	87	128,0	148	150,0	7	12,5	2,0	5,6	0,54	1,10	0,6
32016AX	T3CC080	80	87	87	112,0	118	120,0	6	7,0	1,0	1,32	0,42	1.40	0,8
33016	T2CE080		90	87	112	116	119	6	6,5	1	1,67	0,29	2,06	1,13
33116A	T3DE080		89	89	114,0	121	126,0	6	8.0	1,5	1,93	0,42	1,40	0,8
30216A	T3EB080		90	90	122,0	130	132,0	4	6,0	2,0	1,75	0,42	1,40	0,8
32216A	T3EC080		90	90	122,0	130	134,0	4	7,0	2,0	2,29	0,42	1.40	0,8
33216	T3EE080		89	90	122	130	135	7	11	2	3,01	0,41	1,45	0,8
30316	T2GB080		102	92	150	158	159	5	9,5	2,5	4,34	0,34	1,74	0,96
31316	T7GB080		97	92	136	158	159	6	15,5	2,5	4,2	0,83	0,73	0,4
32316	T5GD080		98	92	143	158	159	7	13,5	2,5	6,74	0,55	1,1	0,6
32017AX	T4CC085	85	92	92	117,0	123	125,0	6	7,0	1,0	1,41	0,44	1,40	0,7
33017A	T2CE085		92	93	117,0	123	125,0	6	6,5	1,0	1,73	0,29	2,10	1,1
33117	T3DE085		95	95	122	130	135	7	9	2	2,38	0,41	1,48	0,81
30217A	T3EB085		96	95	132,0	140	141,0	5	6,0	2,0	2,14	0,42	1,40	0,8
32217A	T3EC085		96	95	130,0	140	142,0	5	8,5	2,0	2,85	0,42	1,40	0,8
32217AJ2	T3EC085		96	95	130,0	140	142,0	5	8,5	2,0	2,85	0,42	1,40	0,8
33217A	T3EE085		96	95	128,0	140	144,0	7	12,0	2,0	3,69	0,42	1,40	0,8
30317	T2GB085		107	99	157	166	167	6	10,5	3,5	4,83	0,35	1,74	0,96
31317	T7GB085		103	99	144	166	169	6	16,5	3,5	4,9	0,83	0,73	0,4
32317	T5GD085		103	99	151	166	167	7	14,5	3,5	7,86	0,55	1,1	0,6
32018AX	T3CC090	90	99	99	124,0	131	134,0	6	8,0	1,5	1,78	0,42	1,40	0,8
33018A	T2CE090		99	99	124,0	131	135,0	6	6,5	1,5	2,25	0,27	2,20	1,2
33118A	T3DE090		101	100	130,0	140	144,0	7	10,0	2,0	3,2	0,40	1,50	0,8
30218A	T3FB090		102	100	138,0	150	150,0	5	6,0	2,0	2,71	0,42	1,40	0,8
32218A	T3FC090		102	100	138,0	150	152,0	5	8,5	2,0	3,6	0,42	1,40	0,8
30318	T2GB090		113	105	165	166	176	6	10,5	3,5	5,87	0,34	1,74	0,96
31318	T7GB090		109	105	152	176	179	6	16,5	3,5	5,4	0,83	0,73	0,4
32318A	T2GD090		109	104	157,0	176	177,0	7	14,5	2,5	8,81	0,35	1,70	0,9

• 431 • • •




## Single row tapered roller bearings in metric dimensions

d = 95 to 120 mm



_			Main	dimen	sions				Basic load	d rating	Fatique load limit	Limiting sp lubricatio	
									dynamic	static			
d	D	В	С	Т	r _{1s}	r _{2s}	r _{as}	а	C _r	C _{or}	P _u	grease	oil
					min	min	min						
				mm					kN		kN	min ⁻¹	
95	145	32	24,0	32,00	2,0	1,5	0,6	31	174	280	32	2700	3500
	145	39	32,5	39,00	2,0	1,5	0,6	29	228	385	44	2700	3500
	170	32	27,0	34,50	3,0	2,5	1,0	33	214	272	30	2000	2900
	170	43	37,0	45,50	3,0	2,5	1,0	38	310	437	49	2700	3500
	200	45	38	49,5	4	3	1,5	40	350	420	45	1800	2500
	200	45	32	49,5	4	3	1,5	61	297	362	39	1700	2400
	200	67	55	71,5	4	3	1,5	49	516	695	76	1900	2600
100	150	32	24,0	32,00	2,0	1,5	0,6	33	178	261	30	2800	3800
100	150	39	32,5		2,0	1,5	0,6	29	234	400	46	2500	3300
	180	34	29,0	37,00	3,0	2,5	1,0	37	266	346	38	2500	3300
	180	46	39,0		3,0	2,5	1,0	41	348	496	55	2500	3300
	215	47	39	51,5	4	3	1,5	42	411	500	58	1700	240
	215	51	35	56,5	4	3	1,5	68	429	522	56	1500	220
	215	73	60	77,5	4	3	1,5	53	596	815	96	1700	240
105	160	35	26,0	35,00	2,5	2,0	0,6	35	205	337	38	2600	340
	160	43	34,0	43,00	2,5	2,0	0,6	31	260	445	50	2400	320
	190	36	30,0	39,00	3,0	2,5	1,0	37	293	387	42	2400	320
	190	50	43,0	53,00	3,0	2,5	1,0	44	393	570	62	2400	320
	225	77	63	81,5	4	3	1,5	56	638	878	100	1700	220
110	170	38	29,0	38,00	2,5	2,0	0,6	37	246	390	43	2500	330
110	170	47	37,0		2,5	2,0	0,6	33	300	520	57	2200	300
	200	38	32,0	41,00	3,0	2,5	1,0	39	304	402	43	1800	2500
	200	53	46,0		3,0	2,5	1,0	46	433	630	67	2200	300
	240	50	42	54,5	4	3	1,5	45	474	583	67	1500	200
	240	57	38	63	4	3	1,5	75	457	583	67	1400	1900
	240	80	65	84,5	4	3	1,5	58	684	930	110	1500	200
120	180	38	29,0	38,00	2,5	2,0	0,6	40	254	430	46	2400	320
	180	48	38	48	2,5	2	1,5	36	302	539	58	1800	260
	215	40	34,0	43,50	3,0	2,5	1,0	43	339	452	47	1600	220
	215	58	50,0	61,50	3,0	2,5	1,0	52	462	685	72	1600	220
	260	55	46	59,5	4	3	1,5	48	566	710	78	1400	190
	260	62	42	68	4	3	1,5	82	542	700	78	1300	180
	260	86	69	90,5	4	3	1,5	66	731	1045	110	1400	1900

ZKL)




Bearing d	esignation			Abutm	ent ar	d fillet	dimer	nsions			Weight		Factors	
ČSN	ISO	d	da	d _b	D _a	D _a	D _b	a	а _ь	r _a	~	е	Y	YO
			max	min	min	max	min	min	min	max				
						mm				<u> </u>	kg	i	i	
32019AX	T4CC095	95	105	104	130,0	136	139.0	6	8.0	1,5	1.87	0.44	1.40	3,0
33019A	T2CE095	00	103	104	130,0	136	139,0	6	6,5	1,5	2,34	0,28	2,10	1,2
30219A	T3FB095		107	110	148,0	158	159,0	5	7,0	2,0	3,16	0,42	1,40	0,8
32219A	T3FC095		107	110	148,0	158	161,0	5	10,0	2,0	4,32	0,42	1,40	0,8
30319	T2GB095		118	110	172	186	184	6	11,5	3,5	6,77	0,34	1,74	0,9
31319	T7GB095		114	110	158	186	187	6	17,5	3,5	6,7	0,83	0,73	0,4
32319	T2GD095		115	110	167	186	186	8	16,5	3,5	10,3	0,35	1,74	0,96
32020AX	T4CC100	100	109	109	134,0	141	144,0	6	8,0	1,5	1,94	0,46	1,30	0,
33020A	T2CE100		109	110	134,0	141	144,0	6	6,5	1,5	2,47	0,28	2,10	1,
30220A	T3FB100		114	112	155,0	168	168,0	5	8,0	2,0	3,81	0,42	1,40	0,8
32220A	T3FC100		114	112	155,0	168	171,0	5	10,0	2,0	5,21	0,42	1,40	0,8
30320	T2GB100		127	115	185	201	197	6	12,5	3,5	8,38	0,34	1,74	0,9
31320	T7GB100		121	115	169	201	202	7	21,5	3,5	8,8	0,83	0,73	0,4
32320	T2GD100		123	115	178	201	201	8	17,5	3,5	13,1	0,35	1,74	0,96
32021AX	T4DC105	105	116	115	143,0	150	154,0	6	9,0	2,0	2,51	0,44	1,40	0,7
33021A	T2DE105		116	116	143,0	150	153,0	6	9,0	2,0	3,06	0,28	2,10	1,2
30221A	T3FB105		120	117	163,0	178	178,0	8	9,0	2,0	4,94	0,42	1,40	0,8
32221A	T3FC105		120	117	163,0	178	178,0	6	10,0	2,0	6,38	0,42	1,40	0,8
32321	T2GD105		129	120	186	211	209	9	18,5	3,5	15,1	0,35	1,74	0,96
32022AX	T4DC110	110	120	120	152,0	160	163,0	6	9.0	2,0	3,09	0,43	1,40	0,8
33022A	T2DE110	110	121	121	150,0	159	160,0	6	10,0	2,0	3,87	0,29	2,10	1,2
30222A	T3FB110		125	122	171.0	188	187,0	8	9.0	2,0	5,32	0,44	1.40	0,8
32222A	T3FC110		125	122	171,0	188	190,0	6	10,0	2,0	7,56	0,44	1,40	0,8
30322	T2GB110		142	125	208	226	220	8	12,5	3,5	11,1	0,34	1,74	0,9
31322	T7GB110		135	125	191	226	224	7	25	3,5	12,3	0,83	0,73	0,4
32322	T2GD110		137	125	201	226	222	9	19,5	3,5	18,1	0,35	1,74	0,96
32024AX	T4DC120	120	130	130	162,0	170	173,0	6	9,0	2,0	3,32	0,46	1,30	0,
33024	T2DE120		132	131	161	168	171	6	10	2	4,06	0,31	1,97	1,08
30224A	T4FB120		135	132	187,0	203	201,0	9	9,0	2,0	6,33	0,44	1,40	0,8
32224A	T4FD120		135	132	184,0	203	204,0	9	11,5	2,0	9,42	0,44	1,40	0,8
30324	T2GB120		153	135	223	246	237	7	13,5	3,5	14,3	0,34	1,74	0,9
31324	T7GB120		145	135	206	246	244	9	26	3,5	15,1	0,83	0,73	0,4
32324	T2GD120		148	135	216	246	239	9	21,5	3,5	21,1	0,35	1,74	0,96

• • • • • • 433 • • •




Single row tapered roller bearings in metric dimensions

d = 130 to 200 mm



				Main	dimen	sions				Basic loa	d rating	Fatique load limit	Limiting s _i	peed for on with
ĺ										dynamic	static			
Ī	d	D	В	С	Т	r _{1s}	r _{2s}	r _{3s}	а	C _r	C _{or}	P _u	grease	oil
İ						min	min	min						
12.6.1					mm					k!	١	kN	min ⁻¹	
	130	200	45	34,0	45,00	2,5	2,0	0,6	43	330	560	59	2100	2800
		230	40	34	43,75	4	3	1,5	46	401	538	55	1500	2000
		230	64	54	67,75	4	3	1,5	56	555	845	96	1500	2000
		280	58	49	63,75	5	4	1,5	53	619	775	85	1300	1800
		280	66	44	72	5	4	1,5	87	611	788	87	1200	1700
		280	93	78	98,75	5	4	1,5	68	840	1130	130	1300	1800
	140	210	45	34,0	45,00	2,5	2,0	0,6	46	335	580	60	1700	2200
		250	42	36	45,75	4	3	1,5	47	442	593	59	1400	1900
		250	68	58	71,75	4	3	1,5	60	647	1000	110	1400	1900
		300	62	53	67,75	5	4	1,5	52	664	845	90	1200	1700
		300	70	47	77	5	4	1,5	94	695	903	95	1100	1500
	450	205	10	0.0	40		0.5			222	222	22	4.400	2222
	150	225	48	36	48	3	2,5	1,5	50	390	663	68	1400	2000
		270	45	38	49	4	3	1,5	52	492	665	65	1300	1800
		270	73	60	77	4	3	1,5	64	739	1150	130	1300	1800
		320	65	55	72	5	4	1,5	60	818	1045	110	1100	1500
		320	75	50	82	5	4	1,5	100	785	1033	110	1000	1460
		320	108	90	114	5	4	1,5	79	1330	1950	220	1100	1500
	160	240	51	38	51	3	2,5	1,5	53	444	767	76	1300	1800
		290	48	40	52	4	3	1,5	51	558	760	73	1200	1600
		290	80	67	84	4	3	1,5	69	875	1395	150	1200	1600
		340	68	58	75	5	4	1,5	63	902	1160	120	1000	1400
	170	260	57	43	57	3	2,5	1,5	57	548	956	93	1200	1700
		310	52	43	57	5	4	1,5	60	639	878	82	1100	1500
		310	86	71	91	5	4	1,5	74	1000	1610	170	1100	1500
	180	280	64	48	64	3	2,5	1,5	60	679	1202	110	1200	1600
	100	320	52	43	57	5	4	1,5	62	660	928	86	1100	1400
		320	86	71	91	5	4	1,5	77	1015	1650	170	1100	1400
														.=
	190	290	64	48	64	3	2,5	1,5	63	693	1231	120	1100	1500
		340	55	46	60	5	4	1,5	62	752	1043	95	1000	1300
		340	92	75	97	5	4	1,5	81	1150	1840	200	1000	1400
	200	310	70	53	70	3	2,5	1,5	67	839	1449	140	1000	1400
		360	58	48	64	5	4	1,5	68	790	1090	98	900	1300
		360	98	82	104	5	4	1,5	83	1265	2035	200	950	1300

ZKI)




Bearing d	esignation			Abutm	ient ar	nd fillet	dimer	nsions			Weight		Factors	
ČSN	ISO	d	d _a	d _b	D _a	D _a	D _b	aa	a _b	r _a	~	е	Υ	YO
			max	min	min	max	min	min	min	max				
						mm					kg			
32026AX	T4EC130	130	140	140	178,0	190	192,0	8	11,0	2,0	5,05	0,44	1,40	0,8
30226	T4FB130		152	146	205	216	217	7	9,5	3,5	7,2	0,44	1,38	0,76
32226	T4FD130		146	146	196	216	219	7	13,5	3,5	11,7	0,44	1,38	0,76
30326	T2GB130		164	150	239	262	255	8	14,5	4,5	17,2	0,34	1,74	0,96
31326	T7GB130		157	150	220	262	261	8	28	4,5	19,2	0,83	0,73	0,4
32326			160	147	233	262	260	10	20,5	4,5	30,2	0,34	1,75	0,96
32028AX	T4DC140	140	150	150	186,0	200	202,0	8	11,0	2,0	5,26	0,46	1,30	0,7
30228	T4FB140	140	164	156	221	236	236	7	9.5	3,5	8,5	0,46	1,38	0,7
32228	T4FD140		159	156	213	236	238	8	13,5	3,5	14	0,44	1,38	0,76
30328	T2GB140		176	158	256	282	283	8	14,5	4,5	20,5	0,44	1,74	0,76
31328	T7GB140		169	160	236	282	280	9	30	4,5	35,5	0,8	0,75	0,30
01020	TTGDTTG		100	100	200	202	200	0	00	7,0	00,0	0,0	0,70	0,71
32030-X	T4EC150	150	164	162	202	213	216	8	12	2,5	6,31	0,46	1,31	0,72
30230	T4GB150		175	116	236	256	256	9	11	3,5	11,1	0,44	1,38	0,76
32230	T4GD150		171	166	228	256	254	8	17	3,5	18,5	0,44	1,38	0,76
30330	T2GB150		189	168	275	302	292	9	17	4,5	25,5	0,34	1,74	0,96
31330	T7GB150		181	170	253	302	300	9	32	4,5	28,5	0,83	0,73	0,4
32330			184	167	264	302	299	12	24	4,5	45	0,24	2,53	1,39
32032-X	T4EC160	160	175	174	216	228	231	8	13	2,5	7,78	0,46	1,31	0,72
30232	T4GB160		189	176	253	276	269	8	12	3,5	13,2	0,44	1,38	0,79
32232	T4GD160		183	174	243	276	274	10	17	3,5	23,8	0,44	1,38	0,76
30332	T2GB160		201	180	293	322	310	9	17	4,5	29,9	0,35	1,74	0,96
32034-X	T4EC170	170	188	184	232	248	249	10	14	2,5	10,6	0,44	1,35	0,74
30234	T4GB170		203	190	273	292	288	8	14	4,5	17	0,44	1,38	0,76
32234	T4GD170		196	190	262	292	294	10	20	4,5	29,1	0,44	1,38	0,76
32036-X	T3FD180	180	199	194	248	268	267	10	16	2,5	14,2	0,42	1,42	0,78
30236	T4GB180	100	211	200	281	302	297	9	14	4,5	17,9	0,42	1,42	0,76
32236	T4GD180		204	200	270	302	303	10	20	4,5	29,9	0,44	1,33	0,78
32230	1400100		204	200	210	302	303	10	20	4,5	29,9	0,45	1,33	0,73
32038-X	T4FD190	190	210	204	258	278	279	10	16	2,5	14,8	0,44	2,27	1,49
30238	T4GB190		224	210	302	322	318	9	14	4,5	21	0,44	1,38	0,76
32238	T4GD190		216	207	290	322	323	10	22	4,5	36,7	0,44	1,38	0,76
32040-X	T4FD200	200	222	214	277	298	297	11	17	2,5	18,9	0,43	1,39	0,77
30240A	T4GB200	200	237	218	315	342	336	9	16	3	25	0,43	1,40	0,8
32240	T3GD200		231	220	305	342	340	11	22	4,5	43,7	0,41	1,48	0,81
										,-	-,-	.,	, -	.,

• 435 • • •



## Single row tapered roller bearings in metric dimensions


d = 220 to 320 mm



				Main	dimen	sions				Basic loa	d rating	Fatique load limit	Limiting s	
										dynamic	static			
	d	D	В	С	Т	r _{1s}	r _{2s}	r _{3s}	а	C _r	C _{or}	P _u	grease	oil
_						min	min	min						
12.6.1					mm					k!	١	kN	min ⁻¹	
	220	340	76	57	76	4	3	1,5	73	963	1736	160	950	1300
		400	65	54	72	5	4	1,5	75	983	1367	120	850	1100
		400	108	90	114	5	4	1,5	94	1575	2625	250	850	1100
	240	360	76	57	76	4	3	1,5	79	973	1804	160	850	1200
		440	120	100	127	5	4	1,5	105	1825	3250	300	750	1000
	260	400	87	65	87	5	4	1,5	86	1191	2255	190	800	1100
		480	130	106	137	6	5	1,5	113	2220	3725	340	670	950
	280	420	87	65	87	5	4	1,5	91	843	1782	150	710	1000
	300	460	100	74	100	5	4	1,5	98	1604	3066	250	670	900
						_								
	320	480	100	74	100	5	4	1,5	104	1615	3099	250	630	850

. . 436





Bearing o	designation			Abutm	ent ar	nd fillet	dime	nsions			Weight		Factors	
ČSN	ISO	d	d _a	d _b	D _a	D _a	D _b	aa	a _b	r _a	~	е	Υ	YO
			max	min	min	max	min	min	min	max				
						mm					kg			
32044-X	T4FD220	220	244	236	303	326	326	12	19	3,5	24,4	0,43	1,39	0,77
30244	T4GB220		2559	242	350	382	371	10	18	4,5	34,6	0,42	1,43	0,79
32244			258	242	340	382	383	13	24	4,5	60,2	0,44	1,36	0,75
32048-X	T4FD240	240	262	256	321	346	346	12	19	3,5	25,1	0,46	1,31	0,72
32248			290	262	374	422	415	13	27	4,5	78,6	0,45	1,34	0,73
32052-X	T4FC260	260	287	282	357	382	383	13	22	4,5	38,1	0,43	1,38	0,76
32252			303	268	400	458	458	16	31	5,5	106	0,32	1,88	1,04
32056-X	T4FC280	280	305	302	384	402	402	14	22	4,5	66,3	0,46	1,31	0,72
32060-X	T4GD300	300	330	322	408	442	440	15	26	4,5	57,2	0,43	1,38	0,76
000C4 V	T40D000	200	050	0.40	400	400	400	4.5	00	4.5	FO 4	0.40	1.01	0.70
32064-X	T4GD320	320	350	342	430	462	460	15	26	4,5	59,4	0,46	1,31	0,72




















# Single row tapered roller bearings in inch dimensions d = 15.875 to 146.05 mm




				Mai	n dim	ensic	ons					Basic ratir		Fatique load limit	Limiting s for lubric with	ation	Bearing designation
												dynamic	static				
	d	D	D ₁	В	С	C,	т	Т,	r _{1s}	r _{2s}	s	C,	C _{or}	P _u	grease	oil	Cone/Cup
ςi									min	min							
12.6.2					mn	n						kN	!	kN	min ⁻¹		
	15,875	42,863		14,3	9,53		14,3		1,50	1,5	0,6	17,3	18,6	2,3	9500	14000	K-11590/
																	K-11520
	16	47		21,0	16,00		21,0		1,00	2	5,9	36,9	40,6	5	8400	11000	K-HM81649/
																	K-HM81610
	17,462	39,878		14,6	10,67		13,8		1,30	1,3	5,2	21,1	21,5	2,6	10000	13000	K-LM11749/
																	K-HM11710
	19,05	45,237		16,6	12,07		15,5		1,30	1,3	5,5	25,6	26,6	3,2	8900	12000	K-LM11949/
	10.05	40.005		40.4	44.00		40.0		4.00	4.0	7.4	07.7	07.7	4.0	0000	10000	K-LM11910
	19,05	49,225		19,1	14,29		18,0		1,30	1,3	7,1	37,7	37,7	4,6	8900	12000	09067/ 09195
	19.05	49.225		10.1	17 46		21,2		1,30	1,5	8,8	37,7	37,7	4,6	8900	12000	09195
	19,05	49,220		19,1	17,46		21,2		1,30	1,0	0,0	31,1	31,1	4,0	0900	12000	09067/
	21,986	45.237		16.6	12,07		15,5		1,20	1,2	5,4	28,7	29.9	3,6	8400	11000	K-LM12749/
	21,000	40,201		10,0	12,01		10,0		1,20	1,2	0,4	20,1	20,0	0,0	0400	11000	K-LM12710
	22	45	51,5	16.6	12,07	3,0	15,5	6.4	1,20	1,2	5,4	28,7	29,9	3,6	8400	11000	K-LM12749/
			01,0	.0,0	12,01	0,0	.0,0	0, 1	1,20	.,_	0, .	20,1	20,0	0,0	0.00	11000	K-LM12712B
	25,4	50,292		14,7	10,67		14,2		1,30	1,3	3,3	24,6	28,7	3,5	7500	10000	K-L44643/
																	K-L44610
	25,4	57,15		19,4	14,73		19,4		1,50	1,5	3	44,9	52,9	6,5	6400	8600	M84548/
																	84510
	25,4	59,93		23,1	18,29		23,4		0,80	1,57	5	44,7	66,8	8,1	5600	7500	K-M84249/
																	K-M84210
	25,4	62		20,6	15,88		19,1		0,80	1,3	4,8	44,6	50,7	6,2	6400	8600	15101/
																	15245
	25,4	63,5		20,6	15,88		20,6		0,80	1,5	6,2	44,6	50,7	6,2	6400	8600	15101/
	00 000	50.000		447	40.07		440		0.50	4.0	0.0	04.0	00.7	0.5	7500	10000	15250X
	26,988	50,292		14,7	10,67		14,2		3,56	1,3	3,3	24,6	28,7	3,5	7500	10000	K-L44649/ K-L44610
	26.988	62		20.6	14.29		19.1		0.80	10	5,5	44.6	50.7	6.0	6400	8600	K-L44610 15106/
	20,900	02		20,0	14,29		19,1		0,00	1,3	5,5	44,0	50,7	6,2	6400	0000	15245
	28.575	68.262		22.2	17,46		22,2		0.80	1,5	5,2	51	61.1	7,5	6000	8000	02474/
	20,010	00,202		22,2	17,40		,-		0,00	1,0	0,2	01	01,1	7,0	0000	0000	0220
	28,575	73.025		22.2	17,46		22,2		0,80	3,3	3,8	55	65,7	8	5500	7400	02872/
	.,	2,120		,_	.,.0		,_		-,-0	-,5	-,5		,-		2200		02820
	29	50,292		14,7	10,67		14,2		3,60	1,2	3,3	25,6	33,5	4,1	7100	9400	K-L45449/
																	K-L45410

• • 438



## d = 15.875 to 29 mm




	Al	butme	nt and	d fillet	dimer	nsions	i		Weight		Dime	ension	deviat	ions		F	actors	5
d _a	d _b	D _a	D _a	D _b	2		_	r	~	Δdı	mn	ΔDι	mn	Δ.		e	Υ	<b>Y</b> ₀
max	min	min	max	min	a _a min	a _b	r _a max	r _b max		max	min	max	min	max	's min			'0
IIIax				mm			IIIax	шах	kg	IIIax		шах µг		Шах				
22,5	24,50	34,5	35	39,5	2,0	4,50	1,5	1,5	0,063	+13	0	+25	0	+200	0	0,7	0,9	0,5
23,0	22,00	36	39	43	2,0	4,00	1,0	1,5	0,20	0,00	-13	0	-25	+200	0	0,55	1,1	0,6
23,0	24,00	33,5	35	37	2,0	3,00	1,0	1,0	0,19	+13	0	+15	0	+200	0	0,29	2,1	1,1
25,0	25,50	38	38,5	41	3,0	3,00	1,0	1,0	0,12	+20	0	+25	0	+356	0	0,3	2	1,1
24,0	25,50	42	42,5	44,5	4,0	4,50	1,3	1,3	0,17	+13	0	+25	0	+203	0	0,27	2,26	1,2
24,0	25,50	41,5	42	44,5	1,0	4,50	1,3	1,5	0,19	+13	0	+25	0	+203	0	0,27	2,26	1,2
26,0	27,50	38	38,5	42,5	3,0	3,00	1,2	1,2	0,12	+13	0	0	+15	+200	0	0,31	1,96	1,1
26,0	27,50	-	-	46	1,2	3,50	1,3	-	0,13	-13,00	0	0	-15	+200	0	0,31	1,96	1,1
33,0	32,00	43,5	43,5	47	2,0	3,50	1,0	1,0	0,13	+13	0	+25	0	+200	0	0,37	1,6	0,9
33,0	36,00	48,5	49	54	2,5	5,00	1,5	1,5	0,23	+13	0	+25	0	+203	0	0,55	1,1	0,6
33,0	32,00	46	53	56	3,0	4,50	0,6	1,0	0,33	+13	0	+25	0	+200	0	0,55	1,1	0,6
31,5	32,50	55	56	58	5,0	5,00	0,8	1,3	0,29	+13	0	+25	0	+203	0	0,35	1,71	0,9
31,5	32,50	55	56	59	3,0	5,00	0,8	1,5	0,32	+13	0	+25	0	+203	0	0,35	1,71	0,9
33,0	38,00	43,5	45	47	3,0	3,50	3,0	1,0	0,12	+20	0	+25	0	+356	0	0,37	1,6	0,9
33,0	33,50	55	56	58	5,0	5,00	0,8	1,3	0,28	+13	0	+25	0	+203	0	0,35	1,71	0,9
36,0	36,50	59	60	63	3,0	5,50	0,8	1,5	0,40	+13	0	+25	0	+203	0	0,42	1,44	0,8
37,0	37,50	62	63	68	3,0	5,00	0,8	3,3	1,04	+13	0	+25	0	+203	0	0,45	1,32	0,7
34,0	40,00	43,5	45	47	3,0	3,50	3,0	1,0	0,11	+13	0	+15	0	+200	0	0,37	1,6	0,9

470



## Single row tapered roller bearings in inch dimensions


d = 30 to 36.512 mm



			Mai	n dim	ensi	ons					Basic ratir		Fatique load limit	Limiting s for lubric with	ation	Bearing designation
											dynamic	static				
d	D	D ₁	В	С	C,	т	T,	r _{1s}	r _{2s}	s	C,	C _{or}	P _u	grease	oil	Cone/Cup
								min	min							
				mn	n						k١		kN	min ⁻¹		
30	62	68,5	18,1	15,54	3,6	17,3	5,3	1,00	1,5	2,8	44,7	44,7	5,5	6700	8900	K-JXC25640CB
																K-JXC25640D
30,162	64,292		21,4	16,67		21,4		1,57	1,57	2,9	44,7	59,6	7,3	5600	7500	K-M86649/
																K-M86610
30,213	62		20,6	14,29		19,1		3,50	1,3	5,5	44,6	50,7	6,2	6400	8600	15118/
																15245
31,75	59,131		16,8	11,81		15,9		4,75	1,3	2,7	31,6	38,3	4,7	6700	8900	K-LM67048/
																K-LM67010
31,75	62		19,1	14,29		18,2		4,75	1,3	4,6	47,3	58,4	7,1	6300	8400	K-15123/
																K-15245
31,75	62		20,6	14,29		19,1		0,80	1,3	5,5	44,6	50,7	6,2	6400	8600	151126/
																15245
31,75	63,5		19,1	15,88		20,6		0,80	1,5	6,2	44,6	50,7	6,2	6400	8600	15123/
																15250X
31,75	69,012		19,6	15,88		19,8		3,50	3,3	4,1	46,1	55	6,7	5900	7800	14125A/
																14274
33,338	68,262		22,2	17,46		22,2		0,80	1,5	2,6	56,1	71,1	8,7	6000	7900	M88048/
																88010
34,925	65,088		18,3	13,97		18,0		4,75	1,3	3,7	43	53,1	6,5	5600	7500	K-LM48548/
																K-LM48510
34,925	69,012		19,6	15,88		19,8		3,50	3,3	4,2	46,1	55	6,7	5900	7800	14138A/
																14274
34,925	72,233		25,4	19,84		25,4		2,30	2,3	4,1	66,9	87,4	11	5700	7600	HM88649/
																88610
34,925	73,025		24,6	19,05		23,8		1,50	2,3	8,1	72,2	87,3	11	5600	7400	25877/
																25820
34,925	76,2		28,6	23,81		29,4		1,50	3,3	8,9	80,9	97,4	12	5400	7200	31594/
																31520
34,988	61,973		17,0	13,60		16,7		0,80	1,5	1,8	39,4	52,4	6,4	5600	7500	LM78349/
																78310A
35	59,975		18,4	11,94		15,9		2,50	1,3	2,4	36	48,6	5,9	6400	8500	F15036/
																JL68111Z
35	60		16,8	11,94		15,9		4,75	1,3	2,3	31,6	42,2	5,1	6300	8400	K-L68149/
																K-L68111
36,487	76,2		25,7	19,05		23,8		1,50	3,3	7,6	81,1	105	13	5000	6700	
00.5:5	/		05.1	00.55		0.5		0 = 1		_						2720
36,512	76,2		28,6	23,02		29,4		3,50	3,3	6	79,5	107	13	5400	7200	HM89449/
				10											00.71	89410
38	63		17,0	13,50		17,0		1,50	1,5	2,4	42,2	55,2	6,7	6700	8900	K-JL69349/

. . 44

ZKL)




	Al	butme	nt and	d fillet	dimer	nsions			Weight		Dime	ension	deviat	ions		F	actor	S
d _a	d,	D _a	D _a	D,	a	a _h	r _a	r _b	~	Δdı	mp	ΔD	mp	Δ.	Т	е	Υ	Υ ₀
max	min	min	max	min	min	min	max	max		max	min	max	min	max	s min			0
				mm					kg			μι						
34,5	37,00	-	-	59	1,2	1,70	1,5	-	0,27	0,00	-12	+20	0	+200	0	0,37	1,6	0,9
38,0	38,00	51	56,5	60	3,0	4,50	1,0	1,0	0,34	+13	0	+25	0	+200	0	0,55	1,1	0,6
35,5	41,50	55	56	58	5,0	5,00	3,5	1,3	0,26	+13	0	+25	0	+203	0	0,35	1,71	0,9
38,0	44,50	51	52	55	3,0	4,00	3,0	1,0	0,18	+13	0	+25	0	+356	0	0,41	1,5	0,8
38,0	43,50	54	55	58	4,0	3,50	3,0	1,0	0,25	+13	0	+25	0	+203	0	0,35	1,7	0,9
36,5	37,00	55	56	58	5,0	5,00	0,8	1,3	0,25	+13	0	+25	0	+203	0	0,35	1,71	0,9
31,5	32,50	55	56	59	3,0	5,00	0,8	1,5	0,32	+13	0	+25	0	+203	0	0,35	1,71	0,9
40,0	46,00	60	61	63	3,0	4,50	3,5	1,3	0,32	+13	0	+25	0	+203	0	0,38	1,57	0,9
41,0	42,50	58	59	65	3,0	4,00	0,8	1,5	0,37	+13	0	+25	0	+203	0	0,55	1,1	0,6
42,0	47,00	57	58	61	3,0	4,00	3,0	1,0	0,24	+20	0	+25	0	+356	0	0,38	1,6	0,9
40,0	46,00	60	61,5	63	3,0	4,50	3,5	1,3	0,32	+13	0	+25	0	+203	0	0,38	1,57	0,9
42,5	48,50	60	61,5	69	4,0	5,50	2,3	2,3	0,50	+13	0	+25	0	+203	0	0,55	1,1	0,6
40,5	43,00	64	65,5	68	4,5	5,50	1,5	2,3	0,46	+13	0	+25	0	+203	0	0,29	2,07	1,1
43,5	46,00	64	65,5	72	2,5	6,00	1,5	3,3	0,62	+13	0	+25	0	+203	0	0,4	1,49	0,8
40,0	46,00	54	55,5	59	3,0	4,00		1,5	0,19	0,00	-13	0	-25	+203	0	0,44	1,35	0,8
45,5	39,00	53	54,5	56	4,0	3,00	2,5	1,3	0,19	+13	0	+25	0	+203	0	0,42	1,44	0,8
40,0	46,00	52	54	56	3,0	3,50	3,0	1,0	0,18	0,00	-20	0	-25	+356	0	0,42	1,4	0,8
42,5	44,50	66	67,5	70	5,0	5,00	1,5	3,3	0,52	+13	0	+25	0	+203	0	0,3	1,98	1,1
44,5	54,00	62	63,5	73	3,0	5,50	3,5	3,3	0,62	+13	0	+25	0	+203	0	0,55	1,1	0,6
41,0	49,00	56,5	57	60	1,5	3,50	1,5	1,5	0,20	+13	0	+25	0	+200	0	0,42	1,44	0,8

4.44



Single row tapered roller bearings in inch dimensions


d = 38 to 42.875 mm



				Maii	n dim	ensid	ons					Basic l ratir		Fatique load limit	Limiting s for lubric with	ation	Bearing designation
												dynamic	static				
	d	D	D ₁	В	С	C ₁	Т	Т,	r _{1s}	r _{2s}	s	C,	C _{or}	P _u	grease	oil	Cone/Cup
ς,									min	min							
12.6.2					mr	n						kN		kN	min ⁻¹		
																	K-JL69310
	38,1	65,088		18,3	13,97		18,0		2,30	1,1	4,7	49,2	60,7	7,4	5600	7500	K-LM29749/
																	K-LM29710
	38,1	65,088		18,3	15,75		19,8		2,30	1,3	5,6	42,9	56,5	6,9	5800	7800	LM29749/
																	29711
	38,1	69,012		19,1	15,08		19,1		3,50	2,3	3,3	49,2	62	7,6	5600	7500	13685/
																	13621
	38,1	76,2		25,7	19,05		23,8		3,50	3,3	7,6	81,1	105	13	5000	6700	2788/
																	2720
	38,1	82,55		28,6	23,02		29,4		0,80	3,3	4,9	87,3	117	14	4900	6600	HM801346/
																	801310
	38,1	88,5		29,1	22,23		27,0		3,50	1,5	9,1	98,2	112	14	4900	6500	418/
																	414
	39,688	80,167		30,4	23,81		29,4		0,80	3,2	11,3	81	104	13	4200	5600	K-3386/
																	K-3320
	40	80		22,4	17,83		21,0		0,80	1,3	5,7	70,8	73,6	9	4700	6300	K-344A/
																	K-332
	40,1	67,975		18,0	13,50		17,5		3,60	1,5	3,6	47,3	59,6	7,3	5300	7100	K-LM300849/
																	K-LM300811
	40,988	67,975		18,0	13,50		17,5		0,80	1,5	3,6	46,1	63,5	7,7	5400	7200	LM300849/
																	300811
	41,275	73,025		17,5	12,70		16,7		3,50	1,5	2,5	45,9	55,8	6,8	5200	6900	18590/
																	18520
	41,275	73,431		19,8	14,73		19,6		3,50	0,8	3,4	57,8	73	8,9	5200	7000	LM501349/
																	501310
	41,275	73,431		19,8	16,60		21,4		3,50	0,8	4,5	57,8	73	8,9	5200	7000	LM501349/
																	501314
	41,275	76,2		23,0	17,46		22,2		3,50	0,8	4,7	66,3	83,3	10	5200	6900	24780/
																	24720
	41,275	87,312		30,9	23,81		30,2		1,50	3,3	10,5	95,8	120	15	4600	6200	3585/
																	3525
	41,275	88,9		29,4	23,02		30,2		3,50	3,3	4,5	99,6	125	15	4600	6100	HM803146/
																	803110
	42,875	82,931		25,4	19,05		23,8		3,50	0,8	6,2	77,2	100	12	4800	6300	25577/
	40.075	00.05		05.	00.05		07.5		0.55	0.7	-		10-		1055	000-	25520
	42,875	82,931		25,4	22,23		27,0		3,50	2,3	8	77,2	100	12	4800	6300	25577/
	40.075	00.05-		05.	10.0-		00.5		0.55	0.7	0.5		10-		1055	000-	25523
	42,875	83,058		25,4	19,05		23,8		3,50	3,3	6,2	77,2	100	12	4800	6300	25577/
																	25521

• • 447

ZKL)




	Al	butme	ent and	d fillet	dimer	nsions	;		Weight		Dime	ension	deviat	ions		F	actors	6
									~					•			.,	
d _a	d _b	D _a	D _a	D _b	a _a	а _ь	r _a	r _b		Δd	•	ΔD		Δ		е	Υ	Y _o
max	min	min	max	min mm	min	min	max	max	kg	max	min	max	min   m	max	min			
10.5	40.00		0.0			4.00				. 10						0.00	4.0	4.0
42,5	46,00	58	60	62	4,0	4,00	2,3	1,3	0,24	+13	0	+25	0	+200	0	0,33	1,8	1,0
42,5	46,00	58	59,5	62	1,5	4,50	2,3	1,3	0,24	+13	0	+25	0	+203	0	0,33	1,8	1,0
43,0	49,50	61	62,5	65	2,5	4,00	3,5	2,3	0,28	+13	0	+25	0	+203	0	0,4	1,49	0,8
43,5	50,00	66	67,5	70	5,0	5,00	3,5	3,3	0,49	+13	0	+25	0	+203	0	0,3	1,98	1,1
49,1	51,00	68	69,5	78	3,0	6,00	0,8	3,3	0,76	+13	0	+25	0	+203	0	0,55	1,1	0,6
44,5	51,00	77	78,5	80	5,0	6,00	3,5	1,5	0,82	+13	0	+25	0	+203	0	0,26	2,28	1,3
48,0	47,00	68	70	75	3,0	4,00	0,6	3,0	0,70	+13	0	+25	0	+200	0	0,27	2,2	1,2
48,0	47,00	68	73	75	3,0	4,00	0,6	1,0	0,51	+13	0	+25	0	+203	0	0,27	2,2	1,2
45,0	52,00	58	61	63	4,0	4,00	0,6	1,5	0,23	+13	0	+25	0	+200	0	0,35	1,7	0,9
45.0	52,00	61	62,5	65	3,5	5.00	**	1,5	0,23	0.00	-13	0	-25	+203	0	0.35	1,72	0,9
.,.						,,,,,				-,						.,	,	
46,0	53,00	66	67,5	69	4,0	5,50	3,5	1,5	0,27	+13	0	+25	0	+203	0	0,35	1,71	0,9
46,5	53,00	67	68,5	70	3,5	5,50	3,5	0,8	0,32	+13	0	+25	0	+203	0	0,4	1,5	0,8
46,5	53,00	66	67,5	70	1,5	5,50	3,5	0,8	0,34	+13	0	+25	0	+203	0	0,4	1,5	0,8
47,0	54,00	68	69,5	72	3,5	5,50	3,5	0,8	0,41	+13	0	+25	0	+203	0	0,39	1,53	0,9
48,0	50,00	75	76,5	81	3,5	6,50	1,5	3,3	0,82	+13	0	+25	0	+203	0	0,31	1,96	1,1
53,0	60,00	74	75,5	85	4,0	7,50	3,5	3,3	0,89	+13	0	+25	0	+203	0	0,55	1,1	0,6
49,0	55,00	74	75,5	77	4,5	5,50	3,5	0,8	0,58	+13	0	+25	0	+203	0	0,33	1,79	1,0
51,0	58,00	72	73,5	77	1,0	5,50	3,5	2,3	0,58	+13	0	+25	0	+203	0	0,33	1,79	1,0
51.0	58.00	72	73,5	77	1.0	5.50	3,5	2,3	0.58	+13	0	+25	0	+203	0	0.33	1,79	1,0
01,0	30,00	12	10,0	- 11	1,0	0,00	0,0	2,0	0,30	113	0	120	0	1200	0	0,00	1,10	1,0



Single row tapered roller bearings in inch dimensions


d = 44.45 to 50 mm



	Main di			n dim	ensi	ons					Basic ratir		Fatique load limit	Limiting s for lubric with	ation	Bearing designation
											dynamic	static				
d	D	D ₁	В	С	C,	Т	Т,	r _{1s}	r _{2s}	s	C,	C _{or}	P _u	grease	oil	Cone/Cup
								min	min							
				mn	n						kN		kN	min ⁻¹		
44,45	83,058		25,4	19,05		23,8		3,56	3,2	6,2	59,6	87,4	11	4200	5600	K-25580/
																K-25521
44,45	83,058		25,4	19,11		23,9		3,50	2	6,2	77,2	100	12	4800	6300	2580/
																25522
44,45	88,9		29,4	23,02		30,2		3,60	3,2	4,5	99,6	125	15	4600	6100	HM803149/
																803010
44,45	93,264		30,3	23,81		30,2		3,50	3,3	9	103	137	17	4200	5500	3782/
																3720
44,45	95,25		28,6	22,23		31,0		3,50	0,8	-0,7	99,7	120	15	3700	5100	HM903249/
																903210
44,45	104,775		36,5	28,58		36,5		3,50	3,3	7,5	141	195	24	3800	5100	HM807040/
																807010
45,23	79,985		20,6	15,08		19,8		2,00	1,3	3,3	62	78,5	9,6	4800	6400	17887/
																17831
45,242	73,431		19,8	15,75		19,6		3,50	0,8	4,9	55,6	78,1	9,5	5100	6700	LM102949/
																102910
45,242	77,788		19,8	15,08		19,8		3,60	0,8	2,2	57,1	73,5	9	4900	6500	LM603049/
45.040	77 700		40.0	45.00		40.0		4.00		4.0	50.0	77.0	0.5	4000	0500	603011
45,242	77,788		19,8	15,80		19,8		1,00	1	1,9	59,6	77,9	9,5	4900	6500	LM603049/
45.040	77 700		40.0	40.07		04.4		0.00	0.0	0.0	57.4	70.5	0	4000	0500	LM603011
45,242	77,788		19,8	16,67		21,4		3,60	0,8	3,2	57,1	73,5	9	4900	6500	LM603049/ 603012
45.040	00 001		05.4	00.00		07.0		0.50	0.0	7.0	77.0	100	12	4800	0000	25590/
45,618	82,931		25,4	22,23		27,0		3,50	2,3	7,9	77,2	100	12	4800	6300	25523
45,987	74.976		18 0	14,00		18,0		2,30	1,5	1,9	52,6	74,6	9,1	5000	6600	LM503349/
40,907	14,916		10,0	14,00		10,0		2,30	1,0	1,9	52,6	74,0	9,1	5000	0000	503310
46,038	79.375		17.5	13,50		17,5		2,80	1,5	1,7	47,1	59.1	7,2	4800	6400	18690/
40,000	18,313		17,5	10,00		17,5		2,00	1,0	1,1	41,1	J8,1	1,2	4000	0400	18620
50	82		21.5	17,00		21,5		3.00	0.5	5,4	75,2	104	13	4500	6000	K-JLM104948/
- 50	02		21,0	17,00		21,0		0,00	0,0	∪,+	10,2	104	10	7000	0000	K-JLM104940/

. . 444






	Al	butme	ent and	d fillet	dimer	nsions			Weight		Dime	ension	deviat	ions		F	actor	S
d _a	d _b	D _a	D _a	D _b	aa	a _b	r _a	r _b	~	Δd	mp	ΔD	mp	Δ.	T _s	е	Υ	Y _o
max	min	min	max	min	min	min	max	max		max	min	max	min	max	min			
				mm					kg			μ	m					
53,0	56,50	71	74	73	5,0	4,50	3,0	3,0	0,54	+13	0	+25	0	+200	0	0,33	1,8	1,0
50,0	57,00	73	74,5	77	4,5	5,50	3,5	2,0	0,56	+13	0	+25	0	+203	0	0,33	1,79	1,0
53,4	62,00	74	75,5	85	7,5	4,00	3,6	3,2	0,84	+13	0	+25	0	+203	0	0,55	1,1	0,6
52,0	58,00	82	83,5	88	3,5	7,00	3,5	3,3	0,95	+13	0	+25	0	+203	0	0,34	1,77	1,0
54,0	65,00	81	82,5	91	2,0	7,00	3,5	0,8	1,00	+13	0	+25	0	+203	0	0,74	0,81	0,5
59,0	66,00	89	90,5	100	4,0	7,00	3,5	3,3	1,62	+13	0	+25	0	+203	0	0,49	1,23	0,7
51,0	56,00	71	72,5	74	3,5	5,00	2,0	1,3	0,40	+13	0	+25	0	+203	0	0,37	1,6	0,9
50,0	56,00	68	69,5	70	3,0	4,50	3,5	0,8	0,31	+13	0	+25	0	+203	0	0,31	1,97	1,1
50,0	57,00	71	72,5	74	5,0	3,50	3,6	0,8	0,36	+13	0	+25	0	+203	0	0,43	1,41	0,8
50,0	57,00	71	72	74	4,5	5,50	1,0	1,0	0,38	+13	0	+25	0	+100	0	0,43	1,41	0,8
50,0	57,00	71	72,5	74	5,0	2,00	3,6	0,8	0,37	+13	0	+25	0	+203	0	0,43	1,41	0,8
51,0	58,00	72	73,5	77	1,0	5,50	3,5	2,3	0,58	+13	0	+25	0	+203	0	0,33	1,79	1,0
51,0	55,00	67	68,5	71	3,5	5,00	2,3	1,5	0,30	0,00	-13	0	-25	+203	0	0,4	1,49	0,8
51,0	56,00	71	72,5	74	3,5	5,00	2,8	1,5	0,33	+13	0	+25	0	+203	0	0,37	1,6	0,9
55,0	60,00	76	77	78	4,0	4,50	3,0	0,5	0,41	-12,00	0	-18	0	+100	0	0,31	1,097	1,1

• • • • • • • • 445 • • •



## Single row tapered roller bearings in inch dimensions


d = 50.8 to 65 mm



15.6.2	d	D				1						ratir	ıg	load limit	for lubric with		designation
15.6.2	d	D	_									dynamic	static				
5			D ₁	В	С	C,	Т	T,	r _{1s}	r _{2s}	s	C _r	C _{or}	P _u	grease	oil	Cone/Cup
5									min	min							
5					mr	n						kN		kN	min ⁻¹		
	0,8	82		22,2	17,00		22,0		3,50	0,5	5,9	61,2	84,3	10	4500	6000	LM104949/
																	104910
5	0,8	82,55		22,2	16,51		21,6		3,50	1,3	5,7	61,2	84,3	10	4500	6000	LM104949/
																	104911
5	0,8	85		17,5	13,50		17,5		3,50	1,5	0	49,7	65,5	8	4400	5900	18790/
																	18720
5	0,8	88,9		22,2	16,51		20,6		3,50	1,3	3,8	74,3	87,3	11	4400	5800	368A/
																	362A
5	0,8	90		22,2	15,88		20,0		3,50	2	3,3	74,3	87,3	11	4400	5800	368A/
																	362X
5	0,8	92,075		25,4	19,85		24,6		3,50	0,8	4,3	84,8	119	15	4200	5600	28580/
																	28521
5	0,8	93,264		30,3	23,81		30,2		3,50	3,3	9	103	137	17	4200	5500	3780/
																	3720
5	0,8	101,6		36,1	29,99		34,9		0,80	3,2	11,8	123	162	20	3200	4200	K-529/
																	K-522
5	0,8	104,775		36,5	28,58		36,5		3,50	3,3	7,5	141	195	24	3800	5100	HM807046/
																	807010
52,3	388	92,075		25,4	19,85		24,6		3,50	0,8	4,3	84,8	119	15	4200	5600	28584/
																	28521
52,3	388	93,264		30,3	23,81		30,2		2,30	3,3	9	95,8	120	15	4600	6200	3767/
																	3720
	55	90		23,0	18,50		23,0		1,50	0,5	3	81,4	115	14	4200	5500	JLM506849/
																	506810
57	7,15	96,838		21,9	15,88		21,0		2,30	0,8	2,6	80,4	101	12	3900	5200	387/
																	382A
57	7,15	96,838		21,9	20,27		25,4		2,30	2,3	5,1	80,4	101	12	3900	5200	387/
																	382S
57	7,15	98,425		21,9	17,83		21,0		2,40	0,8	1,6	80,4	101	12	3900	5200	387/
																	382A
57	7,15	104,775		29,3	24,61		30,2		2,30	3,3	7,4	109	144	18	3700	4900	462/
																	453X
57	7,15	127		44,5	34,93		44,5		3,50	3,3	9,2	228	276	34	3000	4000	K-65225/
																	K-65500
6	3,5	107,95		25,4	19,05		25,4		3,50	3,3	0,8	92,8	143	17	3400	4500	29585/
																	29520
6	3,5	112,712		30,0	23,81		30,2		3,50	3,3	4,8	111	164	20	3400	4500	3982/
																	3920
	65	110		28,0	22,50		28,0		3,00	2,5	3,9	133	188	23	3300	4500	K-JM511946/
																	K-JM511910

• • 445

ZKI



	Al	butme	nt and	d fillet	dimer	nsions			Weight		Dime	ension	deviat	ions		F	actor	6
d _a	d _b	D _a	D _a	D _b	aa	a _b	r _a	r _b	~	Δdı	mp	ΔD	mp	Δ.	T _s	е	Υ	Y _o
max	min	min	max	min	min	min	max	max		max	min	max	min	max	min			
				mm					kg			μι						
55,0	62,00	76	77,5	78	5,5	4,50	3,5	0,5	0,42	+13	0	+25	0	+203	0	0,31	1,97	1,1
55,0	62,00	75	76,5	78	4,5	5,50	3,5	1,3	0,42	+13	0	+25	0	+203	0	0,31	1,97	1,1
56,0	62,00	77	78,5	80	3,5	5,00	3,5	1,5	0,36	+13	0	+25	0	+203	0	0,41	1,48	0,8
56,0	62,00	81	82,5	84	5,0	5,50	3,5	1,3	0,50	+13	0	+25	0	+203	0	0,32	1,88	1,0
56,0	62,00	81	82,5	84	5,0	5,50	3,5	2,0	0,51	+13	0	+25	0	+203	0	0,32	1,88	1,0
57,0	63,00	83	84,5	87	3,5	5,00	3,5	0,8	0,69	+13	0	+25	0	+203	0	0,38	1,59	0,9
58,0	64,00	82	83,5	88	3,5	7,00	3,5	3,3	0,84	+13	0	+25	0	+203	0	0,34	1,77	1,0
61,0	63,50	87	89,5	94	6,0	7,50	0,6	3,0	1,22	+13	0	+25	0	+200	0	0,28	2,1	1,2
63,0	70,00	89	90,5	100	4,0	7,00	3,5	3,3	1,49	+13	0	+25	0	+203	0	0,49	1,23	0,7
58,0	65,00	83	84,5	87	3,5	5,00	3,5	0,8	0,66	+13	0	+25	0	+203	0	0,38	1,59	0,9
59,0	63,00	82	83,5	88	3,5	7,00	2,3	3,3	0,81	+13	0	+25	0	+203	0	0,34	1,77	1,0
61,0	63,00	82	83,5	86	3,5	5,00	1,5	0,5	0,55	0,00	-15	0	-18	+203	0	0,4	1,49	0,8
62,0	66,00	89	90,5	92	5,5	6,00	2,3	0,8	0,58	+13	0	+25	0	+203	0	0,35	1,69	0,9
62,0	69,00	87	88,5	91	5,5	6,00	3,5	2,3	0,64	+13	0	+25	0	+203	0	0,35	1,69	0,9
62,0	66,00	89	90,5	92	6,0	5,00	2,4	0,8	0,61	+13	0	+25	0	+203	0	0,35	1,69	0,9
63,0	67,00	92	93,5	98	3,0	5,50	2,3	3,3	1,04	+13	0	+25	0	+203	0	0,34	1,79	1,0
71,0	80,00	104	107	119	10,0	10,00	3,5	3,3	2,79	+13	0	+25	0	+200	0	0,49	1,2	0,7
71,0	77,00	96	97,5	103	3,0	6,00	3,5	3,3	0,91	+13	0	+25	0	+203	0	0,46	1,31	0,7
71,0	77,00	99	100,5	106	3,5	6,50	3,5	3,3	1,22	+13	0	+25	0	+203	0	0,4	1,49	0,8
71,0	77,00	93	96	101	9,5	9,50	3,0	2,5	1,05	-15,00	0	-15	0	+200	0	0,39	1,5	0,9

447


















Single row tapered roller bearings in inch dimensions


d = 66.675 to 89.974 mm



			Mai	n dim	ensi	ons					Basic ratir		Fatique load limit	Limiting s for lubric with	ation	Bearing designation
											dynamic	static				
d	D	D ₁	В	С	C ₁	Т	Т,	r _{1s}	r _{2s}	s	C,	C _{or}	P _u	grease	oil	Cone/Cup
								min	min							
				mn	n						kN		kN	min ⁻¹		
66,675	110		22,0	18,82		22,0		0,80	1,3	-0,8	86,4	116	14	3400	4500	395A/
																394A
66,675	112,712		30,0	23,81		30,2		3,50	3,3	4,8	111	164	20	3400	4500	3984/
																3920
66,675	122,238		38,4	29,72		38,1		3,50	3,3	11,1	191	249	30	3200	4300	HM212049/
																212011
68,262	110		22,0	18,82		22,0		5,00	1,3	-0,8	86,4	116	14	3400	4500	399AS/
																394A
69,85	117,475		30,2	23,81		30,2		3,50	3,3	2,8	118	179	22	3200	4200	33275/
																33462
69,85	120		30,2	23,44		29,8		3,50	0,8	2,2	118	179	22	3200	4200	33275/
																33472
71,438	117,475		30,2	23,81		30,2		3,50	3,3	2,8	118	179	22	3200	4200	33281/
																33462
73,025	112,712		25,4	19,05		25,4		3,50	3,3	-0,9	97	155	19	3200	4300	29685/
70.005	447 475		00.0	00.04		00.0		0.50	0.0	0.0	440	470	0.0	0000	4000	29620
73,025	117,475		30,2	23,81		30,2		3,50	3,3	2,8	118	179	22	3200	4200	33287/
80,962	150,089		46.7	36,51		44,5		5,00	2.2	11,7	264	368	43	2500	3400	33462 740/
00,902	150,069		40,7	30,31		44,5		5,00	ა,ა	11,7	204	300	43	2500	3400	740/
82,55	125.412		25.4	19,85		25,4		3,50	1.5	-0,7	101	162	20	2900	3800	27687/
02,00	120,412		20,4	19,00		25,4		3,30	1,0	-0,1	101	102	20	2900	3000	27620
82,55	133,35		33.3	26,20		33,3		3,50	3,3	4,2	154	245	29	2700	3700	47686/
02,00	100,00		00,0	20,20		00,0		0,00	0,0	Τ,∠	104	240	20	2100	0/00	47620
82,55	139,992		36.1	28,58		36,5		3,50	3,3	5,5	175	262	31	2700	3600	580/
02,00	100,002		00,1	20,00		00,0		0,00	0,0	0,0	110	202	0.	2,00	0000	572
82,55	146,05		41.3	31,75		41,3		3,50	3,3	7,6	208	301	35	2600	3400	663/
22,20	, 50		,0	.,,. 0		,0		-,-0	-,0	. , , ,			- 00		20	653
85,026	150,089		46,7	36,51		44,5		3,50	3,3	11,7	264	368	43	2500	3400	749/
																742
88,9	152,4		39,7	30,16		39,7		6,40	3,3	4,5	230	344	40	2000	3000	K-HM518445/
																K-HM518410
89,974	146,975		40,0	32,50		40,0		7,00	3,5	9,3	243	365	42	2400	3300	K-HM218248/
																K-HM218210

• 44R

ZKL



	A	butme	ent and	l fillet	dimer	nsions			Weight		Dime	ension	deviat	ions		F	actors	5
d _a	d _b	D _a	D _a	D _b	a _a	a _b	r _a	r _b	~	Δdı	np	ΔD	mp	Δ	T _s	е	Υ	Y _o
max	min	min	max	min	min	min	max	max		max	min	max	min	max	min			
				mm					kg			μι	m					
73,0	73,00	101	102,5	104	4,5	4,00	0,8	1,3	1,06	+13	0	+25	0	+203	0	0,4	1,49	0,8
74,0	80,00	99	100,5	106	3,5	6,50	3,5	3,3	0,78	+13	0	+25	0	+203	0	0,4	1,49	0,8
82,0	75,00	108	109,5	116	9,0	6,50	3,5	3,3	1,84	+13	0	+25	0	+203	0	0,34	1,78	1,0
74,0	83,00	101	102,5	104	4,5	4,00	5,0	1,3	0,72	+13	0	+25	0	+203	0	0,4	1,49	0,8
77,0	84,00	104	105,5	112	3,5	6,50	3,5	3,3	1,25	+13	0	+25	0	+203	0	0,44	1,38	0,8
77,0	84,00	104	105,5	112	3,5	6,50	3,5	3,3	1,25	+13	0	+25	0	+203	0	0,44	1,38	0,8
79,0	85,00	104	105,5	112	3,5	6,50	3,5	3,3	1,18	+13	0	+25	0	+203	0	0,44	1,38	0,8
80,0	86,00	101	102,5	109	3,5	6,00	3,5	3,3	0,88	+13	0	+25	0	+203	0	0,49	1,23	0,7
80,0	87,00	104	105,5	112	3,5	6,50	3,5	3,3	1,17	+13	0	+25	0	+203	0	0,44	1,38	0,8
91,0	101,00	134	135,5	142	7,0	9,50	5,0	3,3	3,39	+25	0	+25	0	+203	0	0,33	1,84	1,0
89,0	96,00	115	116,5	120	4,0	6,50	3,5	1,5	1,04	+25	0	+25	0	+203	0	0,42	1,44	0,8
90,0	97,00	119	120,5	128	5,0	7,50	3,5	3,3	1,69	+25	0	+25	0	+203	0	0,4	1,48	0,8
91,0	98,00	125	126,5	133	4,0	7,00	3,5	3,3	2,14	+25	0	+25	0	+203	0	0,4	1,49	0,8
92,0	99,00	131	132,5	139	5,0	8,00	3,5	3,3	2,75	+25	0	+25	0	+203	0	0,41	1,47	0,8
95,0	101,00	134	135,5	142	7,0	9,50	3,5	3,3	3,21	+25	0	+25	0	+203	0	0,33	1,84	1,0
98,0	112,00	124	135	142	6,0	10,00	3,5		2,88	+25	0	+25	0	+200	0	0,44	1,36	0,8
99,0	112,00	128	133	141	6,0	7,50	3,5		2,59	+25	0	+25	0	+200	0	0,33	1,8	1,0





















Single row tapered roller bearings in inch dimensions

d = 90 to 146.05 mm



				Maiı	n dim	ensid	ons					Basic ratir		Fatique load limit	Limiting s for lubric with	ation	Bearing designation
												dynamic	static				
	d	D	D ₁	В	С	C,	т	T,	r _{1s}	r _{2s}	s	C,	C _{or}	P _u	grease	oil	Cone/Cup
2									min	min							
12.6.2					mr	n						kN		kN	min ⁻¹		
	90	145		34,0	27,00		35,0		6,00	2,5	2,2	213	315	37	2200	3200	K-JM718149/
																	K-JM718110
	92,075	152,4		36,3	30,16		39,7		3,50	3,3	4,5	183	287	33	2400	3300	598/
																	592A
	146,05	193,675		28,6	23,02		28,6		5,80	1,5	-5,4	181	390	41	1700	2200	K-36691/





Abutment and fillet dimensions							Weight	Dimension deviations						Factors				
d _a	d _b	D _a	D _a	D _b	a _a	a _b	r _a	r _b	~	Δd	mp	ΔD	mp	Δ.	T _s	е	Υ	Y _o
max	min	min	max	min	min	min	max	max		max	min	max	min	max	min			
	mm						kg			μι	m							
99,0	111,00	126	131	140	6,0	8,00	2,5		2,15	+25	0	+25	0	+200	0	0,44	1,35	0,8
101.0	107.00	105	100 F	444	10	0.00	٥٢	0.0	0.04	١٥٢	0	١٥٢	0	.000	0	0.44	1.00	0.0
101,0	107,00	135	136,5	144	1,0	8,00	3,5	3,3	2,61	+25	0	+25	0	+203	0	0,44	1,36	0,8
155,0	162,00	176	182	187	6,0	6,50	1,5		2,31	+25	0	+25	0	+356	-254	0,37	1,6	0,9




















## Four-row tapered roller bearings d = 160 to 630 mm



_		Main dim	ensions	Basic loa	ad rating	Fatique load limit		
						dynamic	static	
d	D	В	r _{1s}	r _{2s}	b	C,	C _{or}	P _u
			min	min				
		mr				k		kN
160	240	145	2,5	2,5	34,25	799	1724	170
170	260	160	2,5	2,5	37,75	990	2140	210
180	280	180	2,5	2,5	42,50	1147	2494	240
190	290	180	2,5	2,5	42,50	1170	2597	240
200	310	200	2,5	2,5	47,50	1415	3112	290
220	340	218	3,0	3,0	51,75	1682	3766	340
240	360	218	3,0	3,0	51,75	1704	3923	340
260	400	250	4,0	4,0	59,75	2234	5082	430
280	420	250	4,0	4,0	59,75	2267	5294	440
300	460	290	4,0	4,0	69,25	2908	6755	550
320	480	290	4,0	4,0	69,25	2958	7036	570
340	520	325	5,0	5,0	77,50	3523	8529	670
360	480	218	3,0	3,0	51,75	2170	5992	480
	540	325	5,0	5,0	77,50	3583	8868	690
380	560	325	5,0	5,0	77,50	3645	9202	710
400	600	355	5,0	5,0	84,75	4338	10633	800
420	620	355	5,0	5,0	84,75	4422	11052	820
500	720	400	6,0	6,0	95,00	5387	14325	1 000
525	780	450	6,0	6,0	106,50	6663	17558	1 200
530	780	450	6,0	6,0	106,50	6663	17558	1 200
630	920	515	7,5	7,5	125,00	8730	24230	1 600

. . . 452

ZKI)

niting speed fo with		Bearing designation	Weight	Factors					
grease	rease oil			е	Y1	Y2	YO		
<b>min</b> ⁻ 710	940	36032	kg	0.45	1,5	0.0	-		
710	940	30032	23,6	0,45	1,5	2,2	1,		
630	840	36034	30	0,46	1,5	2,2	1,		
590	780	36036	40,5	0,45	1,5	2,2	1,		
540	720	36038	42,5	0,47	1,4	2,2	1,		
340		30030	42,0	0,47	1,4	۷,۷	١,		
500	670	36040	51,5	0,44	1,5	2,3	1,		
420	560	36044	71,6	0,45	1,5	2,3	1,		
400	530	36048	76,3	0,48	1,4	2,1	1.		
330	450	36052	111	0,44	1,5	2,3	1,		
320	420	36056	117	0,47	1,4	2,1	1.		
290	380	36060	169	0,44	1,5	2,3	1,		
260	340	36064	177	0,47	1,4	2,2	1		
240	320	36068	241	0,44	1,5	2,3	1.		
040	000	00070	440	0.40	1.0	0.0			
240 220	320 290	36972 36072	113 253	0,43 0,46	1,6 1,5	2,3 2,2	1, 1,		
200	260	36076	263	0.40	4.4	0.1			
200	260	36076	263	0,48	1,4	2,1	1,		
190	250	36080	339	0,44	1,5	2,3	1,		
180	240	36084	351	0,46	1,5	2,2	1,		
140	190	360/500	504	0,47	1,4	2,1	1.		
126	170	360/525	713	0,45	1,5	2,2	1,		
120	160	360/530	693	0,45	1,5	2,2	1,		
94	126	360/630	1090	0,44	1,5	2,3	1.		
				.,	.,-	-,-			

453









## 12.7 THRUST BALL BEARINGS

### Design

From a design perspective, thrust ball bearings are divided into single direction and double direction. Rings have flat seating surfaces. The rings in smaller bearings may alternatively have a round seating faces (see fig. 12.7.1) for seating in the hub. Rings must be supported such that all of the balls or loaded equally. Bearings cannot carry radial forces. The bearings can be disassembled; consequently, the rings and axial cages with balls can be taken apart.



Fig. 12.7.1

### Single direction thrust bearings

Standard single direction thrust ball bearings are composed of a shaft and hub ring with races and of balls quided by a cage (see fig. 12.7.2). Bearings only transfer axial loads in one direction.




Fig. 12.7.2

### Double direction thrust bearings

Standard double direction thrust ball bearings have two cages with balls between the centre shaft ring and two housing rings (see fig. 12.7.3). The shaft ring has races on both sides and is fastened on the journal. Bearings are only capable of transferring axial forces in both directions. Housing rings and cages with balls have identical components as single direction bearings of similar dimensions.




















Fig. 12.7.3

### Cages

Thrust ball bearings, in standard design, have a sheet metal cage according to fig. 12.7.4.

Larger size bearings use massive brass or steel cages (fig. 12.7.5).


In the rare exception, cages made from fibreglass reinforced polyamide 6.6 are used.

Designation of the material and design is not specified in standard cages made from pressed steel sheeting. Any customer demands for special variations of cage structure and material must be consulted in advance with the supplier.

### Basic information

#### Dimensions

The main dimensions of bearings are consistent with standard ISO 104 and are listed for individual bearings in the tables of the publication.








Fig. 12.7.5

#### Precision

Bearings are currently produced at a normal degree of precision PO, which is not marked. Bearings are also supplied for more demanding loading at higher degrees of precision, P6 and P5. The availability of precision P5 bearings must be discussed with the supplier.

The dimensional and operational precision tolerances are listed in tables 7.16a and 7.16b and are consistent with standard ISO 199.



### Self-alignment ability

Bearings require that seating surface alignment tolerances be respected, because misalignment causes increased stress during contact of the balls with raceways. Thrust ball bearings with a flat housing ring face therefore should not be used, where conditions of alignment cannot be secured.

Bearings with a round housing ring face can be used for compensating misalignment (not for axial displacement) of axial bearing rings. Bearings are then installed with a spherical housing ring, and can thus compensate the above specified misalignment – see fig. 12.7.6.

#### Minimal Inad

Balls may slide between the ring raceways at higher speeds or during sudden changes in rotation. These slippages, which damage the bearings, are caused by centrifugal or inertial forces. In order to prevent damage, the axial load  $F_a$  must not drop during operation below the permitted value. We can calculate the permitted value  $F_a$  min from the equation:




Fig. 12.7.6

$$F_{a min} = M \left[ \frac{n_{max}}{1000} \right]^{2}$$

$$F_{a\,min}\,\dots$$
 minimal axial load  $$[kN]$$  n  $_{max}\,\dots$  maximum rotation speed  $$[min^{\text{-}1}]$$ 

M ..... coefficient of minimum axial load

The values are provided in the tables of the publication.

If it should occur that the value of the axial load drops below the value  $F_{a \text{ min}}$ , which can occur e.g. wherever there is unloading of the bearing during operation, e.g. of one row of balls in a double direction bearing or one bearing when using a pair of single direction thrust bearings, resp., minimal loading must be secured, e.g. by the use of springs.

















### Bearing equivalent dynamic load capacity

$$P_a = F_a$$

### Bearing equivalent static load capacity

$$P_{na} = F_{a}$$

### Additional markings

Labelling of standard bearings is specified in the tables of the publication. Divergence from the standard design is marked by additional characters.

**F** . . . . . . Massive steel cage, guided by rolling elements

**M** ..... Massive brass cage, quided by rolling elements

P6 ..... Increased precision of dimensions and operation compared to the standard version (ISO 199)

P5 ..... Increased precision of dimensions and operation compared to P6 (ISO 199)

**TNG** .... Injected cage made from fibreglass reinforced polyamide 6.6, ball-guided

### Structure of related components

As specified earlier in the article on structure, smaller bearings may have housing rings with a spherical seating surface. Housing ring with a spherical surface that carry a load between the housing ring and the bearings - "U" rings, can also be supplied for these bearings - See fig. 12.7.7.

The availability of these rings must be consulted with the supplier. Rings are made from bearing steel and are unhardened. At request and subject to approval by the supplier, hardened rings can also be supplied.




Fig. 12.7.7


... 450





## Single direction thrust ball bearings d = 160 to 630 mm


d = 10 to 50 mm



			Main din	nensions	6		Basic Ioa	d rating	Fatique load limit	Limiting speed for lubrication with		
							dynamic	static				
	d	D	d ₁	D ₁	н	r _s	C _a	C _{oa}	P _u	grease	oil	
_ [						min						
12.7.1			m	m			k۱		kN	min	r ¹	
	10	24	24	11	9	0,3	11,2	14,0	0,64	7900	10600	
	12	26	26	13	9	0,3	11,5	15,4	0,70	7500	10000	
	15	28	28	16	9	0,3	11,8	16,8	0,76	7100	9400	
	10	32	13	17	12	0,6	17,3	24,4	1,11	6000	7900	
		OL.	10	.,	12	0,0	17,0	2-1,-1	1,11	0000	7000	
	17	30	30	18	9	0,3	12,7	19,6	0,89	7100	9400	
		35	35	19	12	0,6	17,8	26,6	1,21	5600	7500	
	00	٥٢	0.5	01	10	0.0	10.0	00.0	1.01	0000	0.400	
	20	35 40	35 40	21 22	10 14	0,3	16,8 24,5	26,6 37,7	1,21 1,71	6300 5000	8400 6700	
		40	40	22	14	0,6	24,5	31,1	1,71	5000	6700	
	25	42	42	26	11	0,6	20,3	35,5	1,61	5300	7100	
		47	47	27	15	0,6	30,6	50,5	2,30	4500	6000	
		52	52	27	18	1,0	38,9	61,5	2,80	3800	5000	
		60	60	27	24	1,0	60,5	89,4	4,06	3200	4200	
	30	47	47	32	11	0,6	21,1	39,9	1,81	5000	6700	
		52	52	32	16	0,6	30,3	58,2	2,65	4000	5300	
		60	60	32	21	1,0	44,8	78,7	3,58	3300	4500	
		70	70	32	28	1,0	79,2	126,0	5,73	2700	3500	
	0.5	50	50	07	40	0.0	00.5	40.0	0.40	4700	0000	
	35	52 62	52 62	37 37	12 18	0,6 1,0	22,5 41,8	46,6 78,2	2,12 3,55	4700 3500	6300 4700	
		68	68	37	24	1,0	58,8	105,0	4,77	2800	3800	
		80	80	37	32	1,1	94,7	155,0	7,05	2200	3000	
	40	60	60	42	13	0,6	30,1	62,9	2,86	4200	5600	
		68	68	42	19	1,0	48,4	92,4	4,20	3200	4200	
		78	78	42	26	1,0	73,5	135,0	6,14	2700	3500	
		90	90	42	36	1,1	122,1	205,0	9,32	2000	2700	
	45	65	65	47	14	0,6	31,3	69,2	3,15	4000	5300	
		73	73	47	20	1,0	47,0	105,0	4,77	3000	4000	
		85	85	47	28	1,0	87,2	164,0	7,45	2400	3200	
		100	100	47	39	1,1	141,7	243,0	11,1	1900	2500	
	50	70	70	52	14	0,6	32,3	75,5	3,43	3800	5000	
	00	78	78	52	22	1,0	51,9	111,0	5,05	2800	3800	
						.,-	,-	,2	2,30			

• • 462





Bearing designation	Abutmen	t and fillet dimer	nsions	Weight	Minimum axial load factor
				~	
	d _a	D _a	r _a		
	min	max	max		
		mm		kg	
51100**	19	15	0,3	0,020	0,001
51101**	21	17	0,3	0,020	0,002
51102**	23	20	0,3	0,020	0,002
51202**	25	22	0,6	0,050	0,004
51103**	25	22	0,3	0,030	0,003
51203**	28	24	0,6	0,050	0,004
51104**	29	26	0,3	0,040	0,004
51204**	32	28	0,6	0,080	0,008
51105**	35	32	0,6	0,060	0,006
51205**	38	34	0,6	0,12	0,015
51305**	41	36	1,0	0,18	0,020
51405**	46	39	1,0	0,34	0,035
51106**	40	37	0,6	0,070	0,008
51206**	43	39	0,6	0,14	0,018
51306**	48	42	1,0	0,27	0,030
51406**	54	46	1,0	0,53	0,085
51107**	45	42	0,6	0,080	0,012
51207**	51	46	1,0	0,22	0,032
51307**	55	48	1,0	0,39	0,050
51407**	62	53	1,0	0,79	0,120
51108**	52	48	0,6	0,12	0,018
51208**	57	51	1,0	0,27	0,047
51308**	63	55	1,0	0,55	0,095
51408TNGN**	70	60	1,0	1,14	0,190
51109**	57	53	0,6	0,15	0,025
51209**	62	56	1,0	0,32	0,060
51309**	69	61	1,0	0,69	0,130
51409**	78	67	1,0	1,47	0,350
51110**	62	58	0,6	0,16	0,035
51210**	67	61	1,0	0,39	0,082
















Single direction thrust ball bearings


d = 55 to 100 mm



Main dimensions						Basic Ioa	asic load rating Fatique I		Limiting sp lubrication	
						dynamic	static			
d	D	d ₁	D ₁	Н	r _s	C _a	C _{oa}	P _u	grease	oil
					min					
		m	m			k١		kN	min	-1
55	78	78	57	16	0,6	36,5	93,2	4,24	3300	4500
	90	90	57	25	1,0	73,6	159,0	7,23	2500	3300
	105	105	57	35	1,1	122,6	246,0	11,2	1900	2500
	120	120	57	48	1,5	214,2	397,0	18,1	1600	2100
60	85	85	62	17	1,0	46,4	113,0	5,14	3200	4200
	110	110	62	35	1,1	125,2	270,0	12,3	1900	2500
65	90	90	67	18	1,0	44,6	117,0	5,32	2300	3400
	100	100	67	27	1,0	76,4	189,0	8,59	2400	3200
	115	115	67	36	1,1	129,3	287,0	13,1	1800	2400
70	95	95	72	18	1,0	46,6	127,0	5,77	2800	3800
	105	105	72	27	1,0	76,9	199,0	9,05	2200	3000
	125	125	72	40	1,1	158,4	340,0	15,5	1700	2200
	150	150	73	60	2,0	272,5	553,0	24,0	1200	1600
75	100	100	77	19	1,0	49,8	136,0	6,18	2700	3500
	110	110	77	27	1,0	81,2	209,0	9,50	2200	3000
	135	135	77	44	1,5	193,2	426,0	18,9	1600	2100
80	105	105	82	19	1,0	50,0	141,0	6,41	2700	3500
	115	115	82	28	1,0	86,4	219,0	9,95	2000	2700
	170	170	83	68	2,1	326,5	751,0	30,5	890	1200
85	110	110	87	19	1,0	51,5	150,0	6,82	2700	3500
	125	125	88	31	1,0	104,9	264,0	11,7	2000	2700
	150	150	88	49	1,5	227,5	517,0	21,7	1300	1800
90	120	120	92	22	1,0	66,9	190,0	8,43	2000	2700
	155	155	93	50	1,5	236,6	556,0	22,8	1100	1500
	190	187	93	77	2,1	384,8	970,0	37,3	790	1060
100	135	135	102	25	1,0	95,3	268,0	11,2	2000	2700
	170	170	103	55	1,5	266,1	628,0	24,6	1060	1400
	210	205	103	85	3,0	453,5	1220,0	44,5	750	1000
	210	205	103	85	3,0	453,5	1220,0	44,5	750	1000

. . . 464





Bearing designation	Abutme	ent and fillet dime	ensions	Weight	Minimum axial load factor
	d _a	D _a	r _a	~	
	min	max	max		
		mm		kg	
51111**	69	64	0,6	0,24	0,040
51211**	76	69	1,0	0,61	0,110
51311**	85	75	1,0	1,34	0,270
51411**	94	81	1,5	2,64	0,650
51112**	75	70	1,0	0,29	0,066
51312**	90	80	1,0	1,43	0,350
51113**	80	75	1,0	0,33	0,086
51213**	86	79	1,0	0,33	0,170
51313**	95	85	1,0	1,57	0,450
51010	30	20	1,0	1,57	5,400
51114**	85	80	1,0	0,36	0,110
51214**	91	84	1,0	0,81	0,210
51314**	103	92	1,0	2,06	0,540
51414**	118	102	2,0	5,48	1,600
51115**	90	85	1,0	0,42	0,120
51215**	96	89			
51315**	111	99	1,0	0,86	0,270 0,760
31313	111	99	1,5	2,68	0,760
51116**	95	90	1,0	0,43	0,150
51216**	101	94	1,0	0,95	0,350
51416**	133	117	2,0	7,97	2,700
	40-	0-			0
51117**	100	95	1,0	0,46	0,180
51217**	109	101	1,0	1,29	0,430
51317**	123	111	1,5	3,66	1,200
51118**	108	102	1,0	0,68	0,260
51318**	129	116	1,5	3,88	1,500
51418**	149	131	2,0	11,2	4,100
			,	,	,
51120**	121	114	1,0	0,99	0,340
51320**	142	128	1,5	5,11	2,000
51420 M**	165	145	2,5	15,6	7,700
51420 F**	165	145	2,5	15,0	6,200
















## Single direction thrust ball bearings


d = 110 to 160 mm



			Main din	nensions	6		Basic Ioa	d rating	Fatique load limit	Limiting s _i	
							dynamic	static			
	d	D	d ₁	D ₁	н	r _s	C _a	C _{oa}	P _u	grease	oil
						min					
12.7.1			m	ım			k1	١	kN	min	-1
	110	145	145	112	25	1,0	97,8	288,0	11,6	1900	2500
		190	187	113	63	2,0	323,3	807,0	30,0	890	1200
		190	187	113	63	2,0	280,0	744,0	27,6	890	1200
		230	225	113	95	3,0	495,9	1400,0	48,8	670	890
		230	225	113	95	3,0	495,9	1400,0	48,8	670	890
	100	155	155	100	0.5	1.0	05.1	200.0	44.0	1000	0100
	120	155 210	155 205	122 123	25	1,0	95,1	308,0	11,9	1600 790	2100 1060
					70	2,1	368,9	977,0	34,6		
		250 250	245 245	123	102 102	4,0	566,0 566.0	1590,0	53,1	630 630	840 840
		250	240	123	102	4,0	300,0	1590,0	53,1	630	040
	130	170	170	132	30	1,0	127,3	406,0	15,1	1400	1900
		190	187	133	45	1,5	183,8	537,4	19,3	1170	1600
		225	220	134	75	2,1	389,0	1070,0	36,5	750	1000
		225	220	134	75	2,1	389,0	1070,0	36,5	750	1000
		225	220	134	75	2,1	358,0	1050,0	35,8	830	1100
		270	265	134	110	4,0	643,4	2010,0	64,6	560	750
		270	265	134	110	4,0	643,4	2010,0	64,6	560	750
	440	0.40	005	444	00	0.4	400.0	1000.0	44.0	740	0.40
	140	240	235	144 144	80	2,1	438,8	1260,0	41,6	710 710	940 940
		240 240	235	144	80 80	2,1 2,1	438,8 407,0	1260,0 1250,0	41,6 41,2	710	1040
		240	233	144	00	۷,۱	407,0	1250,0	41,2	790	1040
	150	190	188	152	31	1,0	131,6	448,0	15,6	1300	1800
		190	188	152	31	1,0	117,4	420,2	14,6	1250	1700
		190	188	152	31	1,0	117,4	420,2	14,6	1250	1700
		215	212	153	50	1,5	281,8	835,0	28,1	900	1300
		215	212	153	50	1,5	235,6	733,3	24,7	970	1400
		250	245	154	80	2,1	454,7	1360,0	43,7	670	900
		250	245	154	80	2,1	454,7	1360,0	43,7	670	900
		250	245	154	80	2,1	419,0	1340,0	43,1	750	1000
	160	200	198	162	31	1,0	133,8	476,0	16,1	1300	1800
		200	198	162	31	1,0	120.6	448.2	15,2	1250	1700
		200	198	162	31	1,0	120,6	448,2	15,2	1250	1700
		225	222	163	51	1,5	288,8	874,0	28,6	890	1200
		225	222	163	51	1,5	239,2	768,2	25,2	1040	1400
						.,-		,_			

• • 466






Bearing designation	Abutmen	t and fillet dimer	nsions	Weight	Minimum axial load factor
				~	
	d _a	D _a	r _a	~	
	min	max	max		
		mm		kg	
51122**	131	124	1,0	1,08	0,420
51322**	158	142	2,0	7,87	2,800
51322 M	158	142	2,0	7,83	3,100
51422 M**	181	159	2,5	20,2	9,000
51422 F**	181	159	2,5	20,2	9,000
51124**	141	134	1,0	1,16	0,530
51324**	173	157	2,0	10,9	4,100
51424 M**	197	173	3,0	25,5	13,000
51424 F**	197	173	3,0	25,5	13,000
51126**	154	146	1,0	1,87	0,650
51226 **	167	153	1,5	3,91	1,700
51326 M**	186	169	2,0	13,3	6,200
51326 F**	186	169	2,0	13,3	6,200
51326M	186	168	2,0	12,9	6,000
51426 M**	213	187	3,0	32,0	18,000
51426 F**	213	187	3,0	32,0	18,000
51328 M**	199	181	2,0	15,9	8,000
51328 F**	199	181	2,0	15,9	8,000
51328M	199	181	2,0	15,6	8,400
51130**	174	166	1,0	2,20	0,950
51130 M**	174	166	1,0	2,33	1,000
51130 F**	174	166	1,0	2,33	1,000
51230**	189	176	1,5	6,10	2,800
51230 M	189	176	1,5	6,10	3,000
51330 M**	209	191	2	16,5	10,000
51330 F**	209	191	2	16,5	10,000
51330 M	209	191	2,0	16,2	9,400
51132**	184	176	1,0	2,33	1,200
51132 M**	199	186	1,5	2,29	1,200
51132 F**	199	186	1,5	2,29	1,200
51232**	199	186	1,5	6,67	3,200
51232 M	199	186	1,5	6,49	3,300

467 • • •



Single direction thrust ball bearings


d = 170 to 280 mm



		Main dir	mensions	6		Basic loa	d rating	Fatique load limit	Limiting sp lubrication	
						dynamic	static			
d	D	d ₁	D ₁	н	r _s	C _a	C _{oa}	P _u	grease	oil
					min					
7.7		n	nm			kl	1	kN	min	-1
170	215	213	172	34	1,1	160,1	582,0	19,1	1200	1600
	215	213	172	34	1,1	153,9	563,3	18,5	1100	1500
	215	213	172	34	1,1	153,9	563,3	18,5	1100	1500
	240	237	173	55	1,5	300,7	897,0	28,5	840	1100
	240	237	173	55	1,5	283,2	929,6	29,5	920	1200
180	225	222	185	34	1,1	165,6	639,0	20,4	1100	1500
100	225	222	185	34	1,1	151,6	563,3	18,0	1030	1400
	225	222	185	34	1.1	151.6	563.3	18.0	1030	1400
	250	247	183	56	1,5	325,3	1030,0	31,9	840	1100
	250	245	183	56	1,5	302,6	1031,6	32,0	920	1200
	250	247	183	56	1,5	293,8	986,8	30,6	770	1050
	250	247	183	56	1,5	293,8	986,8	30,6	770	1050
190	240	237	193	37	1,1	200,1	715,0	22,2	1060	1400
	270	267	194	62	2,0	382,0	1240,0	37,2	750	1000
	270	267	194	62	2,0	382,0	1240,0	37,2	750	1000
	270	265	194	62	2,0	334,0	1170,0	35,1	830	1100
200	250	247	203	37	1,1	197,4	738.0	22,4	1060	1400
200	250	247	203	37	1,1	184.2	715.1	21,7	950	1300
	250	247	203	37	1,1	184,2	715,1	21,7	950	1300
	280	277	204	62	2,0	376,6	1240.0	36,4	750	1000
	280	277	204	62	2,0	376,6	1240,0	36,4	750	1000
	280	275	204	62	2,0	339,0	1220	35,8	830	1100
220	270	267	223	37	1,1	200,1	804,5	23,4	1000	1300
	270	267	223	37	1,1	187,2	759,8	22,1	880	1200
	270	267	223	37	1,1	187,2	759,8	22,1	880	1200
240	300	297	243	45	1,5	277,1	1040,0	28,8	840	1100
	300	297	243	45	1,5	277,1	1040,0	38,6	840	1100
	340	335	244	78	2,1	460,8	2000,0	53,4	600	800
260	320	317	263	45	1,5	271,6	1120,0	29,9	800	1100
	360	355	264	79	2,1	470,5	2160,0	55,8	560	750
280	350	347	283	53	1,5	312.3	1460.0	37,4	700	950
200	380	375	283	80	2,1	483,1	2320,0	58,1	560	750
	360	3/3	204	80	۷,۱	400,1	2320,0	56,1	300	100

. 458






Bearing designation	Abutmen	t and fillet dimer	sions	Weight	Minimum axial load factor	
	d _a	D _a	r _a	~		
	min	max	max			
		mm		kg		
51134**	197	188	1,0	3,31	1,500	
51134 M**	212	198	1,5	2,98	1,800	
51134 F**	212	198	1,5	2,98	1,800	
51234**	212	198	1,5	8,28	4,600	
51234M	212	198	1,5	8,03	4,600	
51136**	207	198	1,0	3,04	1,900	
51136 M**	207	198	1,0	3,11	1,90	
51136 F**	207	198	1,0	3,11	1,90	
51236**	222	208	1,5	8,29	5,50	
51236 M**	220	208	1,5	8,51	5,50	
51236 F**	222	208	1,5	8,73	5,30	
51236 M	222	208	1,5	8,73	5,30	
51138**	220	210	1,0	4,06	2.40	
					2,40	
51238 M** 51238 F**	238	222	2,0	11,9	8,40	
51238 M	238 236	222 222	2,0 2,0	11,9 11,6	7,50 7,30	
51140**	230	220	1,0	4,00	3,10	
51140 M**	230	220	1,0	4,20	2,90	
51140 F**	230	220	1,0	4,20	2,90	
51240 M**	248	232	2,0	12,4	9,50	
51240 F**	248	232	2,0	12,4	9,50	
51240 M	246	232	2,0	12,1	8,00	
51144**	250	240	1,0	4,40	4,60	
51144 M**	250	240	1,0	4,56	3,30	
51144 F**	250	240	1,0	4,56	3,30	
51148 M**	276	264	1,5	7,55	6,50	
51148 F**	276	264	1,5	7,55	6,50	
51248M	299	281	2,0	23,0	23,00	
				0.15		
51152M	296	284	1,5	8,10	6,80	
51285M	319	301	2,0	25,0	26,00	
51156M	322	308	1,5	12,0	12,00	
51256M	339	321	2,0	26,5	30,00	








Single direction thrust ball bearings d = 300 to 670 mm



		Main di	mension	s		Basic load rating		Fatique load limit	Limiting sp lubricatio	
						dynamic	static			
d	D	d ₁	D ₁	н	r _s	C _a	C _{oa}	P _u	grease	oil
					min					
		n	nm			kt	1	kN	min	
300	380	376	304	62	2,0	358,9	1770,0	43,6	630	850
	420	415	304	95	3,0	589,8	3010,0	72,1	480	630
320	400	396	324	63	2,0	363,8	1860,0	44,6	600	800
	440	435	325	95	3,0	577,2	3010,0	70,2	450	600
340	420 460	416 456	344 345	64 96	2,0	368,6 606,3	1990,0 3280,0	46,4 74,5	600 450	800 600
	460	456	345	90	3,0	606,3	3200,0	74,5	450	600
360	440	436	364	65	2,0	378,3	2080,0	47,3	560	750
	500	495	365	110	4,0	727,5	4200,0	92,1	400	530
380	460	456	004	0.5	0.0	202.0	0000.0	40.0	550	740
380	520	515	384 385	65 112	2,0 4,0	383,2 704,2	2200,0 4120,0	48,8 88,3	550 380	740 500
	020	010	000	112	4,0	101,2	4120,0	00,0	000	000
400	480	476	404	65	2,0	410,0	2300,0	49,8	530	700
420	500	496	424	65	2,0	412,0	2410,0	51,1	510	680
420	500	490	424	65	2,0	412,0	2410,0	51,1	510	000
440	540	536	444	80	2,1	525,0	3200,0	65,7	450	600
460	560	556	464	80	2,1	530,0	3230,0	65,0	440	580
480	580	576	484	80	2,1	540,0	3290,0	65,0	430	560
					,	, .		, .		
500	600	596	504	80	2,1	560,0	3370,0	65,3	420	550
530	640	636	534	85	3,0	645,0	4380,0	82,3	400	530
000	040	000	304	00	0,0	040,0	4000,0	02,0	400	000
560	670	666	564	85	3,0	665,0	4660,0	85,4	380	500
000	740	700	004	0.5	0.0	000.0	4000.0	05.0	070	400
600	710	706	604	85	3,0	663,0	4800,0	85,3	370	490
630	750	746	634	95	3,0	730,0	5430,0	94,0	340	450
670	800	795	675	105	4,0	850,0	6680,0	112,0	300	400





Bearing designation	Abutmen	t and fillet dimer	nsions	Weight	Minimum axial load factor
				~	
	d _a	D _a	r _a	~	
	min	max	max		
		mm		kg	
51160M	348	332	2,0	17,5	17,000
51260M	371	349	2,5	42,0	49,000
51164M	368	352	2,0	19,0	20,000
51264M	391	369	2,5	45,5	49,000
0.20			2,0	.0,0	10,000
51168M	388	372	2,0	20,5	22,000
51268M	411	389	2,5	48,5	54,000
51172M	408	392	2,0	22,0	27,000
51272M	443	417	3,0	70,0	93,000
51176M	428	412	2,0	23,0	29,000
51276M	463	437	3,0	73,0	93,000
51180M**	448	432	2,0	24,0	30,000
5440 4M++	400	450	0.0	05.5	00.000
51184M**	468	452	2,0	25,5	33,000
51188M**	499	481	2,0	42,0	59,000
01100	100		2,0	12,0	00,000
51192M**	519	501	2,0	43,5	60,000
51196M**	539	521	2,0	45,5	68,000
511/500M**	559	541	2,0	46,5	70,000
311/300W	339	541	2,0	40,5	70,000
511/530M**	595	575	2,5	58,5	105,000
511/560M**	625	606	2,5	61,0	116,000
511/600M**	665	645	0.5	GE O	104.000
311/000NI**	665	645	2,5	65,0	124,000
511/630M**	701	679	2,5	84,0	158,000
,			_,_	2 .,0	
511/670M**	747	723	3,0	105	234,000

















# Double direction thrust ball bearings d = 10 to 140 mm

d = 10 to 55 mm



		N	Main dime		Basic loa	ad rating	Fatique load limit			
								dynamic	static	
d ₂	D	d ₃	D1	н	В	r _s	r _{1S}	C _a	C _{oa}	P _u
2						min	min			
12.7.2			mm					k	N	kN
10	32	32	17	22	5	0,6	0,3	17,27	24,4	1,11
					_					
15	40	40	22	26	6	0,6	0,3	24,53	37,7	1,71
	60	60	27	45	11	1	0,6	60,5	89,4	4,06
20	47	47	27	28	7	0,6	0,3	30,58	50,5	2,3
	52	52	27	34	8	1	0,3	38,91	61,5	2,8
	70	70	32	52	12	1	0,6	79,24	126	5,73
25	52	52	32	29	7	0,6	0,3	30,28	58,2	2,65
	60	60	32	38	9	1	0,3	44,84	78,7	3,58
	80	80	37	59	14	1,1	0,6	94,72	155	7,05
30	62	62	37	34	8	1	0,3	41,45	78,2	3,55
	68	68	37	44	10	1	0,3	60,5	105	4,77
	68	68	42	36	9	1	0.6	48.4	92.4	4.2
	78	78	42	49	12	1	0,6	74,15	135	6,14
	90	90	42	65	15	1,1	0,6	122,08	205	9,32
35	73	73	47	37	9	1	0,6	46,97	105	4,77
	85	85	47	52	12	1	0,6	87,2	164	7,45
	100	100	47	72	17	1,1	0,6	141,7	243	11,05
40	78	78	52	39	9	1	0,6	51,92	111	5,05
45	90	90	57	45	10	1	0,6	73,56	159	7,23
	105	105	57	64	15	1,1	0,6	123,76	246	11,18
	120	120	57	87	20	1,5	0,6	212,18	397	18,05
50	110	110	62	64	15	1,1	0,6	125,24	270	12,27
00	110	110	02	04	10	1,1	0,0	120,24	210	12,27
55	100	100	67	47	10	1	0,6	76,4	189	8,59
	115	115	67	65	15	1,1	0,6	129,28	287	13,05
	105	105	72	47	10	1	1	77,62	198	9
	125	125	72	72	16	1,1	1	161,32	340	15,45
	150	150	73	107	24	2	1	272,5	553	24,83





Limiting s lubrication		Bearing designation	At	outment a	and fillet o	dimensio	ns	Weight	Coefficient of minimum axial load
grease	oil		d ₂	d _a	D _a	r _a	r _b	~	
				max	max	max	max		
mir	1 ⁻¹				mm			kg	
6000	7900	52202**	10	15	22	0,6	0,3	0,08	0,004
5000	6700	52204**	15	20	28	0,6	0,3	0,15	0,008
3200	4200	52405**		25	39	1	0,6	0,63	0,035
4500	6000	52205**	20	25	34	0,6	0,3	0,23	0,015
3800	5000	52305**		25	36	1	0,3	0,33	0,02
2700	3500	52406**		30	46	1	0,6	1,00	0,085
4000	5300	52206**	0.5	30	39	0.0	0.0	0.07	0.010
4000 3300	4500	52306**	25	30	42	0,6	0,3	0,27 0,49	0,018 0,03
2200	3000	52407**		35	53	1	0,6	1,44	0,03
2200	3000	32401		33	33		0,0	1,44	0,12
3500	4700	52207**	30	35	46	1	0,3	0,42	0,032
2800	3800	52307**	00	35	48	1	0,3	0,71	0,05
3200	4200	52208**		40	51	1	0,6	0,54	0,047
2700	3500	52308**		40	55	1	0,6	1,06	0,095
2000	2700	52408TNGN**		40	60	1	0,6	2,03	0,19
3000	4000	52209**	35	45	56	1	0,6	0,62	0,06
2400	3200	52309**		45	61	1	0,6	1,29	0,13
1900	2500	52409**		45	67	1	0,6	2,71	0,35
2800	3800	52210**	40	50	61	1	0,6	0,71	0,082
2500	3300	52211**	45	55	69	1	0,6	1,12	0,11
1900	2500	52311**		55	75	1	0,6	2,51	0,27
1600	2100	52411**		55	81	1,5	0,6	4,70	0,65
1900	2500	52312**	50	60	80	1	0,6	2,68	0,35
0400	0000	50040++		0.5	70		0.0	1.00	0.47
2400 1800	3200	52213**	55	65	79	1	0,6	1,36	0,17
	2400	52313**		65	85	1	0,6	2,90	0,45
2200 1700	3000 2200	52214**		70 70	84 92	1	0,6	1,48	0,21
1200	1600	52314** 52414**		70	102	1 2	1	3,90 9,71	0,54 1,6
1200	1000	32414		70	102	۷		9,71	1,0

















### Double direction thrust ball bearings

d = 60 to 140 mm



		N	/lain dime		Basic loa	Fatique load limit				
								dynamic	static	
d ₂	D	d ₃	D1	н	В	r _s	r _{is}	C _a	C _{oa}	P _u
N						min	min			
2.7.2			mm					kt	V	kN
60	110	110	77	47	10	1	1	76,62	209	9,5
	135	135	77	79	18	1,5	1	193,2	426	19,36
65	115	115	82	48	10	1	1	86,35	219	9,95
	170	170	83	120	27	2,1	1	336,02	751	31,49
70	125	125	88	55	12	1	1	104,94	264	12
	150	150	88	87	19	1,5	1	243,07	517	22,41
	190	189,5	93	135	30	2,1	1,1	403,86	970	38,67
75	155	155	93	88	19	1,5	1	245,92	556	23,57
100	210	209,5	123	123	27	2,1	1,1	368,88	977	35,67
140	225	224,5	163	90	20	1,5	1,1	294,25	874	29,41





Limiting s lubrication		Bearing designation	Al	outment a	and fillet o	dimensio	ns	Weight	Coefficient of minimum axial load
grease	oil		d ₂	d _a	D _a	r _a	r _b	~	
				max	max	max	max		
mir	r ⁻¹				mm			kg	
2200	3000	52215**	60	75	89	1	1	1,57	0,27
1600	2100	52315**		75	99	1,5	1	4,83	0,76
2000	2700	52216**	65	80	95	1	1	1,69	0,35
890	1200	52416**		80	117	2	1	14,00	2,7
1900	2500	52217**	70	85	101	1	1	2,34	0,43
1300	1800	52317**		85	111	1,5	1	6,43	1,2
790	1060	52418**		90	131	2	1	19,60	4,1
1100	1500	52318**	75	90	116	1,5	1	6,60	1,5
790	1060	52324**	100	120	157	2	1	17,20	4,1
890	1200	52232**	140	160	186	1,5	1	12,20	3,2





















# Thrust ball bearings with sphered housing washer d = 15 to 130 mm



					N	lain dim	ensions						Basic load	rating
													dynamic	static
	d	D	d ₁	D ₁	D ₂	D ₃	н	Н,	С	R	s	r _s	C _a	C _{oa}
e .												min		
12.7.3						mr	n						kN	
	15	32	32	17	24	35	13,3	15	4	28	12	0,6	17,3	24,4
	17	35	35	19	26	38	13,2	15	4	32	16	0,6	17,8	26,6
	20	40	40	22	30	42	14,73	17	5	36	18	0,6	24,5	37,7
	25	47	47	27	36	50	16,72	19	5,5	40	19	0,6	30,6	50,5
	30	52	52	32	42	55	17,8	20	5,5	45	22	0,6	30,3	58,2
		60	60	32	45	62	22,6	25	7	50	22	1,0	44,8	78,7
	35	62	62	37	48	65	19,87	22	7	50	24	1,0	41,8	78,2
ı		68	68	37	52	72	25,6	28	7,5	56	24	1,0	58,8	105,0
	40	68	68	42	55	72	20,3	23	7	56	28,5	1,0	48,4	92,4
١.		78	78	42	60	82	28,5	31	8,5	64	28	1,0	73,5	135,0
		90	90	42	65	95	38,2	42	12	72	26	1,1	122,1	205,0
	45	73	73	47	60	78	21,3	24	7,5	56	26	1,0	47,0	105,0
		85	85	47	65	90	30,13	33	10	64	25	1,0	87,2	164,0
١.	50	78	78	52	62	82	23,49	26	7,5	64	32,5	1,0	51,9	111,0
	55	90	90	57	72	95	27,35	30	9	72	35	1,0	73,6	159,0
	55	105	105	57	80	110	39,3	42	11,5	80	30	1,1	122,6	246,0
ı		120	120	57	88	125	50,5	55	15,5	90	28	1,5	214,2	397,0
ı	60	110	110	62	85	115	38,3	42	11,5	90	41	1,1	125,2	270,0
	65	100	100	67	82	105	28,7	32	9	80	40	1,0	76,4	189,0
		115	115	67	90	120	39,4	43	12,5	90	38,5	1,1	129,3	287,0
	70	105	105	72	88	110	28,8	32	9	80	38	1,0	76,9	199,0
		125	125	72	98	130	44,2	48	13	100	43	1,1	158,4	340,0
		150	150	73	110	155	63,6	69	19,5	112	34	2,0	272,5	553,0
	75	110	110	77	92	115	28,3	32	9,5	90	49	1,0	81,2	209,0
		135	135	77	105	140	48,1	52	15	100	37	1,5	193,2	426,0
	80	115	115	82	98	120	29,5	33	10	90	46	1,0	86,4	219,0

. . . 476






			di 	mensior	18	Weight	Minimum axial load factor	
grease	oil	bearing	sphered housing washer	d _a	D _a	r _a	bearing + washer	
				min	max	max		
min [.]	1				mm		kg	
6000	7900	53202**	U202	25	24	0,6	0,063	0,004
5600	7500	53203**	U203	28	26	0,6	0,071	0,004
5000	6700	53204**	U204	32	30	0,6	0,10	0,008
4500	6000	53205**	U205	38	36	0,6	0,15	0,018
4000	5300	53206**	U206	43	42	0.6	0.18	0,01
3300	4500	53306**	U306	48	45	1,0	0,33	0,030
								0,03
2800	3800	53307**	U307	55	52	1,0	0,46	0,05
3200	4200	53208**	U208	57	55	1,0	0,35	0,04
2700	3500	53308**	U308	63	60	1,0	0,67	0,09
2000	2700	53408TNGN**	U408	70	65	1,0	1,35	0,19
3000	4000	53209**	11209	62	60	1.0	0.39	0,06
2400	3200	53309**	U309	69	65	1,0	0,83	0,13
2800	3800	53210**	U210	67	62	1,0	0,47	0,08
2500	3300	53211**	U211	76	72	1.0	0.75	0,11
		53311**						0,27
1600	2100	53411**	U411	94	88	1,5	3,08	0,65
1000	2500	E2212**	11212	00	95	1.0	1 71	0,35
1900	2500	33312	0312	90	65	1,0	1,71	0,30
2400	3200	53213**	U213	86	82	1.0	0.91	0,17
1800	2400	53313**	U313	95	90	1,0	1,89	0,45
2200	3000	5221//**	11214	Ω1	QQ	1.0	0.07	0,21
						,	,	0,54
1200	1600	53414**	U414	118	110	2,0	6,40	1,60
0000	2002	F0045**	11045	00	00	4.0	1.00	0.07
						,	,	0,27
1000	2100	53315	U315	111	105	1,5	3,20	0,76
2000	2700	53216**	U216	101	98	1,0	1,10	0,35
	min 6000 5600 5000 4500 4500 3300 2800 2700 2000 2400 2800 1900 1600 1900 1200 2200 1700 1200	min¹           6000         7900           5600         7500           5000         6700           4500         6000           4000         5300           3300         4500           2800         3800           2700         3500           2000         2700           3000         4000           2400         3200           2800         3800           2500         3300           1900         2500           1600         2100           1900         2500           1800         2400           2200         3000           1700         2200           1200         1600           2100         1600	min ⁻¹ 6000 7900 53202** 5600 7500 53203** 5000 6700 53204** 4500 6000 53205** 4400 5300 53206** 3300 4500 53306** 3500 4700 53207** 2800 3800 53208** 2700 3500 53308** 2000 2700 53408TNGN**  3000 4000 53209** 2400 3200 53309** 2800 3800 53210**  1900 2500 53311** 1900 2500 53311** 1900 2500 53312** 1800 2400 53213** 1800 2400 53213** 1800 2500 53313**  2200 3000 53214** 1700 2200 53314** 1200 1600 53414**  2200 3000 53215** 1600 2100 53315**					




# Thrust ball bearings with sphered housing washer

d = 85 až 130 mm



					N	lain dim	ensions	;					Basic load rating	
Ī													dynamic	static
	d	D	d ₁	D ₁	D ₂	D ₃	н	H,	С	R	s	r _s	C _a	C _{oa}
<u>_</u>												min		
12.7.3						mi	m						kN	
	85	125	125	88	105	130	33,1	37	11	100	52	1,0	104,9	264,0
		150	150	88	115	155	53,1	58	17,5	112	43	1,5	227,5	517,0
	90	155	155	93	120	160	54,6	59	18	112	40	1,5	236,6	556,0
		190	187	93	140	195	81,2	88	25,5	140	40	2,1	384,8	970,0
	100	170	170	103	135	175	59,2	64	18	125	46	1,5	266,1	628,0
		210	205	103	155	220	90	98	27	160	50	3,0	453,5	1220,0
		210	205	103	155	220	90	98	27	160	50	3,0	453,5	1220,0
	110	190	187	113	150	195	67,2	72	20,5	140	51	2,0	323,3	807,0
		190	187	113	150	195	67,2	72	21	140	51	2,0	280,0	744,0
	120	210	205	123	165	220	74,1	80	22	160	63	2,1	368,9	977,0
	130	190	187	133	160	195	47,9	53	17	140	67	1,5	183,8	537,4





Fatigue load limit	Limiting sp lubrication		Designation		Abutment and fillet dimensions			Weight	Minimum axial load factor
P _u	grease	oil	bearing	sphered housing washer	d _a	D _a	r _a	bearing + washer	
					min	max	max		
kN	min	4				mm		kg	
11,7	2000	2700	53217**	U217	109	105	1,0	1,50	0,430
21,7	1300	1800	53317**	U317	124	115	1,5	4,35	1,200
22,8	1100	1500	53318**	U318	129	120	1,5	4,70	1,500
37,3	790	1060	53418**	U418	133	125	2,0	12,80	4,100
24,6	1060	1400	53320**	U320	142	135	1,5	5,95	2,000
44,5	750	1000	53420 M**	U420	165	155	2,5	18,0	7,700
44,5	750	1000	53420 F**	U420	165	155	2,5	18,0	6,200
30,0	890	1200	53322**	U322	158	150	2,0	8,9	2,800
27,6	890	1200	53322 M	U322	158	150	2,0	9,1	3,100
34,6	790	1060	53324**	U324	173	165	2,0	12,2	4,100
19,3	1170	1600	53226 **	U226	167	160	1,5	4,85	1,700



















# Double direction thrust ball bearings with sphered housing washers d = 25 to $70 \, \text{mm}$







					Main	Dimens	sions						Basic load	rating
													dynamic	static
d	D	D ₁	D ₂	D ₃	н	H,	В	С	R	s	r _s	r _{1s}	C _a	C _{oa}
											min	min		
						mm							kN	
25	60	32	45	62	41,3	46	9	7	50	19,5	1	0,3	44,84	78,7
20	00	07	40	٥٢	07.70	40	0	7	Γ0	04		0.0	44 45	70.0
30	62	37	48	65	37,73	42	8	7	50	21	1	0,3	41,45	78,2
	68 68	37 42	52 55	72 72	47,19 38.6	52 44	10	7,5 7	56 56	21 25	1	0,3	60,5	105
					, .							0,6	48,4	92,4
	78	42	60	82	54,1	59	12	8,5	64	23,5	1	0,6	74,15	135
35	73	47	60	78	39,6	45	9	7,5	56	23	1	0,6	46,97	105
	85	47	65	90	56,2	62	12	10	64	21	1	0,6	87,2	164
	100	47	72	105	78,9	86	17	12,5	80	23,5	1,1	0,6	141,7	243
45	90	57	72	95	49,6	55	10	9	72	32,5	1	0,6	73,56	159
50	110	62	85	115	70,7	78	15	11,5	90	36,5	1,1	0,6	125,24	270
65	170	83	125	175	128,5	140	27	22	125	30,5	2,1	1	336,02	751
70	150	88	115	155	95,2	105	19	17,5	112	39	1,5	1	243,07	517

. . . 480







Fatigue load limit	Limiting sp lubrication		De	Designation			ent an nensio			Weight	Minimum axial load factor
P _u	grease	oil	bearing	pearing sphered housing washer		d _a	D _a	r _a	r _b	bearing + washer	
						max	max	max	max		
kN	min	r ⁻¹					mm			kg	
3,58	3300	4500	54306**	U306	20	30	45	1	0,3	0,58	0,03
3,55	3500	4700	54207**	U207	30	35	48	1	-,-	0,53	0,032
4,77	2800	3800	54307**	U307		35	52	1	0,3	0,85	0,05
4,2	3200	4200	54208**	U208		40	55	1	-,-	0,63	0,047
6,14	2700	3500	54308**	U308		40	60	1	0,6	1,17	0,095
4,77	3000	4000	54209**	U209	35	45	60	1	0,6	0,78	0,06
7,45	2400	3200	54309**	U309		45	65	1	-,-	1,6	0,13
11,05	1900	2500	54409**	U409		45	72	1	0,6	3	0,35
7,23	2500	3300	54211**	U211	45	55	72	1	0,6	1,3	0,11
12,27	1900	2500	54312**	U312	50	60	85	1	0,6	2,9	0,35
31,49	890	1200	54416**	U416	65	80	125	2	1	14	2,7
22,41	1300	1800	54317**	U317	70	85	115	1,5	1	7,95	1,2



















_







# 12.8 CYLINDRICAL ROLLER THRUST BEARINGS

### Design

Cylindrical roller thrust bearings are design for solid and sustainable loadings and resistant to shock stressing. They are standardly offered as single direction bearings that can transfer axial loads only in one direction.

Bearings have a simple shape and can have a single row (fig. 12.8.1) or double row (fig. 12.8.2) design. They are used primarily in heavy-duty loadings, in which thrust ball bearings sometimes fail.

Cylindrical rollers with a modified surface that ensure optimal rolling without edge stressing are installed in the bearings.




Fig. 12.8.1 Fig. 12.8.2











### Components

Bearing components allow for numerous combinations of bearing designs, where e.g. only a cage with rollers is used and the raceways form individual machine parts (fig. 12.8.3) or a combined loading may be sued, when the machine part comprises one raceway and the bearing ring the second part. An independent cage with rollers has the additional marking K, an independent shaft ring WS, and an independent housing ring GS.




Fig. 12.8.3

### Double direction bearings

Bearings can be assembled from housing rings or shaft rings with two cages with rollers and a corresponding centre ring, which is centred on the inner diameter (fig. 12.8.4) or outer (fig. 12.8.5) diameter. The centre ring must be made in the same quality as the respective bearing rings. We recommend consulting ZKL Technical and Consultation Services for more information.

#### Basic information

#### Dimensions


Main dimensions of thrust ball bearings conform to ISO 104.

#### Tolerances

Standard manufacturing of bearings is provided at a normal degree of precision, which is not labelled. Bearings may also be supplied at higher precision P5. Bearing dimension tolerances meet standard ISO 199. These values are provided in tables 7.16a and 7.16b.

. . . 486








Fig. 12.8.4 Fig. 12.8.5

Shaft and housing rings and rollers with a cage are manufactured to tolerances specified in tables 12.8.1. and 12.8.2. Rollers in a single cage are from one sorting group and their diameter variance is  $1 \mu m$ .

Table 12.8.1

Ве	aring component tolerance	es
Bearing components Dimensions		Tolerances
Cage with rollers, K		
Bore diameter	d	E11
Outer diameter	D	a13
Roller diameter	Dw	DIN 5402-1:1993
Shaft ring, WS		
Bore diameter	d	Normal tolerance
Outer diameter	d1	-
Thickness	В	h11
Axial runout	Si	Normal tolerance
Tělesový kroužek, GS		
Outer diameter	D	Normal tolerance
Bore diameter	D1	-
Thickness	В	h11
Axial runout	Se	Normal tolerance

















Table 12.8.2

			ISO Tole	erances			
Nominal	diameter			Toler	ance		
d,	D	a1	3	h1	н	E1	11
over	including	max	min	max	min	max	min
m	m	<u>'</u>		μι	m		
10	18	-290	-560	0	-110	+142	+32
18	30	-300	-630	0	-130	+170	+40
30	40	-310	-700	0	-160	+210	+50
40	50	-320	-710	0	-160	+210	+50
50	65	-340	-800	0	-190	+250	+60
65	80	-360	-820	0	-190	+250	+60
80	100	-380	-920	0	-220	+292	+72
100	120	-410	-950	0	-220	+292	+72
120	140	-460	-1090	0	-250	+335	+85
140	160	-520	-1150	0	-250	+335	+85
160	180	-580	-1210	0	-250	+335	+85
180	200	-660	-1380	0	-290	+390	+100
200	225	-740	-1460	0	-290	+390	+100
225	250	-820	+1540	0	-290	+390	+100
250	280	-920	-1730	0	-320	+430	+110
280	315	-1050	-1860	0	-320	+430	+110
315	355	-1200	-2090	0	-360	+485	+125
355	400	-1350	-2240	0	-360	+485	+125
400	450	-1500	-2470	0	-400	+535	+135
450	500	-1650	-2620	0	-400	+535	+135
500	630	-1900	-3000	0	-440	+585	+145
630	800	-2100	-3350	0	-500	+660	+150

#### Misalignment

Misalignment between the shaft and the housing is not permitted. Spherical roller thrust bearings do not allow for compensation of such misalignment.

#### Cages

Thrust ball bearings are equipped with a massive brass cage, additional markings M, MB.

#### Minimal axial load

A certain minimal load, which ensures reliable operation, must act on thrust ball bearings. Failure to adhere to this load could lead to non-standard rolling off, slippage, and subsequent damage of ring raceways and roller elements.

• • • 488



The minimal requisite load is determined from the equation:

$$F_{a \text{ min}} = \left(\frac{C_{0a}}{2000}\right) + M \cdot \left(\frac{n}{1000}\right)^{2}$$

$$C_n \ldots$$
 static bearing capacity (kN)

M ..... coefficient of minimum axial load (see tables)

n . . . . . revolutions (min⁻¹)

A higher minimal load is required when starting the bearing under low temperatures or when using a high viscosity lubricant. If the minimal load is not derived naturally in the arrangement of the bearing structure, then the bearing must be loaded with an auxiliary force by springs or by the shaft nut.

### Bearing equivalent dynamic load capacity

$$P = F_a$$

# Bearing equivalent static load capacity

$$P_0 = F_a$$

### Additional markings

Additional markings after the basic markings express a particular bearing characteristic:

**K** . . . . . . cage with rollers

WS..... shaft ring

**GS** . . . . . housing ring

M..... massive brass cage guided on rollers

MB.... massive brass shaft-quided cage















### Structure of related components

Perfect resting of rings must be ensured in the developed hub along its entire perimeter and across its breadth. The support surfaces in the hub and on the shaft must be perpendicular to the axis of the shaft. Required dimensional tolerances of loadings for bearings on a shaft and in the hub are listed in table 12.8.3.

Higher speeds necessitate the selection of cage guiding on a shaft, and the shaft guiding surfaces must thus be polished.


### Raceways on the shaft and in the hub

Orbits on the shaft and in the hub should have the same hardness and surface quality as bearing raceways. Failure to meet the specified parameters will result in failure to achieve the bearing load capacity parameters.

Table 12.8.3

	Shaft and hub	bore tolerances	
Bearing component		Tolerance	
Name	Prefix	Shaft	Hub bore
Cage with rollers	K	h8	-
Shaft ring	WS	h8	-
Hub ring	GS	-	H9


... 490








# Cylindrical roller thrust bearings d = 15 to 630 mm

d = 15 to 80 mm











				Main dime	ensions				Basic load	rating	Fatique load limit
Ī									dynamic	static	
	d	D	н	d ₁	D ₁	В	D _w	r _s	C _a	C _{oa}	P _u
_ [								min			
12.8.1				mm	1				kN		kN
	15	28	9,0	28,0	16,0	2,75	3,5	0,3	9,3	26,8	3,27
	17	30	9,0	30,0	18,0	2,75	3,5	0,3	11,5	30	3,66
	20	35	10,0	35,0	21,0	2,75	4,5	0,3	16,9	45	5,47
	25	42	11,0	42,0	26,0	3,00	5,0	0,6	23,8	66,5	8,11
	30	47	11,0	47,0	32,0	3,00	5,0	0,6	26,1	75,5	9,21
		52	16,0	52,0	32,0	4,25	7,5	0,6	48,9	131	16,00
	35	52	12,0	52,0	37,0	3,50	5,0	0,6	27,8	90,5	11,00
		62	18,0	62,0	37,0	5,25	7,5	1,0	60,1	184	22,40
	40	60	13,0	60,0	42,0	3,50	6,0	0,6	41,2	135	16,50
ı	10	68	19,0	68,0	42,0	5,00	9,0	1,0	82	147	17,90
	45	65	14,0	65,0	47,0	4,00	6,0	0,6	43,2	149	18,20
ı	40	73	20,0	73,0	47,0	5,50	9,0	1,0	81,3	250	30,50
	50	70	14,0	70,0	52,0	4,00	6,0	0,6	44,9	160	19,50
I	00	78	22,0	78,0	52,0	6,50	9,0	1,0	90,1	296	36,10
	55	78	16,0	78,0	57,0	5,00	6,0	0,6	66,9	281	34,30
		90	25,0	90,0	57,0	7,00	11,0	1,0	120	379	46,20
	60	85	17,0	85,0	62,0	4,75	7,5	1,0	77,9	294	35,90
I		95	26,0	95,0	62,0	7,50	11,0	1,0	134	458	55,90
	65	90	18,0	90,0	67,0	5,25	7,5	1,0	81,7	314	38,30
ı		100	27,0	100,0	67,0	8,00	11,0	1,0	137	481	58,70
١	70	95	18,0	95,0	72,0	5,25	7,5	1,0	84,7	340	41,50
ı		105	27,0	105,0	72,0	8,00	11,0	1,0	144	519	63,30
	75	100	19,0	100,0	77,0	5,75	7,5	1,0	82	331	40,40
		110	27,0	110,0	77,0	8,00	11,0	1,0	134	482	58,80
	80	105	19,0	105,0	82,0	5,75	7,5	1,0	79,1	328	40,00
		115	28,0	115,0	82,0	8,50	11,0	1,0	149	602	73,40

. . . 492









for lubri	or lubrication with Bearing designation			Abutment and fillet dimensions				Bearing c	esignation	Min. axial load factor	
grease	oil		d	d _a	D _a	r _a	~	Cage with rollers	Shaft ring	Housing ring	М
				min	max	max					
min	-1				mm		kg				
3200	4300	81102	15	27	16	0,3	0,023	K 81102	WS 81102	GS 81102	0,0000
3200	4300	81103	17	29	18	0,3	0,027	K 81103	WS 81103	GS 81103	0,0000
2800	3800	81104	20	34	21	0,3	0,037	K 81104	WS 81104	GS 81104	0,0001
2200	3200	81105	25	41	26	0,6	0,053	K 81105	WS 81105	GS 81105	0,000
2000	3000	81106	30	46	31	0,6	0,057	K 81106	WS 81106	GS 81106	0,000
1700	2400	81206	30	50	31	0,6	0,12	K 81206	WS 81206	GS 81206	0,001
1900	2800	81107	35	51	36	0,6	0,073	K 81107	WS 81107	GS 81107	0,000
1500	2000	81207	35	58	39	1,0	0,20	K 81207	WS 81207	GS 81207	0,00
1700	2400	81108	40	58	42	0,6	0,11	K 81108	WS 81108	GS 81108	0,00
1400	1900	81208	40	66	43	1,0	0,25	K 81208	WS 81208	GS 81208	0,005
1600	2200	81109	45	63	47	0,6	0,13	K 81109	WS 81109	GS 81109	0,00
1300	1800	81209	45	70	48	1,0	0,29	K 81209	WS 81209	GS 81209	0,005
1600	2100	81110	50	68	52	0,6	0,14	K 81110	WS 81110	GS 81110	0,002
1200	1700	81210	50	75	53	1,0	0,36	K 81210	WS 81210	GS 81210	0,007
1400	1900	81111	55	77	56	0,6	0,22	K 81111	WS 81111	GS 81111	0,006
950	1400	81211	55	85	59	1,0	0,57	K 81211	WS 81211	GS 81211	0,0
1200	1800	81112	60	82	62	1,0	0,28	K 81112	WS 81112	GS 81112	0,007
900	1350	81212	60	91	64	1,0	0,65	K 81212	WS 81212	GS 81212	0,0
1200	1700	81113	65	87	67	1,0	0,31	K 81113	WS 81113	GS 81113	0,008
900	1300	81213	65	96	69	1,0	0,73	K 81213	WS 81213	GS 81213	0,02
1150	1650	81114	70	92	72	1,0	0,34	K 81114	WS 81114	GS 81114	0,009
870	1250	81214	70	102	74	1,0	0,78	K 81214	WS 81214	GS 81214	0,02
1100	1600	81115	75	97	78	1,0	0,40	K 81115	WS 81115	GS 81115	0,006
850	1200	81215	75	106	79	1,0	0,80	K 81215	WS 81215	GS 81215	0,0
1000	1500	81116	80	102	83	1,0	0,41	K 81116	WS 81116	GS 81116	0,00
830	1150	81216	80	112	84	1,0	0,92	K 81216	WS 81216	GS 81216	0,02


















# Cylindrical roller thrust bearings

d = 85 to 220 mm











				Main dim	Basic load	l rating	Fatique load limit				
									dynamic	static	
	d	D	н	d ₁	D ₁	В	D _w	r _s	C _a	C _{oa}	P _u
_ [								min			
12.8.1				mr	n				kN		kN
	85	110	19,0	110,0	87,0	5,75	7,5	1,0	86	360	44,00
		125	31,0	125,0	88,0	9,50	12,0	1,0	166	624	76,00
	90	120	22,0	120,0	92,0	6,50	9,0	1,0	102	444	53,40
	90	135	35,0	135,0	93,0	10,50	14,0	1,0	231	860	101,00
			00,0	.00,0	00,0	10,00	,0	.,.	201	000	101,00
	100	135	25,0	135,0	102,0	7,00	11,0	1,0	152	605	70,30
		150	38,0	150,0	103,0	11,50	15,0	1,1	255	1010	115,00
	110		05.0	445.0	440.0	7.0			100	070	70.00
	110	145 160	25,0 38,0	145,0 160,0	112,0 113,0	7,0 11,5	11,0 15,0	1,0 1,1	160 255	670 988	76,00 110,00
		160	30,0	100,0	113,0	11,5	15,0	1,1	255	900	110,00
	120	155	25,0	155,0	122,0	7,0	11,0	1,0	167	729	80,80
		170	39,0	170,0	123,0	12,0	15,0	1,1	260	1020	111,00
	130	170	30,0	170,0	132,0	9,0	12,0	1,0	189	865	93,40
		190	45,0	187,0	133,0	13,0	19,0	1,5	371	1390	147,00
	140	180	31,0	178,0	142,0	9,5	12,0	1,0	201	920	97,40
		200	46,0	197,0	143,0	13,5	19,0	1,5	349	1300	135,00
			.,.	. ,.	.,.	.,.	.,.	, .			,
	150	190	31,0	188,0	152,0	9,5	12,0	1,0	210	980	102,00
		215	50,0	212,0	153,0	14,5	21,0	1,5	457	1840	187,00
	160	200	31,0	198,0	162,0	9,5	12,0	1,0	202	980	100,00
	100	225	51,0	222,0	163,0	15,0	21,0	1,5	477	1900	190,00
			, -	,-	,.	,.	,-	.,-		,,,,,	,
	170	215	34,0	213,0	172,0	10,0	14,0	1,1	282	1330	133,00
		240	55,0	237,0	173,0	16,5	22,0	1,5	529	2190	215,00
	180	005	04.0	000.0	100.0	10.0	14.0	4.4	004	1010	110.00
	180	225 250	34,0 56,0	222,0 247,0	183,0 183,0	10,0 17,0	14,0 22,0	1,1 1,5	264 549	1210 2390	119,00 232,00
		200	00,0	241,0	100,0	17,0	22,0	1,0	040	2000	202,00
	190	240	37,0	237,0	193,0	11,0	15,0	1,1	302	1360	132,00
		270	62,0	267,0	194,0	18,0	26,0	2,0	691	2880	274,00
	200	250	37,0	247,0	203,0	11,0	15,0	1,1	303	1470	141,00
		280	62,0	277,0	204,0	18,0	26,0	2,0	711	3050	286,00
	220	270	37,0	267,0	223,0	11,0	15,0	1,1	329	1670	156,00
		300	62,0	297,0	224,0	18,5	26,0	2,0	738	3230	296,00

. . 494









Limiting speed for lubrication with		Bearing designation	Abutment and fillet dimensions				Weight	Bearing c	Min. axial load factor		
grease	oil		d	d _a	D _a	r _a	~	Cage with rollers	Shaft ring	Housing ring	M
				min	max	max					
min	-1				mm		kg				
950	1500	81117	85	108	87	1,0	0,42	K 81117	WS 81117	GS 81117	0,012
800	1100	81217	85	119	90	1,0	1,26	K 81217	WS 81217	GS 81217	0,028
900	1300	81118	90	117	93	1.0	0,63	K 81118	WS 81118	GS 81118	0,01
750	1000	81218	90	129	95	1,0	1,75	K 81218	WS 81218	GS 81218	0,06
850	1200	81120	100	131	104	1,0	0,94	K 81120	WS 81120	GS 81120	0,028
670	900	81220	100	142	107	1,0	2,15	K 81220	WS 81220	GS 81220	0,05
800	1100	81122M	110	141	114	1,0	1,04	K 81122M	WS 81122	GS 81122	0,03
630	850	81222M	110	152	117	1,0	2,28	K 81222M	WS 81222	GS 81222	0,068
750	1050	81124M	120	151	124	1,0	1,10	K 81124M	WS 81124	GS 81124	0,03
530	800	81224M	120	162	127	1,0	2,55	K 81224M	WS 81224	GS 81224	0,07
700	950	81126M	130	165	135	1,0	2,72	K 81126M	WS 81126	GS 81126	0,04
530	700	81226M	130	181	137	1,5	4,30	K 81226M	WS 81226	GS 81226	0,04
330	700	OIZZOW	100	101	101	1,0	4,00	K 01220W	W3 01220	G3 01220	0,17
670	900	81128M	140	175	145	1,0	2,05	K 81128M	WS 81128	GS 81128	0,05
530	650	81228M	140	191	147	1,5	4,61	K 81228M	WS 81228	GS 81228	0,16
530	850	81130M	150	185	155	1,0	2,10	K 81130M	WS 81130	GS 81130	0,06
480	630	81230M	150	211	158	1,5	6,04	K 81230M	WS 81230	GS 81230	0,30
630	830	81132M	160	195	165	1,0	2,23	K 81132M	WS 81132	GS 81132	0,08
450	600	81232M	160	220	168	1,5	6,27	K 81232M	WS 81232	GS 81232	0,33
600	800	81134M	170	209	176	1,0	2,98	K 81134M	WS 81134	GS 81134	0,11
430	560	81234M	170	235	180	1,5	7,80	K 81234M	WS 81234	GS 81234	0,43
500	750	0440014	400	040	405	4.0	0.40	K 04400M	WO 04400	00.04400	0.40
560 410	750 540	81136M 81236M	180 180	219 245	185 190	1,0 1,5	3,10 8,35	K 81136M K 81236M	WS 81136 WS 81236	GS 81136 GS 81236	0,13 0,47
410	540	01230W	100	240	190	1,0	0,00	K 01230W	W3 01230	G3 01230	0,47
530	700	81138M	190	233	197	1,0	3,90	K 81138M	WS 81138	GS 81138	0,17
380	500	81238M	190	265	200	2,0	10,6	K 81238M	WS 81238	GS 81238	0,68
510	680	81140M	200	243	206	1,0	4,10	K 81140M	WS 81140	GS 81140	0,19
370	490	81240M	200	275	210	2,0	12,2	K 81240M	WS 81240	GS 81240	0,19
500 360	670	81144M	220	263	226	1,0	4,60	K 81144M	WS 81144	GS 81144	0,24
	480	81244M	220	296	230	2,0	13,4	K 81244M	WS 81244	GS 81244	0,910

•••••••••••••••••



















# Cylindrical roller thrust bearings

d = 240 to 630 mm











				Basic load	l rating	Fatique load limit					
									dynamic	static	
	d	D	н	d ₁	D ₁	В	D _w	r _s	C _a	C _{oa}	P _u
.8.1								min			
12.8				mn					kN		kN
	240	300	45,0	297,0	243,0	13,5	18,0	1,5	368	2400	217,00
		340	78,0	335,0	244,0	23,0	32,0	2,1	1070	4850	430,00
	260	320	45,0	317,0	263.0	13,5	18,0	1,5	488	2650	235,00
		360	79,0	355,0	264,0	23,5	32,0	2,1	1090	5200	452,00
	280	350 380	53,0	347,0	283,0	15,5	22,0	1,5 2,0	672	3440	297,00
		380	80,0	375,0	284,0	24,0	32,0	2,0	1150	5510	470,00
	300	380	62,0	376,0	304,0	18,5	25,0	2,0	851	4400	372,00
		420	95,0	415,0	304,0	28,5	38,0	3,0	1520	7210	599,00
	320	400 420	63,0 95,0	396,0 435,0	324,0 325,0	19,0 28,5	25,0 38,0	2,0 3,0	878 1550	4590 7480	381,00 616,00
		420	95,0	400,0	323,0	20,0	30,0	3,0	1550	7400	010,00
	340	420	64,0	416,0	344,0	19,5	25,0	2,0	871	4730	386,00
		460	96,0	455,0	345,0	29,0	38,0	3,0	1580	7890	635,00
	000	440	05.0	400.0	204.0	00.0	05.0	0.0	005	4000	000.00
	360	440 500	65,0 110,0	436,0 495,0	364,0 365,0	20,0 32,5	25,0 45,0	2,0 4,0	885 2050	4830 9900	389,00 779,00
		300	110,0	400,0	303,0	02,0	40,0	4,0	2000	3300	119,00
	380	460	65,0	456,0	384,0	20,0	25,0	2,0	915	5100	404,00
	400	480	65,0	476,0	404,0	20,0	25,0	2,0	950	5370	420,00
	420	500	65,0	495,0	424,0	20,0	25,0	2,0	985	5630	434,00
	120	000	00,0	100,0	121,0	20,0	20,0	2,0	000	0000	10 1,00
	440	540	80,0	535,0	444,0	24,0	32,0	2,1	1370	7810	591,00
	100	500	00.0		4040	24.2	22.2	0.4		2222	202.00
	460	560	80,0	555,0	464,0	24,0	32,0	2,1	1400	8020	600,00
	480	580	80,0	575,0	484,0	24,0	32,0	2,1	1460	8460	626,00
			, .	,.	. , .	, .	. ,.	,			, , , , ,
	500	600	80,0	595,0	505,0	24,0	32,0	2,1	1490	8670	634,00
	530	640	85,0	635,0	535,0	25,5	34,0	3,0	1670	10000	718,00
	550	640	00,0	030,0	555,0	20,0	34,0	3,0	1670	10000	710,00
	560	670	85,0	665,0	565,0	25,5	34,0	3,0	1760	10600	750,00
	600	710	85,0	705,0	605,0	25,5	34,0	3,0	1850	11300	784,00
	630	750	85,0	746,0	634,0	25,5	38,0	3,0	2160	13200	902,00
	030	750	00,0	740,0	004,0	20,0	30,0	3,0	2100	13200	902,00

. 495









Limiting speed for lubrication with		Bearing designation	Abutment and fillet dimensions				Weight	Bearing c	Min. axial load factor		
grease	oil		d	d _a	D _a	r _a	~	Cage with rollers	Shaft ring	Housing ring	М
				min	max	max					
min					mm		kg				
430	560	81148M	240	296	248	1,5	7,35	K 81148M	WS 81148	GS 81148	0,500
300	400	81248M	240	335	261	2,0	22,1	K 81248M	WS 81248	GS 81248	1,900
400	530	81152M	260	316	268	1,5	7.90	K 81152M	WS 81152	GS 81152	0,560
280	380	81252M	260	353	280	2,0	24,1	K 81252M	WS 81252	GS 81252	2,300
						,	,				,
360	480	81156M	280	346	288	1,5	10,5	K 81156M	WS 81156	GS 81156	1,100
260	360	81256M	280	373	300	2,0	26,1	K 81256M	WS 81256	GS 81256	2,400
320	430	81160M	300	373	315	2,0	16,4	K 81160M	WS 81160	GS 81160	1,500
220	320	81260M	300	413	328	2,5	40,3	K 81260M	WS 81260	GS 81260	4,200
300	400	81164M	320	394	334	2,0	18,0	K 81164M	WS 81164	GS 81164	1,900
200	300	81264M	320	434	348	2,5	42,6	K 81264M	WS 81264	GS 81264	4,800
						-,-	,-				,,,,,
280	380	81168M	340	414	354	2,0	19,4	K 81168M	WS 81168	GS 81168	2,000
200	280	81268M	340	452	367	2,5	46,9	K 81268M	WS 81268	GS 81268	5,300
								.,			
270	370	81172M	360	434	374	2,0	19,4	K 81172M	WS 81172	GS 81172	2,100
180	260	81272M	360	492	393	3,0	65,3	K 81272M	WS 81272	GS 81272	8,800
260	360	81176M	380	453	393	2,0	23,5	K 81176M	WS 81176	GS 81176	2,20
						-,-	,-				_,
250	350	81180M	400	473	413	2,0	24,3	K 81180M	WS 81180	GS 81180	2,60
240	340	81184M**	420	493	433	2,0	27,0	K 81184M	WS 81184	GS 81184	2,80
210	310	01100M**	440	533	459	2.0	41.6	V 01100M	WC 01100	GS 81188	F 20
210	310	81188M**	440	000	409	2,0	41,6	K 81188M	WS 81188	US 01100	5,30
200	300	81192M**	460	553	479	2,0	44,0	K 81192M	WS 81192	GS 81192	5,80
						-,-	,=				2,23
190	280	81196M**	480	583	500	2,0	47,3	K 81196M	WS 81196	GS 81196	6,10
180	270	811/500M**	500	592	519	2,0	49,8	K 811/500M	WS 811/500	GS 811/500	7,10
180	260	811/530M**	530	632	554	2,5	59,1	K 811/530M	WS 811/530	GS 811/530	9,20
100	200	011/330W	000	032	554	2,5	59,1	K 011/330W	W3 011/330	us 011/330	9,20
170	260	811/560M**	560	662	584	2,5	62,3	K 811/560M	WS 811/560	GS 811/560	9,90
						, _	,0	, , , , , , , , , , , , , , , , , , , ,	,		2,00
170	240	811/600M**	600	702	624	2,5	34,1	K 811/600M	WS 811/600	GS 811/600	12,00
160	220	811/630M**	630	732	650	2,5	82,3	K 811/630M	WS 811/630	GS 811/630	17,00








ZKI)

# 12.9 SPHERICAL ROLLER THRUST BEARINGS

Spherical roller thrust bearings have a large number of asymmetrical spherical rollers with good adhesion to shaft and housing rings, making them suitable for capturing large axial loads as well as certain radial loads at relatively high speeds. Bearings are detachable, which can be utilized during installation. Bearings are manufactured with a pressed steel-sheet cage, which forms an integral unit with the shaft ring and spherical rollers. In addition, ZKL also manufactures bearings with a massive cage. A massive brass cage is guided by the sleeve fastened in the shaft ring bore and together also form an integral unit. The internal bearing design with massive cage requires oil lubrication. In other cases, the bearings may also be lubricated with greases – preferably with EP additives. In such cases, a sufficient amount of lubricant must be supplied into contact with the spherical roller faces and the guide flanges. Both variants of the structural design are illustrated in figure 12.9.1.






Fig. 12.9.1



The main dimensions of bearings are consistent with standard ISO 104 and are listed for individual bearings in the tables of the publication.











FD1



### Labelling

Labelling of standard bearings is specified in the tables of the publication. Divergence from the standard design is marked by additional characters specified in the catalogue introduction.

J..... Bearing with cage made from steel sheeting

EJ..... Optimized internal design with steel cage


M..... Bearing with massive brass cage

EM..... Optimized internal design with massive brass cage

EF . . . . . Optimized internal design with massive steel cage

### Cage

Spherical roller thrust bearings in "M" and "EM" versions have brass cages guided by the steel sleeve on the shaft ring. "EF" design is identical to "EM"; the cage material is steel. "J" version bearings have a steel-sheet cage guided on a shaft ring. "J" -version bearings are interchangeable with bearings with a massive brass cage. If a bearing with a massive brass cage is to be substituted in a loading, where the shaft ring is supported on the shaft by the steel sleeve face that guides the cage by a bearing designed with a sheet-metal cage, then a spacing ring must be inserted between the shaft ring and the original fitting on the shaft – see figure 12.9.2. When replacing bearings of older designs or from a different manufacturer, the dimensions of the spacing ring must also be checked or machined to the dimension needed (fig. 12.9.3). The recommended outer ring diameter is specified in the tables. The ring must be tempered and the faces must be precisely grinded.






Fig. 12.9.2 Fig. 12.9.3



#### Precision

Bearings are currently produced at a normal degree of precision PO, which is not marked. The dimensional and operational precision tolerances are listed in table 7.16.

### Self-alignment ability

The spherical raceway of the bearing housing ring during regular operating conditions ( $F_a \le 0.1C_a$ ) enables self-alignment from the centre position without interfering with the proper bearing function by the values specified in the table.

Table 12.9.1

Bearing type	Permissible misalignment
292	2°
293	2°30
294	3°

### Loading structure

The connecting dimensions, specified in the tables of the publication, are suitable for bearings, where the load  $F_a = 0.1C_a$ . Bearing rings should be supported along their entire faces during greater loads, i.e.  $d_a = d1$  a  $D_a = D1$ .

When using bearings with a sheet-metal cage, we recommend enlarging the hub bore near the cage by 20 mm to prevent any shaft onset from coming into contact with the cage (fig. 12.9.4).




Fig. 12.9.4











503



### Axial equivalent dynamic load

$$P_a = F_a + 1, 2F_r$$
  $(F_r \le 0, 55F_a)$  [kN]

Axial equivalent static load

$$P_{oa} = F_{a} + 2.7F_{r}$$
  $(F_{r} \le 0.55F_{a})$  [kN]

The static safety coefficient for Spherical roller thrust bearings must be so  $\geq 4$ .

#### Minimal axial load

Higher rotation speeds in spherical roller thrust bearings present a risk of rolling elements sliding between the raceways due to the centrifugal forces in cases, when the axial load  $F_a$  falls below the permissible value. The following relationship is used for calculating the  $F_{a,min}$  value:

when  $1.8F_{r} < 0.0005$  CO

$$F_{a \min} = 0,0005 \text{ CO} + \text{M} (0,001\text{n})^2$$

otherwise

$$F_{a \min} = 1.8F_r + M (0.001n)^2$$

minimal avial load

r _{a min} IIIIIIIIIIdi dXIdi IUdu	[KIN]
F _r radial load	[kN]
C _{oa} axial static load rating	[kN]
(values are provided in the tables of the publication)	
n rotating speed	[min <mark>-1</mark> ]
M coefficient of minimum axial load	
(values are provided in the tables of the publication)	

LIVII

If the external axial load of the bearing is too small or if the bearing is unloaded during operation, e.g. in bearing pairs, then an axial load must be created, e.g. by the use of springs. If a radial load is simultaneously acting, the following condition must be met:  $F_r \le 0.55F_a$ .

••• 504

















# Spherical roller thrust bearings d = 50 to 1120 mm

d = 50 to 130 mm







					Ma	ain dim	ensions						Basic loa	ad rating
ĺ	d	D	н	d ₁	D ₁	В	В,	<b>B</b> ₂	Вз	h	A	r _s	dynamic	static
_ Î	ĺ											min	C _a	C _{oa}
12.9.1						mn	n						kl	
	50	110	36	95,0	70,0	25	13		32,0	20,5	32	1,5	299	930
	60	130	42	118,0	88,0	28	15	39,5	35,5	20,0	38	1,5	287	809
	60	130	42	112,3	87,0	27	27	39,5	37,0	20,0	38	1,5	345	951
				,,,,,	0.,0				0.,0	20,0		.,_	0.0	
	65	140	45	128,0	96,5	28	16	42,5	38,0	21,0	42	2,0	340	973
Н		140	45	122,8	93,0	29,5	16		39,0	21,0	42	2,0	417	1155
	70	150	48	137,0	102,0	32	17	45,5		23,0	44	2,0	371	1070
	70	150	48	131,6	102,0	31	17	45,5	43.5	23,0	44	2,0	453	1280
				101,0	100,0	Ŭ.			.0,0	20,0		2,0		.200
	75	160	51	146,0	109,0	34,5	18	48,0		24,0	47	2,0	429	1250
		160	51	141,8	108,0	33,5	18		47,0	24,0	47	2,0	527	1500
	0.0	470		455.0	440.0	0.0	4.0	<b>54.0</b>		04.0	50	0.4	101	4070
	80	170 170	54 54	155,0	116,0	36	19	51,0	46.5	24,0	50	2,1	464	1370
		170	54	150,8	116,0	36	19		46,5	24,0	50	2,1	625	1640
	85	180	58	164.0	125.0	38	21	55.0		28.0	54	2.1	527	1570
		180	58	164,0	123,0	37	21		50,0	28,0	54	2,1	713	1945
Н	90	190	60	174,0	130,0		22	57,0		29,0	56	2,1	578	1780
		190	60	170,8	130,0		22	57,0		29,0	56	2,1	724	2172
	100	170	42	150,0	128,0	26,2	15		37,3	20,5	58	1,5	449	1400
	100	210	67	193,0	144,5	20,2	24	64.0	01,0	32,0	62	3,0	705	2170
		210	67	189,8	144,0		24	64,0		32,0	62	2,5	891	2578
	110	190	48	176,0	143,0		16	45,5		23,0	64	2,0	442	1420
		190	48	176,0	143,0	31	16	00.0	42,0	23,0	64	2,0	587	1760
		230	73 73	212,0 209,5	160,0 159,0		26 27	69,0		35,0 35,0	69 69	3,0 2,5	817 1053	2600 3078
		200	73	209,5	100,0		21			33,0	03	2,0	1000	3070
	120	210	54	194,0	157,5		18	51,0		26,0	70	2,1	577	1830
		210	54	187,1	155,5	35,5	19		47,0	27,0	70	2,1	670	2100
		250	78	229,0	172,0		29	74,0		37,0	74	4,0	934	3000
		250	78	226,8	173,0		29			37,0	74	4,0	1215	3590
	130	225	58	205,0	170,0	37	19	55,0		28,0	76	2,1	647	2070
	130	225	58	205,0	165.7	31	21	55,0	49,6	30,1	76	2,1	788	2950
		270	85	247,0	188,0	55,5	31	81,0	10,0	41,0	81	4,0	1090	3540
		270	85	245,0	188,0		31		74,0	41,0	81	4,0	1437	4300

. . 505







Deliveries of bearings marked * must be first consulted with the manufacturer, ** NEW FORCE

									,	
Fatique load limit	Limiting speed for lubrication with	Bearing designation		Abutme	ent and fi	llet dime	nsions		Weight	Minimum axial load factor
			d	d _a	d _{b1}	D _a	d _{b2}	r _a		
Pu	oil			min	max	max	max	max		
kN	min ⁻¹				mı	 n			kg	
110	3100	29410EJ**	50	70	55,8	90	59,5	1,5	1,67	0,11
					, .		, .	, .	, .	-,
99	2400	29412M*	60	90		109		1,5	2,60	0,08
120	2600	29412EJ**		90	67,0	117	67	1,5	2,47	0,11
120	2200	29413M*	65	100		118		2,0	3,30	0,12
140	2400	29413EJ**		100	72,0	118	72	2,0	3,26	0,17
130	2000	29414M*	70	105		126		2,0	4.00	0,14
160	2200	29414EJ**	70	105	77,5	126	77,5	2,0	3,98	0,14
100	2200	2041420		100	11,0	120	77,0	2,0	0,00	0,2
150	2000	29415M*	75	115		134		2,0	4,90	0,2
180	2200	29415EJ**		115	82,5	134	82,5	2,0	4,90	0,28
170	1900	29416M*	80	120		141		2,0	5,80	0,23
200	2000	29416EJ**		120	88,0	141	88	2,0	5,80	0,34
190	1800	29417M*	85	130	040	153	0.4	2,0	6,90	0,31
240	1800	29417EJ**		130	94,0	153	94	2,0	6,67	0,47
220	1700	29418M*	90	135		161		2,0	8,10	0,4
260	1800	29418EJ**	30	135	99,0	161	99	2,0	8,10	0,59
200	.000				00,0			2,0	0,10	0,00
170	2000	29320EJ**	100	130	107,0	147	107	1,5	3,95	0,25
260	1500	29420M*		150		178		2,5	11,8	0,59
310	1600	29420EJ**		150	110,0	175	110	3,0	10,8	0,83
150	1600	29322M*	110	145	447.0	165	447	2,0	5,50	0,25
190 270	1600 1400	29322EJ** 29422M*		145 165	117,0	165 196	117	2,0	5,40	0,39
320	1400	29422M* 29422EJ**		165	120,5	196	129	2,5 2,5	14,5 13,5	0,85 1,2
520	1400	23422LU		100	120,0	193	129	2,0	10,0	1,2
190	1400	29324M**	120	160		184		2,0	7,60	0,42
220	1600	29324EJ**		160	128,0	181	128	2,0	7,41	0,55
300	1300	29424M*		180		212		3,0	18,1	1,1
360	1300	29424EJ**		180	132,0	209	140	3,0	17,5	1,6
210	1300	29326M**	130	170		198		2,0	9,30	0,54
300	1500	29326EJ**		175	138,0	194	143	2,0	9,08	1,1
350 430	1200 1200	29426M* 29426EJ**		195 195	140 5	229	153	3,0	22,5	1,6
430	1200	29420EJ""		195	142,5	227	153	3,0	21,6	2,3














• • • 507 • • •



# Spherical roller thrust bearings









				Ma	ain dime	ensions						Basic loa	ad rating
d	D	н	d ₁	D ₁	В	В,	B ₂	B ₃	h	Α	r _s	dynamic	static
_											min	C _a	C _{oa}
12.9.1					mn	n						k	N
140	240	60	219,0	183,0		20	57,0		29,0	82	2,1	695	2310
	240	60	214,9	178,9	38,5	22		52,4	30,0	82	2,1	876	3150
	280	85	257,0	197,5		31	81,0		41,0	86	4,0	1164	3750
	280	85	254,0	196,5	54	32		74,0	41,0	86	4,0	1554	4686
150	250	60	229,0	193,0		20	57,0		29,0	87	2,1	718	2430
	250	60	222,5	189,6	38	22		53,8	28,0	87	2,1	889	3236
	300	90	276,0	211,5		32	86,0		44,0	92	4,0	1318	4270
	300	90	273,0	209,5	58	34		79,0	44,0	92	4,0	1675	5241
160	270	67	248.0	207.0		23	64.0		32.0	92	3.0	831	2810
	270	67	243,6	202,3	42	24	, ,	58,6	33,0	92	3,0	1067	3977
	320	95	306,0	226,0		34	91,0		45,0	99	5,0	1504	4810
	320	95	282,8	221,7	60,5	35	,	82,0	45,5	99	5,0	1854	5930
170	280	67	258,0	215,0		23	64,0		32,0	96	3,0	858	2950
	280	67	253,6	214,6	42,2	24		60,0	32,0	96	3,0	1090	4098
	340	103	324,0	240,0		37	99,0		50,0	104	5,0	1669	5380
	340	103	301,0	236,0	65,5	36		88,0	50,0	104	5,0	2029	6230
180	300	73	277,0	231,0		25	69,0		35.0	103	3,0	1014	3530
100	300	73	270.4	228,3	46	26	00,0	64.3	35.5	103	3,0	1280	4813
	360	109	342,0	255,0	-10	39	105,0	0-1,0	52,0	110	5,0	1854	6010
	360	109	320,6	248,7	69,5	38	100,0	93,0	53,0	110	5,0	2297	7160
			,-	, .	,-			, -	, -		-,-		
190	320	78	294,0	246,0		27	74,0		38,0	110	4,0	1120	4010
	320	78	284,4	239,5	49	28		68,0	36,0	110	4,0	1483	4840
	380	115	360,0	270,0		41	111,0		55,0	117	5,0	2019	6610
	380	115	339,2	263,0	73	41		98,0	55,5	117	5,0	2493	7750
200	280	48	264,0	233,0	32	17	45,0		24,0	108	2,1	731	3150
	340	85	325,0	261,0		29	81,0		41,0	116	4,0	1300	4740
	340	85	302,8	253,6	53,5	29		73,0	40,0	116	4,0	1669	5480
	400	122	365,0	284,0		43	117,0		59,0	122	5,0	2210	7510
	400	122	355,7	276,5	77	43		104,0	59,4	122	5,0	2791	8790
220	300	48	286,0	252,0		17	46,0		24,0	117	2,0	757	3350
	360	85	345,0	280,0		29	81,0		41,0	125	4,0	1340	4970
	360	85	324,4	273,0	55	29		74,0	41,0	125	4,0	1792	6300
	420	122	400,0	305,0		43	117,0		58,0	132	6,0	2328	7970
	420	122	375,3	296,0	77	44		103,0	58,5	132	6,0	2905	9070

• 508

(ZK)







Deliveries of bearings marked * must be first consulted with the manufacturer, ** NEW FORCE

		2011/01/00 01								
Fatique load limit	Limiting speed for lubrication with	Bearing designation		Abutme	ent and fi	llet dime	ensions		Weight	Minimum axial load factor
			d	d _a	d _{b1}	D _a	d _{b2}	r _a	-	
P _u	oil			min	max	max	max	max		
kN	min ⁻¹				mı	m			kg	
230	1300	29328M**	140	185		211		2,0	11,0	0,67
320	1400	29328EJ**		185	148.0	208	154	2,0	10,5	1,2
370	1200	29428M**		205	1.0,0	239		3,0	24,2	1,8
460	1200	29428EJ**		205	153,0	239	162	3,0	23,0	2,7
.00	.200				.00,0	200		0,0	20,0	_,.
240	1200	29330M**	150	195		222		2,0	11,5	0,74
320	1400	29330EJ**		195	158,0	219	163	2,0	10.9	1,3
410	1100	29430M**		220	100,0	257	.00	3,0	29,4	2,3
500	1100	29430EJ**		220	163,0	275	175	3.0	28,2	3,4
000	1100	20.0020		220	.00,0	2.0		0,0	20,2	٥, .
270	1100	29332M**	160	210		239		2,5	15,2	0,99
390	1200	29332EJ**	.00	210	169,0	235	176	2,5	14,4	2
450	1000	29432M**		230	,.	274		4,0	35,5	2,9
560	1000	29432EJ**		235	175,0	270	179	4,0	33,3	4,4
000	1000	2040220		200	170,0	210	170	7,0	00,0	,
280	1100	29334M**	170	220		248		2,5	16,0	1,1
390	1200	29334EJ**	170	220	178,0	245	187,5	2,5	15,1	2,1
500	940	29434M**		245	170,0	291	107,0	4,0	43,7	3,6
570	950	29434EJ**		250	185,0	286	199	4,0	40,1	4,9
0.0	000	20.0.20		200	.00,0	200	.00	.,0	,.	.,0
330	1000	29336M**	180	235		266		2,5	20,3	1,6
450	1100	29336EJ**	.00	235	189,0	262	195	2,5	19,1	2,9
540	890	29436M**		260	.00,0	307		4,0	52,0	4,5
650	900	29436EJ**		265	195,0	304	210	4,0	48,1	6,4
		20.0020			,.			.,0	,.	0, .
370	940	29338M*	190	250		283		3,0	24,8	2
450	1100	29338EJ**		250	199,0	280	208,5	3,0	23,3	2,9
590	840	29438M**		275	.00,0	325	200,0	4,0	60.0	5,5
690	850	29438EJ**		280	206,0	321	223	4,0	55,7	7,5
- 555								.,5		.,0
300	1150	29240EM**	200	235		260		2,0	8,76	1,2
430	890	29340M*		265		300		3,0	33,0	2,8
500	950	29340EJ**		265	211,0	300	221,5	3,0	28,9	3,8
660	790	29440M*		290	,5	343	.,,,	4,0	69,0	7,1
770	800	29440EJ**		298	217,5	334	234	4,0	66,3	9,7
0					,0			.,0	,5	-,,
310	1300	29244EM**	220	285		260		2,0	9,64	1,4
440	840	29344M*		285		320		3,0	32,8	3,1
560	950	29344EJ**		285	229,0	316	237,5	3,0	31,6	5
690	750	29444M**		310	,	364	,0	5,0	74,0	7,9
780	750	29444EJ**		315	238,0	355	254	5,0	69,1	10
. 20				2.0				-,0	,-	













• • • 509 • • •



# Spherical roller thrust bearings


d = 240 to 380 mm






				Ma	ain dime	ensions						Basic loa	ad rating
d	D	н	d ₁	D ₁	В	B ₁	B ₂	Вз	h	A	r _s	dynamic	static
<del>-</del> -											min	C _a	C _{oa}
12.9.1					mn	1						k	N
240	340	60	330,0	283,0		19	57,0		30,0	130	2,1	793	3450
	380	85	365,0	300,0		29	81,0		41,0	135	4,0	1340	5190
	380	85	343,7	294,8	54	29		75,0	40,5	135	4,0	1844	6490
	440	122	420,0	321,0		43	117,0		59,0	142	6,0	2410	8420
	440	122	393,0	320,0	76	44		103,0	59,0	142	6,0	3039	9770
260	360	60	350,0	302,0		19	57,0		30,0	139	2,1	825	3650
200	420	95	405,0	325,0		32	91,0		45.0	148	5,0	1780	6820
	420	95	380,3	320,4	61	32	01,0	84,0	46,0	148	5,0	2307	8310
	480	132	460.0	346.0	0.	48	127,0	0 1,0	64.0	154	6.0	2812	9870
	480	132	430,7	344	86	48	,-	117	63	154	6	3667	12080
			,										
280	380	60	370,0	323,0		19	57,0		30,0	150	2,1	872	3950
	440	95	423,0	345,0		32	91,0		46,0	158	5,0	1780	7100
	440	95	401,7	342,1	62	32		84,0	45,0	158	5,0	2276	8490
	520	145	495,0	380,0		52	140,0		68,0	166	6,0	3327	11840
	520	145	468,9	370,8	95	52		125,0	70,0	166	6,0	4604	15750
300	420	73	405,0	355,0		21	69,0		38,0	162	3,0	1061	4670
300	480	109	460,0	375,0		37	105,0		50,0	168	5,0	2180	8500
	480	109	431,9	366,7	70	36	100,0	95.0	51,0	168	5,0	2730	11000
	540	145	515,0	398,0	10	52	140,0	00,0	70,0	175	6,0	3317	11850
	540	145	489,2	370,0	95	55		128,0	70,0	175	6,0	4645	16460
			,	,				,	,		,		
320	440	73	430,0	375,0		21	69,0		38,0	172	3,0	1102	4930
	500	109	482,0	395,0		37	105,0		53,0	180	5,0	2180	8850
	500	109	456,1	387,0	78	37		95,0	53,0	180	5,0	2936	10920
	580	155	555,0	430,0		55	149,0		75,0	191	7,5	4007	14690
	580	155	525,6	421,8	102	55		134,0	74,5	191	7,5	5160	21200
340	460	73	436.0	389.5		21	69,0		37,0	183	3.0	1442	6600
	540	122	520,0	424,0		41	117,0		59,0	192	5,0	2719	10550
	620	170	590,0	452,0		61	164,0		82,0	201	7,5	4481	16410
	620	170	561,8	442,2	112	54	, -	146,0	84,0	201	7,5	5995	25080
360	500	85	485,0	420,0		25	81,0		44,0	194	4,0	1442	6600
	560	122	540,0	444,0		41	117,0		59,0	202	5,0	2730	11030
380	520	85	505,0	440,0		27	81,0		42,0	202	4,0	1597	7510
550	670	175	622,0	504,0		63	168,0		85,0	222	7,5	4841	19100
			/-	, , ,			, -		- · / -				







Deliveries of bearings marked * must be first consulted with the manufacturer, ** NEW FORCE

		Deliveries of	bearings	markeu	must be	III St COII	Suiteu Wii	ii tiie iiia	nuiaciurei,	NEW FORCE
Fatique load limit	Limiting speed for lubrication with	Bearing designation		Abutme	ent and fi	llet dime	ensions		Weight	Minimum axial load factor
			d	d _a	d _{b1}	D _a	d _{b2}	r _a		
Pu	oil			min	max	max	max	max		
kN	min ⁻¹				mı	n			kg	
310	890	29248M**	240	285		311		2,0	16,7	1,5
450	790	29348M*		300		340		3,0	35,3	3,4
560	900	29348EJ**		305	249,0	336	256	3,0	33,4	5,3
710	750	29448M**		330		383		5,0	79,0	8,9
830	750	29448EJ**		335	258,0	377	276	5,0	73,5	12
320	890	29252M**	260	305		331		2,0	18,5	1,7
580	750	29352M*		330		374		3,0	48,5	5,8
700	800	29352EJ**		335	272,0	370	283,2	4,0	46,9	8,6
810	670	29452M**		360		419		5,0	105	12
990	670	29452EJ**		406	278	378	296	5	96,1	18
340	840	29256M**	280	325		351		2,0	19,5	2
590	710	29356M*		350		394		4,0	52,5	6,3
710	800	29356EJ**		355	293,0	390	302	4,0	49,5	9
950	630	29456M*		390	222.2	453	040 5	5,0	132	18
1 300	630	29456EJ**		395	298,0	446	316,5	5,0	127	31
390	750	29260M**	300	355		386		2,5	30,5	2,7
690	630	29360M*	300	380		429		4,0	,	9
890	700	29360EJ**		380	312,0	429	325,8	4,0	74,0 68,7	15
940	600	29460M*		410	312,0	471	323,0	5,0	140	18
1 300	600	29460EJ**		415	318,0	465	339	5,0	133	34
1 300	000	23400L0		410	510,0	400	333	5,0	100	04
400	710	29264M**	320	375		406		2,5	32,9	3
710	630	29364M*	020	400		449		4,0	77,0	9,8
870	670	29364EJ**		405	332,0	442	336	4,0	72,1	15
1 100	560	29464M*		435	,-	507		6,0	175	27
1 600	560	29464EJ**		450	342,0	500	364	6,0	164	56
530	850	29268EM**	340	400		422		2,5	33,0	5,4
820	560	29368M**		430		484		4,0	103	14
1 300	500	29468M**		465		451		6,0	218	34
1 900	380	29468EJ**		475	358,0	530	364	6,0	211	79
520	630	29272M**	360	420		461		3,0	51,8	5,4
850	560	29372M**		450		504		4,0	107	15
580	600	29276M**	380	440		480		3,0	52,8	7,1
1 400	470	29476EM**		504		570		6,0	263	46













•••• 511 •••



# Spherical roller thrust bearings

d = 400 to 750 mm







					Ma	ain dim	ensions						Basic loa	nd rating
	d	D	Н	d ₁	D ₁	В	B ₁	B ₂	B ₃	h	Α	r _s	dynamic	static
Ī												min	Cª	C _{oa}
12.9.1						mn	n						kl	
	400	540	85	526,0	460,0		27	81,0		42,0	212	4,0	1648	7900
		620	132	596,0	494,0		44	127,0		64,0	225	6,0	3389	14120
		710	185	680,0	530,0		67	178,0		89,0	236	7,5	7014	26500
	420	580	95	553.0	484.2		30	91.0		46,0	225	5,0	2369	11230
	420	650	140	626,0	520,0		48	135,0		68,0	235	6,0	3512	14700
		730	185	663,0	540,0		67	175,0		90,0	244	7,5	7056	31020
		700	100	000,0	040,0		07	170,0		00,0		7,0	7000	01020
	440	680	145	655,0	546,0		49	140,0		70,0	245	6,0	3976	16850
		780	206	745,0	576,0		74	199,0		100,0	260	9,5	6468	24650
		780	206	718	554		77	199		101	257	9,5	8250	33270
н	480	650	103	635,0	554,0	61	33	99,0		55,0	259	6,0	1978	11000
		850	224	772,0	611,6		81	214,0		108,0	280	9,5	9935	44398
	500	670	103	654.0	574.0		33	99.0		55.0	268	5.0	2472	12120
	000	750	150	725,0	611,0		51	144,0		74,0	280	6,0	4347	18660
		870	224	801,0	625,6		81	218,0		110,0	290	9,5	10326	48568
	530	800	160	772,0	648,0		54	154,0		76,0	295	7,5	5284	22730
	000	000	400	700.0	200.0			447.0		00.0	004		0000	10000
ı	600	800	122	760,0	680,0		44	117,0		60,0	321	5,0	3832	19060
		900	180	850,0	731,0		64	171,0		87,0	335	7,5	7004	31500
	630	850	132	820,0	724,0		42	127,0		67,0	338	6,0	4378	22500
١	000	950	190	880	743		68	183		92	359	9,5	8940	38700
		1090	280	995	796		107	270		137	365	12	15244	63200
	670	900	140	858,0	762,0		50	130,0		73,0	361	6,0	4635	23280
		1150	290	1045	844		110	280		141	387	15	16274	69300
	710	1060	212	985	835		74	205		103	405	9,5	10506	46400
	710	1220	308	1110,0	899,0		118	205		149,0	405	15,0	10506 18128	76500
١		1220	300	1110,0	033,0		110	230,0		143,0	410	15,0	10120	70000
	750	1000	150	950	838		52	144		74	409	6	6448	31600
		1120	224	1086	890		76	216		109	415	9,5	9909	45800
		1280	315	1170	942		122	305		153	436	15	19776	86600

. . 512

(ZKI)







Deliveries of bearings marked * must be first consulted with the manufacturer, ** NEW FORCE

									,	
Fatique load limit	Limiting speed for lubrication with	Bearing designation	<del>                                     </del>						Weight	Minimum axial load factor
			d	d _a	d _{b1}	D _a	d _{b2}	r _a	-	
P _u	oil			min	max	max	max	max		
kN	min ⁻¹				mı	n			kg	
610	600	29280M**	400		460,0	500	3		55,3	7,8
1 100	500	29380M**			498,0	557	5		150	25
1 900	450	29480EM**			550,0	615	6		306	88
850	700	29284EM**	420	500		525		4	73,0	16
1 100	450	29384M**			523,0	585	5		170	27
2 200	430	29484EM**			592,0	684	8		308	120
1 200	450	29388M**	440		E 4 9 0	614	5		190	35
1 200 1 700	400	29488M**	440		548,0 592,0	684	8		407	76
2 400	380	T29488EM**		612	392,0	662	O	8	412	140
2 400	000	123400EW		012		002		J	712	140
800	500	29296M**	480		558.0	603	4		96,5	15
3 100	340	29496EM**			660,0	735	8		518	250
					, .					
870	470	292/500M**	500		578,0	622	4		101	18
1 300	400	293/500M**			613,0	680	5		220	44
3 300	340	294/500EM**		685		755		8	548	290
1 600	380	293/530M**	530		651,0	724	6		286	65
1 200	450	202/6005M**	600	700		705		4	160	4.5
1 300 2 100	450 330	292/600EM** 293/600EM**	600	700	735,0	725 815	6	4	160 390	45 120
2 100	330	293/600EW			735,0	010	0		390	120
1 500	350	292/630M**	630		730,0	789	5		211	63
2500	320	293/630EM**		795		860		8	488	190
4000	260	294/630EM**		860		950		10	1108	500
1 500	380	292/670EM**	670	790		815		5	237	68
4300	240	294/670EM**		905		1000		12	1269	600
2225	00-	000/240514	716	005		0.05		_	0.05	075
2900	280	293/710EM**	710	890		960		8	665	270
4 700	220	T 294/710EM**		970		1050		12	1420	730
2000	325	292/750EM**	750	880		925		5	327	120
2800	260	293/750EM**	750	935		1000		8	775	260
5200	200	274/750EF**		1015		1120		12	1660	940
3230	200	2. 1/10021		1010		1120		12	1000	3-13













••••• 513 •••



# Spherical roller thrust bearings


d = 800 to 1120 mm






				Basic load rating										
	d	D	н	d,	D ₁	В	B ₁	B ₂	B ₃	h	Α	r _s	dynamic	static
_ [												min	C _a	C _{oa}
12.9.1						mn	1						kl	
	800	1060	155	1010	890		52	149		77	434	7,5	6942	35200
		1180	230	1146	943		78	222		111	440	9,5	10506	49900
		1360	335	1300,0	1040,0		120	324,0		162,0	462	15,0	16830	72360
		1360	335	1250	1010		122	324		165	462	15	21321	94800
	850	1120	160	1060	945		47	154		82	455	7,5	7117	36700
	050	1050	100	4405	1050		50	474		00	F07	7.5	0755	40400
	950	1250	180	1185	1056		58	174		88	507	7,5	8755	46400
	1000	1460	276	1365	1165		100	267		137	561	12	18334	88100
	1000	1-00	210	1000	1100		100	201		101	501	12	10004	00100
	1060	1400	206	1325	1183		66	199		100	566	9,5	11124	59600
												.,-		
	1120	1460	206	1385	1243		70	199		97	601	9,5	11948	63100







Deliveries of bearings marked * must be first consulted with the manufacturer, ** NEW FORCE

Fatique load limit	Limiting speed for lubrication with	Bearing designation		Abutme	ent and fi		Weight	Minimum axial load factor		
			d	da	d _{b1}	D _a	d _{b2}	r _a		
P _u	oil			min	max	max	max	max		
kN	min ⁻¹				mı	n			kg	
2200	320	292/800EM**	800	935		980		6	383	150
3000	240	293/800EM**		995		1060		8	871	310
4 300	220	294/800M **			1055,0	1200	12		2010	650
5600	190	294/800EF**		1080		1185		12	2039	1100
2200	300	292/850EM**	850	980		1030		6	428	170
2700	260	292/950EM**	950	1095		1155		6	604	270
5000	180	293/1000EF**	1000	1245		1330		10	1560	970
3400	220	292/1060EF**	1060	1225		1290		8	866	440
3500	220	292/1120EF**	1120	1300		1365		8	906	500











• • • • • • • 515 • • •












# 12.10 SPLIT ROLLER BEARINGS

Our company currently devotes special attention to particular bearings, designed primarily for heavy industrial applications. Here we refer to split roller bearings, whose design and production technology are validated at ZKL on special cylindrical roller bearings and spherical roller bearings up to an outer diameter of 1600 mm. We are constantly expanding our product line, and ZKL ranks among the world's leading manufacturers.

Split roller bearings are preferred in settings, where axial installation of bearings in housings is unfeasible, which applies, for example, to multiple bearing shafts, crankshafts, long transmission shafting, or in cases, where installation of the bearing in the housing would be too time-consuming and where any prolonged shutdown of equipment could lead to large disruptions in operations.

The most commonly used split roller bearings in the world are single row cylindrical roller (fig. 12.10.1) and double row spherical roller bearings (fig. 12.10.2). ZKL includes both of the specified assemblies in its production program. These bearings have a radially split outer ring, inner ring, and cage for guiding rolling elements. Cages are usually made of massive brass. Both halves of the cage are connected to withstand dynamic forces, which the cage is exposed to during operation. Both halves of the inner ring are secured on the shaft by means of clamping rings with a screw lock element to prevent their release. The separating gap between the halves of the outer ring may be perpendicular to the face of the ring. The dividing plane of the inner ring, in contrast, should be inclined at an angle to prevent shock in the loaded zone at the edge of the dividing plane when the elements are rolling.






Fig. 12.10.1

Fig. 12.10.2

### Size range of split roller and spherical roller bearings

The size of special split roller bearings ranges, in the internal ring bore from  $\emptyset d = 150 \, \text{mm}$  to 1 200 mm and in the outer ring diameter up to 1 600 mm.

ZKL split roller bearings can be designed to manage either radial and axial loads, or only radial loads.









519 •



ZKL split spherical roller bearings are able to carry primarily radial, but also partial axial external loads in both directions.

Split spherical roller and roller bearings are designed with clamping rings that fit in the circular grooves of the inner rings. The screw assemblies of the split raceways are connected with special screws and the manufacturer specifies the tightening torque for individual sizes.

#### Installing bearings

When installing bearings with split rings, we recommend that the shaft diameter have an h6, or in extreme cases, an h7 to h9 tolerance rating. Shape variations of loading surfaces can be utilized at a maximum of up to 50% of the fitting tolerance. IT6 precision of loading surfaces is most often required. Prior to installing the bearings into the housing, we recommend that fitting paste be sparingly applied to loading surfaces to limit the formation of contact-borne corrosion. Installation of bearings into the loading should be performed by trained and experienced work personnel.

#### Lubrication of split bearings

Split bearing lubrication is subject to normal roller bearing requirements. Either an oil or grease lubricant may be used. The type of lubricant is selected, based on the operating conditions, the given maximum speed, the operating temperature, and the magnitude of the external load. The Technical and Consultation Services Department can assist in selecting a suitable lubricant.

### Housings for split bearings

Comprehensive bearing loading solutions can be designed for individual split bearings and loadings, which consists of a split bearing, the bearing housing, the lubrication system, and bearing diagnostics per customer specifications. Comprehensive solutions may be applied to both new loadings, which are in the prototype design phase, as well as for existing loadings that require substitution of a regular non-split bearing for a split bearing. Complete specifications are needed in both cases to achieve the optimal loading design. A complete specifications form, on the basis of which we produce an optimal structural design of the given loading, is available from the supplier upon request or, as necessary, following consultation by the ZKL Technical and Consultation Services Department.

#### Recommendations

Manufacturing of split bearings is a demanding process, and ZKL achieves this by mastering specialized steel heat-treatment procedures and individual component separation techniques, which eliminate any undesired stress and subsequent deformation of the material. The special approach in designing personal loadings and creating installation procedures demands close cooperation with the customer. For example, the standard equations usually cannot be used when calculating the bearing durability without first determining the correcting factors. We therefore recommend that the loading design and installation procedures always be consulted with ZKL Technical and Consultation Department personnel.

Split roller bearings may also be offered in different types and designs (e.g. radial ball, thrust ball, etc.).

When substituting an original non-split bearing with a split bearing, we recommend that the customer also contacts ZKL Technical Office personnel.

ZKL












# Split spherical roller bearings d = 25 to 1120 mm

d = 280 to 850 mm



	Main dim	ensions		Basic load rating		
d	D	В	B ₁	Dynamic C _r	Static C _{or}	
	m	m		kl	N	
280	500	260	176	2760	4890	
300	500	240	160	2790	5100	
360	540	220	134	2340	4650	
400	600	240	148	3020	5970	
420	620	238	150	2940	6140	
460	700	245	165	3380	6810	
470	720	270	167	3710	7730	
560	800	230	150	3500	8310	
	870	330	200	5160	1160	
600	920	310	212	5810	12500	
	980	515	375	10800	22200	
630	920	310	212	5920	12200	
670	980	350	230	6570	14700	
	1150	500	345	13000	23500	
710	950	375	243	5920	15900	
710	1030	360	236	7300	16100	
750	1000	360	250	6380	17200	
	1090	475	335	10100	25200	
800	1060	370	258	7100	19300	
	1150	490	325	13000	31900	
850	1120	390	272	7730	21200	
	1180	331	206	6570	17900	
	1280	430	280	10400	24100	
	1280	540	375	12900	31900	

. . 577

ZKI)

Fatique load limit	Weight	Bearing designation
P _u	~	
kN	kg	
396	175	PLC512-40
410	150	PLC512-41
361	155	PLC512-42
449	205	PLC512-43
457	215	PLC512-44
490	340	PLC512-45
552	375	PLC512-46
570	320	PLC512-47
78	580	PLC512-48
830	690	PLC512-49
1460	1350	PLC512-50
805	630	PLC512-51
952	800	PLC512-52
1480	1710	PLC512-39
1400	1710	1 20012-03
1030	700	PLC512-53
1030	880	PLC512-54
1090	1220	PLC512-37
1580	1300	PLC512-57 PLC512-56
1380	1300	FEC312-30
1210	810	PLC512-57
1960	1980	PLC512-58
1300	830	PLC512-59
1090	880	PLC512-60
1450	1550	PLC512-61
1910	2350	PLC512-62












# Split spherical roller bearings

d = 900 to 1120 mm



	Main din	nensions		Basic loa	nd rating
d	D	В	B ₁	Dynamic C _r	Static C _{or}
	m	m		ki	N
900	1180	400	280	8580	23300
	1340	490	325	12600	31500
950	1250	300	220	6400	20000
	1250	420	300	9240	26500
1000	1470	530	345	15200	37600
1020	1280	352	218	6280	20000
1060	1460	500	335	11700	35100
1060,355	1400	490	335	11600	33300
1120	1460	500	335	12000	34600
	1540	525	335	14000	39800

. . . 524

ZKI)

Fatique load limit	Weight	Bearing designation
P _u	~	
kN	kg	
1410	1100	PLC512-63
1860	1800	PLC512-64
1190	987	PLC512-55
1570	1300	PLC512-65
2160	3000	PLC512-66
1170	950	PLC512-67
2000	2470	PLC512-68
1910	1800	PLC512-69
1960	2070	PLC512-70
2230	2950	PLC512-71










E3E



# Split cylindrical roller bearings d = 150 to 600 mm

d = 150 to 238 mm



Main dimensions				Basic load r	nd rating
d	D	В	В,	Dynamic C _r	Static C _{or}
	mı	n		kl	N
150	254	98,4	55,6	454	653
	292,1	123,8	68,3	810	1090
	330,2	160	81	1180	1520
155	254	98,4	55,6	454	652
	292,1	123,8	68,3	810	1090
160	273,05	109	60,3	513	750
	317,5	140	83,3	854	1120
	355,6	171	103,2	1370	1960
165	317,5	140	83,3	854	1120
170	285,75	109	55,5	551	840
17.0	355,6	171	103,2	1370	1960
180	285,75	109	55,5	551	841
	330,2	140	83,3	942	1290
	374,65	178	92,1	1480	2130
190	311,15	109	60,3	576	936
	368,3	156	90,5	1100	1570
	419,1	191	97,7	1580	2530
195	368,3	156	90,5	1100	1570
200	311,15	109	60,3	576	936
	419,1	191	97,7	1580	2530
203,2	368,36	156	90,5	1040	1520
218	393,76	156	90,5	1200	1760
220	393,76	156	90,5	1200	1760
	342,9	115	63,5	623	1040
	469,9	212	109,6	1900	2700
238	440,07	156	90,5	1250	1920

ZKI

Fatique load limit	Weight	Bearing designation
P _u	~	
kN	kg	
65	16,6	PLC410-49
105	64,0	PLC411-36
143	57,0	PLC411-43
64	16,6	PLC410-50
104	64,0	PLC411-37
73	20,0	PLC411-29
105	39,0	PLC411-38
180	72,0	PLC411-44
105	39,0	PLC411-39
80	23,0	PLC411-30
179	72,0	PLC411-45
80	23,0	PLC411-31
119	45,0	PLC411-40
191	79,0	PLC411-46
87	25,0	PLC411-32
141	59,0	PLC411-41
221	105	PLC412-43
140	59,0	PLC411-42
86	25,0	PLC411-33
220	105	PLC412-44
135	62,0	PLC411-28
153	83,8	PLC411-27-1
153	83,0	PLC411-27
93	32,0	PLC411-34
227	145	PLC412-45
162	92,0	PLC412-7-1












# Split cylindrical roller bearings

d = 240 to 420 mm



Main dimensions				Basic load rating	
d	D	В	В,	Dynamic C _r	Static C
	mn	1		ki	
240	374,65	122	66,7	691	1240
	440,07	156	90,5	1250	1920
	482,6	211	105,6	2120	3190
260	431,8	170	96,8	1140	1940
200	406,4	128	69	783	1410
	482,6	211	105,6	2120	3190
	102,0	2	.00,0	2120	0.00
280	406,4	128	69	783	1410
	463,55	186	101,6	1520	2320
	495,3	244	139,7	2450	4040
300	438,15	143	74,6	8230	1540
300	495,3	193	103,2	1620	2600
	558,8	244	139,7	2520	4140
	330,0	244	100,1	2320	4140
320	622,37	272	160,4	3100	4950
	463,55	136	74,6	915	1740
	527,05	192	106,4	1730	2830
340	488,95	136	74,6	940	1890
010	565,15	200	115,9	1920	3180
	615,95	279	158	3190	5490
	010,00	210	100	0100	0400
360	520,7	140	76,2	1010	2050
	565,15	200	115,9	1920	3180
	615,95	279	158	3190	5490
380	520,7	140	76,2	1010	2050
500	584,2	200	111,1	2020	3510
	685,8	292	166,7	3530	6000
	000,0	202	100,1	0000	0000
400	546,1	140	76,2	1050	2200
	615,95	200	115,9	2120	3710
	685,8	292	166,7	3530	6000
420	571,5	140	76,2	1070	2360
.20	647,7	200	119,1	2230	4000
	700	284	160	4020	7510
		20.		.020	. 010



Fatique load limit	Weight	Bearing designation
P _u	~	
kN	kg	
108	40,0	PLC411-35
162	92,0	PLC412-7
265	150	PLC412-46
163	86,5	PLC412-11
120	50,0	PLC412-61
262	150	PLC412-47
202	100	1 20412 41
119	50,0	PLC412-13
191	86,0	PLC412-13
328	182	PLC412-28
320	102	PLC412-40
107	00.0	DI 0440 44
127	60,0	PLC412-14
210	123	PLC412-29
326	238	PLC412-49
379	353	PLC412-8
141	72,0	PLC412-15
224	150	PLC412-30
150	78,0	PLC412-16
247	182	PLC412-31
419	318	PLC412-50
160	86,0	PLC412-17
245	182	PLC412-32
416	318	PLC412-51
410	310	PLC412-31
150	00.0	DI 0440 40
159	86,0	PLC412-18
267	186	PLC412-33
443	431	PLC412-52
168	95,0	PLC412-19
278	209	PLC412-34
440	431	PLC412-53
178	104	PLC412-20
295	241	PLC412-35
546	395	PLC412-54












# Split cylindrical roller bearings

d = 440 to 600 mm



	Main dimensions			Basic load rating	
d	D	В	В,	Dynamic C _r	Static C _{or}
3.01.21	mn	1		kN	
440	596,9	140	76,2	1110	2510
	666,75	200	115,9	2370	4380
	700	284	160	4020	7510
460	596,9	140	76,2	1110	2510
	666,75	200	115,9	2370	4380
	740	294	170	4270	7700
480	628,65	144	81	1150	2580
	698,5	223	119,1	2500	4770
500	654,05	168	80,2	1190	2750
	717,55	226	115,9	2600	5160
	850,9	300	187,4	4790	8800
530	692,15	168	81	1230	2920
	762	229	119,1	2850	5550
	850,9	300	187,4	4790	8800
560	717,55	168	81	1270	3090
	793,75	233	122,2	2970	6000
	863,6	310	196,9	5380	10600
600	774,7	172	84,1	1400	3510
	838,2	214	119,1	3070	6470
	890	310	184	5610	11400



Fatique load limit	Weight	Bearing designation	
P _u	~		
kN	kg		
187	114	PLC412-21	
320	250	PLC412-36	
543	395	PLC412-55	
186	114	PLC412-22	
318	250	PLC412-37	
549	431	PLC412-56	
188	128	PLC412-23	
342	263	PLC412-38	
198	136	PLC412-24	
		PLC412-24 PLC412-39	
366 605	272 730	PLC412-39 PLC412-57	
603	730	PLC412-57	
207	164	PLC412-25	
387	309	PLC412-40	
601	730	PLC412-58	
216	175	PLC412-26	
412	336	PLC412-41	
717	635	PLC412-59	
240	210	PLC412-27	
437	381	PLC412-42	
761	680	PLC412-60	




















# 12.11 BEARINGS FOR RAILWAY APPLICATIONS

The rail industry is a promising field world-wide. ZKL therefore dedicates special attention to bearings for rail vehicles. The product range of these bearings includes bearings for various types of drives, pumps, and fans, as well as for rail vehicle axles. Traction motors of electrical locomotives and driving electrical units are a special category. ZKL is expanding its product line by the addition of compact tapered units as well as conventional and electrically insulated bearings for traction motors. Aside from special bearings, ZKL offers additional technical support in this industry through servicing. We recommend that the customer consults delivery conditions of manufactured bearings with ZKL qualified personnel.

#### Axle bearings

The development and production of ZKL railway bearings meet CSN EN 12080 and UIC 510-1 standard requirements. Bearings are designed using modern engineering and computer programs. Parameters are verified through rigorous testing of bearings at testing stations according to ZKL methodology, UIC 515-5 and CSN EN 12082 standards

## Cylindrical roller bearings

They are particularly suitable for transferring high radial loads as well as shock axial loads at high revolution speeds. They are manufactured in pairs that comprise two single row bearings. The internal bearings are designed with a single flange on the inner ring (NJ). The external bearing is designed with an inner ring and without a fixed flange. This bearing includes an independent guiding collar, which attaches from the external side of the bearing pair.




Fig. 12.11.1

The bearings correspond in design to bearings with international markings:

NJ/NJP (WJ/WJP) 120x240 ZKL: PLC 410-13/14 or PLC 410-13/14.2, resp.

NJ/NJP (WJ/WJP) 130x240 ZKL: PLC 410-33/34.2







PLC 410-15/16 (PLC 410-15/16.2) bearings differ from PLC 410-33/34 bearings in the diameter of the inner ring raceway (parameter F in the catalogue table). These bearings are not interchangeable except in those applications approved in the customer documentation.

Cylindrical roller bearings have an optimized internal design for capturing dynamic forces both in a radial and axial direction and for ensuring perfect lubrication under all operating conditions.

Bearings are manufactured with a massive brass cage or plastic cage. Bearings with a plastic cage are marked with index 2 to differentiate the markings. Massive plastic cages (fig. 12.11.2) meet the most demanding operating requirements for railway vehicles. They are made from fibreglass reinforced polyamide PA66-GF25.

The bearing arrangement according to fig. 12.11.1 is an advantage, because it allows separate installation of inner rings on the journal and outer rings with rollers in the bearing housing. Recommended loading tolerances are provided in table 12.11.1.

Table 12.11.1

Con	ponent	Diameter tolerances	Shape and position deviations
journal	$Ød_1$	t7	7
journal	Ød	р6	5
housing	ØD	H7	6

The grease type for the particular application is determined by the operator upon receiving consent from the bearing manufacturer.

Bearings are also manufactured with a reduced inner ring bore diameter for use on axles with re-machined journals. Bearings are marked with an index rating. The parameters of all bearings, including clearances and speeds, for which the bearings are structurally designed, are specified in the catalogue tables.

# Tabered bearing units

These are special double row tapered roller bearings for supporting axles of high-speed personal and commercial rail vehicles (fig. 12.11.3).





Fig. 12.11.2 Fig. 12.11.3



Bearings consist of a common outer ring, two internal rings, and two rows of tapered rolls with cages made from fibreglass reinforced polyamide PA66-GF25. Bearing rings are surface treated with zinc phosphate. The optimum axial clearance of the bearings is set and the bearings are supplied prepared for direct installation. The internal space is sealed using special seals or covers that ensure reliable operation of bearings. The service intervals for bearings are determined according to the rail vehicle operating conditions and servicing of bearings is performed by the manufacturer. Installation and removal of these units for railway vehicle axles is easy, quick, and safe with the use of hydraulic equipment. Installation instructions are issued for installing bearings in individual loadings.

The bearings correspond in design to bearings with international markings:

TBU (CTBU) 130x230 ZKL: PLC 810-13

TBU 130x210 ZKL: PLC 810-15

Bearing alternatives for various loadings differ from the basic marking in their index rating, which comprises a number or combination of number and letter.

## Spherical roller bearings

They are suitable for handling large radial forces. Their design also enables simultaneous transfer of substantial axial loads in both directions. The bearings are inclined; they are thus able to compensate for some misalignment or shaft deflection. These characteristics make them very suitable for all heavy load applications. In addition to axle loadings, particularly of older types of railway vehicles, these bearings are used, for example, in gearboxes and fan drives.

Bearings are manufactured with a massive brass cage (M, EMH) and increased radial clearance in line with special technical conditions.

#### Calculations

The equations specified in chapter 5.5 Basic durability equations apply for bearing durability calculations. To properly determine the equivalent load P of dynamically loaded axle bearings, we recommend the use of auxiliary load factors, where are 1.2 to 1.3 for personal wagons, 1.2 to 1.4 for freight wagons, and 1.3 to 1.8 for driving vehicles.

# Bearings for traction motors

Bearings for traction motors are designed to meet demands for efficiency, high durability, and reliability. Traction motor bearings work under heavy-duty operating conditions with high loads and rotation speeds. They may consequently be manufactured with a higher degree of precision (P6, P5) and with increased radial clearance (C3, C4). The thermal treatment of bearing rings guarantees stability of component dimensions during operation at higher temperatures. The internal design of bearings ensures their high axial load-bearing capacity during operation. Bearings are manufactured with a solid brass cage that is guided along rolling elements (M) or along an external ring (MA). The cage and guiding surfaces are designed to provide optimal lubrication and low generation of heat.

Traction motor bearings are usually single row ball bearings, for supporting reduced radial loads and high speed operation, or single row roller bearings for supporting high radial loads. Roller bearings are also used for loadings that enable axial displacement of components due to thermal dilatation of dimensions.









Traction motor bearings are supplied in a non-insulated version with an insulated ceramic  $Al_2O_3$  coating that prevents the passage of electrical current through the bearing and prevents the formation of damage to raceways and the lubricant. The resistance of the coating is guaranteed up to 1 000 V DC. The suffix for bearings with this insulation coating on the outer ring is TM01. Information about the ceramic coating is provided in the chapter on electrically insulated bearings in the chapter Special bearings. For more detailed information, refer to the ZKL Technical and Consultation Services Department.



Fig. 12.11.4

Recommended loading tolerances are provided in table 12.11.2.

Table 12.11.2

		Shaft diameter		Bore diameter		
	Ball	Roller	Tolerances		Tolerances	
Fans	80-100	up to 40	j6		J7	
Generators	100-200	40-140	k6		K7	
Electric motors	18-100 100-200 140-200	up to 40 40-140 100-140	k5 m5 m6		M7	
Traction motors		50-140 140-500	n6* p6		H7	


ZKI

_






# Single row ball bearings for traction motors d = 65 to $150 \, mm$



		Main dim	ensions		Basic loa	ad rating	Fatique load limit		
-	d	D	В	r _s	Dynamic C _r	Static C _{or}	P _u		
12.11.1		mr	n		kl	N	kN		
	65	100	18,0	1,1	30,50	25,10	1,141		
		120	23,0	1,5	57,20	40,01	1,891		
	70	440	00.0		07.00	00.00	1,407		
	70	110 125	20,0 24,0	1,1 1,5	37,96 62,00	30,96 43,80	1,407 2,016		
		125	24,0	1,5	62,00	43,60	2,016		
	75	115	20,0	1,1	39,75	33,17	1,547		
		130	25,0	1,5	66,18	49,31	2,214		
	80	125	22,0	1,1	47,50	39,80	1,787		
		140	26,0	2,0	72,20	53,10	2,301		
		170	37,0	2,1	122,85	86,23	3,506		
	85	150	28,0	2,0	83,30	63,68	2,670		
		180	41,0	3,0	132,51	96,07	3,794		
	90	160	30,0	2,0	96,20	70,80	2,878		
		190	43,0	3,0	144,00	108,00	4,149		
	95	170	32,0	2,1	108,00	81,00	3,199		
		200	45,0	3,0	152,44	117,37	4,393		
	100	180	34,0	2,1	123,00	92,60	3,557		
		215	47,0	3,0	174,00	141,00	5,107		
	110	200	38,0	2,1	144,00	117,00	4,272		
		240	50,0	3,0	203,00	180,00	6,185		
			ŕ	ŕ	,		,		
	120	215	40,0	2,1	144,00	117,00	4,109		
		260	55,0	3,0	208,00	186,00	6,134		
	130	230	40,0	3.0	156,00	132,00	4,472		
	130	280	58,0	4,0	229,00	216,00	6,857		
		200	50,0	4,0	220,00	210,00	0,007		
	140	250	42,0	3,0	166,00	150,00	4,883		
		300	62,0	4,0	251,00	245,00	7,508		
	150	270	45,0	3,0	190,00	181,00	5,677		
		320	65,0	4,0	276,00	285,00	8,451		





Limiting sp lubricatio		Bearing	g designation	Abutmen	t and fillet din	nensions	Weight
			electrically	d	D _a	ra	~
grease	oil		insulated	min	max	max	
min	1				mm		kg
6300	7500	6013M	6013M TM01	70,0	93,0	1,0	0,44
5300	6300	6213M	6213M TM01	72,0	111,0	1,5	1,00
5600	6700	6014M	6014M TM01	75,0	103,0	1,0	0,61
5300	6300	6214M	6214M TM01	77,0	116,0	1,5	1,07
F000	0000	COAFM	CO1EM TMO1	00.0	100.0	1.0	0.05
5300 5000	6300 6000	6015M 6215M	6015M TM01 6215M TM01	80,0	108,0	1,0	0,65
5000	6000	02 I 5 I VI	6213WI TWOT	82,0	122,0	1,5	1,18
5000	6000	6016M	6016M TM01	85,0	118,0	1,0	0,87
4700	5600	6216M	6216M TM01	90,0	130,0	2,0	1,40
4000	4700	6316M	6316M TM01	91,0	158,0	2,0	3,63
						,-	
4200	5000	6217M	6217M TM01	95,0	140,0	2,0	1,80
3800	4500	6317M	6317M TM01	98,0	166,0	2,5	4,20
4000	4700	6218M	6218M TM01	100,0	150,0	2,0	2,16
3500	4200	6318M	6318M TM01	103,0	176,0	2,5	4,95
3800	4500	6219M	6219M TM01	107,0	158,0	2,0	2,60
3300	4000	6319M	6319M TM01	109,0	186,0	2,5	5,72
3500	4000	COOOM	COOOM TMO4	110.0	100.0	0.0	0.10
3200	4200 3800	6220M 6320M	6220M TM01 6320M TM01	112,0 113,0	169,0 201,0	2,0 2,5	3,13 7,07
3200	3600	0320W	0320W TWOT	113,0	201,0	2,5	7,07
3200	3800	6222M	6222M TM01	122,0	188,0	2,0	4,37
2600	3200	6322M	6322M TM01	123,0	227,0	2,5	9,58
				120,0	,	_,-	2,22
3000	3500	6224M	6224M TM01	132,0	203,0	2,0	5,15
2500	3000	6324M	6324M TM01	134,0	246,0	2,5	12,5
2600	3100	6226M	6226M TM01	144,0	216,0	2,5	5,75
2350	2800	6326M	6326M TM01	147,0	263,0	3,0	15,2
2500	3000	6228M	6228M TM01	154,0	236,0	2,5	7,56
2350	2800	6328M	6328M TM01	157,0	283,0	3,0	21,8
2200	0700	6230M	6230M TM01	164.0	056.0	0.5	0.05
2200 2000	2700 2400	6230M	6230M TM01	164,0 167,0	256,0 303,0	2,5 3,0	9,85 24,0
2000	2400	OGGOIN	OGGOINI TINIOT	107,0	303,0	0,0	24,0










# Single row cylindrical roller bearings for traction motors d = 35 to $150 \, \text{mm}$







d = 35 to 90 mm

			Mai	n dime	nsions			Basic Ioa	d rating	Fatique load limit	Limiting sp	
Ī	d	D	В	rs	r _{1s}	F	s ₁₎	dynamická	statická	P _u	grease	oil
0				min	min		''	C,	C _{or}	ü		
12.11.2				mm				kN		kN	min-1	
_	35	62	14,00	1,0	0,6	42,000	1,0	22,6	23,2	2,83	11000	13000
	40	68	15,00	1,0	0,6	47,000	1,0	27,3	29,0	3,54	10000	12000
ı	45	75	16,00	1,0	0,6	52,500	1,0	32,5	35,5	4,33	9000	11000
	50	80	16,00	1,0	0,6	57,500	1,5	32,0	36,0	4,39	8000	10000
					,	,		· ·	,	,		
	55	90	18,00	1,1	1,0	64,500	1,5	37,5	44,0	5,37	7500	9000
	60	95	18,00	1,1	1,0	69,500	2,0	41,0	51,0	6,22	6700	8500
	65	100	18,00	1,1	1,0	74,500	2,0	44,0	57,0	6,95	6300	8000
	70	110	20,00	1,1	1,0	80,000	2,0	59,0	71,0	8,66	6000	7100
	10	125	24.00	1,5	1,5	83,500	1.6	119,0	137,0	16,71	5000	6300
		125	24,00	1,5	1,5	83,500	1,6	119,0	137,0	16,71	5000	6300
		150	35,00	2,1	2,1	89,000	1,5	205,0	222,0	26,31	4000	5000
		150	35,00	2,1	2,1	89,000	1,5	205,0	222,0	26,31	4000	5000
		100	00,00	2,1	۷,۱	00,000	1,0	200,0	222,0	20,01	4000	0000
	75	115	20,00	1,1	1,0	85,000	2,5	60,0	74,5	9,23	5600	6700
		130	25,00	1,5	1,5	88,500	1,6	130,0	156,0	18,88	4800	6000
		130	25,00	1,5	1,5	88,500	1,6	130,0	156,0	18,88	4800	6000
		160	37,00	2,1	2,1	95,000	1,5	240,0	263,0	30,56	3800	4800
		160	37,00	2,1	2,1	95,000	1,5	240,0	263,0	30,56	3800	4800
	80	125	22,00	1,1	1,0	91,500	2,5	72,5	90,5	10,96	5300	6300
		140	26,00	2,0	2,0	95,300	2,0	139,0	167,0	19,79	4500	5300
		140	26,00	2,0	2,0	95,300	2,0	139,0	167,0	19,79	4500	5300
		170	39,00	2,1	2,1	101,000	1,5	256,0	282,0	32,16	3600	4300
		170	39,00	2,1	2,1	101,000	1,5	256,0	282,0	32,16	3600	4300
	85	150	28,00	2,0	2,0	100,500	2,0	167,0	199,0	23,12	4300	5000
	00	150	28,00	2,0	2,0	100,500	2,0	167,0	199.0	23,12	4300	5000
		180	41.00	3,0	3,0	108,000	2,0	291,0	330,0	36,99	3300	4000
		180	41,00	3,0	3,0	108,000	2,0	291,0	330,0	36,99	3300	4000
		100	41,00	3,0	3,0	100,000	2,0	281,0	330,0	30,99	3300	4000
	90	160	30,00	2,0	2,0	107,000	2,0	182,0	217,0	24,75	4000	4800
	-	160	30,00	2,0	2,0	107,000	2,0	182,0	217,0	24,75	4000	4800
		190	43,00	3,0	3,0	113,500	2,0	315,0	355,0	39,14	3200	3800
		190	43,00	3,0	3,0	113,500	2,0	315,0	355,0	39,14	3200	3800
								·				

. . 547







Bearing d	esignation		Al	outment a	and fillet o	dimensio	ns		Weight
	electrically insulated	d	d	d	d _b	D	r	r _b	~
	msulateu		min	max	min	max	max	max	
					mm				kg
NU1007M	NU1007M TM01	35	38,2	41,0	44,0	56	1,0	0,6	0,18
NU1008M	NU1008M TM01	40	43,2	45,0	49,0	63,4	1,0	0,6	0,23
NU1009M	NU1009M TM01	45	48,2	51,0	54,0	70,4	1,0	0,6	0,28
NU1010M	NU1010M TM01	50	53,2	56,0	60,0	75,4	1,0	6,0	0,30
NU1011M	NU1011M TM01	55	59,6	63,0	67,0	84	1,0	1,0	0,45
NU1012M	NU1012M TM01	60	64,6	68,0	72,0	89	1,0	1,0	0,48
NU1013M	NU1013M TM01	65	69,6	72,0	77,0	94	1,0	1,0	0,52
NU1014M	NU1014M TM01	70	74,6	78,0	82,0	104	1,0	1,0	0,70
NU214EM	NU214EM TM01		77	82,0	86,0	116	1,5	1,5	1,30
NJ214EM	NJ214EM TM01		77	82,0	86,0	116	1,5	1,5	1,30
NU314EM	NU314EM TM01		81	85,0	92,0	138	2,0	2,0	3,10
NJ314EM	NJ314EM TM01		81	85,0	92,0	138	2,0	2,0	3,10
NU1015M	NU1015M TM01	75	79,6	83,0	87,0	109	1,0	1,0	0,74
NU215EM	NU215EM TM01		82	85,0	90,0	121	1,5	1,5	1,50
NJ215EM	NJ215EM TM01		82	85,0	90,0	121	1,5	1,5	1,50
NU315EM	NU315EM TM01		86	93,0	97,0	148	2,0	2,0	3,70
NJ315EM	NJ315EM TM01		86	93,0	97,0	148	2,0	2,0	3,70
NU1016M	NU1016M TM01	80	86	90.0	94.0	119	1.0	1,0	1.00
NU216EM	NU216EM TM01	00	90	92,0	97,0	130	2,0	2,0	1,70
NJ216EM	NJ216EM TM01		90	92,0	97,0	130	2,0	2,0	1,70
NU316EM	NU316EM TM01		99	97,0	105,0	158	2,0	2,0	4,50
NJ316EM	NJ316EM TM01		99	97,0	105,0	158	2,0	2,0	4,50
NU217EM	NU217EM TM01	85	95	99.0	104,0	140	2.0	2,0	2,10
NJ217EM	NJ217EM TM01	00	95	99,0	104,0	140	2,0	2,0	2,10
NU317EM	NU317EM TM01		98	103,0	110,0	166	2,5	2,5	5,30
NJ317EM	NJ317EM TM01		98	103,0	110,0	166	2,5	2,5	5,30
NOTI EIII	.10017 Em 111101			100,0	110,0	100	2,0	2,0	3,50
NU218EM	NU218EM TM01	90	100	105,0	109,0	150	2,0	2,0	2,60
NJ218EM	NJ218EM TM01		100	105,0	109,0	150	2,0	2,0	2,60
NU318EM	NU318EM TM01		103	110,0	116,0	176	2,5	2,5	6,10
NJ318EM	NJ318EM TM01		103	110,0	116,0	176	2,5	2,5	6,10
									,










# Single row cylindrical roller bearings for traction motors


d = 95 to 150 mm






			Mai	n dimer	nsions			Basic Ioa	d rating	Fatique load limit	Limiting speed for lubrication with	
	d	D	В	rs	r _{1s}	F	s ₁₎	dynamická	statická	P _u	grease	oil
٥i				min	min			C,	C _{or}			
12.11.2				mm				kN		kN	min ⁻¹	1
	95	170	32,00	2,1	2,1	112,500	2,0	220,0	265,0	29,70	3800	4500
		170	32,00	2,1	2,1	112,500	2,0	220,0	265,0	29,70	3800	4500
		200	45,00	3,0	3,0	121,500	1,9	335,0	385,0	41,78	3000	3600
		200	45,00	3,0	3,0	121,500	1,9	335,0	385,0	41,78	3000	3600
1	00	180	34,00	2,1	2,1	119,000	2,0	249,0	305,0	33,62	3600	4300
		180	34,00	2,1	2,1	119,000	2,0	249,0	305,0	33,62	3600	4300
		215	47,00	3,0	3,0	127,500	2,0	380,0	425,0	45,23	2800	3400
		215	47,00	3,0	3,0	127,500	2,0	380,0	425,0	45,23	2800	3400
1	110	240	50,00	3,0	3,0	143,000	2,7	450,0	525,0	54,13	2600	3000
		240	50,00	3,0	3,0	143,000	2,7	450,0	525,0	54,13	2600	3000
1	20	260	55,00	3,0	3,0	154,000	2,7	530,0	610,0	61,36	2200	2800
		260	55,00	3,0	3,0	154,000	2,7	530,0	610,0	61,36	2200	2800
	00	000	50.00	4.0		107.000	0.0	0.15.0	705.0	70.07	2222	2222
1	30	280	58,00	4,0	4,0	167,000	2,9	615,0	735,0	72,27	2200	2600
		280	58,00	4,0	4,0	167,000	2,9	615,0	735,0	72,27	2200	2600
	40	200	00.00	4.0	4.0	100.000	0.7	005.0	705.0	70.50	0000	0400
1	40	300	62,00 62.00	4,0	4,0	180,000 180.000	2,7 2.7	665,0 665.0	795,0	76,53 76,53	2000 2000	2400 2400
		300	62,00	4,0	4,0	100,000	2,1	000,0	795,0	76,53	2000	2400
-1	50	320	65.00	4.0	4.0	193.000	2.7	760.0	920.0	86.83	1800	2200
-	00	320	65.00	4,0	4.0	193,000	2,7	760,0	920,0	86,83	1800	2200
		020	55,00	7,0		100,000	-,1	700,0	320,0	00,00	1000	2200







Bearing de	esignation		Al	outment a	and fillet o	dimensio	ns		Weight
	electrically insulated	d	d _a	d _a	d _b	D _a	r _a	r _b	~
			min	max	min	max	max	max	
					mm				kg
NU219EM	NU219EM TM01	95	107	111,0	116,0	158	2,0	2,0	3,20
NJ219EM	NJ219EM TM01		107	111,0	116,0	158	2,0	2,0	3,20
NU319EM	NU319EM TM01		109	119,0	124,0	186	2,5	2,5	7,10
NJ319EM	NJ319EM TM01		109	119,0	124,0	186	2,5	2,5	7,10
NU220EM	NU220EM TM01	100	112	117,0	122,0	168	2,0	2,0	3,80
NJ220EM	NJ220EM TM01		112	117,0	122,0	168	2,0	2,0	3,80
NU320EM	NU320EM TM01		113	125,0	132,0	201	2,0	2,0	8,60
NJ320EM	NJ320EM TM01		113	125,0	132,0	201	2,0	2,0	8,60
NU322EM	NU322EM TM01	110	124	135,0	145,0	226	2,5	2,5	11,8
NJ322EM	NJ322EM TM01		124	135,0	145,0	226	2,5	2,5	11,8
NU324EM	NU324EM TM01	120	134	145,0	156,0	246	2,5	2,5	15,0
NJ324EM	NJ324EM TM01		134	145,0	156,0	246	2,5	2,5	15,0
NU326EM	NU326EM TM01	130	148	155,0	169,0	262	3,0	3,0	18,7
NJ326EM	NJ326EM TM01		148	155,0	169,0	262	3,0	3,0	18,7
NU328EM	NU328EM TM01	140	158	166,0	182,0	282	3,0	3,0	23,0
NJ328EM	NJ328EM TM01		158	166,0	182,0	282	3,0	3,0	23,0
NU330EM	NU330EM TM01	150	168	185,0	195,0	302	3,0	3,0	27,0
NJ330EM	NJ330EM TM01		168	185,0	195,0	302	3,0	3,0	27,0










# Special Single row rolling bearings for railway vehicle axles

d = 118 to 130 mm



			Main o	dimensio	ns			Basic loa	d rating	Fatique load limit
d	D	В	r.	r _{1s}	d,	d,	F	Dynamic	Static	P.,
e,			min	min	·	1		C,	C _{or}	ű
12.11.3				mm				kN		kN
118	240	80	3	7,5	160,8		150	553	742	75,86
	240	80	3	7,5		160,8	150	553	742	75,86
119	240	80	3	7,5	160,8		150	553	742	75,86
	240	80	3	7,5		160,8	150	553	742	75,86
119,3	240	80	3	7,5	160,8		150	553	742	75,86
	240	80	3	7,5		160,8	150	553	742	75,86
120	200	62	2,1	2,1	148		140	371	565	57,76
	200	62	2,1	2,1		148	140	371	565	57,76
	240	80	3	7,5	160,8		150	553	742	75,86
	240	80	3	7,5	160,8		150	553	742	75,86
	240	80	3	7,5		160,8	150	553	742	75,86
	240	80	3	7,5		160,8	150	553	742	75,86
	215	73	3	2,1	150,8		140,5	520	730	76,26
	215	73	3	2,1		150,8	140,5	520	730	76,26
407	0.40	0.0			470.5		450	5.17	750	70.05
127	240	80	3	7,5	170,5		159	517	752	76,25
	240	80	3	7,5		170,5	159	517	752	76,25
128	240	80	3	7,5	170,5		159	517	752	76,25
	240	80	3	7,5		170,5	159	517	752	76,25
129	240	80	3	7,5	170,5		159	517	752	76,25
	240	80	3	7,5		170,5	159	517	752	76,25
	240	80	3	7,5	170,5		157	540	775	78,58
	240	80	3	7,5		170,5	157	540	775	78,58
129,3	240	80	3	7,5	170,5		157	540	775	78,58
	240	80	3	7,5		170,5	157	540	775	78,58
100	0.40	0.0			470.5		450	5.17	750	70.05
130	240	80	3	7,5	170,5		159	517	752	76,25
	240	80	3	7,5	170,5	470.5	159	517	752	76,25
	240	80	3	7,5		170,5	159	517	752	76,25
	240	80 80	3	7,5	170 E	170,5	159	517	752	76,25
	240		3	7,5	170,5	170 F	157	540	775	78,58
	240	80	3	7,5		170,5	157	540	775	78,58



Bearing designation	Maximum speed of rail vehicle	Radial c	learance	Axial cl	earance	Weight	Precision class
		min.	max.	min.	max.		
	km.h ⁻¹	mm		mm		kg	
PLC 410-13.2.3	200	0,12	0,16	0,3	0,9	16,2	P6
PLC 410-14.2.3	200	0,12	0,16	0,3	0,9	16,2	P6
PLC 410-13.2.4	200	0,12	0,16	0,3	0,9	16,1	P6
PLC 410-14.2.4	200	0,12	0,16	0,3	0,9	16,1	P6
PLC 410-13.2.5	200	0.12	0.16	0.3	0.9	16.0	P6
PLC 410-13.2.5 PLC 410-14.2.5	200	0,12	0,16	0,3	0,9	16,0	P6
FEG 410-14.2.3	200	0,12	0,10	0,5	0,9	10,0	10
PLC 49-8	120	0.125	0.165	0,3	0,9	8.27	PO
PLC 49-9	120	0,125	0,165	0,3	0,9	8,27	P0
PLC 410-13	160	0,12	0,16	0,3	0,9	16,8	P6
PLC 410-13.2	200	0,12	0,16	0,3	0,9	16,0	P6
PLC 410-14	160	0,12	0,16	0,3	0,9	16,8	P6
PLC 410-14.2	200	0,12	0,16	0,3	0,9	16,0	P6
PLC 410-53.2	160	0,125	0,165	0,2	0,4	10,4	P0
PLC 410-54.2	160	0,125	0,165	0,2	0,4	10,4	P0
PLC 410-15.2.5	160	0.135	0.18	0,3	0.0	14,8	P0
PLC 410-15.2.5 PLC 410-16.2.5	160	0,135	0,18	0,3	0,9	14,8	P0
PLC 410-10.2.5	100	0,133	0,16	0,3	0,9	14,0	FU
PLC 410-15.2.3	160	0.135	0.18	0.3	0.9	14.7	P0
PLC 410-16.2.3	160	0,135	0.18	0,3	0.9	14.7	P0
		2,122	-,	-,-	-,-	,.	
PLC 410-15.2.4	160	0,135	0,18	0,3	0,9	14,6	P0
PLC 410-16.2.4	160	0,135	0,18	0,3	0,9	14,6	P0
PLC 410-33.2.4	200	0,135	0,18	0,3	0,9	15,2	P6
PLC 410-34.2.4	200	0,135	0,18	0,3	0,9	15,2	P6
PLC 410-33.2.9	200	0,135	0,18	0,3	0,9	15,1	P6
PLC 410-34.2.9	200	0,135	0,18	0,3	0,9	15,1	P6
PLC 410-15	160	0,135	0,18	0,3	0,9	15.2	P0
PLC 410-15 PLC 410-15.2	160	0,135	0,18	0,3	0,9	15,2	P0 P0
PLC 410-15.2	160	0,135	0,18	0,3	0,9	15,2	P0
PLC 410-16.2	160	0,135	0,18	0,3	0,9	14,5	P0
PLC 410-33.2	200	0,135	0,18	0,3	0.9	15,1	P6
PLC 410-34.2	200	0,135	0,18	0,3	0,9	15,1	P6
		,	-, -	.,.		.,	








• 547 • •



# Double row spherical roller bearings for railway vehicle axles d = 100 to $190 \, mm$



			Main dim	ensions	;		Basic load	d rating	Fatique Ioad limit		speed for tion with
	d	D	В	r _s	а	b	Dynamic	Static	P _u	grease	oil
4.				min			C,	C _{or}			
12.11.4			mr	n			kN		kN	m	in ⁻¹
Ì	100	180	60,3	2,1	4,5	8,3	390	532	66,96	1700	2000
	110	200	69,8	2,1	4,5	8,3	502	706	75,49	1500	1800
			, .	,	, -	-,-			.,		
	120	215	76	2,1	4,5	8,3	750	1020	106,56	1500	1900
		215	58	2,1	4,5	8,3	439	580	60,59	1600	1900
	130	230	80	3	6	11,1	636	948	96,92	1300	1600
		280	93	4	7,5	13,9	904	1130	111,11	1300	1600
					,	,			,		
	140	210	53	2	4,5	8,3	511	781	80,52	1800	2400
		250	68	3	6	11,1	605	822	82,04	1400	1700
	170	310	110	4	7,5	13,9	1280	1880	176,31	950	1300
	190	290	75	2,1	6	11,1	759	1310	122,86	940	1200
		340	120	4	9	16,7	1550	2420	220,31	850	1100

(ZKL)

Bearing designation	Abutment	and fillet di	mensions	Weight	Factors			
	d _a min	D _a max	r _a max		е	Y,	Y ₂	Y _o
		mm		kg				
23220W33M	112	168	2	6,90	0,34	2	2,8	1,9
23222W33M	122	188	2	9,90	0,36	1,9	2,7	1,8
23224EW33MH	132	203	2	12,1	0,33	2	3	2
22224W33M	132	203	2	9,40	0,28	2,4	3,4	2,3
23226W33M	144	216	2,5	15,0	0,35	1,9	2,7	1,8
22326W33M	148	262	3	28,6	0,36	1,8	2,7	1,8
23028EW33MH	150	200	2	6,58	0,22	3	4,5	3
22228W33M	154	236	2,5	15,0	0,28	2,4	3,4	2,2
23234W33M	188	292	3	37,7	0,36	1,9	2,8	1,8
23038W33M	202	278	2	18,8	0,25	2,7	3,8	2,5
23238CW33M	208	322	3	47,7	0,36	1,9	2,8	1,9








540





# Tapered bearing units TBU



		Main din	nensions		Basic Ioa	ad rating	Fatique load limit	
.5	d	D	С	В	Dynamic C _r	Static C _{or}	$P_{_{u}}$	
12.11		m	m		k	N	kN	
	130	230	160	176,35	913	1620	165,62	
		210	132	148	658	1260	131	



Bearing designation	Equivalent	Maximum speed of rail vehicle	Weight
		max	
		km.h ⁻¹	kg
PLC 810-13 PLC 810-15	CTBU 130x230 CTBU 130x210	160 100	31,7 18
. 20 0.0 .0	0.20 .00%	100	.0







••••• 551 •••











ZKL

# 12.12 SPECIAL ROLLER BEARINGS

- Hybrid bearings
- Electrically insulated bearings
- Split bearings
- Other special bearings

#### HYBRID BEARINGS

Hybrid bearings have races made of bearing steel and rolling elements made of silicon nitride ( $Si_3N_4$ ). Hybrid bearings feature excellent electrical insulation properties that apply mainly in the area of electric motors. Silicon nitride rolling elements prevents passage of current through the bearings which protects also the bearing rings against damage by electric current.

Silicon nitride has also significantly lower density than steel which takes effects mainly at high revolutions by reduction of centrifugal forces which reduces tension of outer ring. This has positive effect to the durability of high rpm bearings. It also reduces inertial forces which takes effect mostly in sudden changes of revolution frequency. Lower inertial forces of rolling elements load cage partitions significantly less, comparing to the standard steel elements.

Silicon nitride has higher elasticity module than bearing steel. This takes effect in contact area by lower contact surface resulting in reduction of rolling and sliding friction. Along with lower weight of ceramic elements and lower centrifugal forces, friction can be reduced at high revolutions. Friction in bearing is closely related to the service temperature of bearing. The lower the friction factor in the bearing, the lower the service temperature. Hybrid bearings are therefore suitable for applications with high revolution frequencies.

Hybrid bearings are capable of operation at low service viscosity since in contact of hybrid rings and silicon nitride elements no abrasion occurs. Hybrid bearings are suitable also in operations where bearings operate at very big dynamic stress, or when bearings are greased only with a very thin lubrication film. Hybrid bearings are used in locations where vibrations act, or where bearings perform oscillation movements only.

Silicon nitride also features lower thermal ductility; bearing is thus less sensitive to temperature changes.

Availability of hybrid bearings has to be discussed with the supplier.



• 555 • •



## Hybrid ball bearings

Single row hybrid ball bearings are among the most frequently used hybrid bearings which find their application in electric motors. Their construction is very easy and they are able to transfer radial and axial load in both directions.

Hybrid ball bearings are made in dimensions with bore diameter between 10 to 120 mm. Bearings with bigger dimensions can be made upon customer's request. Hybrid bearings for electric motors are made in rows 60, 62 and 63 as uncovered bearings. Standard design is of normal accuracy P0; upon request hybrid bearings can be supplied in accuracy P6 and P5.

Bearing rings are made of the same steel as the one used for all-steel bearings. In standard version bearing are made in dimension stabilisation SO for operation up to the temperatures of 150°C. Upon request bearings can be supplied with dimension stabilisation S1 for operation up to the temperatures of 200°C. In other cases consult the technical and consultancy services of ZKL.



Fig. 12.12.1

#### Main dimensions

As standard, hybrid ball bearings are made according to dimensional plan ISO 15.

#### Radial clearance

Radial clearances of hybrid ball bearings are the same as clearances of all-steel bearings and comply with ISO 5753. For use in electric and traction motors, bearings with radial clearance C3 are used most of the time.

#### Misalignment

Hybrid ball bearings do not suit compensation of misalignment. Depending on radial clearance, bearing dimensions and forces acting on bearing, admissible tilting of bearing ranges between 2 to 10 angular minutes. Tilting of inner race against outer ring causes excessive noise and reduces service life of bearing.

## Cages

Hybrid ball bearings are mostly made with metal cages. Some applications utilise polyamide cages that only suit in temperatures to 120°C. Standard cages are in the same design as for common ball bearings, are stated in chapter 7.4:

ZKI)

- Two-piece riveted steel plate cage guided by balls (is not designated)
- Two-piece riveted massive brass age cage guided on the external race (MA)
- Single-piece polyamide cage reinforced with fibre glasses guided by balls (TNG).

#### Minimum load

Hybrid ball bearings are more resistant to damage of raceways caused by slippage in sufficient loading. Comparing to common steel bearings, they can provide reliable run with lower minimum load. Therefore these bearings also suit locations where very small or variable load acts on bearings.

#### Axial load rating

Bearing must not be exposed to purely axial load exceeding 50%  $C_{0r}$ . Small bearings and light rows must not be exposed to axial load exceeding 25%  $C_{0r}$ . If the above stated values are exceeded, the service life of bearing reduces dramatically.

#### Equivalent dynamic and static load of bearing

Equivalent dynamic and static load of bearing is calculated same as for common all-steel ball bearing, see chapter Single row ball bearings.

# Designation of hybrid ball bearings

Hybrid ball bearings have the same designation system as standard all-steel ball bearings. Use of ceramics on bearing components is characterised with an additional "C" character before the bearing designation, e.g.: C 6213MA.

# Hybrid cylindrical roller bearings

Hybrid cylindrical roller bearings are located where bearings are loaded with big radial load and where hybrid ball bearings can no longer be used due to the their lower dynamic load capacity. Hybrid cylindrical roller bearings are made in standard dimensions complying with ISO 15. Hybrid cylindrical roller bearings are made in designs with two-piece massive brass cage guided on outer ring (MA), another cage design has to be consulted with the supplier.

Hybrid cylindrical roller bearings have the same designation system as standard all-steel roller bearings with the only difference of having the "C" character before the designation of the bearing, e.g.: C NU312MA. Availability and details on these bearings are available at the technical and consultancy services of ZKL.





FF7

(Z



#### **ELECTRICALLY INSULATED BEARINGS**

Bearings in electric motors and generators, together with related equipment might get damages due to passage of electric current that participates in damaging the raceways of rings and rolling elements, causing fast degradation of the lubricant used.

Bearings are supplied with insulating ceramic spray application ( $Al_2D_3$ ) on the outer ring surface; the aluminium oxide thickness is 0.15 mm. Bearings insulated in the above described manner are capable of resisting to DC voltage up to 1000 V. The spray application is coated thermally on the outer surface of the outer ring, and complies with the requirements for surface hardness and adhesion to the surface the spray is applied on.

These bearings have an additional designation TMO1, e.g.: NU1012M TMO1. In the designation means

- TM...... bearing with thermal insulation spray application (always in combination with a par of characters for the layer characteristics)
- $0 \ldots \ldots Al_2D_3$  spray application with minimum resistance of 50 M $\Omega$  at DC voltage of 1000 V
- 1 . . . . . . ceramic spray application on the outer ring surface (2 on inner race, 3 on both races).

Mostly used are single row ball bearings and single row cylindrical roller bearings. Bearings insulated with aluminium oxide have the same dimensions and design as standard bearings. Dimensions of ball and cylindrical roller bearings with Al₂O₃ layer correspond with the ISO 15 dimensional plan. The availability of electrically insulated bearings has to be consulted with the supplier.

Standard design is that of normal accuracy P0; upon request the bearings can be supplied even in higher accuracy P6 and P5. The bearings are made in normal radial clearance or, upon request, in bigger radial clearances C3 and C4. Radial clearances are stated in tables 7.17a for single row ball bearings and 7.19 for single row cylindrical roller bearings.

Electrically insulated bearings are made mostly with a two-piece massive brass cage guided on rolling elements, or with a two-piece steel plate cage guided on rolling elements. In some cases, especially in smaller bearings, a single-piece plastic cage reinforced with fibre glass is used.

Other properties of electrically insulated bearings are identical to those of common bearings; detailed information on these bearings is available in individual chapters on single row ball bearings and single row cylindrical roller bearings.

The table section states the most common electrically insulated bearings. Please consult delivery of bearings of different dimensions and types with the supplier.



Fig. 12.12.2

ZKI



#### SPECIAL ZKL BEARINGS

Besides standardised bearings in basic and different designs stated in this catalogue, ZKL supplies also special roller bearings. They usually feature non-standardised dimensions and cannot be included in standardised series. Production of special bearings often utilises different materials. These bearings are purposefully designed for applications in machines and equipment where the construction does not allow use of standardised bearings. The dimensions and basic parameters of the bearings are stated in the table section.

#### OTHER SPECIAL BEARINGS

ZKL manufactures additional type and dimensional series of bearings, parameters of which are not listed in this catalogue. More detailed information about special ZKL bearings is available in professional company publications. Use of special roller bearings is mainly recommended in more demanding cases of location, and supplies of bearings, their locations and assembly should be consulted with the supplier. Further information on special roller bearings is available at the ZKL technical and consultancy services.




Fig. 12.12.3

# Multi row roller bearings

They are used to capture extremely big radial forces with limited build-up dimensions, mainly in smelting industry for location of rolling mill rollers. Rings of these bearings are provided with lubrication holes to ensure supply of lubricant in all roller rows



# Single row and double row tapered roller bearings

They are used mainly in automotive industry and in heavy machinery.

obr. 12.12.4



# Double and four row tapered roller bearings

They are used to locate rolling mill rollers and rollers of other plants in steel rolling mills. They are manufactured with axial clearance the size of which is determined upon the service conditions.




Fig. 12.12.5

# Crossed roller bearings

In standard design, crossed roller bearings are compact two ring bearings with cross arrangement of rollers in raceway between the inner and outer ring. In majority of cases, rollers are separated with plastic separators or alternatively with a massive or segment cage. The contact angle of raceway is usually 45°. The bearings are supplied with clearance or prestress, depending on the use. Bearing rings are provided with bores for fixing bolts. Inner space is protected with rubber sealing to prevent excessive leak of grease from the bearing and penetration of impurities inside the bearing.

It is manufactured with outer diameter between 300 to 1 600 mm, and with inner or outer gearing or – more precisely – without gearing for location of building and earth-moving machinery, robots and manipulators, machine tools, mining combine harvesters, stamp plates, wind power plants, rotary furnaces and mill mixers.



Fig. 12.12.6







Fig. 12.12.7

## Large size ball bearings with four-point contact and double row ball bearings with angular contact

Bearings suitable for continuously rotating plants and also for machines with cyclic operation character of medium sizes, such as excavators and cranes. To ensure higher revolution frequency, bearings with massive or segment cage are made. They have a relatively low friction torque. The rigidity of location with the use of ball bearings is lower than that of bearings with crossed rollers. Usually they have a contact angle of 450. They are manufactured with outer diameter ranging between 300 and 1600 with inner or outer gearing or – more precisely – without gearing.

# Double direction cylindrical roller and tapered thrust bearings

They are used to capture big radial forces in rolling mill rollers' locations, and also where high rigidity in axial direction is required, mainly in locations of carousel desks.



Fig. 12.12.8








# Hybrid ball bearings d = 10 to 120 mm


d = 10 to 55 mm



	Main di	mensions		Basic loa	ad rating	Fatique load limit	
d	D	В	r _s	dynamic C _r	static C _{or}	P _u	
12.12.1	r	mm	·	k	N	kN	
10	26	8,0	0,3	4,56	1,96	0,089	
	30	9,0	0,6	6,05	2,51	0,114	
12	28	8,0	0,3	5,09	2,36	0,107	
	32	10,0	0,6	6,91	3,10	0,141	
15	32	9,0	0,3	5,59	2,87	0,130	
	35	11,0	0,6	7,72	3,75	0,170	
17	0.5	10.0	0.0	0.00	0.07	0.140	
17	35 40	10,0 12,0	0,3 0,6	6,00 9,53	3,27 4,73	0,149 0,215	
	40	12,0	0,6	9,55	4,73	0,215	
20	42	12,0	0,6	9,37	4,97	0,226	
20	47	14,0	1,0	12,77	6,55	0,298	
		14,0	1,0	12,77	0,00	0,200	
25	47	12,0	0,6	10,07	5,81	0,264	
	52	15,0	1,0	14,03	7,94	0,361	
30	55	13,0	1,0	13,24	8,25	0,375	
	62	16,0	1,0	19,44	11,19	0,508	
35	62	14,0	1,0	15,96	10,33	0,469	
	72	17,0	1,1	25,66	15,23	0,692	
40	0.0	45.0		10.00	44.40	0.500	
40	68	15,0	1,0	16,82	11,49	0,522	
	80 90	18,0	1,1 1,5	32,63	19,89	0,904	
	90	23,0	1,0	40,76	24,17	1,099	
45	75	16,0	1,0	21,10	15,30	0,695	
40	85	19,0	1,1	32,68	20,33	0,924	
	100	25,0	1,5	52,80	31,72	1,442	
			., -	,	,-	.,	
50	80	16,0	1,0	21,72	16,65	0,757	
	90	20,0	1,1	35,07	23,23	1,056	
	110	27,0	2,0	61,75	37,75	1,716	
55	90	18,0	1,1	28,22	21,32	0,969	
	100	21,0	1,5	43,35	29,40	1,336	
	120	29,0	2,0	71,00	44,70	2,032	
		.,.	, -	,	,	,.,-	

. . 562





Limiting speed for lu	brication with	Bearing designation	Abutme	nt and fillet di	mensions	Weight
grease	oil		d _a min	D _a max	r _a max	~
min ⁻¹				mm		kg
28000	33000	C 6000	12,0	24,0	0,3	0,018
25000	30000	C 6200	14,0	26,0	0,6	0,031
25000	30000	C 6001	14,0	26,0	0,3	0,022
22000	27000	C 6201	16,0	28,0	0,6	0,037
21000	25000	C 6002	17,0	30,0	0,3	0.030
20000	24000	C 6202	19,0	31,0	0,3	0,030 0,044
20000	24000	C 0202	19,0	31,0	0,0	0,044
20000	24000	C 6003	19,0	33,0	0,3	0,040
18000	21000	C 6203	21,0	36,0	0,6	0,073
						·
17000	20000	C 6004	24,0	38,0	0,6	0,070
15000	18000	C 6204	25,0	42,0	1,0	0,11
14000	17000	C 6005	28,0	43,0	0,6	0,082
12000	15000	C 6205	30,0	47,0	1,0	0,13
12000	14000	C 6006	34,0	50,0	1,0	0,12
11000	13000	C 6206	35,0	57,0	1,0	0,20
11000	10000	0 0200	00,0	07,0	1,0	0,20
10600	12600	C 6007	39,5	57,0	1,0	0,15
9400	11000	C 6207	42,0	65,0	1,0	0,28
9400	11000	C 6008	44,0	63,0	1,0	0,19
8400	10000	C 6208	47,0	73,0	1,0	0,35
7900	9400	C 6308	47,0	81,0	1,5	0,63
0.400	10000	0.6000	40.0	70.0	1.0	0.04
8400	10000	C 6009	49,0	70,0	1,0	0,24
7900	9400	C 6209	52,0	78,0	1,0	0,40
7100	8400	C 6309	52,0	91,0	1,5	0,83
7900	9400	C 6010	54,0	75,0	1,0	0,26
7100	8400	C 6210	57,0	83,0	1,0	0,46
6300	7500	C 6310	60,0	100,0	2,0	1,06
7100	8400	C 6011	60,0	84,0	1,0	0,38
6700	7900	C 6211	62,0	91,0	1,5	0,60
5600	6700	C 6311	65,0	110,0	2,0	1,38






563 • • •




Hybrid ball bearings d = 60 to 120 mm



	Main dir	mensions		Basic lo	ad rating	Fatique load limit	
d I	D	В	r _s	dynamic C _r	static C _{or}	P _u	
12.12.1	n	ım		k	N	kN	
60	110	22,0	1,5	52,85	35,79	1,627	
	130	31,0	2,1	81,50	52,10	2,368	
65	120	23,0	1,5	57,21	40,01	1,819	
	140	33,0	2,1	92,60	59,60	2,676	
70	125	24,0	1,5	62,00	43,80	1,991	
	150	35,0	2,1	104,00	63,10	2,735	
75	130	25,0	1,5	66,18	49,31	2,214	
	160	37,0	2,1	114,00	76,40	3,204	
80	140	26,0	2,0	72,20	53,10	2,301	
	170	37,0	2,1	122,85	86,23	3,506	
85	150	28,0	2,0	83,30	63,68	2,670	
	180	41,0	3,0	132,51	96,07	3,794	
90	160	30,0	2,0	96,20	70,80	2,878	
	190	43,0	3,0	144,00	108,00	4,149	
95	170	32,0	2,1	108,00	81,00	3,199	
	200	45,0	3,0	152,44	117,37	4,393	
100	180	34,0	2,1	123,00	92,60	3,557	
	215	47,0	3,0	174,00	141,00	5,107	
105	190	36,0	2,1	132,93	104,83	3,924	
110	200	38,0	2,1	144,00	117,00	4,272	
120	215	40,0	2,1	144,00	117,00	4,109	





Limiting speed for lul	brication with	Bearing designation	Abutmer	nt and fillet din	nensions	Weight
grease	oil		d _a min	D _a max	r _a max	~
min ⁻¹				mm		kg
6000	7100	C 6212MA	67,0	101,0	1,5	0,77
5300	6300	C 6312MA	72,0	118,0	2,0	1,72
5300	6300	C 6213MA	72,0	111,0	1,5	1,00
5000	6000	C 6313MA	76,0	128,0	2,0	2,10
5300	6300	C 6214MA	77,0	116,0	1,5	1,07
4700	5600	C 6314MA	81,0	138,0	2,0	2,54
5000	6000	C 6215MA	82,0	122,0	1,5	1,18
4200	5000	C 6315MA	86,0	148,0	2,0	3,06
4700	5600	C 6216MA	90,0	130,0	2,0	1,40
4000	4700	C 6316MA	91,0	158,0	2,0	3,63
4200	5000	C 6217MA	95,0	140,0	2,0	1,80
3800	4500	C 6317MA	98,0	166,0	2,5	4,20
4000	4700	0.0040144	100.0	150.0	0.0	0.40
4000	4700	C 6218MA	100,0	150,0	2,0	2,16
3500	4200	C 6318MA	103,0	176,0	2,5	4,95
3800	4500	C 6219MA	107,0	158,0	2,0	2,60
3300		C 6319MA				
3300	4000	C 03 ISIVIA	109,0	186,0	2,5	5,72
3500	4200	C 6220MA	112,0	169,0	2,0	3,13
3200	3800	C 6320MA	113,0	201,0	2,5	7,07
0200	0000	OUZUMA	110,0	201,0	2,0	7,07
3300	4000	C 6221MA	117,0	178,0	2,0	3,74
0000	.550	C CLL IMIA	,0	5,6	2,0	3,14
3200	3800	C 6222MA	122,0	188,0	2,0	4,37
3233		0 02227	.22,0	.55,5	2,0	.,5.
3000	3500	C 6224MA	132,0	203,0	2,0	5,15
			. ,.	, .		., .






• • • 565 • • •






# Electrically insulated ball bearings d = 70 to $150 \, \text{mm}$



	Main di	mensions		Basic lo	ad rating	Fatique load limit
d	D	В	r _s	dynamic C _r	static C _{or}	P _u
12.12.2	n	nm		k	N	kN
70	125	24,0	1,5	62,00	43,80	1,991
	150	35,0	2,1	104,00	63,10	2,735
75	130	25,0	1,5	66,18	49,31	2,214
	160	37,0	2,1	114,00	76,40	3,204
80	140	26,0	2,0	72,20	53,10	2,301
	170	37,0	2,1	122,85	86,23	3,506
85	150	28,0	2,0	83,30	63,68	2,670
	180	41,0	3,0	132,51	96,07	3,794
90	100	30,0	2,0	96,20	70.00	2,878
90	160 190	43,0	3,0	144,00	70,80 108,00	2,878 4,149
	190	43,0	3,0	144,00	106,00	4,149
95	170	32,0	2,1	108,00	81,00	3,199
00	200	45,0	3,0	152,44	117,37	4,393
	200	.0,0	0,0	102,11	,	1,000
100	180	34,0	2,1	123,00	92,60	3,557
	215	47,0	3,0	174,00	141,00	5,107
110	200	38,0	2,1	144,00	117,00	4,272
	240	50,0	3,0	203,00	180,00	6,185
120	215	40,0	2,1	144,00	117,00	4,109
	260	55,0	3,0	208,00	186,00	6,134
100	200	10.0		450.00	100.00	
130	230	40,0	3,0	156,00	132,00	4,472
	280	58,0	4,0	229,00	216,00	6,857
140	250	42,0	3,0	166,00	150,00	4,883
140	300	62,0	4,0	251,00	245,00	7,508
	300	02,0	4,0	231,00	243,00	7,508
150	270	45,0	3,0	190,00	181,00	5,677
100	320	65,0	4,0	276,00	285,00	8,451
		,-	, <del>-</del>	=: -, = =		





Limiting speed for lub	orication with	Bearing designation	Abutme	nt and fillet di	mensions	Weight	
grease	olejem		d _a min	D _a max	r _a max	~	
min ⁻¹				mm		kg	
5300	6300	6214M TM01	77,0	116,0	1,5	1,07	
4700	5600	6314M TM01	81,0	138,0	2,0	2,54	
5000	6000	6215M TM01	82,0	122,0	1,5	1,18	
4200	5000	6315M TM01	86,0	148,0	2,0	3,06	
4700	5600	6216M TM01	90,0	130,0	2,0	1,40	
4000	4700	6316M TM01	91,0	158,0	2,0	3,63	
4000	5000	6217M TM01	05.0	140.0	2.0	1.00	
4200 3800	5000 4500	6217M TM01	95,0 98,0	140,0 166,0	2,0 2,5	1,80 4,20	
3000	4500	OST/WITIVIOT	96,0	100,0	2,5	4,20	
4000	4700	6218M TM01	100.0	150.0	2.0	2.16	
3500	4200	6318M TM01	103,0	176,0	2,5	4,95	
			100,0	,.	_,-	.,	
3800	4500	6219M TM01	107,0	158,0	2,0	2,60	
3300	4000	6319M TM01	109,0	186,0	2,5	5,72	
3500	4200	6220M TM01	112,0	169,0	2,0	3,13	
3200	3800	6320M TM01	113,0	201,0	2,5	7,07	
3200	3800	6222M TM01	122,0	188,0	2,0	4,37	
2600	3200	6322M TM01	123,0	227,0	2,5	9,58	
3000	3500	6224M TM01	132,0	203,0	2,0	5,15	
2500	3000	6324M TM01	134,0	246,0	2,5	12,5	
2000	0000	002-1111 111101	10-1,0	240,0	2,0	12,0	
2600	3100	6226M TM01	144.0	216.0	2,5	5.75	
2350	2800	6326M TM01	147,0	263,0	3,0	15,2	
					,		
2500	3000	6228M TM01	154,0	236,0	2,5	7,56	
2350	2800	6328M TM01	157,0	283,0	3,0	21,8	
2200	2700	6230M TM01	164,0	256,0	2,5	9,85	
2000	2400	6330M TM01	167,0	303,0	3,0	24,0	






• 567 • • •



# Electically insulated cylindrical roller bearings d = 70 to 150 mm


d = 70 to 100 mm






		Ma	ain dimen	sions			Bearing designation	ring designation Basic load rating	
d	D	В	r _s	r _{1s}	F	s ₁₎		dynamic	static
e,			min	min				C _r	C _{or}
12.12.3			mm					kl	
70	125	24,00	1,5	1,5	83,500	1,6	NU214EM TM01	119,0	137,0
	125	24,00	1,5	1,5	83,500	1,6	NJ214EM TM01	119,0	137,0
	125	31,00	1,5	1,5	83,500	1,6	NU2214EM TM01	156,0	194,0
	125	31,00	1,5	1,5	83,500	1,6	NJ2214EM TM01	156,0	194,0
	150	35,00	2,1	2,1	89,000	1,5	NU314EM TM01	205,0	222,0
	150	35,00	2,1	2,1	89,000	1,5	NJ314EM TM01	205,0	222,0
75	130	25,00	1,5	1,5	88,500	1,6	NU215EM TM01	130,0	156,0
	130	25,00	1,5	1,5	88,500	1,6	NJ215EM TM01	130,0	156,0
	130	31,00	1,5	1,5	88,500	2,1	NU2215EM TM01	162,0	207,0
	130	31,00	1,5	1,5	88,500	2,1	NJ2215EM TM01	162,0	207,0
	160	37,00	2,1	2,1	95,000	1,5	NU315EM TM01	240,0	263,0
	160	37,00	2,1	2,1	95,000	1,5	NJ315EM TM01	240,0	263,0
80	140	26,00	2,0	2,0	95,300	2,0	NU216EM TM01	139,0	167,0
	140	26,00	2,0	2,0	95,300	2,0	NJ216EM TM01	139,0	167,0
	170	39,00	2,1	2,1	101,000	1,5	NU316EM TM01	256,0	282,0
	170	39,00	2,1	2,1	101,000	1,5	NJ316EM TM01	256,0	282,0
0.5	450	00.00	0.0	0.0	100 500	0.0	NUICATEM TMOA	107.0	100.0
85	150	28,00	2,0	2,0	100,500	2,0	NU217EM TM01	167,0	199,0
	150 180	28,00 41,00	2,0 3,0	2,0 3,0	100,500 108,000	2,0	NJ217EM TM01 NU317EM TM01	167,0 291,0	199,0 330,0
	180	41,00	3,0	3,0	108,000	2,0	NJ317EM TM01	291,0	
	160	41,00	3,0	3,0	106,000	2,0	NJ317EW TWO	291,0	330,0
90	160	30,00	2,0	2,0	107,000	2.0	NU218EM TM01	182,0	217,0
	160	30,00	2,0	2,0	107,000	2,0	NJ218EM TM01	182,0	217,0
	190	43,00	3,0	3,0	113,500	2,0	NU318EM TM01	315,0	355,0
	190	43,00	3,0	3,0	113,500	2,0	NJ318EM TM01	315,0	355,0
95	170	32,00	2,1	2,1	112,500	2,0	NU219EM TM01	220,0	265,0
	170	32,00	2,1	2,1	112,500	2,0	NJ219EM TM01	220,0	265,0
	200	45,00	3,0	3,0	121,500	1,9	NU319EM TM01	335,0	385,0
	200	45,00	3,0	3,0	121,500	1,9	NJ319EM TM01	335,0	385,0
100	180	34,00	2,1	2,1	119,000	2,0	NU220EM TM01	249,0	305,0
	180	34,00	2,1	2,1	119,000	2,0	NJ220EM TM01	249,0	305,0
	215	47,00	3,0	3,0	127,500	2,0	NU320EM TM01	380,0	425,0
	215	47,00	3,0	3,0	127,500	2,0	NJ320EM TM01	380,0	425,0







Fatique load limit	Limiting sp lubrication			Abutment and fillet dimensions						Weight
P _u	grease	oil	d	da	d	d _b	D _a	r	r _b	~
				min	max	min	max	max	max	
kN	min	-1				mm				kg
16,71	5000	6300	70	77	82,0	86,0	116	1,5	1,5	1,30
16,71	5000	6300		77	82,0	86,0	116	1,5	1,5	1,30
23,66	4500	5600		77	82,0	86,0	116	1,5	1,5	1,50
23,66	4500	5600		77	82,0	86,0	116	1,5	1,5	1,50
26,31	4000	5000		81	85,0	92,0	138	2,0	2,0	3,10
26,31	4000	5000		81	85,0	92,0	138	2,0	2,0	3,10
18,88	4800	6000	75	82	85,0	90,0	121	1,5	1,5	1,50
18,88	4800	6000	7.5	82	85,0	90,0	121	1,5	1,5	1,50
25,06	4300	5300		82	85,0	90,0	121	1,5	1,5	1,60
25,06	4300	5300		82	85,0	90,0	121	1,5	1,5	1,60
30,56	3800	4800		86	93,0	97,0	148	2,0	2,0	3,70
30,56	3800	4800		86	93,0	97,0	148	2,0	2,0	3,70
33,33	5555	1000		00	00,0	0.,0	110	2,0	2,0	0,. 0
19,79	4500	5300	80	90	92,0	97,0	130	2,0	2,0	1,70
19,79	4500	5300		90	92,0	97,0	130	2,0	2,0	1,70
32,16	3600	4300		99	97,0	105,0	158	2,0	2,0	4,50
32,16	3600	4300		99	97,0	105,0	158	2,0	2,0	4,50
23,12	4300	5000	85	95	99,0	104,0	140	2,0	2,0	2,10
23,12	4300	5000		95	99,0	104,0	140	2,0	2,0	2,10
36,99	3300	4000		98	103,0	110,0	166	2,5	2,5	5,30
36,99	3300	4000		98	103,0	110,0	166	2,5	2,5	5,30
24,75	4000	4800	90	100	105,0	109,0	150	2,0	2,0	2,60
24,75	4000	4800		100	105,0	109,0	150	2,0	2,0	2,60
39,14	3200	3800		103	110,0	116,0	176	2,5	2,5	6,10
39,14	3200	3800		103	110,0	116,0	176	2,5	2,5	6,10
29,70	3800	4500	95	107	111,0	116,0	158	2,0	2,0	3,20
29,70	3800	4500	95	107	111,0	116,0	158	2,0	2,0	3,20
41,78	3000	3600		109	119,0	124,0	186	2,5	2,5	7,10
41,78	3000	3600		109	119,0	124,0	186	2,5	2,5	7,10
,. 0					,.	,-		_,-	_,-	. ,
33,62	3600	4300	100	112	117,0	122,0	168	2,0	2,0	3,80
33,62	3600	4300		112	117,0	122,0	168	2,0	2,0	3,80
45,23	2800	3400		113	125,0	132,0	201	2,0	2,0	8,60
45,23	2800	3400		113	125,0	132,0	201	2,0	2,0	8,60






FFO



# Electically insulated cylindrical roller bearings


d = 110 to 150 mm






			Ma	ain dimen	sions			Bearing designation	Basic loa	d rating
	d	D	В	rs	r _{1s}	F	s ₁₎		dynamic	static
က္				min	min				C _r	C _{or}
12.12.3				mm					kl	
_	110	200	38,00	2,1	2,1	132,500	2,5	NU222EM TM01	293,0	365,0
		200	38,00	2,1	2,1	132,500	2,5	NJ222EM TM01	293,0	365,0
		240	50,00	3,0	3,0	143,000	2,7	NU322EM TM01	450,0	525,0
		240	50,00	3,0	3,0	143,000	2,7	NJ322EM TM01	450,0	525,0
	120	180	28,00	2,0	1,1	135,000	2,0	NU1024M TM01	131,0	168,0
		215	40,00	2,1	2,1	143,500	2,5	NU224EM TM01	335,0	420,0
		215	40,00	2,1	2,1	143,500	2,5	NJ224EM TM01	335,0	420,0
		260	55,00	3,0	3,0	154,000	2,7	NU324EM TM01	530,0	610,0
		260	55,00	3,0	3,0	154,000	2,7	NJ324EM TM01	530,0	610,0
	130	200	33,00	2,0	1,1	148,000	2,0	NU1026M TM01	162,0	203,0
		230	40,00	3,0	3,0	153,500	2,5	NU226EM TM01	365,0	455,0
		230	40,00	3,0	3,0	153,500	2,5	NJ226EM TM01	365,0	455,0
		280	58,00	4,0	4,0	167,000	2,9	NU326EM TM01	615,0	735,0
		280	58,00	4,0	4,0	167,000	2,9	NJ326EM TM01	615,0	735,0
	140	210	33,00	2,0	1,1	158,000	2,0	NU1028M TM01	176,0	250,0
		250	42,00	3,0	3,0	169,000	2,5	NU228EM TM01	395,0	515,0
		250	42,00	3,0	3,0	169,000	2,5	NJ228EM TM01	395,0	515,0
		300	62,00	4,0	4,0	180,000	2,7	NU328EM TM01	665,0	795,0
		300	62,00	4,0	4,0	180,000	2,7	NJ328EM TM01	665,0	795,0
	150	225	35,00	2,1	1,5	169,500	2,0	NU1030M TM01	192,0	251,0
		270	45,00	3,0	3,0	182,000	2,4	NU230EM TM01	450,0	595,0
		270	45,00	3,0	3,0	182,000	2,4	NJ230EM TM01	450,0	595,0
		320	65,00	4,0	4,0	193,000	2,7	NU330EM TM01	760,0	920,0
		320	65,00	4,0	4,0	193,000	2,7	NJ330EM TM01	760,0	920,0







Fatique load limit	Limiting speed for lubrication with			Abutment and fillet dimensions			Weight			
P _u	grease	oil	d	da	d	d _b	D _a	r _a	r _b	~
				min	max	min	max	max	max	
kN	min	-1				mm				kg
39,03	3200	3800	110	122	125,0	135,0	188	2,0	2,0	5,40
39,03	3200	3800		122	125,0	135,0	188	2,0	2,0	5,40
54,13	2600	3000		124	135,0	145,0	226	2,5	2,5	11,8
54,13	2600	3000		124	135,0	145,0	226	2,5	2,5	11,8
18,14	3300	4000	120	128	131,0	138,0	171	2,0	1,0	2,45
43,88	3000	3400		132	138,0	146,0	203	2,0	2,0	6,40
43,88	3000	3400		132	138,0	146,0	203	2,0	2,0	6,40
61,36	2200	2800		134	145,0	156,0	246	2,5	2,5	15,0
61,36	2200	2800		134	145,0	156,0	246	2,5	2,5	15,0
21,30	3200	3800	130	138	143,0	151,0	191	2,0	1,0	3,75
46,52	2600	3200		144	150,0	158,0	216	2,5	2,5	8,00
46,52	2600	3200		144	150,0	158,0	216	2,5	2,5	8,00
72,27	2200	2600		148	155,0	169,0	262	3,0	3,0	18,7
72,27	2200	2600		148	155,0	169,0	262	3,0	3,0	18,7
25,78	3000	3600	140	149	153,0	161,0	201	2,0	1,0	3,90
51,40	2400	3000		154	160,0	171,0	236	2,5	2,5	9,40
51,40	2400	3000		154	160,0	171,0	236	2,5	2,5	9,40
76,53	2000	2400		158	166,0	182,0	282	3,0	3,0	23,0
76,53	2000	2400		158	166,0	182,0	282	3,0	3,0	23,0
25,35	2700	3200	150	159	165,0	173,0	213	2,0	1,5	4,85
58,08	2200	2800		164	170,0	184,0	256	2,5	2,5	12,0
58,08	2200	2800		164	170,0	184,0	256	2,5	2,5	12,0
86,83	1800	2200		168	185,0	195,0	302	3,0	3,0	27,0
86,83	1800	2200		168	185,0	195,0	302	3,0	3,0	27,0









# Double row spherical roller bearing PLC 58-11; PLC 58-9-1



# Double row spherical roller bearing PLC 010-3






			Basic loa	nd rating				
	d	D	D ₁	B ₁	B ₂	В	dynamic	static
4				min	min		C _r	C _{or}
12.12			m	m			kl	N
	74,6	120	88,34	31,0	31,80	92,0	196	255
	76,2	130	88,71	31,0	31,75	92,2	196	255
	140,0	215	225,00	38,1	10,71	42,9	116	139



# Single row ball bearing PLC 010-3




Fatique load limit	Weight	Bearing designation
P _u	~	
kN	kg	
31,10	3,00	PLC 58-11
30,81	3,10	PLC 58-9-1
4,74	5,30	PLC 010-3








# Double row spherical roller bearings PLC 59-10; PLC 511-14





PLC 511-14

		Main din	Basic loa	ad rating		
.5	d	D	B ₁	В	Dynamic C _r	Static C _{or}
12.12		m	m		k	N
	110	180,00	69,0	82,0	501	839
	110	288,92	80,0	115,9	786	978

574

ZKI

1) Bearing with extended outer race for tilting angles up to  $6^{\circ}$  2) Support pulley

Fatique load limit	Weight	Bearing designation	Note
P _u	~		
kN	kg		
91,52	7,70	PLC 59-10	1)
96,95	40,0	PLC 511-14	2)











# Double row spherical roller bearing PLC 58-2

# Single row ball bearing KL 761





PLC 58-2

KL 761

	Main dime	Basic load rating			
d	D	В,	В	Dynamic C _,	Static C _{or}
	mn			ki	
65	158,8	48,0	70,0	212	250
559	761,0	36,5	38,2	232	425

. . 576



### 1) Single row ball bearing for debarking machines in woodworking industry


Fatique load limit	Weight	Bearing designation	Note
P _u	~		
kN	kg		
29,48	7,36	PLC 58-2	
7,52	51,3	KL 761	1)







# Double row spherical roller bearings PLC 58-6; PLC 59-5; PLC 512-5



		Main din	nensions		Basic loa	ad rating	
.7	d	D	B ₁	В	Dynamic C _r	Static C _{or}	
12.12		m	m		kN		
	100	150	62	50	310	550	
	100	180	69	82	480	710	
	440	720	226	270	4300	9000	

. . . 578



- 1) Double row spherical-roller bearing with increased tipping angle up to 7° for location of concrete agitator transmission.
- Double row spherical-roller bearing with increased tipping angle up to 7° for location of concrete agitator transmission.
   Double row spherical-roller bearing with increased tipping angle up to 7°.


Fatique load limit	Weight	Bearing designation	Note
P _u	~		
kN	kg		
62,73	3,70	PLC 58-6	1)
78,27	10,30	PLC 59-5	2)
647.74	389	PLC 512-5	3)







# Double row spherical roller bearings PLC 59-7; PLC 510-9; PLC 510-20



		Main din	nensions	Basic load rating			
89.	d	D	B ₁	В	Dynamic C _r	Static C _{or}	
12.12		m	m		kN		
	111,6	215	90	76	564	803	
	130,0	220	73		570	1080	
	130,0	225	80		570	1080	

. . . 580



1) Double row spherical roller bearing according to UIC dimensional plan for location of rail vehicle axles with 130 mm journal.


Fatique load limit	Weight	Bearing designation	Note
P _u	~		
kN	kg		
84,5	14,4	PLC 510-20	
111	12,2	PLC 59-7	1)
111	12,2	PLC 510-9	








# Special double row ball bearings PLC 77-1; PLC 14-28; PLC 14-29






PLC 77-1

PLC 14-28

	Main dimensions		Basic Io	Basic load rating		
o,	d	D	В	dynamic C _r	static C _{or}	P _u
12.12.9		mm		k	(N	kN
-	25	52	43,8	24,3	17,7	0,80
	25	52	37,0	24,3	17,7	0,80
	36	62	16,0	24,1	27,1	1,23

• • 582

ZKI)



PLC 14-29


Limiting speed fo	or lubrication with	Weight	Bearing designation
grease	oil	~	
mi	in ⁻¹	kg	
5250	-	0,301	PLC 77-1
5250	-	0,301	PLC 14-28
4410	-	0,192	PLC 14-29







# Single row ball bearings PLC 03-29; PLC 03-33; PLC 03-79



	ا	Main dimensions	5	Basic loa	Fatique load limit	
.10	d	D	В	dynamic C _r	static C _{or}	$P_{\rm u}$
12.12		mm		k	N	kN
	17,0	35,0	9,0	8,20	5,30	0,24
	22,2	36,9	16,5	5,11	6,31	0,29
	10,4	35,0	10,0	4,82	1,36	0,06

. . . 584



#### 1) track bar location

Limiting speed fo	or lubrication with	Bearing designation	Weight
grease	oil		~
mi	n ⁻¹		kg
18000	21000	PLC 03-29	0,033
1)	1)	PLC 03-33	0,034
12600	17000	PLC 03-79	0,069







• • • • • • 585 • • •



# Special thrust ball bearings 511Z30; PLC 23-4; PLC 23-5; 511Z35; PLC 24-2; PLC 24-4; PLC 24-5; PLC 24-6; PLC 23-7



511Z35




3-4 PLC 23-5


	1	Main dimensions		Basic loa	Fatique load limit	
±.	d	D	н	dynamic C _a	static C _{oa}	P _u
12.12.11		mm		ki	N	kN
	30,0	49,2	12,0	18,8	31,6	1,44
		49,2	12,0	17,4	28,2	1,28
		49,2	13,6	17,4	28,2	1,28
	35,0	53,6	12,8	20,0	38,3	1,74
		53,6	15,5	20,0	38,3	1,74
	17,0	35,0	12,3	9,6	15,5	0,70
	45,2	65,0	10,8	27,8	57,5	2,61
	40,1	59,9	10,8	26,9	51,2	2,33
	55,2	78,0	11,6	34,8	78,4	3,56




• • 58









PLC 23-7

PLC 24-2

24-4

1) The bearing is designed for oscillatory movement or low revolution frequencies.


Limiting sp lubrication		Weight	Bearing designation	Abutment and fillet dimensions				
grease	oil	~		d,	d ₂	d ₃	Н,	r _{1, 2}
min ⁻	1	kg				mm		
4200	-	0,086	511Z30	36,0	30,2	-	11,0	0,6
4200	-	0,083	PLC 23-4	36,0	30,8	-	11,0	0,6
4200	-	0,085	PLC 23-5	36,0	30,8	40	12,5	0,6
4000	-	0,093	511Z35	38,0	37,0	-	12,0	0,6
3500	-	0,111	PLC 24-2	38,0	37,0	40	14,7	0,6
1)		0,029	PLC 23-7	17,2	32,4	-	10,4	0,5
3800	5000	0,100	PLC 24-4	-	-	-	-	-
3800	5000	0,090	PLC 24-5	-	-		-	-
3200	4200	0,150	PLC 25-6	-	-		-	-









# Special double row angular contact ball bearings PLC 15-2; PLC 14-26; PLC 14-25; PLC 14-24; PLC 15-22; PLC 15-12







PLC 15-2


PLC 14-26

PLC 14-25, PLC 14-24, PLC 15-22

grease min ⁻¹ 7100	oil
7100	
	8400
8500	10000
7000	8300
6300	7500
5000	6000
6500	-
	7000 6300 5000

. . . 588





PLC 15-12

- 1) Bearing with pressed cage guided on balls.
  - The bearing is designed for shafts in motor vehicle transmissions.
- Bearing with polyamide cage guided on balls; special sealing ring on both sides filled with lubricant.

The bearing is designed for applications in automotive industry (wheel bearing).

Weight	Bearing designation	Abutment and fillet dimensions						
~		d	D ₁	B ₁	s	r _{1, 2}	r _{3, 4}	а
kg					mm			
0,466	PLC 15-21)	25	74	16,5	4,4	1,1	-	40,0
0,280	PLC 14-26	25	62	28,0	-	-	1,0	26,8
0,450	PLC 14-25	30	-	-	-	2,5	0,5	50,5
0,320	PLC 14-24	34	-	-	-	2,8	0,3	53,3
0,550	PLC 15-22	37	-	-	-	2,8	0,3	57,0
0,534	PLC 15-122)	35	-	-	-	2,5	0,3	50,5





• • • • • 589 • • •









# 12.13 BEARING HOUSINGS AND ACCESSORIES

- CLAMP-TYPE BEARINGS AND HUBS
- BEARING HOUSINGS FOR STANDARD BEARINGS
- ROLLING BEARING ACCESSORIES

## CLAMP-TYPE BEARINGS AND HUBS

Clamp-type bearings are single row ball bearings with seals on both sides. The outer ring has a spherical surface, which allows tilting of the surfaces in housings with the same spherical modification. This makes it possible to compensate for any misalignment. The inner bearing ring is wider than the outer ring and is attached to the shaft:

- using an eccentric clamping ring, structurally designed under the marking UA,
- by screws, structurally designed under the marking UC.

Bearings are pre-packed with grease and maintenance-free for the lifetime of the bearing. The housing design also permits re-lubrication via a lubricating nipple. Bearings are suitable for loading short shafts and for loadings with low thermal expansion, which compensate axial clearance in bearings or flexibility of the structure, on which the bearings are fastened.

The hub material is made of cast iron or steel plating and can be divided from a structural viewpoint into upright housings – marked SG, SE or flanged – marked FG, FM, FB, and FE. The hub has a round bore that contains the bearings; together, they form a unit, which provides an efficient solution with a simple loading design. They are used primarily in agricultural machinery, transportation equipment, food machinery, and similar equipment.

## Clamp-type bearing design

Clamp-type bearings are available in several versions, which are designed to meet various technical requirements. All clamp-type bearings have outer rings with a spherical surface and are equipped with seals that provide optimum protection against entry of contaminants, particularly in dirty operating environments.

## **UA** design

The UA clamp-type bearing has an extended inner ring on both sides. The design is similar to the UC design, but it differs in its shaft fastening method. The inner bearing ring is attached to the shaft by an eccentric clamping ring, which is additionally secured to the shaft by screws. The UA design enables quick, efficient, and easy installation of bearings onto the shaft. Clamp-type bearings in this design are suitable for single direction rotation applications.

..

593 • •



### UC design

The UA clamp-type bearing has an extended inner ring on both sides, which enables the use of more effective packing. These bearing loadings have a larger internal space, which serves as a grease reservoir. This provides for extended service intervals and supports their use in demanding conditions. The inner ring is fastened onto the shaft using two screws, just like the US series. UC version bearings can be re-lubricated via lubricating nozzles on the outer ring.

## UE design

Clamp-type UE bearings have an extended inner ring on one side and are fastened to the shaft by an eccentric clamping ring. These bearings are suitable in applications that have the same direction of rotation. Bearings in this version cannot be re-lubricated.

## UD design

UD clamp-type bearings have identical inner ring and outer ring widths.

#### **US** version

US clamp-type bearings have an extended inner ring on one side. These bearings are suitable even for standard applications with alternating directions of rotation. Bearings in this version cannot be re-lubricated. The inner ring is fastened to the shaft by two screws that are set at 120° to each other. This locking method provides quick, efficient, and easy installation of the bearing onto the shaft.

#### Main dimensions

The main dimensions of clamp-type bearings meet standard ISO 2264, standard ISO 3228 for bearing housings, and standard ISO 3145 for eccentric clamping rings.

## Labelling

Labelling of clamp-type bearings, respective clamping elements, and complete units is provided in the tables of the publication.

#### Cage

Bearings have unlabelled cages made from pressed steel plating. Bearings, in special cases, can be supplied with a different cage designs. Please consult the distributor for the availability of bearings with different cages.

#### Precision

Clamp-type bearings are standardly produced at a normal degree of precision PO. Higher degrees of precision P6 and P5 are available upon request. The distributor must be consulted.

... 594



Bearings have a uniform bore diameter tolerance of H6. This tolerance ensures the shaft tolerance, during machining, lies within the field h for each sliding loading. Tolerances of h8 to h11 are generally sufficient for the production of shafts. Higher loads and speeds require of higher tolerances – h6, h7.

#### Radial clearance

Commonly manufactured clamp-type bearings have a normal radial clearance, which is not marked and its size and span are identical to single row ball bearings of identical dimensions. Any delivery of bearings with different radial clearances must be negotiated in advance with the supplier.

### Rotation limiting speed

This parameter is largely dependent on the shaft fitting and the shaft diameter tolerance. The specified relationship is provided in the appropriate tables.

#### Minimal load

Bearings require a minimal load under all operating conditions. The minimal load of clamp-type bearings is 1% of the dynamic load capacity of the bearing.

#### BEARING HOUSINGS FOR STANDARD BEARINGS

ZKL bearing housings are designated for the standard product line of inclined double row ball bearings and spherical roller bearings. ZKL bearing housings provide ideal bearing loadings for the lifetime of the bearing and decrease the maintenance costs. ZKL bearing housings are suitable for both oil and grease lubrication. We can find applications of ZKL bearing housings for standard bearings, in particular, in various machines, equipment, and facilities.

## Bearing housing material

Bearing housings are standardly produced from grey cast iron; in special cases, bearing housings can also be made from ductile iron or cast steel. ZKL Technical and Consultation Services can be consulted for advice on the selection of the most suitable material.

All external bearing housing surfaces, which are not machined, are treated with a universal coating that protects the bearing housing against corrosion. Functional machined surfaces are treated with an anti-corrosion coating, which can easily be removed during installation.

## Bearing loadings

Bearing housings are exclusively manufactured for free axial loadings, when the bearing does not transfer axial loads and enables axial sliding of the bearing in the bearing housing. This loading is suitable for compensating for the thermal expansion of shafts. In the case of axial guided loadings, the same bearing housing is used together with axial guide rings. If the bearing is to carry bilateral axial loads, then axial guide rings must be used on both sides.



#### Seals

Bearing housings may be sealed depending on the operating conditions and method of lubrication of the contact seal, non-contact seal, or combination of non-contact and contact seal. Seals should be selected in consultation with Technical and Consultation Services, who determine the optimal solution for bearing housing seals under the given operating conditions.

### Upright bearing housings

Split and non-split upright bearing housings are designated exclusively for inclined double row ball bearings and double row spherical roller bearings. The upper section of the split housing is centred during installation using centring pins, which ensure proper seating of both housing sections. The upper sections of housings must not be confused. Upright bearing housings are standardly equipped with two or four bores for bolts.

## Flanged bearing housings

Flanged housings are also designated for self-aligning double row ball bearings and double row spherical roller bearings. They are produced in two versions, depending on the size. The smaller and less burdened housings have a triangular shape with three bolt bores. The larger and more burdened have a square shape with four bolt bores. Flanged bearing housings are designed for grease lubrication and are most often sealed using felt sealing rings.

#### ROLLING BEARING ACCESSORIES

Accessories include machine components that serve to fasten roller bearings to a shaft or into a hole of the element.

#### Adapter sleeves

Adapter sleeves are used for fastening double row self aligning ball bearings and double row spherical roller bearings with tapered hole (K) onto cylindrical shafts. Adapter sleeves are made of steel with a tensile strength of 400 to 600 MPa. The main dimensions of adapter sleeves are specified in the tables provided and they meet standard ISO 2982-1.

Labelling of adapter sleeves, together with nuts and locking elements is specified in the tables provided. Information on matching sleeves with individual bearings with a tapered bore is specified in the relevant section, dedicated to double row self-aligning bearings and double row spherical roller bearings. Connection dimensions for bearings with adapter sleeves are provided in table 12.13.1.

. . . 596



Table 12.13.1

			Type of adapter sleeve													
		н	9		нз			H23			30		H31		на	32
Non							Dime									
	ninal neter						Dime	nsiona	l group	of bea	irings					
			02		22	03		32	23		30		31	22		32
d	d _o	d _b	a _a	d _b	aa		d _b	 a _a		d _b	a _a	d _b	a _a		d _b	a _a
		min	min	min	min		min	min		min	min	min	min		min	min
mm				<u> </u>								!				
20	17	23	5	23	5	8	24	-	5	-	-	-	-	-	-	-
25	20	28	5	28	5	6	30	-	5	-	-	-	-	-	-	-
30	25	33	5	33	5	6	35	-	5	-	-	-	-	-	-	-
35 40	30 35	38 43	5	39 44	5 5	8 5	40 45	-	5	-	-	-	-	-	-	-
45	40	48	5	50	8	5	50	-	5	-	-	-	-	-	-	
50	45	53	5	55	10	5	56	_	5	_	_	_	-	_	-	-
55	50	60	6	60	19	6	61	-	6	_	_	_	-	-	-	-
60	55	64	5	65	8	5	66	-	5	-	-	-	-	-	-	_
65	60	70	5	70	8	5	72	-	5	-	-	-		-	-	-
70	60	75	5	75	10	5	76	-	5	-	-	-	-	-	-	-
75	65	80	5	80	12	5	82	-	5	-	-	-	-	-	-	-
80	70	85	5	85	12	5	88	-	5	-	-	-	-	-	-	-
85	75	90	6	91	12	6	94	-	6	-	-	-	-	-	-	-
90	80	95	6	96	10	6	100	18	6	-	-	-	-	-	-	-
100	90	106	7	108	8	7	110	19	7	-	-	-	-	-	-	-
110	100	116	7	118	6	9	121	17	7	-	-	117	7	-	-	-
120	110	-	-	-	-	-	131	17	7	127	7	128	7	11	-	-
130	115	-	-	-	-	-	142	21	8	137	8	138	8	8	-	-
140	125	-	-	-	-	-	152	22	8	147	8	149	8	8	-	-
150	135	-	-	-	-	-	163	20	8	158	8	160	8	15	-	-
160	140	-	-	-	-	-	174	18	8	168	8	170	8	14	-	-
170	150	-	-	-	-	-	185	18	8	179	8	180	8	10	-	-
180	160	-	-	-	-	-	195	22	8	189	8	191	8	18	-	-
190 200	170 180	-	-	-	-	-	206 216	21	9	199 210	9	202	9	21 24	-	-
200	200	-	-	-	-	-	236	11	10	231	12	233	10	22	-	-
240	200	-	-	-	-	-	257	6	11	251	11	253	11	19	-	-
260	240						278	2	11	171	13	276	11	25		
280	260						299	11	12	292	12	296	12	28		
300	280						_50			313	12	318	12	32	321	12
320	300									334	13	338	13	39	343	13
340	320									355	14	360	14	-	-	-
360	340									375	14	380	14	-	-	-

Connection dimensions  $d_{a_{min}}$ ,  $D_{a_{max}}$  and  $r_{a_{max}}$  are specified in dimension tables of double row self-aligning ball bearings and double row spherical roller bearings

597



ZKL

#### Withdrawal sleeves

Withdrawal sleeves are used for fastening double row spherical roller bearings with a tapered bore (K) onto cylindrical shafts. Sleeves are made of steel with a tensile strength of 400 to 600 MPa.

Main dimensions of withdrawal sleeves meet standard ISO 2982-2.

Designations of withdrawal sleeves and respective withdrawal nuts, which must be ordered separately, are listed in the tables provided.

Information on assignments of withdrawal sleeves to individual double row spherical roller bearings with a tapered bore are listed in the respective sections, dedicated to such bearings. Connecting dimensions for bearings with withdrawal sleeves ( $d_{a_{min}}$ ,  $D_{a_{max}}$ ,  $r_{a_{max}}$ ) are identical to bearings without withdrawal sleeves and are listed in the respective tables of the publication.

## Adapter and withdrawal sleeves ring nuts

Adapter and withdrawal sleeve nuts are used for fastening internal bearing rings onto adapter sleeves or directly onto the journal. Withdrawal nuts are used for removing double row spherical roller bearings with a tapered bore that are fastened by means of a withdrawal sleeve. Rings nuts are made of steel with a minimal tensile strength of 410 MPa.

The main dimensions of adapter and withdrawal nuts are specified in the tables provided and they meet standard ISD 2982-2

Adapter nuts are made in standard design (type KM) and specific design (type KMA) and are listed in the table section of the publication. Proceed according to table 12.13.2 when determining the front axial runout.

Table 12.13.2

Designatio	n of nut size	Limit axial runout values of functional face		
over	up to	КМ	КМА	
		m	m	
	10	0,04	0,025	
10	20	0,05	0,03	
20	25	0,05	0,03	
25	30	0,06	0,04	
30	40	0,06	0,05	

#### Lock washers

The washers are used for fastening adapter ring nuts. They are made from steel with a minimal tensile strength of 274 MPa. The main dimensions of washers are specified in the tables provided and they meet standard ISO 2982.

... 598

ZKI

## Snap rings for bearings with a groove on the outer ring

Snap rings are used for simple axial fastening of bearings with groove on outer race (N) in hubs. Snap rings are made of spring steel. Main dimensions of snap rings meet standard ISO 464.

Snap rings are labelled with a number the expresses the outer bearing diameter  $\mathbb D$  and a number that expresses the minimal width of the snap ring f, e.g. ring 52/1.02.

Trade labels are also used in practise to designate the type of ring R and the outer bearing diameter in mm, e.g. R52.

The tables list snap rings for N-style single row ball bearings, types 60, 62, 63, and 64.


Snap rings are, in rare circumstances, also used for bearings of different design groups. Their delivery must be negotiated with the supplier in advance. Snap rings are supplied individually.

E00



# Adapter sleeves d = 20 to 150 mm

d = 20 to 65 mm



			Main dimensi	ons		
į	d _o	d	d _z	D	L	a
12.13.1			mm			
	20	25	M25x1,5	38	26	8
		25	M25x1,5	38	29	8
		25	M25x1,5	38	35	8
	25	30	M30x1,5	45	27	8
		30	M30x1,5	45	31	8
		30	M30x1,5	45	38	8
	30	35	M35x1,5	52	29	9
		35	M35x1,5	52	35	9
		35	M35x1,5	52	43	9
	35	40	M40x1,5	58	31	10
		40	M40x1,5	58	36	10
		40	M40x1,5	58	46	10
	40	45	M45x1,5	65	33	11
		45	M45x1,5	65	39	11
		45	M45x1,5	65	50	11
	45	50	M50x1,5	70	35	12
		50	M50x1,5	70	42	12
		50	M50x1,5	70	55	12
	50	55	M55x2	75	37	12
	30	55	M55x2	75	45	12
		55	M55x2	75	59	12
١	55	60	M60x2	80	38	13
	- 00	60	M60x2	80	47	13
		60	M60x2	80	62	13
	60	65	M65x2	85	40	14
		65	M65x2	85	50	14
		65	M65x2	85	65	14
	65	75	M75x2	98	43	15
		75	M75x2	98	55	15
		75	M75x2	98	73	15




Sleeve designation incl. nut and locking	Appropriate co	omponents	Weight
	nut	locking	
			kg
H205	KM5	MB5	0,07
H305	KM5	MB5	0,075
H2305	KM5	MB5	0,087
H206	KM6	MB6	0,099
H306	KM6	MB6	0,109
H2306	KM6	MB6	0,126
H207	KM7	MB7	0,125
H307	KM7	MB7	0,142
H2307	KM7	MB7	0,165
H208	KM8	MB8	0,174
H308	KM8	MB8	0,189
H2308	KM8	MB8	0,224
H209	KM9	MB9	0,227
H309	KM9	MB9	0,248
H2309	KM9	MB9	0,28
H210	KM10	MB10	0,274
H310	KM10	MB10	0,303
H2310	KM10	MB10	0,362
H211	KM11	MB11	0.308
H311	KM11	MB11	0,308 0,345
H2311	KM11	MB11	0,345
H212	KM12	MB12	0,346
H312	KM12	MB12	0,394
H2312	KM12	MB12	0,481
H213	KM13	MB13	0,401
H313	KM13	MB13	0,458
H2313	KM13	MB13	0,557
H215	KM15	MB15	0,707
H315	KM15	MB15	0,831
H2315	KM15	MB15	1,05
			1,00

• 601 • • •



Adapter sleeves d = 70 to 135 mm



Main dimensions						
d _o	d	d _z	D	L	а	
mm						
70	80	M80x2	105	46	17	
	80	M80x2	105	59	17	
	80	M80x2	105	78	17	
75	85	M85x2	110	50	18	
	85	M85x2	110	63	18	
	85	M85x2	110	82	18	
00	22	1400.0	100	22	10	
80	90	M90x2	120	62	18	
	90 90	M90x2	120 120	65	18	
	90	M90x2	120	86	18	
85	95	M95x2	125	55	19	
	95	M95x2	125	68	19	
	95	M95x2	125	90	19	
00	100	N400 0	100	50	00	
90	100	M100x2	130	58	20	
	100 100	M100x2 M100x2	130 130	71 97	20 20	
	100	WITOUX2	130	91	20	
100	110	M110x2	145	81	21	
	110	M110x2	145	63	21	
	110	M110x2	145	77	21	
	110	M110x2	145	105	21	
110	120	M120x2	145	72	22	
	120	M120x2	155	88	22	
	120	M120x2	155	112	22	
115	130	M130x2	155	80	23	
110	130	M130x2	165	92	23	
	130	M130x2	165	121	23	
125	140	M140x2	165	82	24	
	140	M140x2	180	97	24	
	140	M140x2	180	131	24	
135	150	M150x2	180	87	26	
	150	M150x2	195	111	26	
	150	M150x2	195	139	26	
				_	_	



. . . 602

ZKL




Sleeve designation incl. nut and locking	Appropriate components		Weight	
	nut	locking		
			kg	
H216	KM16	MB16	0,882	
H316	KM16	MB16	1,03	
H2316	KM16	MB16	1,28	
H217	KM17	MB17	1,02	
H317	KM17	MB17	1,18	
H2317	KM17	MB17	1,45	
			.,	
H218	KM18	MB18	1,19	
H318	KM18	MB18	1,37	
H2318	KM18	MB18	1,69	
H219	KM19	MB19	1,37	
H319	KM19	MB19	1,56	
H2319	KM19	MB19	1,92	
112013	TUVITO	WD 10	1,02	
H220	KM20	MB20	1,49	
H320	KM20	MB20	1,69	
H2320	KM20	MB20	2,15	
H3122	KM22	MB22	2,25	
H222	KM22	MB22	1,93	
H322	KM22	MB22	2,18	
H2322	KM22	MB22	2,74	
HEGEL	TAVILL	MBZZ	2,17	
H3024	KML24	MBL24	1,93	
H3124	KM24	MB24	2,64	
H2324	KM24	MB24	3,19	
H3026	KML26	MBL26	2,85	
H3126	KM26	MB26	3,66	
H2326	KM26	MB26	4,6	
H3028	KML28	MBL28	3.16	
H3128	KM28	MB28	4,34	
H2328	KM28	MB28	5,55	
		523	3,30	
H3030	KML30	MBL30	3,89	
H3130	KM30	MB30	5,52	
H2330	KM30	MB30	6,63	

• • • • 603 • • •



Adapter sleeves d = 140 to 180 mm



	Main dimensions							
	d _o	d	d _z	D	L	a		
12.13.1		mm						
	140	160	M160x3	190	93	28		
		160	M160x3	210	119	28		
		160	M160x3	210	147	28		
	150	170	M170x3	200	101	29		
		170	M170x3	220	122	29		
		170	M170x3	220	154	29		
	160	180	M180x3	210	109	30		
		180	M180x3	230	131	30		
		180	M180x3	230	161	30		
	170	190	M190x3	220	112	31		
		190	M190x3	240	141	31		
		190	M190x3	240	169	31		
	180	200	M200x3	240	120	32		
		200	M200x3	250	150	32		
		200	M200x3	250	176	32		

(ZKI)


Sleeve designation incl. nut and locking	Appropriate of	Weight	
	nut	locking	
			kg
H3032	KML32	MBL32	5,21
H3132	KM32	MB32	7,67
H2332	KM32	MB32	9,14
H3034	KML34	MBL34	5,99
H3134	KM34	MB34	8,36
H2334	KM34	MB34	10,2
H3036	KML36	MBL36	6,83
H3136	KM36	MB36	9,5
H2336	KM36	MB36	11,3
H3038	KML38	MBL38	7,45
H3138	KM38	MB38	10,8
H2338	KM38	MB38	12,6
H3040	KML40	MBL40	9,19
H3140	KM40	MB40	12,1
H2340	KM40	MB40	13,9

• • • • 605 • • •



## Withdrawal sleeve d = 35 to 180 mm

d = 35 to 95 mm



Main dimensions							
d _o	d	d _z	1	I,	h	z	
12.13.2			mm				
35	40	M45x1,5	30	32	6	5	
	40	M45x1,5	40	43	7	6	
40	45	M50x1,5	32	34	6	6	
	45	M50x1,5	44	47	7	6	
45	50	M55x2	35	38	7	6	
	50	M55x2	50	53	8	6	
50	55	M60x2	37	40	7	6	
	55	M60x2	54	57	9	6	
55	60	M65x2	40	43	8	7	
	60	M65x2	57	61	10	7	
0.0	0.5	1475.0	4.0			_	
60	65	M75x2	42	45	8	7	
	65	M75x2	61	64	11	7	
65	70	M80x2	44	47	8	7	
65	70				12		
	70	M80x2	65	68	12	7	
70	75	M85x2	46	49	8	7	
70	75	M85x2	69	72	12	7	
	75	IVIOUXZ	09	12	12	I	
75	80	M90x2	48	52	8	7	
7.0	80	M90x2	72	75	12	7	
		MOOKE	, _				
80	85	M95x2	52	56	9	7	
	85	M95x2	75	78	13	7	
85	90	M100x2	53	57	9	7	
	90	M100x2	63	67	10	7	
	90	M100x2	80	83	14	7	
90	95	M105x2	57	61	10	8	
	95	M105x2	85	89	15	8	
95	100	M110x2	59	63	10	8	
	100	M110x2	75	77	12	7	
	100	M110x2	90	94	15	8	

. . 606

(ZKI)


Sleeve designation	Corresp. withdrawal nut	Weight
		kg
AH308	KM9	0,093
AH2308	KM9	0,129
AH309	KM10	0,112
AH2309	KM10	0,163
AH310X	KM11	0,138
AH2310X	KM11	0,236
ALIO44V	I/A440	0.100
AH311X AH2311X	KM12 KM12	0,162
AUSIIV	NIVI 12	0,257
AH312X	KM13	0,194
AH2312X	KM13	0,299
AITZOTZA	TO	0,233
AH313	KM15	0,256
AH2313	KM15	0,399
		2,020
AH314	KM16	0,29
AH2314X	KM16	0,466
AH315	KM17	0,326
AH2315X	KM17	0,536
AH316	KM18	0,367
AH2316X	KM18	0,602
	10.1.2	
AH317X	KM19	0,431
AH2317X	KM19	0,676
AH318X	KM20	0,465
AH3218X	KM20 KM20	0,465
AH2318X	KM20	0,777
AIIZOTOA	NWZU	0,111
AH319X	KM21	0,537
AH2319X	KM21	0,888
70120107	- W/III-1	5,300
AH320X	KM22	0,586
AH3220X	KM22	0,768
AH2320X	KM22	1



• • • • • • • • • • • 607 • • •



Withdrawal sleeve d = 100 to 160 mm



	Main dimensions							
d _o	d _o d d _z l l, h z							
22.2			mm					
100	110	M125x2	68	72	11	8		
105	110	M120x2	68	72	11	8		
	110	M125x2	82	86	12	8		
	110	M125x2	98	102	16	8		
110	120	M140x2	75	79	12	8		
	120	M140x2	105	109	17	8		
115	120	M130x2	60	64	13	8		
	120	M130x2	75	79	12	8		
	120	M135x2	90	94	14	8		
	120	M135x2	105	109	17	8		
125	130	M140x2	67	71	14	8		
	130	M140x2	78	82	12	8		
	130	M145x2	98	102	15	8		
	130	M145x2	115	119	19	8		
135	140	M150x2	68	73	14	10		
	140	M150x2	83	88	14	10		
	140	M155x3	104	109	15	10		
	140	M155x3	125	130	20	10		
145	150	M160x3	72	77	15	10		
	150	M165x3	96	101	15	10		
	150	M165x3	114	119	18	10		
	150	M165x3	135	140	24	10		
150	160	M170x3	77	82	16	10		
.00	160	M180x3	103	108	16	10		
	160	M180x3	124	130	20	12		
	160	M180x3	140	146	24	12		
160	170	M180x3	85	90	17	10		
100	170	M190x3	104	109	16	10		
	170	M190x3	134	140	24	12		
	170	M190x3	146	152	24	12		
	170	WITOOXO	140	102	24	12		

.. 608


•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	ZKL	•	•	•	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----	---	---	---	--

Sleeve designation	Corresp. withdrawal nut	Weight		
		kg		
AH3122	KM25	1,28		
AH3122X	KM24	0,786		
AH3222X	KM25	1,06		
AH2322X	KM25	1,35		
AH3124	KM28	1,67		
AH2324	KM28	2,47		
AH2324	NIVIZO	2,47		
AH3024X	KM26	0,737		
AH3124X	KM26	0,948		
AH3224X	KM27	1,31		
AH2324X	KM27	1,61		
AH3026X	KM28	0,907		
AH3126X	KM28	1,08		
AH3226X	KM29	1,58		
AH2326X	KM29	1,97		
AH3028X	KM30	0,996		
AH3128X	KM30	1,26		
AH3228X	KM31	1,81		
AH2328X	KM31	2,34		
AH3030X	KM32	1,12		
AH3130X	KM33	1,75		
AH3230X	KM33	2,21		
AH2330X	KM33	0		
AH3032	KM34	2,01		
AH3132	KM36	3,18		
AH3232	KM36	4,02		
AH2332	KM36	4,69		
7.11.2002	- unce	1,00		
AH3034	KM36	2,4		
AH3134	KM38	3,41		
AH3234	KM38	3,41		
AH2334	KM38	5,23		
		.,		

••••••••



Withdrawal sleeve d = 170 to 180 mm



	Main dimensions							
d _o	d	d _z	ı	I ₁	h	z		
12.13.2			mm					
170	180	M190x3	92	98	17	12		
	180	M200x3	116	122	19	12		
	180	M200x3	105	110	17	10		
	180	M200x3	140	146	24	12		
	180	M200x3	154	160	26	12		
180	190	Tr205x4	96	102	17	12		
	190	Tr210x4	125	131	19	12		
	190	Tr210x4	112	117	18	10		
	190	Tr210x4	160	167	26	14		
	190	Tr210x4	145	152	25	14		


ZKL)



	Corresp. withdrawal nut	Weight
		kg
AH3036	KM38	2,8
AH3136	KM40	4,16
AH2236	KM40	3,67
AH3236	KM40	5,29
AH2336	KM40	5,94
AH3038	HML41T	3,28
AH3138	HM42T	4,73
AH2238	HM42T	4,15
AH2338	HM42T	6,53
AH3238	HM42T	5,8



# Adapter and withdawal round nuts




Main dimensions							
d	d	d ₁	В	b	t		
m		mm					
M10x0,75	18	13,5	4	3	2		
M12x1	22	17	4	3	2		
M15x1	25	21	5	4	2		
M17x1	28	24	5	4	2		
M20x1	32	26	6	4	2		
M25x1,5	38	32	7	5	2		
M30x1,5	45	38	7	5	2		
M35x1,5	52	44	8	5	2		
M40x1,5	58	50	9	6	2,5		
M45x1,5	65	56	10	6	2,5		
M50x1,5	70	61	11	6	2,5		
M55x2	75	67	11	7	3		
M60x2	80	73	11	7	3		
M65x2	85	79	12	7	3		
M70x2	92	85	12	8	3,5		
M75x2	98	90	13	8	3,5		
M80x2	105	95	15	8	3,5		
M85x2	110	102	16	8	3,5		
M90x2	120	108	16	10	4		
M95x2	125	113	17	10	4		
M100x2	130	120	18	10	4		



Nut desig	ınation	Corresp. locking washer	Weight
КМ	КМА		
			kg
KMO	MB0		0,004
KM1	MB1		0,007
KM2	MB2		0,01
КМЗ	MB3		0,013
KM4	MB4		0,019
KM5	KMA5	MB5	0,025
KM6	KMA6	MB6	0,043
KM7	KMA7	MB7	0,053
KM8	KMA8	MB8	0,085
KM9	KMA9	MB9	0,12
KM10	KMA10	MB10	0,15
KM11	KMA11	MB11	0,16
KM12	KMA12	MB12	0,17
KM13	KMA13	MB13	0,2
KM14	KMA14	MB14	0,24
KM15	KMA15	MB15	0,29
KM16	KMA16	MB16	0,4
KM17	KMA17	MB17	0,45
KM18	KMA18	MB18	0,56
KM19	MB19		0,66
KM20	KMA20	MB20	0,7



#### Adapter and withdrawal round nuts



	Main dimensions						
d		d	d ₁	В	b	t	
12:13:3			mm				
N	/105x2	140	126	18	12	5	
N	M110x2	145	133	19	12	5	
N	M115x2	150	137	19	12	5	
N	M120x2	155	138	20	12	5	
N	M125x2	160	148	21	12	5	
N	/130x2	165	149	21	12	6	
N	1135x2	175	160	22	14	6	
N	/140x2	180	160	22	14	6	
N	/150x2	195	171	24	14	6	
N	1160x3	210	182	25	16	7	
N	//170x3	220	193	26	16	7	
N	M180x3	230	203	27	18	8	
N	/190x3	240	214	28	18	8	
N	1200x3	250	226	29	18	8	

(ZKI)




Nut desig	nation	Corresp. locking washer	Weight
КМ	КМА		
			kg
KM21	KMA21	MB21	0,84
KM22	KMA22	MB22	0,97
KM23	MB23		1,01
KM24	KMA24	MB24	1,08
KM25	KMA25	MB25	1,19
KM26	KMA26	MB26	1,25
KM27	MB27		1,55
KM28	MB28		1,6
KM30	MB30		2,03
KM32	MB32		2,59
KM34	MB34		2,8
KM36	MB36		3,07
KM38	MB38		3,39
KM40	MB40		3,69

• • • • • • • 615 • • •



# Safety mats d = 10 to 200 mm

d = 10 to 100 mm



		M	ain dimensions			
d ₁	d ₂	d ₃	В	f ₁	f ₂	М
			mm			
10	13,5	21	1	3	3	8,5
12	17	25	1	3	3	10,5
15	21	28	1	4	4	13,5
17	24	32	1	4	4	15,5
20	26	36	1	4	4	18,5
25	32	42	1,25	5	5	23
30	38	49	1,25	5	5	27,5
35	44	57	1,25	6	5	32,5
40	50	62	1,25	6	6	37,5
45	56	69	1,25	6	6	42,5
50	61	74	1,25	6	6	47,5
55	67	81	1,5	8	7	52,5
60	73	86	1,5	8	7	57,5
65	79	92	1,5	8	7	62,2
70	85	98	1,5	8	8	66,5
75	90	104	1,5	8	8	71,5
80	95	112	1,8	10	8	76,5
85	102	119	1,8	10	8	81,5
90	108	126	1,8	10	10	86,5
95	113	133	1,8	10	10	91,5
100	120	140	1,8	12	10	96,5

. . 616

ZKI)


Locking washers designation	Weight 100 pcs.
	kg
MBO	0,13
MB1	0,2
MB2	0,26
MB3	0,32
MB4	0,35
MB5	0,64
MB6	0,78
MB7	1,04
MB8	1,23
MB9	1,52
MB10	1,6
MB11	1,96
MB12	2,53
MB13	2,9
MB14	3,34
MB15	3,56
MB16	4,64
MB17	5,24
MB18	6,23
MB19	6,7
MB20	7,65



F17 •



Safety mats d = 105 to 200 mm



Main dimensions										
_	d,	d ₂	d ₃	В	f ₁	f ₂	М			
12.13.4				mm						
	105	126	145	1,8	12	12	100,5			
	110	133	154	1,8	12	12	105,5			
	115	137	159	2	12	12	110,5			
	120	135	148	2	14	12	115			
		138	164	2	14	12	115			
	125	148	170	2	14	12	120			
	130	149	175	2	14	12	125			
ı	135	160	185	2	14	14	130			
ı	140	160	192	2	16	14	135			
	150	171	205	2	16	14	145			
	160	182	217	2,5	18	16	154			
ı	170	193	232	2,5	18	16	164			
	180	203	242	2,5	20	18	174			
ı	190	214	252	2,5	20	18	184			
١	200	226	262	2,5	20	18	194			

ZKI)


Locking washers designation	Weight 100 pcs.
	kg
MB21	8,26
MB22	9,4
MB23	10,8
MBL24	7
MB24	10,5
MB25	11,8
MB26	11,3
MB27	14,4
MB28	14,2
MB30	15,5
MB32	22,2
MB34	24,7
MB36	16,8
MB38	27,8
MB40	29,3




• • • • 619 • • •



# Snap rings for roller bearings with a groove on the outer ring





D	D ₂ ¹⁾	е	f	g ¹⁾	r ₂
	max	max	max	max	mín
		mr			
32	36,7	3,25	1,12	3	0,4
35	39,7	3,25	1,12	3	0,4
40	44,6	3,25	1,12	3	0,4
42	46,3	3,25	1,12	3	0,4
47	52,7	4,04	1,12	4	0,4
52	57,9	4,04	1,12	4	0,4
55	60,7	4,04	1,12	4	0,6
62	67,7	4,04	1,7	4	0,6
68	74,6	4,85	1,7	5	0,6
72	78,6	4,85	1,7	5	0,6
75	81,6	4,85	1,7	5	0,6
80	86,6	4,85	1,7	5	0,6
85	91,6	4,85	1,7	5	0,6
90	96,5	4,85	2,46	5	0,6
95	101,6	4,85	2,46	5	0,6
100	106,5	4,85	2,46	5	0,6
110	116,5	4,84	2,46	5	0,6
115	121,6	4,85	2,46	5	0,6
120	129,7	7,21	2,82	7	0,6
125	134,7	7,21	2,82	7	0,6
130	139,7	7,21	2,82	7	0,6




 $^{\rm 1)}$  Dimensions  $\rm D_{\rm 2}$  and g apply for a retaining ring fit into the bearing


kg           0,287         R32         6002N         6201N           0,313         R35         6003N         6202N           0,356         R40         6203N           0,371         R42         6004N         6302N           0,521         R47         6005N         6204N         6303N           0,578         R52         6205N         6304N           0,609         R55         6006N         6206N         6305N         6403           1,36         R68         6008N         6207N         6306N         6403           1,44         R72         6207N         6306N         6403           1,5         R75         6009N         6306N         6403	Designation of corresponding single row ball bearing							
kg         0,287         R32         6002N         6201N           0,313         R35         6003N         6202N           0,356         R40         6203N           0,371         R42         6004N         6302N           0,521         R47         6005N         6204N         6303N           0,578         R52         6205N         6304N           0,609         R55         6006N           1,03         R62         6007N         6206N         6305N         6403           1,36         R68         6008N         6207N         6306N         6403								
0,287       R32       6002N       6201N         0,313       R35       6003N       6202N         0,356       R40       6203N         0,371       R42       6004N       6302N         0,521       R47       6005N       6204N       6303N         0,578       R52       6205N       6304N         0,609       R55       6006N       6305N       6403         1,03       R62       6007N       6206N       6305N       6403         1,36       R68       6008N       6207N       6306N       6403         1,44       R72       6207N       6306N       6403								
0,313       R35       6003N       6202N         0,356       R40       6203N         0,371       R42       6004N       6302N         0,521       R47       6005N       6204N       6303N         0,578       R52       6205N       6304N         0,609       R55       6006N       6305N       6403         1,03       R62       6007N       6206N       6305N       6403         1,36       R68       6008N       6207N       6306N       6403         1,44       R72       6207N       6306N       6403								
0,356       R40       6203N         0,371       R42       6004N       6302N         0,521       R47       6005N       6204N       6303N         0,578       R52       6205N       6304N         0,609       R55       6006N       6305N       6403         1,03       R62       6007N       6206N       6305N       6403         1,36       R68       6008N       6207N       6306N       6403								
0,371       R42       6004N       6302N         0,521       R47       6005N       6204N       6303N         0,578       R52       6205N       6304N         0,609       R55       6006N       6305N       6403         1,03       R62       6007N       6206N       6305N       6403         1,36       R68       6008N       6207N       6306N       6403         1,44       R72       6207N       6306N       6403								
0,521     R47     6005N     6204N     6303N       0,578     R52     6205N     6304N       0,609     R55     6006N       1,03     R62     6007N     6206N     6305N     6403       1,36     R68     6008N       1,44     R72     6207N     6306N     6403								
0,578 R52 6205N 6304N  0,609 R55 6006N  1,03 R62 6007N 6206N 6305N 6403  1,36 R68 6008N  1,44 R72 6207N 6306N 6406								
0,609     R55     6006N       1,03     R62     6007N     6206N     6305N     6403       1,36     R68     6008N       1,44     R72     6207N     6306N     6406								
1,03 R62 6007N 6206N 6305N 6403 1,36 R68 6008N 6207N 6306N 6406								
1,36 R68 6008N 1,44 R72 6207N 6306N 6404								
1,44 <b>R72</b> 6207N 6306N 640	3N							
	1N							
1,0								
1.6 POO 6010NI 6009NI 6007NI 640	=NI							
1,6 <b>R80</b> 6010N 6208N 6307N 6408	NIC							
1,7 R85 6209N								
2,67 <b>R90</b> 6011N 6210N 6308N 6400	3N							
2,77 <b>R95</b> 6012N								
2,91 <b>R100</b> 6013N 6211N 6309N 640	7N							
3,2 <b>R110</b> 6014N 6212N 6310N 6408	3N							
3,35 <b>R115</b> 6015N 6213N								
5,99 <b>R120</b> 6311N 6409	9N							
6,24 <b>R125</b> 6016N 6214N								
6,48 <b>R130</b> 6017N 6215N 6312N 6410	N							





#### Snap rings for roller bearings with a groove on the outer ring





	Main dimensions											
D	D ₂ ¹⁾	е	f	g ¹⁾	<b>r</b> ₂							
	max	max max		max	mín							
2		m	m									
140	149,7	7,21	2,82	7	0,6							
145	154,7	7,21	2,82	7	0,6							
150	159,7	7,21	2,82	7	0,6							
160	169,7	7,21	3,1	10	0,6							
170	182,9	9,6	3,1	10	0,6							
180	192,9	9,6	3,1	10	0,6							
190	202,9	9,6	3,1	10	0,6							
200	212,9	9,6	3,1	10	0,6							

... 627





 $^{\mbox{\tiny 1)}}$  Dimensions  $\mbox{D}_{\mbox{\tiny 2}}$  and g apply for a retaining ring fit into the bearing


Weight 100 pcs.	Commerical designation	Designation of corresponding single row ball bearing								
			ty	pe						
		60	62	63	64					
kg										
6,98	R140	6018N	6216N	6313N	6411N					
7,23	R145	6019N	6217N							
7,48	R150	6020N		6314N	6412N					
7,98	R160	6021N	6218N	6315N	6413N					
12,4	R170	6022N	6219N	6316N						
13,2	R180	6024N	6220N	6317N	6414N					
13,9	R190		6221N	6318N	6415N					
14,6	R200	6026N	6222N	6319N	6416N					



## Clamp bearings d = 20 to 40 mm









					Basic loa	d rating				
	d	D	В	С	r _s	d ₁	s	C _a	dynamic C _r	static C _{or}
9.					min	max				
12.13.6			,	m	m	'			k۱	1
_	20	47	31,4	14	1		12,7	4,1	12,77	6,56
	25	52	44,4	15	1	38	17,5	4,1	14	7,9
		52	34,1	15	1		14,3	4,1	14	7,9
		52		15	1		7,5		14	7,9
		52	31	15	0,6	38	7,5		14	7,9
		52	27,7	15	1		7,5		14	7,9
	30	62	48,4	16	1	45	18,3	4,8	19,4	11,2
		62	38,1	16	1		15,9	4,8	19,4	11,2
		62		16	1		8		19,4	11,2
		62	35,7	16	0,6	45	8		19,4	11,2
		62	30,3	16	1		8		19,4	11,2
	0.5	70	F4.4	47	4.4	50 F	40.0	<b>5.0</b>	05.0	45.0
	35	72	51,1	17	1,1	56,5	18,8	5,3	25,6	15,2
		72	42,9	17	1,1		17,5	5,3	25,6	15,2
		72	00.0	17	1,1	50.5	8,5		25,6	15,2
		72 72	38,9 34	17 17	0,6	56,5	9,5		25,6	15,2
		12	34	17	1,1		8,5		25,6	15,2
	40	80	56,3	18	1,1	60	21,4	5,9	32,6	19,8
	40	80	49,2	18	1,1	00	19	5,9	32,6	19,8
		80	-10,2	18	1,1		9	0,0	32,6	19,8
		80	43,7	18	0,6	60	11		32,6	19,8
		80	39,5	18	1,1		9		32,6	19,8
			, .		,				. , .	.,-

... 624








Bearing designation	Weight	Limiting speed for lubrication								
			Shaf	t diameter tolera	nce					
		h6	h7	h8	h9	h11				
	kg			min ⁻¹	·					
UC204	0,146	8500	5300	3800	1300	850				
UA205	0,23	7100	4500	3200	1000	710				
UC205	0,17	7100	4500	3200	1000	710				
UD205	0,126									
UE205	0,18	7100	4500	3200	1000	710				
US205	0,15	7100	4500	3200	1000	710				
UA206	0,36	6300	4000	2800	890	630				
UC206	0,28	6300	4000	2800	890	630				
UD206	0,195									
UE206	0,28	6300	4000	2800	890	630				
US206	0,21	6300	4000	2800	890	630				
UA207	0,55	5300	3300	2200	750	530				
UC207	0,41	5300	3300	2200	750	530				
UD207	0,278									
UE207	0,42	5300	3300	2200	750	530				
US207	0,33	5300	3300	2200	750	530				
UA208	0,7	4700	3000	1900	670	470				
UC208	0,55	4700	3000	1900	670	470				
UD208	0,36									
UE208	0,57	4700	3000	1900	670	470				
US208	0,45	4700	3000	1900	670	470				





# Upright location units with clamp ring d = 25 to $40 \, mm$



	Main dimensions											
d	D	L	E	н	Н,	H ₂	Α	A ₁	N	N ₁	m	
					m	m						
25	52	130	102	70,5	36,5	14	34	22	17	12	M10	
	52	130	102	70,5	36,5	14	34	22	17	12	M10	
30	62	155	118	84	42,9	17	39	24	20	15	M12	
	62	155	118	84	42,9	17	39	24	20	15	M12	
35	72	160	128	93	47,6	19	44	29	20	15	M12	
	72	160	128	93	47,6	19	44	29	20	15	M12	
40	80	175	133	100	49,2	19	50	32	20	15	M12	
	80	175	133	100	49,2	19	50	32	20	15	M12	

. . . 626





When using UE type bearings in SG hubs, the hub unit designation is SGE When using US type bearings in SG hubs, the hub unit designation is SGS  $\,$ 


Basic loa	ad rating		Weight		
dynamic C _r	dynamic C _r static C _{or}		housing bearing		
k	N				kg
14	7,94	SGA205	SG205	UA205	0,74
14	7,94	SGC205	SG205	UC205	0,68
19,4	11,2	SGA206	SG206	UA206	1,2
19,4	11,2	SGC206	SG206	UC206	1,12
25,6	15,2	SGA207	SG207	UA207	1,6
25,6	15,2	SGC207	SG207	UC207	1,46
32,6	19,8	SGA208	SG208	UA208	1,95
32,6	19,8	SGC208	SG208	UC208	1,8





• • • • • • • • 627 • • •



## Four row flanged location units with clamp ring d = 25 to 40 mm








Main dimensions												
ωį	d	D	L	E	Α	A ₁	A ₂	$A_3$	N	m		
12.13.					mr	n						
	25	52	95	70	45,9	29,5	13	19	12	M10		
		52	95	70	38,8	29,5	13	19	12	M10		
	30	62	108	82,5	50,1	31	13	20	12	M10		
		62	108	82,5	42,2	31	13	20	12	M10		
	35	72	118	92	52,8	33,5	14	20,5	15	M12		
		72	118	92	45,9	33,5	14	20,5	15	M12		
	40	80	130	101,5	57,9	36,5	14	23	15	M12		
		80	130	101,5	53,5	36,5	14	23	15	M12		






When using UE type bearings in FM hubs, the hub system designation is FME When using UD type bearings in FM hubs, the hub system designation is FMD When using US type bearings in FM hubs, the hub system designation is FMS


Basic Id	oad rating	Weight			
dynamic C _r static C _{or}			unit	housing	bearing
kN		kg			
14	7,9	0,83	FGA205	FG205	UA205
14	14 7,9		FGC205	FG205	UC205
19,4	11,2	1,2	FGA206	FG206	UA206
19,4	11,2	1,12	FGC206	FG206	UC206
25,6	15,2	1,55	FGA207	FG207	UA207
25,6	15,2	1,41	FGC207	FG207	UC207
32,6	19,8	2,05	FGA208	FG208	UA208
32,6	19,8	1,9	FGC208	FG208	UC208






## Oval shaped flanged location units with clamp ring d = 25 to $40 \, \text{mm}$





					Main dim	ensions				
o,	d	D	L	н	E	А	A,	A ₂	N	m
12.13.					mr	n				
	25	52	123	70	99	45,9	29,5	13	12	M10
		52	123	70	99	38,8	29,5	13	12	M10
	30	62	142	83	116,5	50,1	31	13	12	M10
		62	142	83	116,5	42,2	31	13	12	M10
	35	72	156	92	130	53,3	33,5	14	14	M12
		72	156	92	130	46,4	33,5	14	14	M12
	40	80	172	102	143,8	58,9	37	14	15	M12
		80	172	102	143,8	54,2	37	14	15	M12





FMC

When using UE type bearings in FM hubs, the hub system designation is FME When using UD type bearings in FM hubs, the hub system designation is FMD When using US type bearings in FM hubs, the hub system designation is FMS

Basic Io	ad rating	Weight	Designation of				
dynamic C _r	dynamic C _r static C _{or}		unit	housing	bearing		
k	.N	kg					
14	7,9	0,64	FMA205	FM205	UA205		
14	7,9	0,58	FMC205	FM205	UC205		
14,4	11,2	1,08	FMA206	FM206	UA206		
14,4	11,2	1	FMC206	FM206	UC206		
25,6	15,2	1,45	FMA207	FM207	UA207		
25,6	15,2	1,31	FMC207	FM207	UC207		
32,6	19,8	1,75	FMA208	FM207	UA208		
32,6	19,8	1,6	FMC208	FM207	UC208		





• • • • • • • • 631 • • •




#### Triangular pressed flanged location units with clamp bearing

#### d = 25 to 35 mm








	Main dimensions												
d	D	н	Е	Н,	H ₂	Α	A,	A ₂	N	m			
					mm								
25	52	99,5	76	34,5	60	26,9	9	2	8,8	M8			
	52	99,5	76	34,5	60	19,8	9	2	8,8	M8			
30	62	112,5	90,5	38,5	71	30,1	9,5	2,5	10,5	M10			
	62	112,5	90,5	38,5	71	22,2	9,5	2,5	10,5	M10			
35	72	122	100	45	81	32,3	10	2,5	10,5	M10			
	72	122	100	45	81	24,1	10	2,5	10,5	M10			






When using UE type bearings in FB hubs, the hub system designation is FBE When using UD type bearings in FB hubs, the hub system designation is FBD When using US type bearings in FB hubs, the hub system designation is FBS


Basic loa	ad rating	Weight	Designation of				
dynamic C _r static C _{or}			unit	housing	bearing		
k	N	kg					
14	7,9	0,36	FBA205	FB205	UA205		
14	7,9	0,3	FBC205	FB205	UC205		
19,4	11,2	0,58	FBA206	FB206	UA206		
19,4	11,2	0,5	FBC206	FB206	UC206		
25,6	15,2	0,81	FBA207	FB207	UA207		
25,6	15,2	0,67	FBC207	FB207	UC207		






# Round pressed flanged location units with clamp bearing d = 20 to $35\,\text{mm}$








Main dimensions											
d	D	н	E	H ₂	А	A,	A ₂	N	m		
u	,			m	ım						
20	47	91	71,5	55	18,3	8	2	8,7	M8		
25	52	95	76	60	26,9	8,5	2	8,7	M8		
	52	95	76	60	19,8	8,5	2	8,7	M8		
30	62	112,7	90,5	71	30,1	8,7	2,5	10,5	M10		
	62	112,7	90,5	71	22,2	8,7	2,5	10,5	M10		
35	72	122	100	81	32,3	9,5	2,5	10,5	M10		
	72	122	100	81	24,1	9,5	2,5	10,5	M10		

. . . 634






When using UE type bearings in FE hubs, the hub system designation is FEE When using UD type bearings in FE hubs, the hub system designation is FED When using US type bearings in FE hubs, the hub system designation is FES

Basic Io	ad rating	Weight	Designation of				
dynamic C _r	static C _{or}		unit	housing	bearing		
k	N	kg					
12,7	6,5	0,27	FEC204	FE204	UC204		
14	7,9	0,4	FEA205	FE205	UA205		
14	7,9	0,35	FEC205	FE205	UC205		
19,4	11,2	0,65	FEA206	FE206	UA206		
19,4	11,2	0,55	FEC206	FE206	UC206		
25,6	15,2	0,86	FEA207	FE207	UA207		
25,6	15,2	0,86	FEC207	FE207	UC207		







## Upright sheet metal location units with clamp bearing d = 25 to 35 mm



March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   March   Marc	mm           25         52         32         21,5         86         108         56,6         28,6         4         11           30         62         38         23,8         95         119         66,3         33,3         4         11	Main dimensions									
25 52 32 21,5 86 108 56,6 28,6 4 11,2 30 62 38 23,8 95 119 66,3 33,3 4 11,2	25 52 32 21,5 86 108 56,6 28,6 4 11 30 62 38 23,8 95 119 66,3 33,3 4 11	d <b>d</b>	D	Α	A,	Е	L	н	H ₁	H ₂	N
25 52 32 21,5 86 108 56,6 28,6 4 11,2 30 62 38 23,8 95 119 66,3 33,3 4 11,2	25 52 32 21,5 86 108 56,6 28,6 4 11 30 62 38 23,8 95 119 66,3 33,3 4 11	12.13				mr	n				
30 62 38 23,8 95 119 66,3 33,3 4 11,2 35 72 42 27 106 130 78,2 39,7 5 11,2	30 62 38 23,8 95 119 66,3 33,3 4 11 35 72 42 27 106 130 78,2 39,7 5 11	25			21,5			56,6	28,6		11,2
30 /2 42 2/ 100 130 /0,2 39,/ 0 11,2	30 /2 42 2/ 100 130 /6,2 39,/ 5 11	30	62	38	23,8	95		66,3	33,3	4	11,2
				72				1 U12	50,1		11,2







SAD type hub assemblies use UD bearings SAE type hub assemblies use UE bearings SAS type hub assemblies use US bearings

Basic loa	ad rating	Weight		Design	ation of	
dynamic C _r	static C _{or}		housing	housing with bearing		
k	kN					
14	7,9	0,33	SA205	SAD205	SAE205	SAS205
19,4	11,2	0,53	SA206	SAD206	SAE206	SAS206
25,6	15,2	0,81	SA207	SAD207	SAE207	SAS207



• • • • • • • 637 • • •

# Roller bearings

ZKL Edition 3/13/EN

